

監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	15.19	6.16	11.24	4.72	17.46	1.46	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	14.69
010000	15.22	6.06	11.19	4.79	17.07	1.45	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	21.60
020000	15.24	6.15	11.24	4.75	17.11	1.45	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	22.52
030000	15.21	6.11	11.11	4.65	17.28	1.45	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	14.41
040000	15.20	6.16	11.19	4.68	17.50	1.45	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	16.90
050000	15.27	6.12	11.21	4.74	17.34	1.46	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	19.87
060000	15.20	6.24	11.32	4.73	16.56	1.46	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	23.99
070000	15.22	6.19	11.29	4.77	17.02	1.46	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	22.30
080000	15.26	6.10	11.20	4.77	18.68	1.46	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	24.27
090000	15.27	6.13	11.17	4.73	23.32	1.45	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	14.50
100000	15.19	6.17	11.28	4.80	30.90	1.45	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	11.48
110000	15.20	6.25	11.23	4.68	31.78	1.45	2.04	0.15	1.89	0.00	26.04	74.00	0.00	0.00	13.69
120000	15.11	6.20	11.25	4.72	30.64	1.46	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	19.90
130000	15.18	6.17	11.23	4.71	33.91	1.45	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	18.61
140000	15.20	6.16	11.16	4.67	33.92	1.46	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	20.60
150000	15.22	6.19	11.21	4.70	33.59	1.46	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	14.40
160000	15.19	6.24	11.22	4.68	33.62	1.45	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	25.70
170000	15.20	6.13	11.21	4.73	27.06	1.45	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	24.00
180000	15.13	6.15	11.21	4.73	21.53	1.45	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	19.11
190000	15.16	6.27	11.27	4.67	21.38	1.46	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	11.66
200000	15.18	6.14	11.21	4.72	19.77	1.45	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	14.64
210000	15.25	6.24	11.23	4.65	17.33	1.46	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	17.84
220000	15.28	6.21	11.23	4.70	17.82	1.46	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	15.61
230000	15.24	6.17	11.21	4.69	18.22	1.45	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	17.60
極大值	15.28	6.27	11.32	4.80	33.92	1.46	2.04	0.16	1.89	0.00	26.04	74.00	0.00	0.00	25.70
極小值	15.11	6.06	11.11	4.65	16.56	1.45	2.04	0.15	1.88	0.00	26.04	74.00	0.00	0.00	11.48
平均值	15.21	6.17	11.22	4.72	22.95	1.45	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	18.33
標準差	0.04	0.05	0.04	0.04	6.81	0.01	0	0	0	0	0	0	0	0	4.19

監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	15.24	6.28	11.27	4.62	17.76	1.46	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	21.30
010000	15.19	6.22	11.26	4.68	17.02	1.46	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	19.84
020000	15.24	6.16	11.26	4.77	16.96	1.46	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	21.80
030000	15.20	6.21	11.19	4.59	16.35	1.46	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	23.00
040000	15.22	6.07	11.12	4.68	16.66	1.46	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	24.50
050000	15.25	6.14	11.24	4.75	17.62	1.46	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	19.85
060000	15.19	6.14	11.17	4.68	17.85	1.46	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	25.20
070000	15.24	6.25	11.30	4.73	17.60	1.46	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	23.99
080000	15.26	6.21	11.18	4.67	19.39	1.45	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	27.61
090000	15.20	6.20	11.24	4.72	20.63	1.45	2.04	0.15	1.89	0.00	26.04	74.00	0.00	0.00	23.00
100000	15.17	6.23	11.18	4.63	21.51	1.45	2.04	0.15	1.89	0.00	26.04	74.00	0.00	0.00	15.11
110000	15.25	6.22	11.21	4.70	25.93	1.45	2.04	0.15	1.89	0.00	26.04	74.00	0.00	0.00	16.83
120000	15.20	6.22	11.15	4.65	29.24	1.45	2.04	0.15	1.89	0.00	26.04	74.00	0.00	0.00	17.60
130000	15.11	6.20	11.25	4.74	31.88	1.45	2.04	0.15	1.89	0.00	26.04	74.00	0.00	0.00	41.90
140000	15.18	6.08	11.04	4.67	31.98	1.45	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	43.80
150000	15.18	6.13	11.15	4.72	33.30	1.45	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	32.01
160000	15.13	6.19	11.18	4.68	31.28	1.46	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	27.13
170000	15.08	6.19	11.22	4.72	22.54	1.45	2.04	0.15	1.89	0.00	26.04	74.00	0.00	0.00	34.00
180000	15.17	6.19	11.20	4.71	18.01	1.46	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	62.40
190000	15.19	6.27	11.30	4.71	17.56	1.46	2.04	0.15	1.89	0.00	26.04	74.00	0.00	0.00	57.07
200000	15.12	6.20	11.22	4.70	17.22	1.46	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	56.59
210000	15.21	6.13	11.13	4.69	17.98	1.46	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	42.87
220000	15.22	6.14	11.16	4.69	18.69	1.46	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	38.70
230000	15.24	6.12	11.13	4.65	18.55	1.45	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	28.90
極大值	15.26	6.28	11.30	4.77	33.30	1.46	2.04	0.16	1.89	0.00	26.04	74.00	0.00	0.00	62.40
極小值	15.08	6.07	11.04	4.59	16.35	1.45	2.04	0.15	1.88	0.00	26.04	74.00	0.00	0.00	15.11
平均值	15.20	6.18	11.20	4.69	21.40	1.46	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	31.04
標準差	0.05	0.05	0.06	0.04	5.75	0.01	0	0	0	0	0	0	0	0	13.44

監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	15.25	6.18	11.20	4.67	19.76	1.46	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	29.83
010000	15.25	6.21	11.16	4.61	19.58	1.46	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	27.12
020000	15.29	6.18	11.19	4.67	18.22	1.45	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	32.78
030000	15.21	6.13	11.23	4.74	17.74	1.46	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	28.61
040000	15.29	6.09	11.17	4.75	17.67	1.46	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	28.16
050000	15.29	6.20	11.24	4.73	17.42	1.46	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	20.60
060000	15.33	6.20	11.28	4.73	16.72	1.46	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	23.01
070000	15.34	6.16	11.27	4.78	16.61	1.45	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	23.01
080000	15.27	6.20	11.31	4.79	18.03	1.46	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	24.71
090000	15.22	6.26	11.30	4.72	17.83	1.46	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	13.67
100000	15.27	6.19	11.21	4.70	18.89	1.45	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	10.20
110000	9.81	6.09	11.22	4.59	19.89	1.46	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	12.40
120000	7.83	5.90	11.29	4.44	21.91	1.48	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	33.77
130000	7.88	5.92	11.28	4.29	23.03	1.48	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	21.56
140000	7.89	5.86	11.32	4.42	22.47	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	22.30
150000	7.90	5.85	11.26	4.36	21.56	1.48	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	20.81
160000	7.89	5.93	11.28	4.29	22.77	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	23.71
170000	7.88	5.81	11.25	4.37	20.80	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	34.30
180000	7.91	5.94	11.33	4.34	19.16	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	33.60
190000	7.89	5.89	11.36	4.39	19.11	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	23.52
200000	7.90	5.93	11.37	4.37	20.55	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	22.60
210000	7.93	5.86	11.28	4.35	19.62	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	18.15
220000	7.92	5.79	11.29	4.41	16.80	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	13.22
230000	7.91	5.87	11.31	4.34	16.60	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	14.20
極大值	15.34	6.26	11.37	4.79	23.03	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	34.30
極小值	7.83	5.79	11.16	4.29	16.60	1.45	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	10.20
平均值	11.36	6.03	11.27	4.54	19.28	1.47	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	23.16
標準差	3.7	0.16	0.06	0.18	2.02	0.02	0	0	0	0	0	0	0	0	7.07

監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	7.93	5.85	11.31	4.35	15.88	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	12.43
010000	7.90	5.85	11.29	4.34	15.86	1.48	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	8.77
020000	7.96	5.88	11.27	4.31	15.54	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	9.26
030000	7.98	5.85	11.27	4.34	15.44	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	10.48
040000	7.99	5.85	11.30	4.39	15.06	1.48	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	9.24
050000	7.99	6.01	11.36	4.31	14.35	1.48	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	10.41
060000	7.98	5.85	11.32	4.41	14.53	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	9.20
070000	7.97	5.85	11.24	4.34	14.71	1.48	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	7.48
080000	7.95	5.91	11.33	4.34	16.31	1.48	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	6.27
090000	7.93	5.90	11.35	4.38	18.89	1.48	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	4.33
100000	7.96	6.02	11.34	4.32	25.06	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	6.24
110000	7.98	5.95	11.35	4.40	31.35	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	19.11
120000	8.00	5.90	11.30	4.33	35.71	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	19.07
130000	8.02	5.78	11.30	4.41	38.64	1.50	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	16.64
140000	8.03	5.86	11.27	4.26	39.24	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	18.13
150000	8.04	5.80	11.26	4.34	39.45	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	32.70
160000	8.05	5.91	11.35	4.35	39.30	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	15.49
170000	8.03	5.79	11.24	4.38	36.42	1.48	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	20.54
180000	8.03	5.86	11.31	4.38	32.55	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	17.15
190000	8.03	5.89	11.33	4.40	27.04	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	19.04
200000	8.04	5.87	11.24	4.31	20.29	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	15.39
210000	8.00	5.93	11.27	4.28	21.06	1.48	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	26.05
220000	8.01	5.89	11.26	4.29	19.80	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	17.87
230000	7.99	5.84	11.30	4.41	18.38	1.48	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	16.23
極大值	8.05	6.02	11.36	4.41	39.45	1.50	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	32.70
極小值	7.90	5.78	11.24	4.26	14.35	1.48	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	4.33
平均值	7.99	5.88	11.30	4.35	24.20	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	14.48
標準差	0.04	0.06	0.04	0.04	9.62	0.01	0	0	0	0	0	0	0	0	6.75

監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	7.97	5.82	11.38	4.47	17.88	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	18.23
010000	7.98	5.80	11.29	4.42	17.34	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	19.85
020000	8.05	5.95	11.33	4.31	16.76	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	17.14
030000	8.03	5.78	11.22	4.39	16.02	1.48	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	18.59
040000	8.01	5.82	11.26	4.38	15.28	1.48	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	17.06
050000	8.02	5.83	11.27	4.38	14.79	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	14.18
060000	8.01	5.93	11.33	4.33	14.59	1.48	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	17.01
070000	8.00	5.91	11.36	4.39	14.74	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	11.87
080000	8.04	5.93	11.35	4.34	16.40	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	10.21
090000	8.04	5.85	11.31	4.37	24.34	1.48	2.03	0.15	1.88	0.00	26.04	74.00	0.00	0.00	11.08
100000	8.01	5.94	11.33	4.27	31.95	1.50	2.03	0.15	1.88	0.00	26.04	74.00	0.00	0.00	21.32
110000	8.02	5.85	11.36	4.40	36.15	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	33.72
120000	7.98	5.87	11.32	4.34	38.83	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	18.18
130000	8.01	5.80	11.22	4.27	45.81	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	22.88
140000	8.06	5.88	11.34	4.39	47.95	1.50	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	15.36
150000	8.07	5.91	11.30	4.34	40.41	1.50	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	13.11
160000	8.04	5.84	11.19	4.21	37.78	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	12.88
170000	8.07	5.87	11.36	4.36	30.93	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	11.81
180000	8.01	5.78	11.31	4.44	28.06	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	22.83
190000	8.02	5.95	11.38	4.36	22.35	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	24.48
200000	8.03	5.95	11.45	4.42	20.38	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	23.23
210000	8.01	5.94	11.35	4.34	20.47	1.50	2.03	0.15	1.88	0.00	26.04	74.00	0.00	0.00	22.84
220000	7.99	5.94	11.37	4.35	16.06	1.49	2.03	0.15	1.88	0.00	26.04	74.00	0.00	0.00	24.82
230000	8.00	5.84	11.30	4.38	14.70	1.50	2.03	0.15	1.88	0.00	26.04	74.00	0.00	0.00	19.38
極大值	8.07	5.95	11.45	4.47	47.95	1.50	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	33.72
極小值	7.97	5.78	11.19	4.21	14.59	1.48	2.03	0.15	1.88	0.00	26.04	74.00	0.00	0.00	10.21
平均值	8.02	5.87	11.32	4.36	25.00	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	18.42
標準差	0.03	0.06	0.06	0.06	10.93	0.01	0	0	0	0	0	0	0	0	5.54

監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	7.99	5.89	11.36	4.41	14.89	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	22.05
010000	7.99	5.90	11.32	4.33	14.91	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	24.78
020000	8.02	5.89	11.36	4.39	15.09	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	29.11
030000	8.02	5.90	11.35	4.36	15.77	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	29.08
040000	8.00	5.85	11.32	4.36	15.92	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	27.26
050000	8.01	5.85	11.36	4.41	16.65	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	18.90
060000	8.01	5.87	11.28	4.34	16.93	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	21.62
070000	8.04	5.91	11.30	4.34	16.73	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	22.88
080000	7.98	5.84	11.31	4.40	17.85	1.49	2.03	0.15	1.88	0.00	26.04	74.00	0.00	0.00	27.37
090000	7.99	5.88	11.35	4.38	21.09	1.49	2.03	0.15	1.88	0.00	26.04	74.00	0.00	0.00	25.15
100000	7.99	5.90	11.44	4.43	28.13	1.48	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	22.31
110000	7.97	5.92	11.34	4.31	35.67	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	23.01
120000	7.95	5.97	11.39	4.33	45.40	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	23.75
130000	7.99	5.94	11.33	4.31	49.21	1.50	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	25.68
140000	8.08	5.91	11.37	4.41	42.62	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	24.72
150000	8.06	5.82	11.27	4.36	40.61	1.50	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	25.81
160000	8.11	5.79	11.26	4.36	39.99	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	20.33
170000	8.13	5.92	11.30	4.26	38.82	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	21.65
180000	8.11	5.84	11.28	4.32	34.81	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	27.17
190000	8.11	5.91	11.24	4.25	26.33	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	30.21
200000	8.06	5.93	11.31	4.30	21.95	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	35.99
210000	8.05	5.90	11.25	4.28	20.39	1.48	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	32.66
220000	8.02	5.93	11.31	4.30	18.40	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	24.73
230000	8.07	5.90	11.36	4.38	18.21	1.48	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	25.91
極大值	8.13	5.97	11.44	4.43	49.21	1.50	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	35.99
極小值	7.95	5.79	11.24	4.25	14.89	1.48	2.03	0.15	1.88	0.00	26.04	74.00	0.00	0.00	18.90
平均值	8.03	5.89	11.32	4.35	26.10	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	25.51
標準差	0.05	0.04	0.05	0.05	11.47	0	0	0	0	0	0	0	0	0	3.95

監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	8.03	5.84	11.24	4.36	16.56	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	22.82
010000	8.03	5.92	11.35	4.38	15.80	1.48	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	23.78
020000	8.08	5.92	11.28	4.28	14.91	1.48	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	26.66
030000	8.04	5.84	11.27	4.34	14.49	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	24.35
040000	8.03	5.85	11.27	4.35	14.43	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	16.19
050000	8.10	5.85	11.24	4.34	14.51	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	20.18
060000	8.03	5.87	11.25	4.31	14.35	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	13.05
070000	8.07	5.83	11.30	4.40	14.60	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	21.33
080000	8.10	5.79	11.24	4.36	15.17	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	23.45
090000	8.08	5.82	11.25	4.33	23.43	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	34.59
100000	8.05	5.87	11.27	4.29	38.07	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	23.32
110000	8.09	5.91	11.41	4.37	39.85	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	28.56
120000	8.07	5.95	11.33	4.24	40.07	1.49	2.05	0.15	1.90	0.00	26.04	74.00	0.00	0.00	25.77
130000	8.10	5.82	11.34	4.37	40.41	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	29.57
140000	8.15	5.85	11.32	4.31	41.25	1.50	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	27.84
150000	8.16	5.84	11.28	4.28	41.85	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	24.76
160000	8.14	5.87	11.31	4.29	41.34	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	28.15
170000	8.13	5.85	11.28	4.31	39.54	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	28.36
180000	8.10	5.88	11.37	4.40	37.90	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	25.91
190000	8.10	5.89	11.33	4.38	32.94	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	23.44
200000	8.12	5.82	11.34	4.45	35.80	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	19.87
210000	8.08	5.87	11.30	4.37	29.85	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	18.47
220000	8.11	5.79	11.20	4.33	28.39	1.48	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	22.48
230000	8.11	5.85	11.30	4.39	25.38	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	20.77
極大值	8.16	5.95	11.41	4.45	41.85	1.50	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	34.59
極小值	8.03	5.79	11.20	4.24	14.35	1.48	2.04	0.15	1.88	0.00	26.04	74.00	0.00	0.00	13.05
平均值	8.09	5.86	11.29	4.34	27.95	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	23.90
標準差	0.04	0.04	0.05	0.05	11.35	0	0.01	0	0.01	0	0	0	0	0	4.64

監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	8.11	5.90	11.32	4.36	22.31	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	18.21
010000	8.12	5.89	11.27	4.31	19.70	1.48	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	23.85
020000	8.12	5.86	11.34	4.39	18.81	1.48	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	26.49
030000	8.14	5.91	11.32	4.35	17.98	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	26.48
040000	8.11	5.89	11.33	4.37	17.25	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	25.34
050000	8.12	5.94	11.31	4.32	15.24	1.48	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	28.71
060000	8.08	5.90	11.38	4.43	15.33	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	32.38
070000	8.08	5.95	11.30	4.29	15.78	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	36.74
080000	8.09	5.91	11.27	4.26	19.69	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	22.01
090000	8.06	5.87	11.22	4.30	32.25	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	21.85
100000	8.08	5.87	11.31	4.32	38.49	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	24.68
110000	8.09	5.92	11.30	4.25	51.79	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	23.10
120000	8.14	5.91	11.27	4.26	49.88	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	28.64
130000	8.16	5.82	11.30	4.34	50.65	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	30.38
140000	8.22	5.85	11.19	4.19	48.43	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	33.03
150000	8.20	5.91	11.25	4.24	48.68	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	34.46
160000	8.21	5.89	11.25	4.24	46.70	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	15.66
170000	8.24	5.88	11.32	4.32	45.93	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	16.87
180000	8.19	5.89	11.36	4.35	43.50	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	15.41
190000	8.17	5.95	11.28	4.26	39.99	1.48	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	17.39
200000	8.15	5.89	11.36	4.39	38.50	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	119.91
210000	8.17	5.93	11.39	4.40	30.05	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	35.69
220000	8.15	5.90	11.38	4.41	26.70	1.48	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	29.52
230000	8.12	5.81	11.23	4.35	24.70	1.48	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	24.48
極大值	8.24	5.95	11.39	4.43	51.79	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	119.91
極小值	8.06	5.81	11.19	4.19	15.24	1.48	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	15.41
平均值	8.14	5.89	11.30	4.32	32.43	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	29.64
標準差	0.05	0.04	0.05	0.06	13.49	0	0	0	0	0	0	0	0	0	20.22

監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	8.13	5.88	11.29	4.37	20.40	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	23.45
010000	8.13	5.91	11.32	4.36	20.40	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	20.64
020000	8.14	5.91	11.35	4.40	17.51	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	23.02
030000	8.14	5.99	11.34	4.28	15.08	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	23.96
040000	8.14	5.89	11.25	4.27	15.79	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	22.05
050000	8.16	5.78	11.18	4.34	16.63	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	24.17
060000	8.15	5.82	11.24	4.37	15.39	1.49	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	22.30
070000	8.13	5.79	11.28	4.41	15.50	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	22.29
080000	8.15	5.93	11.38	4.39	20.23	1.48	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	9.73
090000	8.15	5.84	11.33	4.40	25.98	1.49	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	11.23
100000	8.13	5.91	11.29	4.28	33.35	1.49	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	12.61
110000	8.11	5.85	11.31	4.33	45.66	1.49	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	12.95
120000	8.12	5.84	11.27	4.31	47.58	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	15.81
130000	8.13	5.86	11.30	4.38	47.96	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	10.66
140000	8.18	5.90	11.39	4.36	48.10	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	8.63
150000	8.19	5.89	11.32	4.37	45.69	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	19.31
160000	8.18	5.82	11.29	4.38	42.39	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	18.79
170000	8.19	5.79	11.19	4.32	35.12	1.49	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	29.76
180000	8.14	5.87	11.26	4.32	30.84	1.48	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	10.10
190000	8.13	5.92	11.38	4.40	29.73	1.48	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	19.96
200000	8.14	5.99	11.40	4.37	24.72	1.49	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	23.36
210000	8.16	5.88	11.29	4.36	22.27	1.49	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	15.62
220000	8.11	5.96	11.32	4.29	19.36	1.49	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	15.48
230000	8.09	5.94	11.44	4.42	17.19	1.49	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	19.57
極大值	8.19	5.99	11.44	4.42	48.10	1.49	2.06	0.17	1.90	0.00	26.04	74.00	0.00	0.00	29.76
極小值	8.09	5.78	11.18	4.27	15.08	1.48	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	8.63
平均值	8.14	5.88	11.31	4.35	28.04	1.49	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	18.14
標準差	0.03	0.06	0.06	0.04	12.15	0	0.01	0	0.01	0	0	0	0	0	5.72

監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	8.10	5.83	11.25	4.37	16.33	1.48	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	17.57
010000	8.11	5.90	11.29	4.33	15.33	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	15.01
020000	8.16	5.86	11.25	4.33	15.27	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	20.97
030000	8.15	5.89	11.32	4.36	15.36	1.49	2.04	0.15	1.89	0.00	26.04	74.00	0.00	0.00	25.80
040000	8.16	5.90	11.32	4.32	15.18	1.49	2.04	0.15	1.89	0.00	26.04	74.00	0.00	0.00	17.72
050000	8.18	5.84	11.28	4.36	15.17	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	23.72
060000	8.15	5.89	11.32	4.38	16.35	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	22.93
070000	8.15	5.81	11.21	4.32	15.70	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	30.49
080000	8.12	5.83	11.23	4.34	16.95	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	24.15
090000	8.15	5.88	11.30	4.36	25.13	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	21.28
100000	8.14	5.82	11.21	4.34	28.12	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	32.31
110000	8.10	5.89	11.30	4.32	34.43	1.49	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	33.60
120000	8.09	5.86	11.32	4.37	37.71	1.48	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	39.23
130000	8.10	5.82	11.24	4.35	37.04	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	29.18
140000	8.18	5.75	11.24	4.46	35.34	1.50	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	32.80
150000	8.18	5.81	11.22	4.31	34.74	1.48	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	33.54
160000	8.13	5.83	11.23	4.30	33.17	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	35.66
170000	8.16	5.88	11.30	4.35	30.77	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	44.28
180000	8.16	5.87	11.29	4.37	25.33	1.49	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	42.57
190000	8.14	5.87	11.33	4.36	24.75	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	41.24
200000	8.15	5.89	11.38	4.43	22.87	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	43.80
210000	8.11	5.94	11.45	4.44	21.05	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	43.23
220000	8.15	5.76	11.22	4.38	19.48	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	50.23
230000	8.11	5.84	11.25	4.36	16.70	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	35.09
極大值	8.18	5.94	11.45	4.46	37.71	1.50	2.06	0.17	1.90	0.00	26.04	74.00	0.00	0.00	50.23
極小值	8.09	5.75	11.21	4.30	15.17	1.48	2.04	0.15	1.88	0.00	26.04	74.00	0.00	0.00	15.01
平均值	8.14	5.85	11.28	4.36	23.68	1.49	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	31.52
標準差	0.03	0.05	0.06	0.04	8.24	0	0.01	0	0.01	0	0	0	0	0	9.82

監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	8.15	5.86	11.27	4.35	16.02	1.48	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	39.69
010000	8.13	5.88	11.33	4.39	15.56	1.49	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	27.93
020000	8.16	5.76	11.30	4.49	15.55	1.49	2.04	0.15	1.89	0.00	26.04	74.00	0.00	0.00	29.84
030000	8.13	5.90	11.24	4.29	15.24	1.49	2.05	0.15	1.90	0.00	26.04	74.00	0.00	0.00	30.00
040000	8.17	5.93	11.27	4.28	15.17	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	37.36
050000	8.20	5.83	11.24	4.35	15.17	1.49	2.05	0.15	1.90	0.00	26.04	74.00	0.00	0.00	29.43
060000	8.18	5.84	11.24	4.36	15.24	1.49	2.04	0.15	1.89	0.00	26.04	74.00	0.00	0.00	34.52
070000	8.17	5.94	11.36	4.38	16.34	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	35.06
080000	8.19	5.94	11.30	4.29	18.11	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	37.48
090000	8.16	5.87	11.29	4.35	23.22	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	34.94
100000	8.16	5.86	11.30	4.38	28.45	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	42.29
110000	8.15	5.90	11.30	4.32	35.22	1.49	2.05	0.15	1.90	0.00	26.04	74.00	0.00	0.00	47.81
120000	8.13	5.91	11.39	4.38	40.39	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	48.04
130000	8.14	5.86	11.33	4.35	45.79	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	47.80
140000	8.24	5.92	11.28	4.28	41.68	1.49	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	47.68
150000	8.26	5.93	11.28	4.26	36.31	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	41.34
160000	8.26	5.93	11.29	4.25	37.89	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	49.34
170000	8.25	5.83	11.25	4.26	34.19	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	54.82
180000	8.22	5.85	11.25	4.26	31.28	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	52.04
190000	8.20	5.79	11.34	4.42	27.60	1.49	2.05	0.15	1.90	0.00	26.04	74.00	0.00	0.00	48.00
200000	8.23	5.82	11.33	4.37	26.83	1.49	2.04	0.15	1.89	0.00	26.04	74.00	0.00	0.00	38.98
210000	8.25	5.83	11.27	4.30	23.03	1.49	2.04	0.15	1.89	0.00	26.04	74.00	0.00	0.00	41.19
220000	8.23	5.88	11.27	4.28	18.93	1.49	2.04	0.15	1.89	0.00	26.04	74.00	0.00	0.00	28.85
230000	8.22	5.81	11.25	4.34	15.63	1.49	2.04	0.15	1.89	0.00	26.04	74.00	0.00	0.00	26.41
極大值	8.26	5.94	11.39	4.49	45.79	1.49	2.06	0.17	1.90	0.00	26.04	74.00	0.00	0.00	54.82
極小值	8.13	5.76	11.24	4.25	15.17	1.48	2.04	0.15	1.88	0.00	26.04	74.00	0.00	0.00	26.41
平均值	8.19	5.87	11.29	4.33	25.37	1.49	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	39.62
標準差	0.04	0.05	0.04	0.06	10.18	0	0.01	0.01	0.01	0	0	0	0	0	8.42

監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	8.21	5.86	11.29	4.37	15.25	1.49	2.05	0.15	1.90	0.00	26.04	74.00	0.00	0.00	38.63
010000	8.17	5.89	11.31	4.37	15.06	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	34.81
020000	8.22	5.92	11.26	4.28	14.69	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	35.13
030000	8.23	5.94	11.26	4.26	14.73	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	37.13
040000	8.21	5.80	11.26	4.41	14.77	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	40.32
050000	8.22	5.96	11.30	4.28	14.70	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	46.65
060000	8.21	5.90	11.37	4.40	14.79	1.49	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	49.26
070000	8.19	5.89	11.30	4.36	14.71	1.49	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	47.62
080000	8.21	5.88	11.32	4.35	16.22	1.48	2.04	0.15	1.89	0.00	26.04	74.00	0.00	0.00	65.19
090000	8.20	5.88	11.22	4.25	18.45	1.49	2.05	0.15	1.90	0.00	26.04	74.00	0.00	0.00	53.78
100000	8.20	5.88	11.30	4.35	26.77	1.49	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	58.74
110000	8.18	5.94	11.33	4.28	31.85	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	55.21
120000	8.19	5.91	11.27	4.24	35.71	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	48.73
130000	8.22	5.79	11.26	4.36	43.17	1.49	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	48.46
140000	8.28	5.87	11.29	4.31	45.37	1.49	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	45.81
150000	8.31	5.79	11.22	4.30	43.45	1.49	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	34.05
160000	8.28	5.85	11.22	4.28	41.86	1.50	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	37.19
170000	8.31	5.87	11.33	4.35	40.23	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	34.55
180000	8.32	5.81	11.24	4.33	32.39	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	33.18
190000	8.26	5.92	11.34	4.31	23.43	1.48	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	27.90
200000	8.26	5.87	11.31	4.34	17.58	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	27.61
210000	8.24	5.80	11.29	4.41	20.68	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	23.03
220000	8.28	5.91	11.26	4.29	22.62	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	35.21
230000	8.26	5.81	11.20	4.31	19.70	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	18.13
極大值	8.32	5.96	11.37	4.41	45.37	1.50	2.06	0.17	1.90	0.00	26.04	74.00	0.00	0.00	65.19
極小值	8.17	5.79	11.20	4.24	14.69	1.48	2.04	0.15	1.89	0.00	26.04	74.00	0.00	0.00	18.13
平均值	8.24	5.87	11.28	4.32	24.92	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	40.68
標準差	0.04	0.05	0.04	0.05	11.18	0	0.01	0.01	0	0	0	0	0	0	11.49

監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	8.26	5.83	11.19	4.28	16.09	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	19.85
010000	8.24	5.83	11.19	4.31	15.40	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	18.55
020000	8.25	5.90	11.28	4.35	14.71	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	15.86
030000	8.26	5.86	11.26	4.36	14.85	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	13.14
040000	8.21	5.90	11.20	4.24	15.66	1.50	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	15.11
050000	8.28	5.87	11.30	4.39	15.55	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	12.15
060000	8.31	5.92	11.26	4.30	14.92	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	10.79
070000	8.30	5.88	11.36	4.42	15.12	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	16.06
080000	8.30	5.82	11.20	4.32	18.15	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	12.70
090000	8.28	5.95	11.31	4.28	27.18	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	18.40
100000	8.26	5.86	11.24	4.29	34.21	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	47.85
110000	8.30	5.94	11.36	4.46	37.84	1.49	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	93.22
120000	8.27	5.90	11.32	4.42	38.42	1.49	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	84.88
130000	8.35	5.82	11.21	4.37	28.14	1.49	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	166.73
140000	8.39	5.86	11.26	4.31	27.03	1.49	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	100.23
150000	8.39	5.92	11.26	4.26	26.61	1.49	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	99.94
160000	8.36	5.90	11.25	4.23	26.26	1.49	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	66.47
170000	8.37	5.81	11.26	4.33	25.56	1.49	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	46.77
180000	8.37	5.78	11.22	4.30	24.01	1.49	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	45.04
190000	8.36	5.79	11.28	4.34	22.47	1.49	2.06	0.15	1.91	0.00	26.04	74.00	0.00	0.00	41.17
200000	8.35	5.84	11.30	4.33	23.41	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	28.38
210000	8.30	5.89	11.35	4.31	22.02	1.50	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	27.32
220000	8.34	5.85	11.27	4.32	17.81	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	35.40
230000	8.35	5.89	11.29	4.26	15.80	1.49	2.06	0.15	1.91	0.00	26.04	74.00	0.00	0.00	27.58
極大值	8.39	5.95	11.36	4.46	38.42	1.50	2.07	0.17	1.91	0.00	26.04	74.00	0.00	0.00	166.73
極小值	8.21	5.78	11.19	4.23	14.71	1.49	2.06	0.15	1.89	0.00	26.04	74.00	0.00	0.00	10.79
平均值	8.31	5.87	11.27	4.32	22.38	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	44.32
標準差	0.05	0.05	0.05	0.06	7.36	0	0	0	0.01	0	0	0	0	0	39.12

監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	8.31	5.86	11.22	4.24	15.69	1.50	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	21.97
010000	8.31	5.86	11.26	4.32	15.47	1.49	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	19.36
020000	8.38	5.92	11.30	4.29	15.28	1.49	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	17.91
030000	8.39	5.85	11.18	4.27	15.13	1.49	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	19.86
040000	8.41	5.92	11.27	4.29	14.79	1.49	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	17.84
050000	8.37	5.92	11.25	4.28	14.67	1.49	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	15.00
060000	8.34	5.98	11.30	4.25	14.75	1.48	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	20.46
070000	8.37	5.77	11.21	4.35	15.12	1.49	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	25.21
080000	8.41	5.90	11.25	4.32	17.54	1.49	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	22.91
090000	8.42	5.89	11.20	4.28	21.69	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	42.90
100000	8.42	5.86	11.27	4.39	26.16	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	36.09
110000	8.45	5.91	11.27	4.31	26.55	1.49	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	24.25
120000	8.47	5.92	11.23	4.29	27.65	1.50	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	37.56
130000	8.51	5.88	11.26	4.33	27.35	1.50	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	40.89
140000	8.57	5.95	11.26	4.31	26.43	1.49	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	40.25
150000	8.51	5.91	11.22	4.27	26.21	1.50	2.08	0.17	1.91	0.00	26.04	74.00	0.00	0.00	43.76
160000	8.54	5.85	11.31	4.30	25.19	1.49	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	40.91
170000	8.58	5.87	11.25	4.26	20.51	1.49	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	41.07
180000	8.52	5.86	11.24	4.32	21.71	1.49	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	34.12
190000	8.51	5.89	11.28	4.27	20.24	1.49	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	37.09
200000	8.51	5.75	11.22	4.34	18.56	1.49	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	40.27
210000	8.49	5.83	11.28	4.31	17.90	1.49	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	44.17
220000	8.48	5.89	11.33	4.33	18.19	1.49	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	48.17
230000	8.49	5.83	11.20	4.24	17.72	1.49	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	56.10
極大值	8.58	5.98	11.33	4.39	27.65	1.50	2.08	0.17	1.91	0.00	26.04	74.00	0.00	0.00	56.10
極小值	8.31	5.75	11.18	4.24	14.67	1.48	2.06	0.16	1.89	0.00	26.04	74.00	0.00	0.00	15.00
平均值	8.45	5.88	11.25	4.30	20.02	1.49	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	32.84
標準差	0.08	0.05	0.04	0.04	4.75	0	0	0	0	0	0	0	0	0	11.62

監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	8.45	5.99	11.34	4.22	16.08	1.49	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	45.45
010000	8.44	5.79	11.23	4.27	15.34	1.49	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	41.40
020000	8.45	5.87	11.38	4.37	15.09	1.50	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	46.02
030000	8.48	5.91	11.31	4.24	15.19	1.50	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	44.02
040000	8.46	5.87	11.29	4.27	15.94	1.50	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	38.97
050000	8.48	5.88	11.22	4.20	15.85	1.50	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	42.42
060000	8.47	5.84	11.21	4.26	14.94	1.50	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	32.10
070000	8.47	5.78	11.19	4.29	15.16	1.50	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	36.07
080000	8.47	5.88	11.30	4.27	16.56	1.50	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	38.96
090000	8.49	5.82	11.22	4.29	18.42	1.50	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	37.59
100000	8.48	5.92	11.26	4.29	22.22	1.49	2.06	0.15	1.91	0.00	26.04	74.00	0.00	0.00	29.44
110000	8.52	5.82	11.36	4.48	27.27	1.49	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	32.83
120000	8.56	5.90	11.28	4.34	30.17	1.49	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	34.61
130000	8.56	5.90	11.35	4.40	31.52	1.49	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	38.81
140000	8.56	5.84	11.23	4.27	34.42	1.50	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	45.50
150000	8.56	5.88	11.26	4.28	35.30	1.49	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	67.23
160000	8.57	5.85	11.28	4.30	33.90	1.49	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	34.07
170000	8.57	5.88	11.28	4.24	31.39	1.50	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	38.04
180000	8.54	5.92	11.44	4.38	28.28	1.49	2.06	0.15	1.91	0.00	26.04	74.00	0.00	0.00	41.09
190000	8.53	5.77	11.25	4.33	24.58	1.50	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	36.31
200000	8.55	5.87	11.29	4.27	22.70	1.49	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	36.87
210000	8.55	5.86	11.17	4.25	19.79	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	41.17
220000	8.47	5.88	11.28	4.33	18.43	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	41.11
230000	8.50	5.96	11.30	4.25	18.31	1.49	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	37.58
極大值	8.57	5.99	11.44	4.48	35.30	1.50	2.07	0.17	1.91	0.00	26.04	74.00	0.00	0.00	67.23
極小值	8.44	5.77	11.17	4.20	14.94	1.49	2.06	0.15	1.89	0.00	26.04	74.00	0.00	0.00	29.44
平均值	8.51	5.87	11.28	4.30	22.37	1.49	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	39.90
標準差	0.04	0.05	0.06	0.06	7.25	0.01	0	0	0.01	0	0	0	0	0	7.26

監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	8.51	5.89	11.28	4.31	17.80	1.49	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	30.02
010000	8.50	5.82	11.24	4.35	17.97	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	25.74
020000	8.48	5.83	11.28	4.37	17.89	1.49	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	27.95
030000	8.52	5.85	11.26	4.37	18.40	1.49	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	30.77
040000	8.54	5.88	11.24	4.28	18.88	1.49	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	28.37
050000	8.52	5.87	11.34	4.38	18.37	1.50	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	26.59
060000	8.55	5.92	11.37	4.35	18.80	1.49	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	36.92
070000	8.56	5.94	11.38	4.33	19.01	1.49	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	44.12
080000	8.56	5.94	11.29	4.27	20.61	1.49	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	44.92
090000	8.52	5.95	11.33	4.35	21.80	1.50	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	36.99
100000	8.50	5.96	11.36	4.44	25.99	1.49	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	47.84
110000	8.55	5.91	11.25	4.38	33.56	1.49	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	50.03
120000	8.52	5.91	11.26	4.39	33.70	1.49	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	35.42
130000	8.50	5.86	11.20	4.35	38.00	1.49	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	53.28
140000	8.52	5.83	11.18	4.29	39.32	1.49	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	41.94
150000	8.51	5.87	11.36	4.41	39.81	1.48	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	43.89
160000	8.45	5.86	11.31	4.39	38.17	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	43.37
170000	8.47	5.80	11.32	4.47	35.89	1.49	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	41.94
180000	8.46	5.82	11.29	4.42	33.67	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	44.42
190000	8.45	5.82	11.25	4.35	22.50	1.49	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	45.60
200000	8.47	5.89	11.27	4.31	17.90	1.49	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	45.53
210000	8.47	5.87	11.20	4.25	17.68	1.48	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	55.90
220000	8.46	5.88	11.31	4.35	18.41	1.49	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	55.93
230000	8.51	5.93	11.34	4.36	17.49	1.49	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	45.89
極大值	8.56	5.96	11.38	4.47	39.81	1.50	2.06	0.17	1.90	0.00	26.04	74.00	0.00	0.00	55.93
極小值	8.45	5.80	11.18	4.25	17.49	1.48	2.05	0.16	1.88	0.00	26.04	74.00	0.00	0.00	25.74
平均值	8.50	5.88	11.29	4.36	25.07	1.49	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	40.97
標準差	0.03	0.05	0.06	0.05	8.6	0	0	0	0.01	0	0	0	0	0	9.09

監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	8.49	5.92	11.27	4.28	16.99	1.49	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	39.17
010000	8.44	5.95	11.33	4.31	16.78	1.48	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	37.43
020000	8.48	5.85	11.25	4.31	16.69	1.49	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	33.21
030000	8.45	5.87	11.31	4.34	16.56	1.49	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	45.26
040000	8.49	5.89	11.28	4.32	16.01	1.48	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	43.13
050000	8.50	5.88	11.29	4.38	15.64	1.49	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	44.55
060000	8.49	5.84	11.32	4.42	15.73	1.48	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	44.24
070000	8.45	5.93	11.30	4.34	15.61	1.49	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	52.01
080000	8.42	5.90	11.29	4.32	17.58	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	68.88
090000	8.43	5.88	11.26	4.31	22.25	1.49	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	49.51
100000	8.42	5.96	11.34	4.39	32.00	1.49	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	66.52
110000	8.45	5.98	11.37	4.41	38.40	1.49	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	62.92
120000	8.48	5.92	11.38	4.46	42.69	1.48	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	63.96
130000	8.43	5.92	11.27	4.33	42.26	1.49	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	55.48
140000	8.46	5.84	11.33	4.40	40.16	1.49	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	48.95
150000	8.47	5.94	11.35	4.32	37.84	1.49	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	46.12
160000	8.46	5.88	11.32	4.35	33.42	1.49	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	36.19
170000	8.43	5.90	11.33	4.34	33.94	1.49	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	46.15
180000	8.38	5.91	11.37	4.39	27.12	1.48	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	53.43
190000	8.36	5.97	11.33	4.29	25.18	1.48	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	42.88
200000	8.41	6.04	11.39	4.28	25.47	1.49	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	36.59
210000	8.41	5.94	11.36	4.33	23.49	1.49	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	41.20
220000	8.40	5.91	11.36	4.36	22.68	1.49	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	41.31
230000	8.40	5.83	11.30	4.36	22.47	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	48.25
極大值	8.50	6.04	11.39	4.46	42.69	1.49	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	68.88
極小值	8.36	5.83	11.25	4.28	15.61	1.48	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	33.21
平均值	8.44	5.91	11.32	4.35	25.71	1.49	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	47.81
標準差	0.04	0.05	0.04	0.05	9.48	0	0	0	0	0	0	0	0	0	9.82

監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	8.38	5.88	11.33	4.33	21.16	1.49	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	45.68
010000	8.37	5.91	11.36	4.34	20.66	1.49	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	38.20
020000	8.39	5.86	11.30	4.32	20.30	1.49	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	35.40
030000	8.41	5.89	11.37	4.38	20.22	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	41.23
040000	8.40	5.90	11.31	4.32	19.23	1.49	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	44.27
050000	8.42	5.80	11.31	4.41	18.57	1.49	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	41.98
060000	8.42	5.81	11.29	4.38	17.70	1.49	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	34.95
070000	8.41	6.01	11.43	4.33	18.25	1.48	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	60.02
080000	8.42	5.92	11.40	4.38	20.26	1.50	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	38.27
090000	8.40	5.88	11.37	4.41	22.53	1.50	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	41.21
100000	8.39	5.96	11.30	4.34	26.64	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	43.81
110000	8.42	5.93	11.26	4.42	33.68	1.49	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	27.05
120000	8.43	5.91	11.33	4.48	38.98	1.49	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	23.02
130000	8.39	5.87	11.37	4.48	44.28	1.48	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	35.89
140000	8.45	5.94	11.27	4.31	46.54	1.48	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	40.70
150000	8.41	5.90	11.22	4.24	44.08	1.48	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	29.60
160000	8.40	5.86	11.28	4.32	43.81	1.49	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	29.63
170000	8.38	5.95	11.39	4.36	38.70	1.48	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	31.04
180000	8.35	5.98	11.43	4.40	31.35	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	27.83
190000	8.34	5.95	11.38	4.33	24.78	1.49	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	24.02
200000	8.34	5.93	11.33	4.32	23.55	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	24.96
210000	8.38	5.89	11.24	4.27	20.04	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	26.70
220000	8.37	5.92	11.36	4.34	18.52	1.49	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	26.55
230000	8.35	5.89	11.26	4.28	18.64	1.49	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	34.28
極大值	8.45	6.01	11.43	4.48	46.54	1.50	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	60.02
極小值	8.34	5.80	11.22	4.24	17.70	1.48	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	23.02
平均值	8.39	5.91	11.33	4.35	27.19	1.49	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	35.26
標準差	0.03	0.05	0.06	0.06	10.07	0.01	0	0	0	0	0	0	0	0	8.79

監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	8.32	5.95	11.37	4.32	17.27	1.49	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	33.30
010000	8.33	5.89	11.28	4.27	18.27	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	36.98
020000	8.37	5.91	11.29	4.25	18.74	1.48	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	35.42
030000	8.38	5.95	11.31	4.28	17.73	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	29.60
040000	8.39	5.86	11.33	4.35	16.37	1.48	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	29.48
050000	8.37	5.88	11.33	4.33	16.64	1.49	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	35.29
060000	8.36	5.97	11.37	4.30	16.32	1.48	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	34.64
070000	8.35	5.96	11.29	4.27	16.53	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	39.48
080000	8.38	5.95	11.33	4.28	17.91	1.49	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	43.45
090000	8.32	5.99	11.41	4.35	22.74	1.48	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	47.09
100000	8.27	5.86	11.34	4.40	33.04	1.48	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	35.27
110000	8.35	5.93	11.35	4.30	40.70	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	33.49
120000	8.35	5.90	11.29	4.31	43.56	1.50	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	32.53
130000	8.34	5.88	11.30	4.34	46.39	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	34.41
140000	8.33	5.90	11.32	4.36	49.66	1.49	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	28.30
150000	8.37	5.89	11.29	4.34	48.80	1.49	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	22.55
160000	8.37	6.05	11.36	4.22	49.21	1.49	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	25.03
170000	8.31	5.96	11.28	4.23	46.22	1.50	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	31.96
180000	8.33	5.88	11.32	4.36	38.95	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	29.82
190000	8.32	5.90	11.27	4.30	33.96	1.49	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	42.80
200000	8.29	5.89	11.29	4.33	28.36	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	65.88
210000	8.30	5.90	11.29	4.31	24.68	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	53.48
220000	8.28	5.92	11.28	4.27	23.64	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	43.99
230000	8.32	5.96	11.42	4.40	21.48	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	37.82
極大值	8.39	6.05	11.42	4.40	49.66	1.50	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	65.88
極小值	8.27	5.86	11.27	4.22	16.32	1.48	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	22.55
平均值	8.34	5.92	11.32	4.31	29.47	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	36.75
標準差	0.03	0.05	0.04	0.05	12.67	0.01	0.01	0.01	0	0	0	0	0	0	9.37

監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	8.30	5.94	11.36	4.36	22.37	1.48	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	27.76
010000	8.28	5.96	11.32	4.28	20.22	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	33.03
020000	8.30	5.93	11.31	4.31	19.67	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	34.69
030000	8.31	5.90	11.30	4.34	19.95	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	43.13
040000	8.28	5.83	11.22	4.31	19.34	1.48	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	44.97
050000	8.32	5.91	11.33	4.33	18.45	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	38.29
060000	8.32	5.93	11.41	4.42	17.36	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	41.85
070000	8.30	5.89	11.23	4.29	19.47	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	39.25
080000	8.27	5.92	11.34	4.32	20.45	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	41.85
090000	8.29	5.98	11.35	4.30	24.93	1.48	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	39.37
100000	8.26	5.84	11.27	4.32	30.48	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	49.35
110000	8.22	5.85	11.26	4.29	38.03	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	40.59
120000	8.26	5.90	11.33	4.32	44.86	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	36.75
130000	8.23	5.89	11.32	4.30	46.38	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	34.82
140000	8.27	5.91	11.34	4.33	45.48	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	35.93
150000	8.29	5.88	11.24	4.29	46.53	1.48	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	30.99
160000	8.29	5.97	11.36	4.33	45.16	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	25.04
170000	8.29	5.94	11.26	4.25	42.64	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	32.66
180000	8.29	5.93	11.24	4.25	36.95	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	24.86
190000	8.26	5.90	11.32	4.35	31.23	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	34.00
200000	8.27	5.95	11.29	4.26	25.40	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	34.20
210000	8.26	5.89	11.24	4.26	25.73	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	45.31
220000	8.27	5.93	11.38	4.35	23.52	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	45.45
230000	8.22	5.98	11.32	4.26	21.10	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	42.23
極大值	8.32	5.98	11.41	4.42	46.53	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	49.35
極小值	8.22	5.83	11.22	4.25	17.36	1.48	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	24.86
平均值	8.28	5.91	11.31	4.31	29.40	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	37.35
標準差	0.03	0.04	0.05	0.04	10.74	0	0	0	0	0	0	0	0	0	6.48

監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	8.30	5.95	11.34	4.31	20.24	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	35.41
010000	8.28	5.79	11.29	4.42	19.36	1.48	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	41.25
020000	8.28	5.93	11.27	4.24	20.69	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	32.81
030000	8.28	5.98	11.28	4.24	18.76	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	34.01
040000	8.30	5.89	11.28	4.33	17.89	1.48	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	34.33
050000	8.28	5.90	11.36	4.40	16.74	1.48	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	36.32
060000	8.28	6.00	11.36	4.31	16.25	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	37.68
070000	8.29	5.94	11.33	4.31	18.16	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	53.11
080000	8.22	5.93	11.35	4.33	21.82	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	1000.00
090000	8.27	5.85	11.30	4.44	28.67	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	1000.00
100000	8.26	6.03	11.35	4.28	37.47	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	983.33
110000	8.29	5.88	11.25	4.33	43.96	1.50	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	49.89
120000	8.32	5.95	11.29	4.26	46.43	1.49	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	43.54
130000	8.29	5.95	11.37	4.33	47.05	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	40.13
140000	8.31	5.89	11.38	4.36	48.43	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	38.84
150000	8.33	5.89	11.27	4.26	44.28	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	32.35
160000	8.30	5.87	11.25	4.25	44.07	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	36.21
170000	8.32	5.92	11.32	4.29	44.26	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	31.30
180000	8.28	5.96	11.29	4.24	40.95	1.49	2.05	0.15	1.90	0.00	26.04	74.00	0.00	0.00	31.46
190000	8.27	5.91	11.36	4.36	36.94	1.49	2.05	0.15	1.90	0.00	26.04	74.00	0.00	0.00	40.88
200000	8.30	5.93	11.24	4.23	34.98	1.49	2.04	0.14	1.90	0.00	26.04	74.00	0.00	0.00	39.63
210000	8.25	5.88	11.29	4.32	33.20	1.49	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	24.09
220000	8.24	5.89	11.26	4.30	24.41	1.48	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	29.29
230000	8.30	5.90	11.26	4.28	26.25	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	24.31
極大值	8.33	6.03	11.38	4.44	48.43	1.50	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	1000.00
極小值	8.22	5.79	11.24	4.23	16.25	1.48	2.04	0.14	1.88	0.00	26.04	74.00	0.00	0.00	24.09
平均值	8.28	5.92	11.31	4.31	31.30	1.49	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	156.26
標準差	0.03	0.05	0.04	0.06	11.62	0	0.01	0	0.01	0	0	0	0	0	323.7

監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	8.28	5.81	11.23	4.33	23.30	1.49	2.04	0.15	1.89	0.00	26.04	74.00	0.00	0.00	30.35
010000	8.25	5.89	11.33	4.36	23.11	1.49	2.05	0.15	1.90	0.00	26.04	74.00	0.00	0.00	27.87
020000	8.29	5.99	11.35	4.28	23.22	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	25.86
030000	8.30	5.88	11.29	4.31	23.48	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	20.88
040000	8.28	5.94	11.30	4.26	23.38	1.49	2.05	0.15	1.90	0.00	26.04	74.00	0.00	0.00	23.56
050000	8.31	5.82	11.20	4.28	22.58	1.49	2.04	0.15	1.89	0.00	26.04	74.00	0.00	0.00	27.13
060000	8.32	5.89	11.18	4.23	20.70	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	24.17
070000	8.28	5.94	11.26	4.23	21.39	1.48	2.04	0.15	1.89	0.00	26.04	74.00	0.00	0.00	33.82
080000	8.28	5.90	11.25	4.23	23.62	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	35.46
090000	8.28	5.84	11.32	4.35	29.86	1.50	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	44.62
100000	8.28	5.93	11.37	4.37	38.31	1.50	2.05	0.15	1.90	0.00	26.04	74.00	0.00	0.00	46.18
110000	8.31	5.90	11.31	4.38	40.65	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	53.51
120000	8.32	5.96	11.26	4.27	40.20	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	44.04
130000	8.34	5.84	11.23	4.29	41.81	1.50	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	40.47
140000	8.35	5.92	11.35	4.33	41.54	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	43.66
150000	8.37	5.85	11.18	4.24	39.47	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	46.83
160000	8.38	5.90	11.28	4.26	37.56	1.50	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	48.23
170000	8.38	5.94	11.28	4.21	35.79	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	44.91
180000	8.38	5.86	11.33	4.32	31.11	1.51	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	33.88
190000	8.36	5.84	11.30	4.27	31.49	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	27.06
200000	8.34	5.88	11.32	4.27	29.07	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	45.71
210000	8.31	5.89	11.29	4.29	26.68	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	39.71
220000	8.33	5.87	11.33	4.38	24.81	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	27.83
230000	8.32	5.97	11.30	4.26	22.84	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	36.41
極大值	8.38	5.99	11.37	4.38	41.81	1.51	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	53.51
極小值	8.25	5.81	11.18	4.21	20.70	1.48	2.04	0.15	1.88	0.00	26.04	74.00	0.00	0.00	20.88
平均值	8.32	5.89	11.28	4.29	29.83	1.49	2.05	0.16	1.90	0.00	26.04	74.00	0.00	0.00	36.34
標準差	0.04	0.05	0.05	0.05	7.56	0.01	0.01	0	0.01	0	0	0	0	0	9.41

監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	8.32	5.90	11.30	4.31	22.06	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	31.06
010000	8.29	5.92	11.30	4.32	23.42	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	28.90
020000	8.28	5.81	11.18	4.29	22.84	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	28.94
030000	8.30	5.91	11.30	4.33	20.63	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	31.14
040000	8.27	5.92	11.25	4.24	22.80	1.48	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	33.51
050000	8.32	5.89	11.31	4.32	23.60	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	33.95
060000	8.28	5.92	11.31	4.31	22.14	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	43.37
070000	8.28	5.89	11.26	4.28	21.41	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	33.23
080000	8.23	5.88	11.38	4.38	22.12	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	45.41
090000	8.29	5.90	11.34	4.34	23.40	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	39.30
100000	8.27	5.90	11.36	4.32	29.27	1.50	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	44.86
110000	8.27	5.84	11.30	4.34	28.82	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	47.96
120000	8.27	5.94	11.36	4.30	27.97	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	32.95
130000	8.25	5.83	11.23	4.25	33.04	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	29.78
140000	8.33	5.83	11.24	4.25	39.50	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	26.87
150000	8.33	5.89	11.21	4.19	38.93	1.50	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	25.21
160000	8.32	5.88	11.30	4.33	37.56	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	25.36
170000	8.35	5.80	11.16	4.24	35.33	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	22.39
180000	8.37	5.86	11.17	4.16	31.99	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	28.14
190000	8.30	5.88	11.28	4.26	29.68	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	25.88
200000	8.28	5.89	11.33	4.29	26.48	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	23.19
210000	8.30	5.90	11.28	4.26	22.65	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	33.42
220000	8.32	5.92	11.25	4.21	19.69	1.50	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	28.31
230000	8.31	5.92	11.35	4.33	19.26	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	23.49
極大值	8.37	5.94	11.38	4.38	39.50	1.50	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	47.96
極小值	8.23	5.80	11.16	4.16	19.26	1.48	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	22.39
平均值	8.30	5.88	11.28	4.29	26.86	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	31.94
標準差	0.03	0.04	0.06	0.05	6.27	0	0	0	0	0	0	0	0	0	7.35

監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	8.28	5.90	11.35	4.37	19.48	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	22.93
010000	8.31	5.83	11.29	4.38	20.60	1.50	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	18.17
020000	8.33	5.92	11.37	4.34	21.47	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	21.80
030000	8.35	5.93	11.28	4.23	21.85	1.50	2.05	0.15	1.90	0.00	26.04	74.00	0.00	0.00	21.82
040000	8.35	5.84	11.36	4.41	22.56	1.49	2.04	0.15	1.89	0.00	26.04	74.00	0.00	0.00	23.01
050000	8.35	5.84	11.28	4.32	22.78	1.50	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	23.34
060000	8.35	5.86	11.41	4.45	23.30	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	28.23
070000	8.33	5.93	11.31	4.29	24.22	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	29.97
080000	8.33	5.87	11.26	4.28	25.50	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	34.51
090000	8.37	5.93	11.34	4.30	27.01	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	31.28
100000	8.37	5.92	11.24	4.21	27.74	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	29.79
110000	8.37	5.92	11.31	4.28	28.83	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	23.99
120000	8.38	6.03	11.37	4.26	30.05	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	23.20
130000	8.35	5.94	11.33	4.32	32.41	1.48	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	21.87
140000	8.32	5.94	11.34	4.33	36.55	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	25.66
150000	8.32	5.89	11.22	4.28	37.12	1.48	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	23.57
160000	8.28	5.90	11.33	4.34	37.18	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	27.32
170000	8.33	5.95	11.35	4.32	33.19	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	37.92
180000	8.32	5.93	11.28	4.28	28.80	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	33.66
190000	8.34	5.90	11.44	4.41	28.41	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	26.63
200000	8.38	5.92	11.36	4.32	27.77	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	23.11
210000	8.43	5.98	11.39	4.28	27.22	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	29.00
220000	8.46	5.93	11.29	4.24	26.61	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	22.83
230000	8.44	5.92	11.33	4.28	26.78	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	24.83
極大值	8.46	6.03	11.44	4.45	37.18	1.50	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	37.92
極小值	8.28	5.83	11.22	4.21	19.48	1.48	2.04	0.15	1.88	0.00	26.04	74.00	0.00	0.00	18.17
平均值	8.35	5.91	11.33	4.31	27.39	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	26.18
標準差	0.04	0.04	0.05	0.06	5.09	0	0.01	0	0.01	0	0	0	0	0	4.77

監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	8.46	5.86	11.35	4.37	26.60	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	32.14
010000	8.41	5.98	11.36	4.27	26.54	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	22.89
020000	8.43	5.95	11.38	4.33	26.11	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	27.85
030000	8.45	5.97	11.35	4.28	25.86	1.48	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	24.35
040000	8.43	5.96	11.35	4.30	24.79	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	28.80
050000	8.45	5.97	11.32	4.26	23.86	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	35.06
060000	8.41	5.94	11.39	4.37	23.30	1.48	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	33.11
070000	8.39	5.91	11.35	4.34	23.24	1.48	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	39.18
080000	8.38	5.98	11.35	4.27	23.42	1.48	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	38.16
090000	8.39	5.90	11.36	4.36	26.75	1.48	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	35.05
100000	8.36	5.91	11.38	4.38	31.44	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	37.66
110000	8.39	5.87	11.32	4.38	36.78	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	34.98
120000	8.39	5.88	11.42	4.46	37.15	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	33.47
130000	8.38	5.90	11.32	4.34	39.15	1.49	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	31.54
140000	8.37	5.78	11.21	4.33	40.09	1.48	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	33.36
150000	8.38	5.74	11.25	4.37	39.96	1.49	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	41.37
160000	8.36	5.81	11.30	4.32	39.04	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	54.37
170000	8.34	5.81	11.28	4.30	35.67	1.48	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	52.67
180000	8.34	5.89	11.42	4.36	35.79	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	52.55
190000	8.31	5.85	11.33	4.34	34.78	1.49	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	60.68
200000	8.33	5.98	11.39	4.28	32.82	1.48	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	47.86
210000	8.33	5.85	11.21	4.21	30.45	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	39.57
220000	8.31	5.79	11.25	4.31	28.04	1.48	2.04	0.15	1.89	0.00	26.04	74.00	0.00	0.00	32.04
230000	8.32	5.85	11.37	4.36	26.51	1.48	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	32.11
極大值	8.46	5.98	11.42	4.46	40.09	1.49	2.06	0.17	1.90	0.00	26.04	74.00	0.00	0.00	60.68
極小值	8.31	5.74	11.21	4.21	23.24	1.48	2.04	0.15	1.88	0.00	26.04	74.00	0.00	0.00	22.89
平均值	8.38	5.89	11.33	4.33	30.76	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	37.53
標準差	0.04	0.07	0.06	0.05	6.01	0.01	0.01	0	0.01	0	0	0	0	0	9.69

監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	8.30	5.86	11.32	4.30	26.65	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	35.75
010000	8.27	5.84	11.26	4.26	24.02	1.49	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	32.41
020000	8.30	5.92	11.26	4.19	23.97	1.48	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	27.20
030000	8.30	5.89	11.34	4.28	23.64	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	29.61
040000	8.28	5.83	11.32	4.30	25.56	1.48	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	30.41
050000	8.29	5.86	11.31	4.30	24.91	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	31.54
060000	8.30	5.83	11.31	4.35	21.69	1.48	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	31.93
070000	8.26	5.74	11.32	4.42	21.46	1.48	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	39.40
080000	8.25	5.84	11.34	4.34	25.11	1.48	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	50.45
090000	8.25	5.83	11.34	4.36	28.95	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	48.35
100000	8.25	5.83	11.31	4.38	33.71	1.49	2.04	0.15	1.89	0.00	26.04	74.00	0.00	0.00	55.60
110000	8.29	5.85	11.26	4.34	36.42	1.49	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	55.95
120000	8.24	5.77	11.29	4.38	37.13	1.49	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	63.85
130000	8.25	5.78	11.23	4.36	39.30	1.49	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	77.11
140000	8.31	5.77	11.29	4.41	42.05	1.49	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	77.61
150000	8.34	5.86	11.29	4.27	41.19	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	77.63
160000	8.29	5.81	11.29	4.34	39.75	1.48	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	56.03
170000	8.27	5.82	11.25	4.28	38.08	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	54.56
180000	8.27	5.86	11.31	4.31	34.71	1.48	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	52.19
190000	8.26	5.85	11.32	4.34	31.86	1.48	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	54.83
200000	8.23	5.83	11.30	4.32	26.28	1.48	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	50.85
210000	8.23	5.85	11.29	4.34	20.01	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	47.26
220000	8.20	5.84	11.23	4.24	22.13	1.48	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	45.54
230000	8.17	5.91	11.32	4.28	19.10	1.48	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	58.78
極大值	8.34	5.92	11.34	4.42	42.05	1.49	2.06	0.17	1.90	0.00	26.04	74.00	0.00	0.00	77.63
極小值	8.17	5.74	11.23	4.19	19.10	1.48	2.04	0.15	1.88	0.00	26.04	74.00	0.00	0.00	27.20
平均值	8.27	5.84	11.30	4.32	29.49	1.49	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	49.37
標準差	0.04	0.04	0.03	0.05	7.44	0.01	0.01	0	0.01	0	0	0	0	0	15.2

監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	8.20	5.85	11.30	4.32	18.90	1.48	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	46.89
010000	8.12	5.85	11.27	4.30	17.31	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	40.51
020000	8.16	5.81	11.27	4.31	19.82	1.48	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	45.76
030000	8.21	5.78	11.24	4.30	19.81	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	43.41
040000	8.22	5.87	11.32	4.31	16.79	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	45.78
050000	8.20	5.89	11.34	4.32	17.49	1.48	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	44.27
060000	8.17	5.78	11.19	4.31	17.32	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	42.10
070000	8.13	5.82	11.28	4.31	19.50	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	40.98
080000	8.16	5.83	11.28	4.27	23.50	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	45.38
090000	8.20	5.86	11.27	4.25	26.85	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	35.81
100000	8.14	5.90	11.28	4.28	31.16	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	36.26
110000	8.14	5.87	11.37	4.39	34.61	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	34.26
120000	8.17	5.84	11.30	4.34	37.72	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	49.00
130000	8.19	5.82	11.17	4.25	39.42	1.48	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	37.32
140000	8.20	5.81	11.23	4.34	40.71	1.49	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	26.87
150000	8.19	5.89	11.29	4.29	39.87	1.49	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	24.75
160000	8.16	5.84	11.26	4.27	38.61	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	27.30
170000	8.19	5.80	11.27	4.31	36.02	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	21.68
180000	8.20	5.80	11.28	4.32	32.11	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	26.55
190000	8.19	5.80	11.27	4.31	30.19	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	29.46
200000	8.22	5.75	11.28	4.34	29.67	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	32.31
210000	8.23	5.85	11.27	4.24	28.83	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	37.62
220000	8.20	5.80	11.29	4.33	28.08	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	39.01
230000	8.22	5.85	11.37	4.34	27.27	1.48	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	25.12
極大值	8.23	5.90	11.37	4.39	40.71	1.49	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	49.00
極小值	8.12	5.75	11.17	4.24	16.79	1.48	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	21.68
平均值	8.18	5.83	11.28	4.31	27.98	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	36.60
標準差	0.03	0.04	0.05	0.03	8.23	0	0.01	0	0	0	0	0	0	0	8.17

監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	8.19	5.92	11.35	4.26	26.37	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	31.54
010000	8.21	5.81	11.29	4.30	26.22	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	27.74
020000	8.26	5.84	11.33	4.34	25.85	1.48	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	29.63
030000	8.22	5.79	11.24	4.32	24.86	1.48	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	26.49
040000	8.20	5.81	11.28	4.34	24.68	1.48	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	25.66
050000	8.19	5.81	11.30	4.39	25.08	1.48	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	22.35
060000	8.16	5.88	11.30	4.32	25.25	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	22.08
070000	8.10	5.81	11.29	4.37	26.15	1.47	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	47.73
080000	8.13	5.81	11.24	4.33	26.26	1.48	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	26.96
090000	8.12	5.85	11.27	4.29	26.71	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	24.48
100000	8.07	5.77	11.21	4.30	28.18	1.48	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	21.88
110000	8.13	5.79	11.36	4.41	30.23	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	37.97
120000	8.16	5.73	11.28	4.41	35.52	1.48	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	36.15
130000	8.14	5.80	11.31	4.41	41.24	1.49	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	27.32
140000	8.18	5.86	11.33	4.35	42.41	1.48	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	22.76
150000	8.16	5.75	11.32	4.45	42.24	1.49	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	20.60
160000	8.10	5.64	11.10	4.35	40.99	1.48	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	26.16
170000	8.09	5.84	11.28	4.31	39.67	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	23.60
180000	8.15	5.84	11.29	4.31	34.01	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	29.35
190000	8.12	5.81	11.32	4.32	31.12	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	27.10
200000	8.10	5.85	11.34	4.34	29.56	1.48	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	37.34
210000	8.12	5.89	11.31	4.27	27.66	1.49	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	27.49
220000	8.10	5.81	11.30	4.34	27.02	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	31.43
230000	8.10	5.82	11.27	4.29	25.16	1.49	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	24.55
極大值	8.26	5.92	11.36	4.45	42.41	1.49	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	47.73
極小值	8.07	5.64	11.10	4.26	24.68	1.47	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	20.60
平均值	8.15	5.81	11.29	4.34	30.52	1.48	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	28.26
標準差	0.05	0.06	0.05	0.05	6.3	0.01	0.01	0	0	0	0	0	0	0	6.3

監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	15.17	5.96	11.32	4.42	17.42	1.49	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	27.34
010000	15.16	5.94	11.26	4.39	16.45	1.49	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	22.84
020000	15.17	5.98	11.19	4.29	15.86	1.48	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	25.12
030000	15.15	5.86	11.24	4.42	15.63	1.50	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	20.78
040000	15.22	5.96	11.22	4.33	14.34	1.49	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	31.19
050000	15.17	5.87	11.22	4.38	13.28	1.49	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	24.71
060000	15.22	5.93	11.31	4.43	14.33	1.49	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	30.47
070000	15.20	6.08	11.31	4.30	16.74	1.49	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	34.36
080000	15.18	5.89	11.19	4.38	20.91	1.49	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	38.18
090000	15.16	5.94	11.11	4.30	30.26	1.49	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	48.47
100000	15.18	6.06	11.28	4.43	34.64	1.48	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	30.82
110000	15.14	6.09	11.25	4.44	40.26	1.48	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	31.92
120000	15.12	5.98	11.21	4.40	40.05	1.48	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	38.32
130000	15.14	6.07	11.19	4.44	39.72	1.49	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	28.67
140000	15.15	6.03	11.20	4.46	32.73	1.48	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	32.31
150000	14.99	6.07	11.25	4.35	31.06	1.49	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	32.90
160000	15.02	5.92	11.21	4.44	31.23	1.48	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	26.67
170000	14.98	5.88	11.21	4.38	27.04	1.49	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	25.97
180000	15.02	5.96	11.26	4.36	22.91	1.49	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	26.76
190000	15.06	5.95	11.28	4.39	20.16	1.49	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	30.28
200000	15.11	5.92	11.26	4.35	23.84	1.49	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	23.81
210000	15.03	5.97	11.26	4.36	23.32	1.48	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	24.37
220000	15.04	6.02	11.24	4.34	22.76	1.50	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	17.67
230000	15.04	5.93	11.26	4.39	20.70	1.49	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	20.23
極大值	15.22	6.09	11.32	4.46	40.26	1.50	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	48.47
極小值	14.98	5.86	11.11	4.29	13.28	1.48	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	17.67
平均值	15.12	5.97	11.24	4.38	24.40	1.49	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	28.92
標準差	0.07	0.07	0.05	0.05	8.68	0.01	0	0	0	0	0	0	0	0	6.73

監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	15.01	5.99	11.28	4.36	18.01	1.49	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	27.31
010000	15.05	5.90	11.31	4.48	17.28	1.50	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	21.84
020000	15.10	5.97	11.27	4.37	14.70	1.49	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	23.97
030000	15.03	5.93	11.25	4.41	14.68	1.49	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	22.53
040000	15.09	6.04	11.32	4.39	14.57	1.50	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	20.94
050000	15.16	6.00	11.25	4.33	14.48	1.50	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	24.15
060000	15.03	5.92	11.20	4.36	15.11	1.50	2.06	0.15	1.91	0.00	26.04	74.00	0.00	0.00	20.73
070000	14.95	5.97	11.36	4.45	15.93	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	29.70
080000	14.97	6.00	11.23	4.32	21.02	1.49	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	20.35
090000	14.90	5.94	11.31	4.40	25.66	1.49	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	20.57
100000	14.89	6.01	11.24	4.38	30.82	1.48	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	22.48
110000	14.90	5.98	11.17	4.40	36.52	1.49	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	29.16
120000	14.75	5.97	11.23	4.35	32.09	1.48	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	35.19
130000	14.80	5.95	11.17	4.37	29.36	1.48	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	30.73
140000	14.81	5.95	11.27	4.38	28.77	1.49	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	22.31
150000	14.69	5.90	11.23	4.36	26.47	1.49	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	24.46
160000	14.76	5.99	11.22	4.30	24.65	1.49	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	17.01
170000	14.71	5.92	11.27	4.34	21.57	1.49	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	24.95
180000	14.65	6.01	11.29	4.33	20.25	1.49	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	25.74
190000	14.67	5.97	11.29	4.39	20.27	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	32.15
200000	14.65	5.91	11.26	4.45	18.81	1.49	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	28.41
210000	14.72	5.96	11.37	4.48	16.24	1.49	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	18.22
220000	14.71	5.89	11.28	4.50	15.39	1.49	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	26.85
230000	14.67	5.99	11.35	4.47	15.72	1.49	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	25.35
極大值	15.16	6.04	11.37	4.50	36.52	1.50	2.07	0.17	1.91	0.00	26.04	74.00	0.00	0.00	35.19
極小值	14.65	5.89	11.17	4.30	14.48	1.48	2.06	0.15	1.89	0.00	26.04	74.00	0.00	0.00	17.01
平均值	14.86	5.96	11.27	4.39	21.18	1.49	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	24.80
標準差	0.16	0.04	0.05	0.06	6.56	0.01	0.01	0.01	0.01	0	0	0	0	0	4.5

監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	14.75	5.95	11.24	4.41	15.31	1.49	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	22.16
010000	14.70	6.03	11.24	4.34	14.68	1.49	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	16.52
020000	14.77	6.01	11.26	4.37	14.56	1.49	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	24.65
030000	14.68	5.97	11.25	4.35	14.49	1.48	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	24.46
040000	14.77	5.94	11.27	4.34	14.18	1.49	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	25.60
050000	14.83	5.96	11.26	4.34	13.41	1.49	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	23.31
060000	14.94	5.95	11.28	4.42	13.35	1.49	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	27.33
070000	14.97	5.98	11.29	4.34	15.73	1.49	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	24.97
080000	14.92	5.94	11.29	4.43	19.67	1.49	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	27.43
090000	14.83	5.91	11.26	4.39	26.27	1.49	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	31.14
100000	14.78	6.01	11.26	4.45	31.93	1.48	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	26.08
110000	14.81	6.10	11.23	4.41	36.90	1.48	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	23.92
120000	14.69	5.91	11.12	4.46	42.70	1.48	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	36.27
130000	14.79	6.01	11.20	4.48	44.26	1.48	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	36.79
140000	14.79	6.08	11.18	4.41	38.81	1.48	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	37.73
150000	14.72	6.04	11.30	4.52	31.38	1.48	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	26.07
160000	14.66	6.02	11.31	4.44	28.63	1.48	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	22.97
170000	14.66	5.97	11.34	4.37	23.13	1.48	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	20.70
180000	14.73	5.79	11.22	4.41	22.35	1.49	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	26.67
190000	14.67	5.90	11.35	4.44	21.18	1.49	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	27.38
200000	14.71	5.85	11.28	4.43	17.13	1.49	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	26.77
210000	14.70	5.89	11.20	4.39	19.55	1.49	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	30.82
220000	14.72	6.00	11.34	4.39	18.67	1.49	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	31.96
230000	14.71	5.96	11.27	4.36	15.19	1.49	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	28.60
極大值	14.97	6.10	11.35	4.52	44.26	1.49	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	37.73
極小值	14.66	5.79	11.12	4.34	13.35	1.48	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	16.52
平均值	14.76	5.97	11.26	4.40	23.06	1.49	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	27.10
標準差	0.09	0.07	0.05	0.05	9.79	0	0	0	0	0	0	0	0	0	5.06

測報表

時間/單位	SO2 (ppb)	NO (ppb)	NOX (ppb)	NO2 (ppb)	O3 (ppb)	CO (ppm)	THC (ppm)	NMHC (ppm)	CH4 (ppm)	站外溫 (°C)	站內溫 (°C)	RH (%)	WD (°)	WS (m/s)	PM10 (ug/m)
000000	9.08	5.53	8.10	2.41	59.04	0.52	1.19	1.01	0.18	0.00	19.65	69.32	0.00	0.00	56.47
010000	9.06	5.55	8.20	2.47	36.06	0.53	1.19	1.00	0.19	0.00	20.06	69.15	0.00	0.00	56.48
020000	9.05	5.57	8.21	2.47	26.53	0.51	1.19	1.00	0.19	0.00	19.77	69.19	0.00	0.00	56.48
030000	9.03	5.49	8.14	2.50	25.31	0.51	1.19	1.00	0.19	0.00	19.09	69.18	0.00	0.00	56.47
040000	9.02	5.55	8.11	2.41	25.80	0.51	1.19	1.00	0.19	0.00	19.07	69.19	0.00	0.00	56.48
050000	8.99	5.56	8.08	2.36	21.34	0.51	1.19	1.00	0.19	0.00	19.15	69.19	0.00	0.00	56.48
060000	9.02	5.60	8.17	2.43	19.20	0.52	1.19	1.00	0.19	0.00	19.18	69.18	0.00	0.00	56.48
070000	8.94	5.63	8.11	2.30	21.19	0.53	1.19	1.00	0.19	0.00	19.27	69.19	0.00	0.00	56.48
080000	8.94	5.60	8.08	2.30	22.39	0.55	1.19	1.00	0.19	0.00	19.33	69.16	0.00	0.00	56.48
090000	9.02	5.56	8.14	2.40	48.71	0.52	1.19	1.00	0.19	0.00	19.31	69.11	0.00	0.00	56.48
100000	9.08	5.47	8.12	2.47	111.28	0.51	1.19	1.00	0.19	0.00	19.21	69.06	0.00	0.00	56.48
110000	9.08	5.49	8.05	2.38	158.05	0.50	1.19	1.00	0.19	0.00	19.13	69.05	0.00	0.00	56.48
120000	9.08	5.57	8.13	2.40	159.84	0.53	1.19	1.00	0.19	0.00	19.21	69.08	0.00	0.00	56.47
130000	8.95	5.67	8.14	2.30	234.36	0.55	1.19	1.00	0.19	0.00	19.68	69.33	0.00	0.00	56.48
140000	9.03	5.61	8.08	2.30	251.74	0.58	1.19	1.00	0.19	0.00	19.71	69.33	0.00	0.00	56.48
150000	9.09	5.58	8.05	2.32	260.90	0.52	1.19	1.00	0.19	0.00	19.70	69.33	0.00	0.00	56.48
160000	9.07	5.53	8.08	2.39	239.22	0.50	1.19	1.00	0.19	0.00	19.67	69.33	0.00	0.00	56.48
170000	9.11	5.58	8.09	2.35	190.39	0.54	1.19	1.01	0.18	0.00	19.65	69.33	0.00	0.00	56.48
180000	9.14	5.55	8.11	2.40	124.72	0.55	1.19	1.00	0.19	0.00	19.60	69.33	0.00	0.00	56.49
190000	9.05	5.61	8.17	2.40	104.00	0.53	1.19	1.00	0.19	0.00	19.56	69.33	0.00	0.00	56.48
200000	8.85	5.53	8.14	2.44	83.64	0.53	1.19	1.00	0.19	0.00	19.68	69.33	0.00	0.00	56.46
210000	8.78	5.74	8.19	2.30	63.17	0.50	1.19	1.00	0.19	0.00	19.68	69.33	0.00	0.00	56.47
220000	8.84	5.62	8.14	2.35	51.66	0.47	1.19	1.01	0.18	0.00	19.71	69.33	0.00	0.00	56.48
230000	8.95	5.51	8.04	2.35	51.27	0.44	1.19	1.00	0.19	0.00	19.57	69.33	0.00	0.00	56.48
最大值	9.14	5.74	8.21	2.50	260.90	0.58	1.19	1.01	0.19	0.00	20.06	69.33	0.00	0.00	56.49
最小值	8.78	5.47	8.04	2.30	19.20	0.44	1.19	1.00	0.18	0.00	19.07	69.05	0.00	0.00	56.46
平均值	9.01	5.57	8.12	2.38	99.58	0.52	1.19	1.00	0.19	0.00	19.48	69.24	0.00	0.00	56.48
標準差	0.09	0.06	0.05	0.06	82.98	0.03	0	0	0	0	0.27	0.1	0	0	0.01

測報表

時間/單位	SO2 (ppb)	NO (ppb)	NOX (ppb)	NO2 (ppb)	O3 (ppb)	CO (ppm)	THC (ppm)	NMHC (ppm)	CH4 (ppm)	站外溫 (°C)	站內溫 (°C)	RH (%)	WD (o)	WS (m/s)	PM10 (ug/m)
000000	9.07	5.57	8.10	2.37	47.07	0.43	1.19	1.00	0.19	0.00	19.57	69.33	0.00	0.00	56.48
010000	9.07	5.59	8.16	2.42	34.18	0.44	1.19	1.00	0.19	0.00	19.58	69.33	0.00	0.00	56.48
020000	9.10	5.53	8.09	2.40	30.10	0.42	1.19	1.00	0.19	0.00	19.74	69.33	0.00	0.00	56.48
030000	9.15	5.57	8.12	2.41	26.29	0.42	1.19	1.00	0.19	0.00	19.72	69.33	0.00	0.00	56.48
040000	9.12	5.60	8.14	2.38	27.55	0.43	1.19	1.00	0.19	0.00	19.64	69.33	0.00	0.00	56.47
050000	9.13	5.58	8.11	2.35	32.49	0.42	1.19	1.00	0.19	0.00	19.73	69.33	0.00	0.00	56.48
060000	9.17	5.51	8.11	2.42	34.83	0.42	1.19	1.00	0.19	0.00	19.74	69.33	0.00	0.00	56.47
070000	9.11	5.59	8.02	2.25	31.87	0.44	1.19	1.00	0.19	0.00	19.69	69.33	0.00	0.00	56.48
080000	9.12	5.53	8.16	2.48	39.10	0.43	1.19	1.00	0.19	0.00	19.77	69.33	0.00	0.00	56.47
090000	9.13	5.59	8.13	2.37	55.06	0.42	1.19	1.00	0.19	0.00	19.85	69.33	0.00	0.00	56.47
100000	9.11	5.59	8.04	2.27	74.29	0.42	1.19	1.00	0.19	0.00	20.33	69.33	0.00	0.00	56.46
110000	9.08	5.49	8.14	2.50	106.24	0.42	1.19	1.00	0.19	0.00	20.97	69.33	0.00	0.00	56.46
120000	9.09	5.55	8.05	2.35	160.56	0.40	1.19	1.00	0.19	0.00	20.33	69.33	0.00	0.00	56.47
130000	9.10	5.56	8.03	2.30	184.80	0.39	1.19	1.00	0.19	0.00	20.39	69.33	0.00	0.00	56.48
140000	9.15	5.53	8.12	2.42	202.16	0.38	1.19	1.00	0.19	0.00	20.62	69.33	0.00	0.00	56.46
150000	9.18	5.54	8.12	2.41	215.56	0.41	1.20	1.02	0.18	0.00	20.54	69.33	0.00	0.00	56.47
160000	9.10	5.54	8.19	2.47	206.76	0.43	1.19	1.01	0.18	0.00	20.28	69.33	0.00	0.00	56.44
170000	9.10	5.55	8.18	2.46	117.46	0.47	1.19	1.00	0.19	0.00	20.28	69.33	0.00	0.00	56.42
180000	9.15	5.51	8.04	2.36	35.13	0.49	1.19	1.00	0.19	0.00	20.26	69.33	0.00	0.00	56.43
190000	9.10	5.68	8.09	2.25	35.68	0.47	1.19	1.00	0.19	0.00	20.42	69.33	0.00	0.00	56.46
200000	9.09	5.54	8.07	2.35	32.08	0.48	1.19	1.00	0.19	0.00	20.33	69.33	0.00	0.00	56.43
210000	9.16	5.57	8.13	2.39	39.35	0.46	1.19	1.00	0.19	0.00	19.94	69.33	0.00	0.00	56.45
220000	9.10	5.61	8.10	2.32	51.88	0.47	1.19	1.00	0.19	0.00	19.98	69.33	0.00	0.00	56.45
230000	9.11	5.69	8.16	2.30	51.04	0.47	1.19	1.00	0.19	0.00	20.42	69.33	0.00	0.00	56.46
極大值	9.18	5.69	8.19	2.50	215.56	0.49	1.20	1.02	0.19	0.00	20.97	69.33	0.00	0.00	56.48
極小值	9.07	5.49	8.02	2.25	26.29	0.38	1.19	1.00	0.18	0.00	19.57	69.33	0.00	0.00	56.42
平均值	9.12	5.57	8.11	2.38	77.98	0.43	1.19	1.00	0.19	0.00	20.09	69.33	0.00	0.00	56.46
標準差	0.03	0.05	0.05	0.07	65.49	0.03	0	0	0	0	0.39	0	0	0	0.02

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	9.15	5.58	8.09	2.34	57.43	0.48	1.19	1.00	0.19	0.00	21.23	69.33	0.00	0.00	56.47
010000	9.09	5.59	8.08	2.31	60.98	0.45	1.19	1.00	0.19	0.00	20.81	69.33	0.00	0.00	56.47
020000	9.14	5.65	8.14	2.32	47.82	0.46	1.19	1.00	0.19	0.00	21.02	69.33	0.00	0.00	56.47
030000	9.18	5.59	8.14	2.39	40.60	0.47	1.19	1.00	0.19	0.00	20.93	69.33	0.00	0.00	56.47
040000	9.14	5.55	8.08	2.37	35.83	0.44	1.19	1.00	0.19	0.00	20.86	69.33	0.00	0.00	56.48
050000	9.15	5.59	8.08	2.31	30.85	0.42	1.19	1.00	0.19	0.00	20.68	69.33	0.00	0.00	56.48
060000	9.17	5.57	8.00	2.27	27.73	0.44	1.19	1.00	0.19	0.00	20.73	69.33	0.00	0.00	56.48
070000	9.14	5.59	8.10	2.34	25.40	0.46	1.19	1.00	0.19	0.00	20.77	69.33	0.00	0.00	56.48
080000	9.11	5.72	8.14	2.26	28.61	0.46	1.19	1.00	0.19	0.00	20.68	69.33	0.00	0.00	56.47
090000	9.11	5.54	8.10	2.40	26.79	0.52	1.19	1.01	0.18	0.00	20.57	69.33	0.00	0.00	56.48
100000	9.10	5.62	8.15	2.36	33.32	0.72	1.19	1.00	0.19	0.00	20.68	69.33	0.00	0.00	56.48
110000	9.13	5.52	8.00	2.30	44.90	0.68	1.19	1.00	0.19	0.00	20.75	69.33	0.00	0.00	56.47
120000	9.20	5.58	8.08	2.34	164.59	0.49	1.19	1.00	0.19	0.00	20.79	69.41	0.00	0.00	56.47
130000	9.15	5.64	8.08	2.27	119.69	0.48	1.19	1.00	0.19	0.00	20.84	69.35	0.00	0.00	56.46
140000	9.14	5.59	8.13	2.38	89.34	0.49	1.19	1.00	0.19	0.00	20.74	69.33	0.00	0.00	61.42
150000	9.17	5.61	8.06	2.31	65.86	0.49	1.19	1.00	0.19	0.00	21.25	69.33	0.00	0.00	85.91
160000	9.22	5.59	8.20	2.46	92.44	0.49	1.19	1.00	0.19	0.00	21.30	69.33	0.00	0.00	98.01
170000	9.07	5.54	8.06	2.37	78.64	0.55	1.19	1.00	0.19	0.00	21.23	69.33	0.00	0.00	85.33
180000	9.08	5.51	8.15	2.48	82.34	0.60	1.19	1.00	0.19	0.00	21.21	69.33	0.00	0.00	91.34
190000	9.11	5.57	8.19	2.46	50.87	0.61	1.19	1.00	0.19	0.00	21.33	69.33	0.00	0.00	99.11
200000	8.96	5.67	8.22	2.39	69.32	0.50	1.19	1.00	0.19	0.00	21.23	69.33	0.00	0.00	100.30
210000	8.96	5.51	8.08	2.41	60.87	0.49	1.19	1.00	0.19	0.00	20.82	69.33	0.00	0.00	86.52
220000	8.92	5.59	8.10	2.33	44.72	0.50	1.19	1.00	0.19	0.00	20.28	69.33	0.00	0.00	79.34
230000	8.98	5.64	8.19	2.39	28.72	0.49	1.19	1.00	0.19	0.00	19.70	69.33	0.00	0.00	77.79
極大值	9.22	5.72	8.22	2.48	164.59	0.72	1.19	1.01	0.19	0.00	21.33	69.41	0.00	0.00	100.30
極小值	8.92	5.51	8.00	2.26	25.40	0.42	1.19	1.00	0.18	0.00	19.70	69.33	0.00	0.00	56.46
平均值	9.11	5.59	8.11	2.36	58.65	0.51	1.19	1.00	0.19	0.00	20.85	69.33	0.00	0.00	68.99
標準差	0.08	0.05	0.06	0.06	33.54	0.07	0	0	0	0	0.36	0.02	0	0	16.84

測報表

時間/單位	SO2 (ppb)	NO (ppb)	NOX (ppb)	NO2 (ppb)	O3 (ppb)	CO (ppm)	THC (ppm)	NMHC (ppm)	CH4 (ppm)	站外溫 (°C)	站內溫 (°C)	RH (%)	WD (°)	WS (m/s)	PM10 (ug/m)
000000	8.95	5.57	8.12	2.38	25.63	0.50	1.19	1.00	0.19	0.00	19.54	69.33	0.00	0.00	66.11
010000	9.06	5.45	8.08	2.47	25.60	0.46	1.19	1.01	0.18	0.00	19.47	69.33	0.00	0.00	56.53
020000	9.18	5.56	8.11	2.38	22.98	0.47	1.19	1.00	0.19	0.00	19.48	69.33	0.00	0.00	46.12
030000	9.08	5.50	8.06	2.41	24.01	0.46	1.19	1.00	0.19	0.00	20.15	69.33	0.00	0.00	58.10
040000	9.12	5.57	8.13	2.41	15.47	0.42	1.19	1.00	0.19	0.00	19.64	69.33	0.00	0.00	56.20
050000	8.99	5.60	8.13	2.38	8.34	0.42	1.19	1.00	0.19	0.00	19.75	69.33	0.00	0.00	53.43
060000	8.99	5.54	8.13	2.44	5.29	0.46	1.19	1.01	0.18	0.00	20.21	69.33	0.00	0.00	51.36
070000	9.06	5.60	8.10	2.36	5.26	0.49	1.19	1.00	0.19	0.00	20.05	69.33	0.00	0.00	50.56
080000	9.03	5.55	8.16	2.45	12.10	0.49	1.19	1.00	0.19	0.00	19.77	69.33	0.00	0.00	55.38
090000	9.06	5.62	8.13	2.37	25.47	0.50	1.19	1.00	0.19	0.00	20.28	69.27	0.00	0.00	71.60
100000	9.03	5.52	8.09	2.41	74.80	0.46	1.19	1.00	0.19	0.00	20.55	69.22	0.00	0.00	71.28
110000	9.04	5.55	8.09	2.38	160.02	0.44	1.19	1.00	0.19	0.00	20.74	69.24	0.00	0.00	75.52
120000	9.05	5.49	8.08	2.44	243.47	0.56	1.19	1.00	0.19	0.00	20.98	69.30	0.00	0.00	81.82
130000	9.10	5.59	8.14	2.39	293.62	0.54	1.19	1.01	0.18	0.00	20.82	69.33	0.00	0.00	119.38
140000	9.04	5.54	8.10	2.41	303.80	0.52	1.19	1.00	0.19	0.00	20.34	69.33	0.00	0.00	98.80
150000	8.99	5.51	8.01	2.34	312.44	0.45	1.19	1.00	0.19	0.00	20.78	69.33	0.00	0.00	88.14
160000	9.04	5.49	8.00	2.35	310.71	0.45	1.19	1.00	0.19	0.00	20.80	69.33	0.00	0.00	76.97
170000	8.95	5.65	8.08	2.27	277.42	0.49	1.19	1.01	0.18	0.00	20.90	69.33	0.00	0.00	75.13
180000	9.06	5.45	8.04	2.42	241.82	0.50	1.19	1.00	0.19	0.00	20.81	69.33	0.00	0.00	95.60
190000	8.97	5.62	8.16	2.38	168.98	0.56	1.19	1.00	0.19	0.00	20.41	69.33	0.00	0.00	112.96
200000	8.98	5.56	8.19	2.47	112.10	0.53	1.19	1.00	0.19	0.00	20.38	69.33	0.00	0.00	87.35
210000	9.06	5.52	8.13	2.46	98.94	0.49	1.19	1.00	0.19	0.00	20.01	69.33	0.00	0.00	104.04
220000	9.02	5.62	8.10	2.33	94.79	0.49	1.19	1.00	0.19	0.00	19.85	69.33	0.00	0.00	114.25
230000	9.07	5.65	8.15	2.33	74.99	0.52	1.19	1.01	0.18	0.00	19.72	69.33	0.00	0.00	106.29
極大值	9.18	5.65	8.19	2.47	312.44	0.56	1.19	1.01	0.19	0.00	20.98	69.33	0.00	0.00	119.38
極小值	8.95	5.45	8.00	2.27	5.26	0.42	1.19	1.00	0.18	0.00	19.47	69.22	0.00	0.00	46.12
平均值	9.04	5.56	8.10	2.39	122.42	0.49	1.19	1.00	0.19	0.00	20.23	69.32	0.00	0.00	78.04
標準差	0.05	0.06	0.05	0.05	115.72	0.04	0	0	0	0	0.5	0.03	0	0	22.69

測報表

時間/單位	SO2 (ppb)	NO (ppb)	NOX (ppb)	NO2 (ppb)	O3 (ppb)	CO (ppm)	THC (ppm)	NMHC (ppm)	CH4 (ppm)	站外溫 (°C)	站內溫 (°C)	RH (%)	WD (°)	WS (m/s)	PM10 (ug/m)
000000	9.13	5.56	8.09	2.37	63.19	0.54	1.19	1.00	0.19	0.00	19.74	69.33	0.00	0.00	101.69
010000	9.10	5.52	8.08	2.40	61.93	0.56	1.19	1.00	0.19	0.00	19.92	69.33	0.00	0.00	87.42
020000	9.04	5.54	8.12	2.42	50.42	0.54	1.19	1.00	0.19	0.00	20.09	69.33	0.00	0.00	90.63
030000	9.09	5.63	8.10	2.33	36.33	0.48	1.19	1.01	0.18	0.00	20.14	69.33	0.00	0.00	87.34
040000	9.13	5.48	8.09	2.46	30.07	0.47	1.19	1.01	0.18	0.00	20.14	69.33	0.00	0.00	89.41
050000	9.04	5.55	8.15	2.43	17.22	0.47	1.19	1.01	0.18	0.00	20.12	69.33	0.00	0.00	87.78
060000	8.99	5.67	8.16	2.34	11.65	0.50	1.19	1.01	0.18	0.00	19.92	69.33	0.00	0.00	83.68
070000	9.05	5.49	8.13	2.46	14.57	0.53	1.19	1.01	0.18	0.00	19.91	69.33	0.00	0.00	87.57
080000	9.06	5.49	8.12	2.47	22.54	0.54	1.19	1.00	0.19	0.00	20.01	69.33	0.00	0.00	100.55
090000	9.10	5.60	8.18	2.42	93.00	0.53	1.19	1.00	0.19	0.00	20.03	69.30	0.00	0.00	109.47
100000	9.13	5.45	8.08	2.47	211.53	0.55	1.19	1.00	0.19	0.00	20.05	69.21	0.00	0.00	128.48
110000	9.17	5.54	8.01	2.31	277.05	0.58	1.19	1.00	0.19	0.00	20.03	69.28	0.00	0.00	165.03
120000	9.16	5.49	8.04	2.40	303.75	0.59	1.19	1.00	0.19	0.00	19.82	69.33	0.00	0.00	193.20
130000	9.09	5.55	8.14	2.44	390.95	0.59	1.19	1.00	0.19	0.00	19.77	69.33	0.00	0.00	169.95
140000	9.05	5.47	8.06	2.45	439.34	0.50	1.19	1.00	0.19	0.00	19.82	69.33	0.00	0.00	121.28
150000	9.13	5.59	8.12	2.38	320.98	0.41	1.19	1.00	0.19	0.00	19.90	69.33	0.00	0.00	96.47
160000	9.23	5.65	8.12	2.32	288.39	0.43	1.19	1.00	0.19	0.00	20.01	69.33	0.00	0.00	72.48
170000	9.24	5.55	8.13	2.41	253.80	0.48	1.19	1.00	0.19	0.00	20.06	69.33	0.00	0.00	81.67
180000	9.22	5.50	8.14	2.49	204.92	0.52	1.19	1.00	0.19	0.00	19.97	69.33	0.00	0.00	97.20
190000	9.25	5.59	8.10	2.35	154.65	0.55	1.19	1.00	0.19	0.00	19.95	69.33	0.00	0.00	121.95
200000	9.23	5.62	8.09	2.33	137.85	0.47	1.19	1.00	0.19	0.00	19.89	69.33	0.00	0.00	138.84
210000	9.31	5.51	8.11	2.44	130.52	0.44	1.19	1.00	0.19	0.00	19.70	69.33	0.00	0.00	139.00
220000	9.26	5.63	8.11	2.31	101.38	0.49	1.19	1.00	0.19	0.00	19.66	69.33	0.00	0.00	88.80
230000	9.19	5.58	8.13	2.40	49.76	0.56	1.19	1.00	0.19	0.00	19.80	69.33	0.00	0.00	102.14
極大值	9.31	5.67	8.18	2.49	439.34	0.59	1.19	1.01	0.19	0.00	20.14	69.33	0.00	0.00	193.20
極小值	8.99	5.45	8.01	2.31	11.65	0.41	1.19	1.00	0.18	0.00	19.66	69.21	0.00	0.00	72.48
平均值	9.14	5.55	8.11	2.40	152.74	0.51	1.19	1.00	0.19	0.00	19.94	69.32	0.00	0.00	110.08
標準差	0.08	0.06	0.04	0.06	129.79	0.05	0	0	0	0	0.14	0.03	0	0	31.32

測報表

時間/單位	SO2 (ppb)	NO (ppb)	NOX (ppb)	NO2 (ppb)	O3 (ppb)	CO (ppm)	THC (ppm)	NMHC (ppm)	CH4 (ppm)	站外溫 (°C)	站內溫 (°C)	RH (%)	WD (°)	WS (m/s)	PM10 (ug/m)
000000	9.23	5.65	8.16	2.36	26.17	0.60	1.19	1.00	0.19	0.00	20.24	69.33	0.00	0.00	118.46
010000	9.21	5.61	8.11	2.34	19.25	0.58	1.19	1.00	0.19	0.00	20.54	69.33	0.00	0.00	111.44
020000	9.30	5.55	8.17	2.46	15.86	0.45	1.19	1.00	0.19	0.00	20.49	69.33	0.00	0.00	93.89
030000	9.22	5.52	8.09	2.41	28.00	0.41	1.19	1.00	0.19	0.00	20.29	69.33	0.00	0.00	99.54
040000	9.26	5.60	8.17	2.41	36.47	0.42	1.19	1.00	0.19	0.00	20.29	69.33	0.00	0.00	88.31
050000	9.27	5.49	8.03	2.36	37.55	0.43	1.19	1.00	0.19	0.00	20.36	69.33	0.00	0.00	92.02
060000	9.28	5.57	8.05	2.33	37.16	0.43	1.19	1.00	0.19	0.00	20.29	69.33	0.00	0.00	70.20
070000	9.29	5.57	8.13	2.40	42.13	0.44	1.19	1.00	0.19	0.00	20.36	69.33	0.00	0.00	76.99
080000	9.31	5.54	8.14	2.41	43.14	0.46	1.19	1.01	0.18	0.00	20.37	69.33	0.00	0.00	97.21
090000	9.28	5.69	8.15	2.31	74.71	0.48	1.19	1.01	0.18	0.00	20.39	69.33	0.00	0.00	105.44
100000	9.25	5.52	8.07	2.38	143.39	0.46	1.19	1.00	0.19	0.00	20.05	69.33	0.00	0.00	105.47
110000	9.24	5.66	8.08	2.28	232.43	0.43	1.19	1.00	0.19	0.00	19.79	69.32	0.00	0.00	106.20
120000	9.27	5.49	8.13	2.48	345.22	0.43	1.19	1.00	0.19	0.00	19.91	69.33	0.00	0.00	100.94
130000	9.22	5.58	8.11	2.38	436.47	0.47	1.20	1.01	0.19	0.00	20.20	69.33	0.00	0.00	112.29
140000	9.21	5.56	8.09	2.37	387.12	0.51	1.20	1.01	0.19	0.00	20.25	69.33	0.00	0.00	100.19
150000	9.31	5.57	8.09	2.36	316.58	0.42	1.20	1.01	0.19	0.00	20.70	69.33	0.00	0.00	96.85
160000	9.29	5.53	8.06	2.36	339.39	0.46	1.19	1.00	0.19	0.00	20.50	69.33	0.00	0.00	64.27
170000	9.16	5.58	8.09	2.35	319.63	0.45	1.20	1.01	0.19	0.00	20.60	69.33	0.00	0.00	89.88
180000	9.29	5.54	8.13	2.42	270.26	0.42	1.19	1.00	0.19	0.00	20.53	69.33	0.00	0.00	105.68
190000	9.26	5.66	8.23	2.41	212.77	0.44	1.19	1.00	0.19	0.00	20.40	69.33	0.00	0.00	114.00
200000	9.20	5.52	8.03	2.36	107.37	0.48	1.19	1.00	0.19	0.00	20.36	69.33	0.00	0.00	116.58
210000	9.25	5.51	8.08	2.42	86.65	0.48	1.19	1.00	0.19	0.00	20.44	69.33	0.00	0.00	119.14
220000	9.14	5.51	8.08	2.40	73.40	0.47	1.19	1.00	0.19	0.00	20.46	69.33	0.00	0.00	114.19
230000	9.06	5.65	8.10	2.29	61.78	0.49	1.19	1.01	0.18	0.00	20.36	69.33	0.00	0.00	92.71
最大值	9.31	5.69	8.23	2.48	436.47	0.60	1.20	1.01	0.19	0.00	20.70	69.33	0.00	0.00	119.14
最小值	9.06	5.49	8.03	2.28	15.86	0.41	1.19	1.00	0.18	0.00	19.79	69.32	0.00	0.00	64.27
平均值	9.24	5.57	8.11	2.38	153.87	0.46	1.19	1.00	0.19	0.00	20.34	69.33	0.00	0.00	99.66
標準差	0.06	0.06	0.05	0.05	139.17	0.05	0	0	0	0	0.21	0	0	0	14.59

測報表

時間/單位	SO2 (ppb)	NO (ppb)	NOX (ppb)	NO2 (ppb)	O3 (ppb)	CO (ppm)	THC (ppm)	NMHC (ppm)	CH4 (ppm)	站外溫 (°C)	站內溫 (°C)	RH (%)	WD (°)	WS (m/s)	PM10 (ug/m)
000000	9.23	5.61	8.10	2.33	43.40	0.50	1.19	1.00	0.19	0.00	20.20	69.33	0.00	0.00	102.57
010000	9.27	5.51	8.08	2.41	37.56	0.48	1.19	1.00	0.19	0.00	20.27	69.33	0.00	0.00	104.18
020000	9.31	5.55	8.11	2.40	37.37	0.47	1.20	1.01	0.19	0.00	20.34	69.33	0.00	0.00	95.39
030000	9.31	5.55	8.07	2.36	22.49	0.53	1.20	1.01	0.19	0.00	20.34	69.33	0.00	0.00	99.25
040000	9.30	5.61	8.17	2.40	17.30	0.52	1.20	1.01	0.19	0.00	20.30	69.33	0.00	0.00	93.56
050000	9.24	5.65	8.11	2.30	11.70	0.50	1.20	1.01	0.19	0.00	20.38	69.33	0.00	0.00	92.47
060000	9.30	5.62	8.13	2.36	11.69	0.52	1.19	1.00	0.19	0.00	20.36	69.33	0.00	0.00	91.79
070000	9.30	5.61	8.11	2.35	16.52	0.52	1.19	1.00	0.19	0.00	20.40	69.33	0.00	0.00	96.67
080000	9.20	5.55	8.09	2.38	26.49	0.56	1.19	1.00	0.19	0.00	20.42	69.33	0.00	0.00	97.09
090000	9.27	5.59	8.14	2.38	91.88	0.52	1.19	1.00	0.19	0.00	20.34	69.33	0.00	0.00	117.35
100000	9.31	5.53	8.10	2.41	251.29	0.49	1.19	1.00	0.19	0.00	20.25	69.27	0.00	0.00	127.58
110000	9.28	5.55	8.14	2.44	328.92	0.52	1.20	1.01	0.19	0.00	20.21	69.32	0.00	0.00	145.00
120000	9.26	5.56	8.19	2.47	361.36	0.47	1.20	1.01	0.19	0.00	20.31	69.33	0.00	0.00	153.67
130000	9.28	5.50	8.10	2.45	337.31	0.45	1.20	1.01	0.19	0.00	20.35	69.33	0.00	0.00	132.94
140000	9.27	5.50	8.01	2.35	341.39	0.44	1.20	1.01	0.19	0.00	19.85	69.33	0.00	0.00	106.80
150000	9.30	5.64	8.09	2.27	335.27	0.43	1.20	1.01	0.19	0.00	19.95	69.33	0.00	0.00	103.03
160000	9.27	5.54	8.10	2.41	334.25	0.43	1.20	1.01	0.19	0.00	20.08	69.33	0.00	0.00	106.38
170000	9.29	5.58	8.16	2.43	303.57	0.45	1.20	1.01	0.19	0.00	20.12	69.33	0.00	0.00	99.59
180000	9.29	5.47	8.07	2.43	288.77	0.43	1.19	1.00	0.19	0.00	20.08	69.33	0.00	0.00	86.77
190000	9.28	5.53	8.10	2.42	221.63	0.39	1.19	1.00	0.19	0.00	20.19	69.33	0.00	0.00	69.38
200000	9.27	5.62	8.14	2.37	200.84	0.40	1.19	1.00	0.19	0.00	20.28	69.33	0.00	0.00	14.48
210000	9.26	5.60	8.09	2.34	204.70	0.39	1.19	1.00	0.19	0.00	20.24	69.33	0.00	0.00	19.49
220000	9.26	5.64	8.17	2.38	167.27	0.39	1.19	1.00	0.19	0.00	20.31	69.33	0.00	0.00	35.27
230000	9.28	5.60	8.13	2.38	141.49	0.40	1.19	1.00	0.19	0.00	20.38	69.33	0.00	0.00	28.85
極大值	9.31	5.65	8.19	2.47	361.36	0.56	1.20	1.01	0.19	0.00	20.42	69.33	0.00	0.00	153.67
極小值	9.20	5.47	8.01	2.27	11.69	0.39	1.19	1.00	0.19	0.00	19.85	69.27	0.00	0.00	14.48
平均值	9.28	5.57	8.11	2.38	172.27	0.47	1.19	1.00	0.19	0.00	20.25	69.33	0.00	0.00	92.48
標準差	0.03	0.05	0.04	0.05	134.2	0.05	0.01	0.01	0	0	0.14	0.01	0	0	36.23

測報表

時間/單位	SO2 (ppb)	NO (ppb)	NOX (ppb)	NO2 (ppb)	O3 (ppb)	CO (ppm)	THC (ppm)	NMHC (ppm)	CH4 (ppm)	站外溫 (°C)	站內溫 (°C)	RH (%)	WD (o)	WS (m/s)	PM10 (ug/m)
000000	9.30	5.61	8.14	2.37	99.88	0.43	1.19	1.00	0.19	0.00	20.31	69.31	0.00	0.00	37.72
010000	9.26	5.59	8.15	2.41	46.92	0.44	1.19	1.00	0.19	0.00	20.05	69.12	0.00	0.00	38.78
020000	9.23	5.60	8.12	2.36	36.26	0.44	1.19	1.00	0.19	0.00	20.13	69.18	0.00	0.00	36.75
030000	9.23	5.59	8.22	2.47	24.44	0.44	1.19	1.00	0.19	0.00	20.26	69.19	0.00	0.00	44.34
040000	9.23	5.53	8.08	2.39	27.00	0.46	1.19	1.00	0.19	0.00	20.39	69.19	0.00	0.00	46.37
050000	9.20	5.66	8.10	2.31	14.97	0.52	1.19	1.00	0.19	0.00	20.28	69.19	0.00	0.00	61.98
060000	9.17	5.58	8.01	2.28	11.77	0.56	1.19	1.00	0.19	0.00	20.10	69.19	0.00	0.00	85.71
070000	9.18	5.53	8.02	2.32	20.33	0.60	1.19	1.00	0.19	0.00	20.07	69.19	0.00	0.00	99.78
080000	9.17	5.41	8.04	2.45	39.49	0.58	1.19	1.00	0.19	0.00	20.18	69.14	0.00	0.00	122.34
090000	9.20	5.60	8.18	2.42	124.53	0.47	1.19	1.00	0.19	0.00	20.07	69.05	0.00	0.00	115.51
100000	9.21	5.49	8.06	2.42	194.70	0.44	1.19	1.00	0.19	0.00	20.14	69.05	0.00	0.00	106.42
110000	9.20	5.51	8.01	2.32	336.54	0.51	1.19	1.01	0.18	0.00	19.94	69.05	0.00	0.00	77.08
120000	9.17	5.57	8.14	2.41	453.57	0.54	1.19	1.00	0.19	0.00	20.08	69.08	0.00	0.00	124.51
130000	9.13	5.51	8.08	2.41	502.69	0.52	1.20	1.01	0.19	0.00	20.09	69.33	0.00	0.00	132.78
140000	9.22	5.54	8.07	2.38	464.97	0.56	1.19	1.00	0.19	0.00	19.61	69.33	0.00	0.00	124.91
150000	9.19	5.59	8.18	2.43	450.09	0.56	1.20	1.01	0.19	0.00	19.44	69.33	0.00	0.00	122.61
160000	9.26	5.66	8.16	2.35	427.25	0.57	1.20	1.01	0.19	0.00	19.19	69.33	0.00	0.00	122.17
170000	9.26	5.69	8.29	2.45	401.10	0.51	1.20	1.01	0.19	0.00	34.43	69.40	0.00	0.00	118.16
180000	9.22	5.56	8.09	2.37	371.39	0.50	1.19	1.01	0.18	0.00	48.88	69.55	0.00	0.00	103.46
190000	9.21	5.63	8.08	2.32	331.62	0.48	1.19	1.01	0.18	0.00	47.49	69.52	0.00	0.00	110.63
200000	9.16	5.56	8.17	2.44	312.19	0.46	1.19	1.01	0.18	0.00	47.83	69.56	0.00	0.00	113.89
210000	9.19	5.61	8.13	2.36	225.68	0.51	1.19	1.00	0.19	0.00	46.09	69.54	0.00	0.00	109.20
220000	9.25	5.59	8.05	2.29	178.88	0.51	1.19	1.00	0.19	0.00	46.11	69.55	0.00	0.00	115.85
230000	9.19	5.52	8.04	2.37	139.62	0.48	1.19	1.00	0.19	0.00	46.60	69.58	0.00	0.00	93.16
極大值	9.30	5.69	8.29	2.47	502.69	0.60	1.20	1.01	0.19	0.00	48.88	69.58	0.00	0.00	132.78
極小值	9.13	5.41	8.01	2.28	11.77	0.43	1.19	1.00	0.18	0.00	19.19	69.05	0.00	0.00	36.75
平均值	9.21	5.57	8.11	2.38	218.16	0.50	1.19	1.00	0.19	0.00	27.41	69.29	0.00	0.00	94.34
標準差	0.04	0.06	0.07	0.05	175.69	0.05	0	0	0	0	12.03	0.18	0	0	32.38

測報表

時間/單位	SO2 (ppb)	NO (ppb)	NOX (ppb)	NO2 (ppb)	O3 (ppb)	CO (ppm)	THC (ppm)	NMHC (ppm)	CH4 (ppm)	站外溫 (°C)	站內溫 (°C)	RH (%)	WD (°)	WS (m/s)	PM10 (ug/m)
000000	9.31	5.61	8.17	2.44	100.00	0.52	1.19	1.00	0.19	0.00	45.23	69.54	0.00	0.00	80.53
010000	9.24	5.64	8.17	2.39	116.70	0.54	1.19	1.00	0.19	0.00	45.47	69.55	0.00	0.00	84.43
020000	9.25	5.41	8.04	2.50	101.00	0.56	1.19	1.00	0.19	0.00	46.01	69.56	0.00	0.00	109.53
030000	9.25	5.60	8.09	2.37	66.13	0.57	1.20	1.02	0.18	0.00	44.75	69.55	0.00	0.00	116.43
040000	9.29	5.61	8.10	2.37	57.41	0.56	1.20	1.01	0.19	0.00	44.71	69.54	0.00	0.00	124.41
050000	9.25	5.65	8.22	2.45	52.86	0.55	1.19	1.00	0.19	0.00	44.59	69.53	0.00	0.00	110.23
060000	9.24	5.60	8.14	2.41	45.17	0.60	1.19	1.00	0.19	0.00	44.28	69.54	0.00	0.00	95.48
070000	9.29	5.63	8.15	2.39	30.53	0.69	1.19	1.00	0.19	0.00	43.99	69.50	0.00	0.00	105.53
080000	9.24	5.59	8.11	2.40	79.25	0.57	1.19	1.00	0.19	0.00	43.74	69.47	0.00	0.00	113.50
090000	9.21	5.55	8.20	2.52	153.89	0.63	1.19	1.00	0.19	0.00	42.28	69.45	0.00	0.00	128.21
100000	9.22	5.61	8.11	2.36	226.00	0.70	1.19	1.00	0.19	0.00	41.79	69.40	0.00	0.00	162.65
110000	9.24	5.64	8.11	2.32	366.46	0.53	1.19	1.01	0.18	0.00	41.80	69.45	0.00	0.00	162.92
120000	9.25	5.51	8.06	2.40	430.78	0.50	1.20	1.01	0.19	0.00	41.75	69.47	0.00	0.00	129.94
130000	9.24	5.48	8.06	2.43	459.46	0.52	1.20	1.01	0.19	0.00	41.55	69.47	0.00	0.00	136.93
140000	9.19	5.54	8.15	2.45	431.36	0.57	1.20	1.01	0.19	0.00	41.56	69.47	0.00	0.00	148.95
150000	9.11	5.52	8.13	2.44	437.47	0.53	1.20	1.01	0.19	0.00	41.45	69.47	0.00	0.00	163.83
160000	9.09	5.60	8.07	2.32	366.69	0.49	1.20	1.01	0.19	0.00	41.24	69.47	0.00	0.00	174.73
170000	9.19	5.56	8.13	2.41	287.12	0.52	1.20	1.01	0.19	0.00	40.99	69.47	0.00	0.00	127.16
180000	9.14	5.55	8.16	2.46	215.20	0.57	1.20	1.01	0.19	0.00	40.61	69.47	0.00	0.00	102.90
190000	9.14	5.61	8.15	2.37	202.66	0.55	1.19	1.00	0.19	0.00	40.54	69.47	0.00	0.00	104.80
200000	9.19	5.61	8.15	2.39	152.58	0.55	1.19	1.00	0.19	0.00	40.91	69.47	0.00	0.00	131.12
210000	9.14	5.66	8.16	2.34	106.94	0.54	1.19	1.00	0.19	0.00	41.71	69.47	0.00	0.00	166.48
220000	9.13	5.60	8.12	2.35	96.88	0.52	1.19	1.00	0.19	0.00	41.35	69.48	0.00	0.00	158.60
230000	9.13	5.56	8.12	2.38	68.68	0.55	1.19	1.00	0.19	0.00	39.62	69.47	0.00	0.00	178.10
極大值	9.31	5.66	8.22	2.52	459.46	0.70	1.20	1.02	0.19	0.00	46.01	69.56	0.00	0.00	178.10
極小值	9.09	5.41	8.04	2.32	30.53	0.49	1.19	1.00	0.18	0.00	39.62	69.40	0.00	0.00	80.53
平均值	9.21	5.58	8.13	2.40	193.80	0.56	1.19	1.00	0.19	0.00	42.58	69.49	0.00	0.00	129.89
標準差	0.06	0.06	0.04	0.05	145.72	0.05	0	0.01	0	0	1.84	0.04	0	0	28.86

測報表

時間/單位	SO2 (ppb)	NO (ppb)	NOX (ppb)	NO2 (ppb)	O3 (ppb)	CO (ppm)	THC (ppm)	NMHC (ppm)	CH4 (ppm)	站外溫 (°C)	站內溫 (°C)	RH (%)	WD (°)	WS (m/s)	PM10 (ug/m)
000000	9.23	5.48	8.12	2.48	55.33	0.54	1.19	1.00	0.19	0.00	39.75	69.47	0.00	0.00	169.34
010000	9.24	5.54	8.13	2.43	39.84	0.56	1.20	1.01	0.19	0.00	38.76	69.47	0.00	0.00	150.81
020000	9.23	5.64	8.08	2.26	34.86	0.55	1.19	1.00	0.19	0.00	39.95	69.48	0.00	0.00	154.10
030000	9.23	5.54	8.15	2.46	29.39	0.55	1.20	1.01	0.19	0.00	39.53	69.48	0.00	0.00	139.63
040000	9.24	5.55	8.14	2.44	43.11	0.54	1.20	1.01	0.19	0.00	38.94	69.47	0.00	0.00	140.63
050000	9.24	5.59	8.13	2.39	37.73	0.54	1.20	1.01	0.19	0.00	39.14	69.47	0.00	0.00	121.09
060000	9.13	5.53	8.07	2.37	43.58	0.51	1.20	1.01	0.19	0.00	39.88	69.47	0.00	0.00	113.43
070000	9.24	5.56	8.07	2.34	16.04	0.55	1.20	1.01	0.19	0.00	40.26	69.47	0.00	0.00	81.29
080000	9.19	5.70	8.23	2.37	29.14	0.60	1.20	1.01	0.19	0.00	39.78	69.47	0.00	0.00	96.20
090000	9.24	5.46	8.09	2.47	102.66	0.58	1.20	1.02	0.18	0.00	38.89	69.47	0.00	0.00	138.21
100000	9.22	5.56	8.16	2.43	188.34	0.61	1.19	1.00	0.19	0.00	39.13	69.47	0.00	0.00	171.74
110000	9.13	5.56	8.12	2.40	251.26	0.63	1.20	1.01	0.19	0.00	40.20	69.47	0.00	0.00	182.54
120000	9.29	5.59	8.11	2.36	306.58	0.69	1.20	1.01	0.19	0.00	41.77	69.47	0.00	0.00	208.96
130000	9.23	5.67	8.22	2.39	306.75	0.52	1.20	1.01	0.19	0.00	40.58	69.47	0.00	0.00	221.42
140000	9.28	5.57	8.13	2.40	273.39	0.46	1.20	1.01	0.19	0.00	40.08	69.47	0.00	0.00	119.74
150000	9.29	5.57	8.11	2.40	257.10	0.44	1.20	1.01	0.19	0.00	39.44	69.47	0.00	0.00	113.91
160000	9.26	5.58	8.14	2.39	254.58	0.44	1.20	1.01	0.19	0.00	38.95	69.47	0.00	0.00	97.12
170000	9.25	5.53	8.02	2.31	239.65	0.45	1.20	1.01	0.19	0.00	38.87	69.47	0.00	0.00	100.68
180000	9.28	5.60	8.17	2.40	192.26	0.47	1.20	1.01	0.19	0.00	38.60	69.47	0.00	0.00	123.84
190000	9.21	5.58	8.19	2.44	161.75	0.46	1.20	1.01	0.19	0.00	38.43	69.47	0.00	0.00	138.29
200000	9.19	5.62	8.13	2.36	133.31	0.48	1.19	1.00	0.19	0.00	38.35	69.47	0.00	0.00	114.27
210000	9.21	5.47	8.16	2.53	111.74	0.47	1.19	1.00	0.19	0.00	38.31	69.47	0.00	0.00	125.11
220000	9.23	5.57	8.03	2.29	82.88	0.47	1.19	1.00	0.19	0.00	38.25	69.47	0.00	0.00	100.59
230000	9.23	5.56	8.17	2.46	60.52	0.48	1.20	1.01	0.19	0.00	38.15	69.47	0.00	0.00	111.43
極大值	9.29	5.70	8.23	2.53	306.75	0.69	1.20	1.02	0.19	0.00	41.77	69.48	0.00	0.00	221.42
極小值	9.13	5.46	8.02	2.26	16.04	0.44	1.19	1.00	0.18	0.00	38.15	69.47	0.00	0.00	81.29
平均值	9.23	5.57	8.13	2.40	135.49	0.52	1.20	1.01	0.19	0.00	39.33	69.47	0.00	0.00	134.77
標準差	0.04	0.06	0.05	0.06	101.44	0.07	0	0.01	0	0	0.88	0	0	0	35.6

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	9.26	5.54	8.09	2.40	35.51	0.53	1.20	1.01	0.19	0.00	38.20	69.47	0.00	0.00	116.86
010000	9.24	5.51	8.03	2.35	28.03	0.53	1.20	1.01	0.19	0.00	38.08	69.47	0.00	0.00	110.87
020000	9.25	5.55	8.09	2.38	31.48	0.52	1.20	1.01	0.19	0.00	37.92	69.47	0.00	0.00	123.24
030000	9.26	5.50	8.07	2.42	28.82	0.48	1.20	1.01	0.19	0.00	37.87	69.47	0.00	0.00	137.28
040000	9.28	5.58	8.16	2.44	18.77	0.46	1.20	1.01	0.19	0.00	37.77	69.47	0.00	0.00	135.84
050000	9.28	5.54	8.08	2.39	16.57	0.48	1.20	1.01	0.19	0.00	37.58	69.47	0.00	0.00	120.53
060000	9.30	5.47	8.08	2.45	11.86	0.51	1.20	1.01	0.19	0.00	37.50	69.47	0.00	0.00	131.48
070000	9.24	5.56	8.09	2.38	17.79	0.51	1.20	1.01	0.19	0.00	37.43	69.47	0.00	0.00	140.67
080000	9.29	5.53	8.13	2.44	29.18	0.49	1.20	1.01	0.19	0.00	37.46	69.47	0.00	0.00	126.26
090000	9.28	5.51	8.13	2.46	87.71	0.47	1.20	1.01	0.19	0.00	37.38	69.45	0.00	0.00	129.09
100000	9.26	5.53	8.06	2.37	152.22	0.48	1.20	1.01	0.19	0.00	37.54	69.45	0.00	0.00	120.91
110000	9.27	5.57	8.12	2.39	234.90	0.48	1.20	1.01	0.19	0.00	38.41	69.44	0.00	0.00	129.01
120000	9.26	5.46	8.01	2.39	316.79	0.45	1.20	1.01	0.19	0.00	38.95	69.47	0.00	0.00	128.68
130000	9.25	5.53	8.19	2.47	372.61	0.47	1.20	1.01	0.19	0.00	39.56	69.47	0.00	0.00	114.43
140000	9.29	5.60	8.23	2.48	370.38	0.53	1.20	1.01	0.19	0.00	39.30	69.47	0.00	0.00	121.11
150000	9.31	5.55	8.14	2.43	281.18	0.46	1.20	1.01	0.19	0.00	38.93	69.47	0.00	0.00	157.93
160000	9.33	5.57	8.10	2.37	309.09	0.43	1.20	1.01	0.19	0.00	38.80	69.47	0.00	0.00	141.89
170000	9.30	5.53	8.09	2.42	225.06	0.43	1.20	1.01	0.19	0.00	38.90	69.47	0.00	0.00	127.12
180000	9.31	5.52	8.06	2.38	190.21	0.44	1.20	1.01	0.19	0.00	40.09	69.47	0.00	0.00	104.78
190000	9.29	5.58	8.07	2.32	161.67	0.43	1.20	1.01	0.19	0.00	39.37	69.47	0.00	0.00	114.59
200000	9.27	5.56	8.07	2.34	128.56	0.41	1.20	1.01	0.19	0.00	39.51	69.47	0.00	0.00	108.66
210000	9.25	5.54	8.15	2.45	101.56	0.40	1.20	1.01	0.19	0.00	41.43	69.47	0.00	0.00	123.12
220000	9.26	5.59	8.05	2.29	74.61	0.44	1.20	1.01	0.19	0.00	43.55	69.48	0.00	0.00	127.47
230000	9.26	5.53	8.11	2.41	19.35	0.51	1.20	1.01	0.19	0.00	42.86	69.47	0.00	0.00	148.52
極大值	9.33	5.60	8.23	2.48	372.61	0.53	1.20	1.01	0.19	0.00	43.55	69.48	0.00	0.00	157.93
極小值	9.24	5.46	8.01	2.29	11.86	0.40	1.20	1.01	0.19	0.00	37.38	69.44	0.00	0.00	104.78
平均值	9.27	5.54	8.10	2.40	135.16	0.47	1.20	1.01	0.19	0.00	38.93	69.47	0.00	0.00	126.68
標準差	0.02	0.03	0.05	0.05	123.38	0.04	0	0	0	0	1.66	0.01	0	0	12.67

測報表

時間/單位	SO2 (ppb)	NO (ppb)	NOX (ppb)	NO2 (ppb)	O3 (ppb)	CO (ppm)	THC (ppm)	NMHC (ppm)	CH4 (ppm)	站外溫 (°C)	站內溫 (°C)	RH (%)	WD (°)	WS (m/s)	PM10 (ug/m)
000000	9.28	5.56	8.10	2.39	13.86	0.51	1.20	1.01	0.19	0.00	42.70	69.48	0.00	0.00	189.78
010000	9.27	5.48	8.07	2.44	18.98	0.49	1.20	1.01	0.19	0.00	43.81	69.51	0.00	0.00	188.09
020000	9.25	5.60	8.08	2.35	11.10	0.49	1.20	1.01	0.19	0.00	44.58	69.53	0.00	0.00	175.05
030000	9.27	5.58	8.15	2.44	4.77	0.48	1.20	1.01	0.19	0.00	45.10	69.53	0.00	0.00	154.48
040000	9.30	5.63	8.11	2.37	5.20	0.47	1.20	1.01	0.19	0.00	44.79	69.53	0.00	0.00	124.43
050000	9.26	5.62	8.17	2.41	0.00	0.46	1.20	1.01	0.19	0.00	44.33	69.54	0.00	0.00	150.36
060000	9.27	5.59	8.15	2.39	4.53	0.47	1.20	1.01	0.19	0.00	45.27	69.54	0.00	0.00	145.47
070000	9.25	5.48	8.08	2.44	4.12	0.52	1.20	1.01	0.19	0.00	45.84	69.57	0.00	0.00	152.40
080000	9.25	5.54	8.03	2.33	12.66	0.51	1.20	1.01	0.19	0.00	46.19	69.50	0.00	0.00	158.57
090000	9.20	5.47	8.03	2.42	50.16	0.48	1.20	1.01	0.19	0.00	45.96	69.48	0.00	0.00	158.05
100000	9.30	5.62	8.15	2.37	117.53	0.45	1.20	1.01	0.19	0.00	46.14	69.47	0.00	0.00	194.45
110000	9.30	5.61	8.15	2.40	182.43	0.44	1.20	1.01	0.19	0.00	39.40	69.47	0.00	0.00	154.23
120000	9.28	5.54	8.13	2.45	233.49	0.49	1.20	1.02	0.18	0.00	38.35	69.47	0.00	0.00	126.96
130000	9.30	5.46	8.07	2.47	338.61	0.52	1.20	1.01	0.19	0.00	38.16	69.47	0.00	0.00	132.14
140000	9.32	5.53	8.05	2.36	390.74	0.54	1.20	1.01	0.19	0.00	38.05	69.47	0.00	0.00	142.02
150000	9.38	5.45	7.98	2.36	381.11	0.66	1.20	1.01	0.19	0.00	37.71	69.47	0.00	0.00	169.84
160000	9.34	5.53	8.08	2.39	328.97	0.62	1.20	1.01	0.19	0.00	37.40	69.47	0.00	0.00	142.91
170000	9.31	5.45	8.10	2.48	314.68	0.52	1.20	1.01	0.19	0.00	37.41	69.47	0.00	0.00	126.06
180000	9.33	5.61	8.07	2.31	238.38	0.64	1.20	1.01	0.19	0.00	37.21	69.47	0.00	0.00	102.02
190000	9.34	5.58	8.10	2.38	152.03	0.64	1.20	1.01	0.19	0.00	37.27	69.47	0.00	0.00	136.28
200000	9.27	5.47	8.07	2.42	84.45	0.55	1.20	1.01	0.19	0.00	37.37	69.47	0.00	0.00	158.47
210000	9.30	5.58	8.11	2.37	99.38	0.54	1.20	1.01	0.19	0.00	37.25	69.47	0.00	0.00	138.71
220000	9.30	5.60	8.13	2.37	111.34	0.53	1.20	1.01	0.19	0.00	37.16	69.47	0.00	0.00	123.53
230000	9.33	5.54	8.11	2.42	72.19	0.55	1.20	1.01	0.19	0.00	36.76	69.47	0.00	0.00	123.98
極大值	9.38	5.63	8.17	2.48	390.74	0.66	1.20	1.02	0.19	0.00	46.19	69.57	0.00	0.00	194.45
極小值	9.20	5.45	7.98	2.31	0.00	0.44	1.20	1.01	0.18	0.00	36.76	69.47	0.00	0.00	102.02
平均值	9.29	5.55	8.09	2.40	132.11	0.52	1.20	1.01	0.19	0.00	41.01	69.49	0.00	0.00	148.68
標準差	0.04	0.06	0.05	0.04	135.22	0.06	0	0	0	0	3.83	0.03	0	0	23.26

測報表

時間/單位	SO2 (ppb)	NO (ppb)	NOX (ppb)	NO2 (ppb)	O3 (ppb)	CO (ppm)	THC (ppm)	NMHC (ppm)	CH4 (ppm)	站外溫 (°C)	站內溫 (°C)	RH (%)	WD (°)	WS (m/s)	PM10 (ug/m)
000000	9.31	5.59	8.15	2.40	33.62	0.58	1.20	1.01	0.19	0.00	36.77	69.47	0.00	0.00	129.44
010000	9.30	5.54	8.06	2.34	16.07	0.56	1.20	1.01	0.19	0.00	36.60	69.47	0.00	0.00	112.48
020000	9.26	5.53	8.14	2.46	14.31	0.53	1.20	1.01	0.19	0.00	36.51	69.47	0.00	0.00	111.51
030000	9.35	5.53	8.02	2.34	17.47	0.48	1.20	1.01	0.19	0.00	36.51	69.47	0.00	0.00	100.57
040000	9.30	5.54	8.06	2.36	23.59	0.44	1.20	1.01	0.19	0.00	36.37	69.47	0.00	0.00	85.35
050000	9.29	5.57	8.08	2.36	21.71	0.44	1.20	1.01	0.19	0.00	36.31	69.47	0.00	0.00	72.31
060000	9.29	5.52	8.14	2.45	4.87	0.49	1.20	1.01	0.19	0.00	36.29	69.47	0.00	0.00	77.58
070000	9.34	5.61	8.11	2.33	4.49	0.59	1.20	1.01	0.19	0.00	36.31	69.47	0.00	0.00	90.54
080000	9.34	5.50	8.05	2.39	22.72	0.52	1.20	1.01	0.19	0.00	36.34	69.39	0.00	0.00	89.29
090000	9.33	5.52	8.16	2.52	107.42	0.46	1.20	1.01	0.19	0.00	36.24	69.33	0.00	0.00	94.90
100000	9.36	5.49	8.05	2.42	204.39	0.39	1.20	1.01	0.19	0.00	36.09	69.33	0.00	0.00	102.72
110000	9.28	5.44	8.08	2.49	261.50	0.38	1.20	1.01	0.19	0.00	36.02	69.34	0.00	0.00	91.52
120000	9.24	5.58	8.15	2.44	272.91	0.35	1.20	1.01	0.19	0.00	35.88	69.45	0.00	0.00	67.87
130000	9.34	5.61	8.14	2.40	178.08	0.29	1.21	1.02	0.19	0.00	35.85	69.45	0.00	0.00	66.71
140000	9.32	5.53	8.07	2.39	134.24	0.28	1.21	1.02	0.19	0.00	35.89	69.47	0.00	0.00	80.69
150000	9.35	5.63	8.17	2.40	125.10	0.29	1.21	1.02	0.19	0.00	35.91	69.47	0.00	0.00	68.07
160000	9.42	5.66	8.24	2.42	120.59	0.31	1.21	1.02	0.19	0.00	35.78	69.47	0.00	0.00	41.86
170000	9.41	5.53	8.10	2.41	104.39	0.32	1.21	1.02	0.19	0.00	35.68	69.47	0.00	0.00	44.27
180000	9.39	5.52	8.07	2.39	92.01	0.31	1.21	1.02	0.19	0.00	35.50	69.47	0.00	0.00	59.05
190000	9.38	5.58	8.17	2.42	75.81	0.33	1.21	1.02	0.19	0.00	35.38	69.47	0.00	0.00	64.11
200000	9.39	5.58	8.10	2.34	72.18	0.32	1.21	1.02	0.19	0.00	35.46	69.47	0.00	0.00	61.05
210000	9.40	5.41	8.03	2.45	57.79	0.33	1.21	1.02	0.19	0.00	35.17	69.47	0.00	0.00	59.78
220000	9.37	5.57	8.03	2.30	7.71	0.40	1.21	1.02	0.19	0.00	35.00	69.47	0.00	0.00	49.54
230000	9.37	5.58	8.11	2.38	14.67	0.39	1.21	1.02	0.19	0.00	34.76	69.47	0.00	0.00	46.13
極大值	9.42	5.66	8.24	2.52	272.91	0.59	1.21	1.02	0.19	0.00	36.77	69.47	0.00	0.00	129.44
極小值	9.24	5.41	8.02	2.30	4.49	0.28	1.20	1.01	0.19	0.00	34.76	69.33	0.00	0.00	41.86
平均值	9.34	5.55	8.10	2.40	82.82	0.41	1.20	1.01	0.19	0.00	35.94	69.45	0.00	0.00	77.81
標準差	0.05	0.06	0.06	0.05	80.46	0.1	0.01	0.01	0	0	0.53	0.05	0	0	23.49

測報表

時間/單位	SO2 (ppb)	NO (ppb)	NOX (ppb)	NO2 (ppb)	O3 (ppb)	CO (ppm)	THC (ppm)	NMHC (ppm)	CH4 (ppm)	站外溫 (°C)	站內溫 (°C)	RH (%)	WD (°)	WS (m/s)	PM10 (ug/m)
000000	9.38	5.50	8.21	2.56	8.68	0.35	1.21	1.02	0.19	0.00	34.53	69.47	0.00	0.00	47.76
010000	9.34	5.58	8.07	2.30	0.00	0.35	1.21	1.02	0.19	0.00	34.61	69.47	0.00	0.00	36.82
020000	9.33	5.53	8.12	2.45	0.00	0.37	1.21	1.02	0.19	0.00	34.79	69.47	0.00	0.00	33.96
030000	9.39	5.53	8.12	2.42	0.00	0.37	1.21	1.02	0.19	0.00	34.74	69.47	0.00	0.00	24.23
040000	9.36	5.41	8.01	2.43	0.00	0.35	1.21	1.02	0.19	0.00	34.69	69.47	0.00	0.00	34.74
050000	9.37	5.61	8.15	2.42	3.67	0.34	1.21	1.02	0.19	0.00	34.69	69.47	0.00	0.00	39.55
060000	9.34	5.64	8.18	2.42	0.00	0.37	1.21	1.02	0.19	0.00	34.59	69.47	0.00	0.00	26.92
070000	9.38	5.56	8.07	2.37	0.00	0.41	1.21	1.02	0.19	0.00	34.59	69.43	0.00	0.00	31.79
080000	9.38	5.42	8.07	2.49	0.00	0.47	1.21	1.02	0.19	0.00	34.60	69.33	0.00	0.00	41.00
090000	9.34	5.51	8.05	2.38	35.40	0.36	1.20	1.01	0.19	0.00	34.61	69.33	0.00	0.00	55.58
100000	9.38	5.53	8.04	2.37	105.06	0.32	1.21	1.02	0.19	0.00	34.69	69.33	0.00	0.00	51.12
110000	9.35	5.51	8.10	2.46	121.47	0.28	1.21	1.02	0.19	0.00	34.65	69.37	0.00	0.00	40.06
120000	9.43	5.49	8.08	2.46	138.19	0.29	1.21	1.02	0.19	0.00	34.78	69.43	0.00	0.00	27.75
130000	9.41	5.65	8.15	2.36	150.63	0.28	1.21	1.02	0.19	0.00	34.67	69.46	0.00	0.00	25.95
140000	9.47	5.53	8.16	2.50	124.47	0.29	1.21	1.02	0.19	0.00	34.64	69.45	0.00	0.00	31.07
150000	9.50	5.57	8.11	2.39	120.48	0.30	1.21	1.02	0.19	0.00	34.66	69.44	0.00	0.00	25.62
160000	9.44	5.52	8.11	2.44	107.49	0.31	1.21	1.02	0.19	0.00	34.58	69.46	0.00	0.00	29.01
170000	9.51	5.55	8.04	2.34	69.13	0.35	1.21	1.02	0.19	0.00	34.35	69.42	0.00	0.00	39.99
180000	9.50	5.60	8.11	2.36	66.53	0.34	1.21	1.02	0.19	0.00	34.38	69.41	0.00	0.00	46.32
190000	9.43	5.53	8.08	2.37	66.22	0.33	1.21	1.02	0.19	0.00	34.38	69.46	0.00	0.00	56.17
200000	9.45	5.55	8.12	2.41	48.44	0.34	1.21	1.02	0.19	0.00	34.39	69.46	0.00	0.00	67.97
210000	9.44	5.53	8.09	2.42	48.01	0.35	1.21	1.02	0.19	0.00	34.37	69.47	0.00	0.00	51.33
220000	9.46	5.54	8.08	2.37	44.68	0.34	1.21	1.02	0.19	0.00	34.34	69.47	0.00	0.00	61.01
230000	9.47	5.51	8.15	2.48	30.34	0.35	1.21	1.02	0.19	0.00	34.34	69.47	0.00	0.00	68.89
極大值	9.51	5.65	8.21	2.56	150.63	0.47	1.21	1.02	0.19	0.00	34.79	69.47	0.00	0.00	68.89
極小值	9.33	5.41	8.01	2.30	0.00	0.28	1.20	1.01	0.19	0.00	34.34	69.33	0.00	0.00	24.23
平均值	9.41	5.54	8.10	2.42	53.70	0.34	1.21	1.02	0.19	0.00	34.57	69.44	0.00	0.00	41.44
標準差	0.06	0.06	0.05	0.06	52.1	0.04	0	0	0	0	0.15	0.05	0	0	13.48

測報表

時間/單位	SO2 (ppb)	NO (ppb)	NOX (ppb)	NO2 (ppb)	O3 (ppb)	CO (ppm)	THC (ppm)	NMHC (ppm)	CH4 (ppm)	站外溫 (°C)	站內溫 (°C)	RH (%)	WD (°)	WS (m/s)	PM10 (ug/m)
000000	9.45	5.55	8.06	2.33	15.86	0.37	1.21	1.02	0.19	0.00	34.35	69.45	0.00	0.00	79.77
010000	9.42	5.60	8.15	2.39	0.00	0.37	1.21	1.02	0.19	0.00	34.11	69.22	0.00	0.00	61.58
020000	9.42	5.50	8.12	2.44	0.00	0.37	1.21	1.02	0.19	0.00	34.12	69.29	0.00	0.00	41.25
030000	9.38	5.53	8.10	2.42	0.00	0.34	1.21	1.02	0.19	0.00	34.12	69.33	0.00	0.00	41.89
040000	9.39	5.58	8.15	2.40	0.00	0.32	1.21	1.02	0.19	0.00	33.99	69.32	0.00	0.00	34.34
050000	9.34	5.53	8.11	2.42	0.00	0.35	1.21	1.02	0.19	0.00	33.90	69.33	0.00	0.00	37.20
060000	9.33	5.57	8.10	2.36	0.00	0.35	1.21	1.02	0.19	0.00	33.87	69.33	0.00	0.00	35.52
070000	9.29	5.57	8.07	2.33	0.00	0.35	1.20	1.01	0.19	0.00	33.93	69.32	0.00	0.00	37.16
080000	9.32	5.46	8.14	2.51	0.00	0.35	1.20	1.01	0.19	0.00	33.89	69.19	0.00	0.00	45.10
090000	9.31	5.57	8.08	2.32	10.03	0.34	1.20	1.01	0.19	0.00	33.84	69.19	0.00	0.00	58.94
100000	9.30	5.48	8.05	2.40	46.16	0.35	1.20	1.01	0.19	0.00	33.81	69.19	0.00	0.00	55.39
110000	9.36	5.53	8.01	2.31	104.71	0.34	1.20	1.01	0.19	0.00	33.87	69.19	0.00	0.00	58.01
120000	9.28	5.56	8.10	2.36	178.38	0.39	1.20	1.01	0.19	0.00	33.93	69.21	0.00	0.00	62.83
130000	9.27	5.61	8.13	2.35	176.47	0.39	1.21	1.02	0.19	0.00	34.03	69.34	0.00	0.00	73.33
140000	9.29	5.55	8.15	2.43	213.47	0.39	1.21	1.02	0.19	0.00	34.11	69.44	0.00	0.00	72.87
150000	9.31	5.52	8.07	2.39	226.60	0.38	1.21	1.02	0.19	0.00	34.79	69.46	0.00	0.00	68.54
160000	9.44	5.66	8.13	2.31	201.36	0.39	1.21	1.02	0.19	0.00	37.79	69.47	0.00	0.00	78.38
170000	9.35	5.64	8.16	2.37	168.78	0.41	1.20	1.01	0.19	0.00	35.83	69.47	0.00	0.00	78.16
180000	9.36	5.61	8.09	2.31	130.70	0.45	1.20	1.01	0.19	0.00	34.94	69.47	0.00	0.00	84.51
190000	9.35	5.57	8.14	2.40	106.02	0.50	1.20	1.01	0.19	0.00	34.44	69.46	0.00	0.00	88.68
200000	9.32	5.64	8.10	2.30	82.45	0.49	1.20	1.01	0.19	0.00	34.42	69.45	0.00	0.00	100.74
210000	9.31	5.57	8.10	2.38	43.90	0.46	1.20	1.01	0.19	0.00	34.38	69.46	0.00	0.00	128.39
220000	9.35	5.62	8.20	2.43	26.26	0.46	1.20	1.01	0.19	0.00	34.38	69.46	0.00	0.00	118.06
230000	9.38	5.56	8.14	2.42	18.67	0.47	1.20	1.01	0.19	0.00	34.17	69.47	0.00	0.00	103.49
極大值	9.45	5.66	8.20	2.51	226.60	0.50	1.21	1.02	0.19	0.00	37.79	69.47	0.00	0.00	128.39
極小值	9.27	5.46	8.01	2.30	0.00	0.32	1.20	1.01	0.19	0.00	33.81	69.19	0.00	0.00	34.34
平均值	9.35	5.57	8.11	2.38	72.91	0.39	1.20	1.01	0.19	0.00	34.38	69.35	0.00	0.00	68.51
標準差	0.05	0.05	0.04	0.05	81.53	0.05	0.01	0.01	0	0	0.86	0.11	0	0	26.37

測報表

時間/單位	SO2 (ppb)	NO (ppb)	NOX (ppb)	NO2 (ppb)	O3 (ppb)	CO (ppm)	THC (ppm)	NMHC (ppm)	CH4 (ppm)	站外溫 (°C)	站內溫 (°C)	RH (%)	WD (°)	WS (m/s)	PM10 (ug/m)
000000	9.36	5.59	8.17	2.43	13.23	0.46	1.20	1.01	0.19	0.00	33.97	69.47	0.00	0.00	76.38
010000	9.35	5.61	8.10	2.34	20.34	0.43	1.20	1.01	0.19	0.00	34.10	69.47	0.00	0.00	61.99
020000	9.35	5.59	8.09	2.35	18.27	0.42	1.20	1.01	0.19	0.00	34.05	69.47	0.00	0.00	53.43
030000	9.40	5.62	8.15	2.38	14.68	0.41	1.20	1.01	0.19	0.00	33.95	69.47	0.00	0.00	51.78
040000	9.42	5.51	8.06	2.42	18.16	0.41	1.20	1.01	0.19	0.00	33.97	69.47	0.00	0.00	39.27
050000	9.39	5.51	8.05	2.40	11.75	0.41	1.20	1.01	0.19	0.00	33.79	69.47	0.00	0.00	32.10
060000	9.42	5.64	8.13	2.37	16.24	0.43	1.20	1.01	0.19	0.00	33.76	69.47	0.00	0.00	31.89
070000	9.45	5.53	8.09	2.42	16.94	0.45	1.19	1.00	0.19	0.00	33.69	69.47	0.00	0.00	34.40
080000	9.38	5.55	8.05	2.37	37.71	0.49	1.19	1.00	0.19	0.00	33.64	69.40	0.00	0.00	46.30
090000	9.40	5.51	8.11	2.46	35.52	0.47	1.19	1.00	0.19	0.00	33.69	69.33	0.00	0.00	65.72
100000	9.44	5.61	8.09	2.35	71.52	0.48	1.20	1.01	0.19	0.00	33.66	69.33	0.00	0.00	59.98
110000	9.35	5.60	8.13	2.39	191.61	0.49	1.20	1.01	0.19	0.00	33.64	69.33	0.00	0.00	76.00
120000	9.38	5.58	8.07	2.37	222.34	0.62	1.20	1.01	0.19	0.00	33.55	69.33	0.00	0.00	88.16
130000	9.38	5.54	8.07	2.39	261.14	0.51	1.20	1.01	0.19	0.00	33.57	69.33	0.00	0.00	95.39
140000	9.44	5.49	7.99	2.37	283.46	0.46	1.20	1.01	0.19	0.00	33.51	69.33	0.00	0.00	78.78
150000	9.42	5.53	8.14	2.47	290.21	0.45	1.20	1.01	0.19	0.00	33.41	69.35	0.00	0.00	69.18
160000	9.44	5.54	8.11	2.43	266.92	0.45	1.20	1.01	0.19	0.00	33.36	69.37	0.00	0.00	59.01
170000	9.46	5.61	8.11	2.39	240.16	0.47	1.20	1.01	0.19	0.00	33.38	69.37	0.00	0.00	55.18
180000	9.46	5.55	8.10	2.41	219.21	0.46	1.20	1.01	0.19	0.00	33.38	69.44	0.00	0.00	59.73
190000	9.44	5.53	8.13	2.46	116.94	0.54	1.20	1.02	0.18	0.00	33.36	69.43	0.00	0.00	70.65
200000	9.40	5.53	8.07	2.41	34.68	0.57	1.19	1.00	0.19	0.00	33.31	69.47	0.00	0.00	90.86
210000	9.41	5.56	8.02	2.31	13.87	0.56	1.19	1.01	0.18	0.00	33.29	69.47	0.00	0.00	92.57
220000	9.36	5.59	8.02	2.27	23.12	0.54	1.19	1.00	0.19	0.00	33.24	69.47	0.00	0.00	81.55
230000	9.40	5.54	8.10	2.42	12.69	0.55	1.19	1.00	0.19	0.00	33.17	69.47	0.00	0.00	75.75
最大值	9.46	5.64	8.17	2.47	290.21	0.62	1.20	1.02	0.19	0.00	34.10	69.47	0.00	0.00	95.39
最小值	9.35	5.49	7.99	2.27	11.75	0.41	1.19	1.00	0.18	0.00	33.17	69.33	0.00	0.00	31.89
平均值	9.40	5.56	8.09	2.39	102.11	0.48	1.20	1.01	0.19	0.00	33.60	69.42	0.00	0.00	64.42
標準差	0.04	0.04	0.04	0.05	108.62	0.06	0	0.01	0	0	0.27	0.06	0	0	19.1

測報表

時間/單位	SO2 (ppb)	NO (ppb)	NOX (ppb)	NO2 (ppb)	O3 (ppb)	CO (ppm)	THC (ppm)	NMHC (ppm)	CH4 (ppm)	站外溫 (°C)	站內溫 (°C)	RH (%)	WD (°)	WS (m/s)	PM10 (ug/m)
000000	9.39	5.61	8.16	2.40	9.72	0.55	1.19	1.00	0.19	0.00	33.16	69.47	0.00	0.00	71.45
010000	9.42	5.67	8.11	2.31	22.86	0.54	1.19	1.00	0.19	0.00	33.16	69.47	0.00	0.00	67.89
020000	9.46	5.52	8.01	2.38	14.24	0.53	1.19	1.00	0.19	0.00	33.20	69.47	0.00	0.00	65.69
030000	9.45	5.56	8.00	2.31	9.44	0.54	1.19	1.00	0.19	0.00	33.18	69.47	0.00	0.00	65.16
040000	9.45	5.57	8.00	2.30	14.76	0.54	1.19	1.00	0.19	0.00	33.15	69.53	0.00	0.00	58.06
050000	9.45	5.56	8.10	2.40	6.74	0.54	1.19	1.00	0.19	0.00	33.10	69.52	0.00	0.00	62.15
060000	9.36	5.58	8.07	2.35	0.00	0.54	1.19	1.00	0.19	0.00	33.06	69.52	0.00	0.00	56.56
070000	9.39	5.55	8.10	2.41	0.00	0.58	1.19	1.00	0.19	0.00	33.11	69.52	0.00	0.00	67.33
080000	9.36	5.69	8.22	2.39	8.81	0.61	1.19	1.01	0.18	0.00	33.10	69.47	0.00	0.00	72.63
090000	9.40	5.55	8.12	2.44	38.06	0.60	1.19	1.00	0.19	0.00	33.03	69.47	0.00	0.00	90.59
100000	9.48	5.55	8.16	2.47	167.20	0.62	1.19	1.00	0.19	0.00	32.99	69.41	0.00	0.00	103.47
110000	9.39	5.56	8.11	2.42	263.20	0.68	1.19	1.00	0.19	0.00	32.91	69.42	0.00	0.00	127.01
120000	9.42	5.45	8.00	2.42	330.36	0.53	1.20	1.01	0.19	0.00	32.85	69.46	0.00	0.00	117.31
130000	9.41	5.53	8.03	2.37	328.92	0.49	1.20	1.01	0.19	0.00	32.81	69.47	0.00	0.00	82.81
140000	9.41	5.50	8.03	2.39	301.31	0.53	1.20	1.01	0.19	0.00	32.84	69.47	0.00	0.00	64.02
150000	9.39	5.58	8.02	2.30	288.57	0.52	1.20	1.01	0.19	0.00	32.87	69.47	0.00	0.00	73.07
160000	9.42	5.65	8.17	2.39	215.23	0.55	1.19	1.00	0.19	0.00	32.84	69.47	0.00	0.00	75.41
170000	9.39	5.58	8.03	2.34	223.60	0.46	1.19	1.01	0.18	0.00	33.00	69.47	0.00	0.00	85.94
180000	9.33	5.61	8.13	2.40	157.30	0.48	1.19	1.01	0.18	0.00	33.05	69.47	0.00	0.00	86.31
190000	9.40	5.59	8.06	2.33	133.58	0.45	1.19	1.00	0.19	0.00	33.06	69.45	0.00	0.00	96.00
200000	9.30	5.61	8.03	2.27	117.55	0.44	1.19	1.00	0.19	0.00	33.08	69.46	0.00	0.00	80.38
210000	9.34	5.53	8.06	2.40	96.82	0.44	1.19	1.00	0.19	0.00	33.08	69.45	0.00	0.00	77.87
220000	9.38	5.56	8.09	2.38	86.05	0.44	1.19	1.01	0.18	0.00	33.04	69.47	0.00	0.00	78.74
230000	9.32	5.55	8.02	2.32	77.53	0.43	1.19	1.00	0.19	0.00	33.04	69.45	0.00	0.00	69.69
極大值	9.48	5.69	8.22	2.47	330.36	0.68	1.20	1.01	0.19	0.00	33.20	69.53	0.00	0.00	127.01
極小值	9.30	5.45	8.00	2.27	0.00	0.43	1.19	1.00	0.18	0.00	32.81	69.41	0.00	0.00	56.56
平均值	9.40	5.57	8.08	2.37	121.33	0.53	1.19	1.00	0.19	0.00	33.03	69.47	0.00	0.00	78.98
標準差	0.05	0.05	0.06	0.05	116.76	0.06	0	0	0	0	0.12	0.03	0	0	17.72

測報表

時間/單位	SO2 (ppb)	NO (ppb)	NOX (ppb)	NO2 (ppb)	O3 (ppb)	CO (ppm)	THC (ppm)	NMHC (ppm)	CH4 (ppm)	站外溫 (°C)	站內溫 (°C)	RH (%)	WD (o)	WS (m/s)	PM10 (ug/m)
000000	9.37	5.50	8.11	2.47	69.74	0.43	1.19	1.00	0.19	0.00	33.10	69.47	0.00	0.00	64.57
010000	9.39	5.60	8.10	2.36	80.46	0.43	1.19	1.00	0.19	0.00	33.10	69.47	0.00	0.00	60.22
020000	9.38	5.48	8.04	2.43	67.71	0.41	1.19	1.00	0.19	0.00	33.03	69.47	0.00	0.00	57.66
030000	9.41	5.59	8.13	2.42	50.77	0.41	1.19	1.00	0.19	0.00	32.96	69.47	0.00	0.00	58.28
040000	9.41	5.59	8.19	2.44	84.84	0.40	1.19	1.00	0.19	0.00	32.86	69.47	0.00	0.00	56.01
050000	9.39	5.52	8.00	2.34	36.58	0.43	1.19	1.00	0.19	0.00	32.81	69.47	0.00	0.00	58.11
060000	9.40	5.51	8.08	2.42	96.64	0.44	1.19	1.01	0.18	0.00	33.00	69.47	0.00	0.00	55.44
070000	9.39	5.54	8.02	2.35	0.00	0.47	1.19	1.01	0.18	0.00	32.89	69.47	0.00	0.00	54.88
080000	9.33	5.58	8.15	2.43	72.08	0.46	1.19	1.00	0.19	0.00	32.81	69.41	0.00	0.00	61.70
090000	9.39	5.65	8.21	2.44	56.06	0.48	1.19	1.00	0.19	0.00	32.75	69.34	0.00	0.00	68.91
100000	9.24	5.53	8.15	2.48	109.94	0.46	1.19	1.00	0.19	0.00	32.62	69.33	0.00	0.00	77.65
110000	9.12	5.48	8.17	2.55	175.01	0.46	1.19	1.00	0.19	0.00	32.58	69.33	0.00	0.00	79.91
120000	9.26	5.57	8.15	2.44	295.48	0.53	1.19	1.00	0.19	0.00	32.63	69.33	0.00	0.00	90.56
130000	9.46	5.61	8.11	2.37	341.19	0.52	1.19	1.00	0.19	0.00	32.61	69.33	0.00	0.00	107.17
140000	9.18	5.53	8.08	2.42	385.12	0.51	1.19	1.00	0.19	0.00	32.57	69.34	0.00	0.00	102.45
150000	9.21	5.57	8.06	2.36	365.75	0.49	1.19	1.00	0.19	0.00	32.55	69.34	0.00	0.00	102.27
160000	9.38	5.56	8.15	2.46	334.92	0.48	1.19	1.00	0.19	0.00	32.53	69.34	0.00	0.00	106.34
170000	9.35	5.58	8.06	2.36	306.62	0.49	1.19	1.00	0.19	0.00	32.57	69.34	0.00	0.00	98.71
180000	9.31	5.61	8.17	2.42	246.35	0.54	1.19	1.01	0.18	0.00	32.61	69.36	0.00	0.00	106.41
190000	9.32	5.73	8.13	2.26	173.36	0.58	1.19	1.00	0.19	0.00	32.57	69.40	0.00	0.00	119.52
200000	9.24	5.57	8.04	2.34	197.07	0.58	1.19	1.00	0.19	0.00	32.61	69.42	0.00	0.00	149.10
210000	9.32	5.47	8.04	2.43	150.05	0.57	1.19	1.00	0.19	0.00	32.63	69.43	0.00	0.00	143.83
220000	9.36	5.58	8.09	2.36	204.71	0.57	1.19	1.00	0.19	0.00	32.57	69.44	0.00	0.00	127.84
230000	9.38	5.58	8.04	2.33	148.04	0.55	1.19	1.00	0.19	0.00	32.60	69.46	0.00	0.00	122.33
極大值	9.46	5.73	8.21	2.55	385.12	0.58	1.19	1.01	0.19	0.00	33.10	69.47	0.00	0.00	149.10
極小值	9.12	5.47	8.00	2.26	0.00	0.40	1.19	1.00	0.18	0.00	32.53	69.33	0.00	0.00	54.88
平均值	9.33	5.56	8.10	2.40	168.69	0.49	1.19	1.00	0.19	0.00	32.73	69.40	0.00	0.00	88.74
標準差	0.08	0.06	0.06	0.06	116.55	0.06	0	0	0	0	0.19	0.06	0	0	29.93

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	9.38	5.64	8.13	2.35	84.13	0.56	1.19	1.00	0.19	0.00	32.51	69.47	0.00	0.00	111.43
010000	9.43	5.52	8.08	2.44	36.91	0.53	1.19	1.01	0.18	0.00	32.51	69.47	0.00	0.00	105.38
020000	9.40	5.62	8.06	2.33	73.55	0.53	1.19	1.00	0.19	0.00	32.51	69.47	0.00	0.00	101.81
030000	9.44	5.71	8.09	2.26	132.52	0.53	1.19	1.00	0.19	0.00	32.56	69.47	0.00	0.00	97.15
040000	9.42	5.65	8.09	2.32	56.29	0.54	1.19	1.00	0.19	0.00	32.68	69.47	0.00	0.00	92.12
050000	9.39	5.52	8.07	2.42	91.09	0.54	1.19	1.00	0.19	0.00	32.58	69.47	0.00	0.00	98.87
060000	9.41	5.49	8.06	2.45	33.93	0.55	1.19	1.01	0.18	0.00	32.54	69.47	0.00	0.00	102.25
070000	9.42	5.53	8.04	2.37	39.38	0.60	1.19	1.00	0.19	0.00	32.46	69.46	0.00	0.00	101.56
080000	9.38	5.66	8.09	2.30	54.22	0.63	1.19	1.00	0.19	0.00	32.42	69.41	0.00	0.00	115.21
090000	9.40	5.64	8.08	2.32	101.12	0.65	1.19	1.00	0.19	0.00	32.30	69.34	0.00	0.00	120.25
100000	9.41	5.60	8.11	2.37	177.20	0.56	1.19	1.00	0.19	0.00	32.26	69.33	0.00	0.00	141.70
110000	9.39	5.62	8.19	2.44	301.77	0.50	1.19	1.00	0.19	0.00	32.33	69.33	0.00	0.00	133.34
120000	9.35	5.54	8.15	2.48	349.80	0.59	1.19	1.00	0.19	0.00	32.38	69.33	0.00	0.00	116.49
130000	9.33	5.64	8.23	2.47	396.05	0.61	1.20	1.01	0.19	0.00	32.45	69.33	0.00	0.00	126.55
140000	9.36	5.61	8.11	2.38	438.27	0.59	1.20	1.01	0.19	0.00	32.43	69.34	0.00	0.00	124.17
150000	9.36	5.46	8.10	2.49	453.95	0.61	1.20	1.01	0.19	0.00	32.41	69.36	0.00	0.00	123.92
160000	9.40	5.60	8.17	2.44	455.22	0.53	1.20	1.01	0.19	0.00	32.41	69.35	0.00	0.00	136.03
170000	9.37	5.55	8.06	2.36	417.72	0.54	1.20	1.01	0.19	0.00	32.48	69.35	0.00	0.00	114.46
180000	9.34	5.64	8.05	2.28	345.35	0.56	1.19	1.00	0.19	0.00	32.52	69.39	0.00	0.00	106.80
190000	9.33	5.54	8.03	2.34	247.03	0.52	1.19	1.00	0.19	0.00	32.57	69.43	0.00	0.00	110.44
200000	9.33	5.57	8.05	2.34	178.51	0.51	1.19	1.00	0.19	0.00	32.61	69.45	0.00	0.00	103.64
210000	9.37	5.52	8.09	2.44	145.46	0.55	1.19	1.01	0.18	0.00	32.58	69.46	0.00	0.00	103.38
220000	9.41	5.57	8.10	2.39	109.10	0.55	1.19	1.00	0.19	0.00	32.55	69.47	0.00	0.00	112.70
230000	9.35	5.50	8.02	2.39	106.25	0.56	1.19	1.00	0.19	0.00	32.53	69.47	0.00	0.00	122.02
極大值	9.44	5.71	8.23	2.49	455.22	0.65	1.20	1.01	0.19	0.00	32.68	69.47	0.00	0.00	141.70
極小值	9.33	5.46	8.02	2.26	33.93	0.50	1.19	1.00	0.18	0.00	32.26	69.33	0.00	0.00	92.12
平均值	9.38	5.58	8.09	2.38	201.03	0.56	1.19	1.00	0.19	0.00	32.48	69.41	0.00	0.00	113.40
標準差	0.03	0.06	0.05	0.06	151.35	0.04	0	0	0	0	0.1	0.06	0	0	13

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	9.36	5.51	7.98	2.32	95.73	0.54	1.19	1.00	0.19	0.00	32.50	69.47	0.00	0.00	134.78
010000	9.37	5.56	8.07	2.37	83.71	0.53	1.19	1.00	0.19	0.00	32.54	69.46	0.00	0.00	125.42
020000	9.35	5.64	8.14	2.37	72.29	0.53	1.19	1.00	0.19	0.00	32.51	69.47	0.00	0.00	113.35
030000	9.36	5.54	8.05	2.38	55.09	0.54	1.19	1.00	0.19	0.00	32.49	69.47	0.00	0.00	113.46
040000	9.40	5.64	8.08	2.31	50.50	0.54	1.19	1.00	0.19	0.00	32.51	69.47	0.00	0.00	108.59
050000	9.38	5.54	8.08	2.39	44.37	0.54	1.19	1.01	0.18	0.00	32.52	69.47	0.00	0.00	105.85
060000	9.37	5.59	8.03	2.31	36.30	0.55	1.19	1.00	0.19	0.00	32.59	69.47	0.00	0.00	95.87
070000	9.39	5.62	8.11	2.37	52.38	0.57	1.19	1.00	0.19	0.00	32.51	69.47	0.00	0.00	97.95
080000	9.37	5.67	8.08	2.31	61.96	0.58	1.19	1.00	0.19	0.00	32.51	69.46	0.00	0.00	109.19
090000	9.38	5.51	8.09	2.46	94.69	0.60	1.19	1.00	0.19	0.00	32.59	69.38	0.00	0.00	111.10
100000	9.40	5.61	8.14	2.39	155.55	0.58	1.19	1.00	0.19	0.00	32.66	69.33	0.00	0.00	116.93
110000	9.40	5.47	8.05	2.45	257.06	0.54	1.19	1.00	0.19	0.00	32.69	69.33	0.00	0.00	121.46
120000	9.40	5.51	8.07	2.40	350.93	0.52	1.20	1.01	0.19	0.00	32.73	69.33	0.00	0.00	104.45
130000	9.38	5.59	8.10	2.35	400.54	0.53	1.20	1.01	0.19	0.00	32.70	69.34	0.00	0.00	99.59
140000	9.32	5.50	8.14	2.50	394.81	0.45	1.20	1.01	0.19	0.00	32.69	69.33	0.00	0.00	107.99
150000	9.36	5.59	8.12	2.41	399.71	0.47	1.20	1.01	0.19	0.00	32.65	69.33	0.00	0.00	71.25
160000	9.36	5.46	8.04	2.44	385.16	0.47	1.20	1.01	0.19	0.00	32.62	69.33	0.00	0.00	72.46
170000	9.32	5.55	8.13	2.45	336.26	0.48	1.19	1.00	0.19	0.00	32.57	69.33	0.00	0.00	74.48
180000	9.36	5.54	8.02	2.33	297.22	0.54	1.20	1.01	0.19	0.00	32.57	69.39	0.00	0.00	96.87
190000	9.37	5.51	8.07	2.41	219.84	0.60	1.20	1.01	0.19	0.00	32.65	69.41	0.00	0.00	111.94
200000	9.30	5.56	8.06	2.37	160.84	0.55	1.19	1.01	0.18	0.00	32.66	69.45	0.00	0.00	117.82
210000	9.34	5.63	8.16	2.38	141.00	0.49	1.19	1.01	0.18	0.00	32.67	69.47	0.00	0.00	133.18
220000	9.37	5.61	8.08	2.34	112.32	0.49	1.19	1.00	0.19	0.00	32.58	69.45	0.00	0.00	118.74
230000	9.38	5.51	8.11	2.46	86.64	0.50	1.19	1.00	0.19	0.00	32.48	69.47	0.00	0.00	108.90
極大值	9.40	5.67	8.16	2.50	400.54	0.60	1.20	1.01	0.19	0.00	32.73	69.47	0.00	0.00	134.78
極小值	9.30	5.46	7.98	2.31	36.30	0.45	1.19	1.00	0.18	0.00	32.48	69.33	0.00	0.00	71.25
平均值	9.37	5.56	8.08	2.39	181.04	0.53	1.19	1.00	0.19	0.00	32.59	69.41	0.00	0.00	107.15
標準差	0.03	0.06	0.04	0.05	133.95	0.04	0	0.01	0	0	0.08	0.06	0	0	16.67

測報表

時間/單位	SO2 (ppb)	NO (ppb)	NOX (ppb)	NO2 (ppb)	O3 (ppb)	CO (ppm)	THC (ppm)	NMHC (ppm)	CH4 (ppm)	站外溫 (°C)	站內溫 (°C)	RH (%)	WD (°)	WS (m/s)	PM10 (ug/m)
000000	9.36	5.55	8.09	2.39	75.02	0.50	1.19	1.01	0.18	0.00	32.45	69.47	0.00	0.00	107.48
010000	9.39	5.64	8.07	2.29	72.64	0.51	1.19	1.00	0.19	0.00	32.42	69.47	0.00	0.00	112.06
020000	9.37	5.50	8.06	2.40	57.61	0.50	1.20	1.02	0.18	0.00	32.37	69.47	0.00	0.00	105.92
030000	9.37	5.55	8.06	2.39	48.73	0.49	1.20	1.01	0.19	0.00	32.32	69.47	0.00	0.00	88.89
040000	9.39	5.52	7.99	2.33	37.38	0.50	1.19	1.00	0.19	0.00	32.35	69.47	0.00	0.00	87.23
050000	9.32	5.57	8.08	2.39	17.70	0.50	1.19	1.00	0.19	0.00	32.37	69.47	0.00	0.00	81.82
060000	9.35	5.55	8.10	2.41	17.25	0.51	1.19	1.00	0.19	0.00	32.38	69.47	0.00	0.00	79.08
070000	9.37	5.59	8.15	2.41	24.83	0.51	1.19	1.00	0.19	0.00	32.38	69.47	0.00	0.00	77.08
080000	9.33	5.56	8.00	2.30	59.40	0.53	1.19	1.01	0.18	0.00	32.37	69.38	0.00	0.00	79.51
090000	9.35	5.51	8.05	2.43	142.27	0.66	1.19	1.00	0.19	0.00	32.33	69.33	0.00	0.00	102.74
100000	9.34	5.59	8.02	2.29	237.15	0.58	1.19	1.00	0.19	0.00	32.28	69.33	0.00	0.00	110.50
110000	9.30	5.45	7.99	2.39	328.83	0.53	1.19	1.00	0.19	0.00	32.26	69.33	0.00	0.00	113.07
120000	9.32	5.56	8.09	2.38	404.98	0.57	1.20	1.01	0.19	0.00	32.28	69.33	0.00	0.00	125.32
130000	9.36	5.56	8.11	2.42	434.23	0.59	1.20	1.01	0.19	0.00	32.10	69.33	0.00	0.00	135.64
140000	9.29	5.54	8.05	2.36	431.41	0.55	1.20	1.01	0.19	0.00	31.89	69.33	0.00	0.00	126.79
150000	9.31	5.48	8.06	2.44	393.40	0.50	1.20	1.01	0.19	0.00	31.93	69.36	0.00	0.00	112.08
160000	9.35	5.63	8.16	2.41	375.18	0.48	1.20	1.01	0.19	0.00	31.91	69.34	0.00	0.00	101.42
170000	9.29	5.55	8.13	2.44	383.23	0.52	1.20	1.01	0.19	0.00	32.04	69.35	0.00	0.00	102.37
180000	9.29	5.56	8.09	2.37	317.95	0.49	1.20	1.01	0.19	0.00	32.12	69.41	0.00	0.00	113.57
190000	9.33	5.53	8.01	2.32	266.11	0.47	1.20	1.01	0.19	0.00	32.14	69.44	0.00	0.00	99.45
200000	9.34	5.55	8.04	2.35	240.31	0.47	1.20	1.01	0.19	0.00	31.93	69.45	0.00	0.00	94.55
210000	9.31	5.64	8.11	2.33	210.67	0.50	1.20	1.01	0.19	0.00	31.87	69.45	0.00	0.00	111.07
220000	9.33	5.61	8.14	2.37	176.12	0.50	1.20	1.01	0.19	0.00	31.86	69.45	0.00	0.00	112.98
230000	9.37	5.53	8.07	2.41	143.33	0.53	1.20	1.01	0.19	0.00	31.85	69.42	0.00	0.00	117.78
極大值	9.39	5.64	8.16	2.44	434.23	0.66	1.20	1.02	0.19	0.00	32.45	69.47	0.00	0.00	135.64
極小值	9.29	5.45	7.99	2.29	17.25	0.47	1.19	1.00	0.18	0.00	31.85	69.33	0.00	0.00	77.08
平均值	9.34	5.56	8.07	2.38	203.99	0.52	1.20	1.01	0.19	0.00	32.18	69.41	0.00	0.00	104.10
標準差	0.03	0.05	0.05	0.05	149.69	0.04	0.01	0.01	0	0	0.21	0.06	0	0	15.78

測報表

時間/單位	SO2 (ppb)	NO (ppb)	NOX (ppb)	NO2 (ppb)	O3 (ppb)	CO (ppm)	THC (ppm)	NMHC (ppm)	CH4 (ppm)	站外溫 (°C)	站內溫 (°C)	RH (%)	WD (°)	WS (m/s)	PM10 (ug/m)
000000	9.33	5.48	8.06	2.45	119.15	0.52	1.20	1.01	0.19	0.00	31.79	69.43	0.00	0.00	117.57
010000	9.32	5.45	8.04	2.42	85.30	0.50	1.20	1.01	0.19	0.00	31.64	69.25	0.00	0.00	115.77
020000	9.33	5.59	8.07	2.32	79.78	0.48	1.20	1.01	0.19	0.00	31.72	69.33	0.00	0.00	112.56
030000	9.32	5.60	8.18	2.44	72.19	0.46	1.20	1.01	0.19	0.00	31.80	69.33	0.00	0.00	109.04
040000	9.26	5.51	8.02	2.34	67.03	0.44	1.20	1.01	0.19	0.00	31.77	69.33	0.00	0.00	91.41
050000	9.26	5.57	7.99	2.29	63.50	0.44	1.19	1.00	0.19	0.00	31.77	69.33	0.00	0.00	85.44
060000	9.31	5.58	8.03	2.32	51.20	0.47	1.20	1.01	0.19	0.00	31.78	69.33	0.00	0.00	89.14
070000	9.33	5.54	8.14	2.47	57.16	0.48	1.20	1.01	0.19	0.00	31.82	69.33	0.00	0.00	84.49
080000	9.31	5.52	8.08	2.39	66.99	0.50	1.20	1.01	0.19	0.00	31.78	69.33	0.00	0.00	91.29
090000	9.26	5.56	8.18	2.45	101.59	0.49	1.20	1.01	0.19	0.00	31.76	69.33	0.00	0.00	98.07
100000	9.31	5.49	8.10	2.45	184.65	0.45	1.20	1.01	0.19	0.00	31.76	69.32	0.00	0.00	93.28
110000	9.26	5.59	8.14	2.40	220.97	0.39	1.20	1.01	0.19	0.00	31.77	69.28	0.00	0.00	70.70
120000	9.22	5.53	8.05	2.35	251.83	0.35	1.20	1.01	0.19	0.00	31.88	69.29	0.00	0.00	45.22
130000	9.25	5.54	8.15	2.46	277.38	0.34	1.20	1.01	0.19	0.00	32.01	69.46	0.00	0.00	48.44
140000	9.32	5.46	8.06	2.45	307.32	0.37	1.20	1.01	0.19	0.00	31.96	69.47	0.00	0.00	47.54
150000	9.33	5.46	8.11	2.51	299.76	0.38	1.20	1.01	0.19	0.00	32.02	69.39	0.00	0.00	61.16
160000	9.32	5.61	8.11	2.36	272.80	0.40	1.20	1.01	0.19	0.00	32.00	69.39	0.00	0.00	90.94
170000	9.33	5.56	8.20	2.51	237.96	0.42	1.20	1.01	0.19	0.00	31.97	69.38	0.00	0.00	106.98
180000	9.37	5.62	8.16	2.39	197.00	0.43	1.20	1.01	0.19	0.00	31.99	69.41	0.00	0.00	115.00
190000	9.36	5.57	8.04	2.33	188.81	0.45	1.20	1.01	0.19	0.00	31.91	69.40	0.00	0.00	114.23
200000	9.34	5.52	8.15	2.49	158.14	0.42	1.20	1.01	0.19	0.00	31.87	69.40	0.00	0.00	84.21
210000	9.34	5.65	8.10	2.29	120.43	0.41	1.20	1.01	0.19	0.00	31.86	69.36	0.00	0.00	60.66
220000	9.35	5.66	8.12	2.34	109.28	0.40	1.20	1.01	0.19	0.00	31.82	69.38	0.00	0.00	61.71
230000	9.33	5.54	8.17	2.48	99.52	0.41	1.20	1.01	0.19	0.00	31.83	69.38	0.00	0.00	59.35
極大值	9.37	5.66	8.20	2.51	307.32	0.52	1.20	1.01	0.19	0.00	32.02	69.47	0.00	0.00	117.57
極小值	9.22	5.45	7.99	2.29	51.20	0.34	1.19	1.00	0.19	0.00	31.64	69.25	0.00	0.00	45.22
平均值	9.31	5.55	8.10	2.40	153.74	0.43	1.20	1.01	0.19	0.00	31.84	69.36	0.00	0.00	85.59
標準差	0.04	0.06	0.06	0.07	85.84	0.05	0	0	0	0	0.1	0.05	0	0	23.62

測報表

時間/單位	SO2 (ppb)	NO (ppb)	NOX (ppb)	NO2 (ppb)	O3 (ppb)	CO (ppm)	THC (ppm)	NMHC (ppm)	CH4 (ppm)	站外溫 (°C)	站內溫 (°C)	RH (%)	WD (°)	WS (m/s)	PM10 (ug/m)
000000	9.33	5.56	8.16	2.47	103.06	0.41	1.20	1.01	0.19	0.00	31.78	69.39	0.00	0.00	58.68
010000	9.41	5.58	8.09	2.34	98.32	0.41	1.20	1.01	0.19	0.00	31.67	69.37	0.00	0.00	60.78
020000	9.34	5.58	8.19	2.43	84.95	0.44	1.20	1.01	0.19	0.00	31.69	69.39	0.00	0.00	60.23
030000	9.34	5.58	8.11	2.36	82.70	0.42	1.20	1.01	0.19	0.00	31.68	69.39	0.00	0.00	63.10
040000	9.37	5.57	8.13	2.39	91.36	0.40	1.20	1.01	0.19	0.00	31.59	69.40	0.00	0.00	56.85
050000	9.37	5.59	8.15	2.39	99.34	0.40	1.20	1.01	0.19	0.00	31.88	69.42	0.00	0.00	52.09
060000	9.37	5.54	8.11	2.39	82.07	0.40	1.20	1.01	0.19	0.00	31.81	69.40	0.00	0.00	46.54
070000	9.40	5.55	8.08	2.37	65.22	0.42	1.20	1.01	0.19	0.00	31.75	69.41	0.00	0.00	50.43
080000	9.38	5.58	8.10	2.36	73.27	0.44	1.20	1.01	0.19	0.00	31.75	69.40	0.00	0.00	54.77
090000	9.34	5.53	8.14	2.46	103.62	0.46	1.20	1.01	0.19	0.00	31.75	69.35	0.00	0.00	58.07
100000	9.38	5.55	8.06	2.37	155.90	0.46	1.20	1.01	0.19	0.00	31.72	69.34	0.00	0.00	62.96
110000	9.34	5.53	8.08	2.43	176.85	0.46	1.20	1.01	0.19	0.00	31.82	69.34	0.00	0.00	83.35
120000	9.40	5.63	8.18	2.43	144.08	0.40	1.20	1.01	0.19	0.00	32.27	69.36	0.00	0.00	59.64
130000	9.44	5.52	8.17	2.52	178.32	0.38	1.21	1.02	0.19	0.00	32.11	69.35	0.00	0.00	38.55
140000	9.43	5.57	8.02	2.28	254.22	0.40	1.21	1.02	0.19	0.00	32.08	69.40	0.00	0.00	45.19
150000	9.40	5.53	8.08	2.38	307.28	0.51	1.21	1.02	0.19	0.00	32.02	69.46	0.00	0.00	54.91
160000	9.42	5.58	8.11	2.35	267.89	0.39	1.21	1.02	0.19	0.00	32.04	69.43	0.00	0.00	108.84
170000	9.39	5.51	8.06	2.37	236.88	0.41	1.20	1.01	0.19	0.00	32.11	69.38	0.00	0.00	119.38
180000	9.37	5.62	8.25	2.48	187.00	0.43	1.21	1.02	0.19	0.00	32.19	69.45	0.00	0.00	107.69
190000	9.42	5.57	8.06	2.33	167.82	0.43	1.20	1.01	0.19	0.00	32.22	69.42	0.00	0.00	122.11
200000	9.32	5.60	8.09	2.33	133.39	0.44	1.20	1.01	0.19	0.00	32.30	69.40	0.00	0.00	110.50
210000	9.35	5.68	8.20	2.36	103.01	0.44	1.20	1.01	0.19	0.00	32.31	69.42	0.00	0.00	110.63
220000	9.37	5.56	8.16	2.48	67.42	0.46	1.20	1.01	0.19	0.00	32.26	69.45	0.00	0.00	108.00
230000	9.37	5.59	8.09	2.35	52.12	0.47	1.20	1.01	0.19	0.00	32.24	69.43	0.00	0.00	100.26
極大值	9.44	5.68	8.25	2.52	307.28	0.51	1.21	1.02	0.19	0.00	32.31	69.46	0.00	0.00	122.11
極小值	9.32	5.51	8.02	2.28	52.12	0.38	1.20	1.01	0.19	0.00	31.59	69.34	0.00	0.00	38.55
平均值	9.38	5.57	8.12	2.39	138.17	0.43	1.20	1.01	0.19	0.00	31.96	69.40	0.00	0.00	74.73
標準差	0.03	0.04	0.05	0.06	70.81	0.03	0	0	0	0	0.24	0.03	0	0	27.6

測報表

時間/單位	SO2 (ppb)	NO (ppb)	NOX (ppb)	NO2 (ppb)	O3 (ppb)	CO (ppm)	THC (ppm)	NMHC (ppm)	CH4 (ppm)	站外溫 (°C)	站內溫 (°C)	RH (%)	WD (°)	WS (m/s)	PM10 (ug/m)
000000	9.38	5.62	8.12	2.36	51.40	0.47	1.20	1.01	0.19	0.00	32.24	69.46	0.00	0.00	92.35
010000	9.37	5.57	8.14	2.43	52.74	0.45	1.20	1.01	0.19	0.00	32.26	69.47	0.00	0.00	83.65
020000	9.34	5.60	8.10	2.35	56.08	0.43	1.20	1.01	0.19	0.00	32.24	69.45	0.00	0.00	83.73
030000	9.42	5.55	8.07	2.37	66.13	0.41	1.20	1.01	0.19	0.00	32.24	69.47	0.00	0.00	80.44
040000	9.41	5.61	8.13	2.38	75.35	0.38	1.20	1.01	0.19	0.00	32.21	69.47	0.00	0.00	65.15
050000	9.38	5.51	7.99	2.33	77.37	0.37	1.19	1.00	0.19	0.00	32.22	69.47	0.00	0.00	56.53
060000	9.39	5.67	8.12	2.30	78.96	0.37	1.19	1.00	0.19	0.00	32.24	69.47	0.00	0.00	41.00
070000	9.42	5.57	8.09	2.37	92.66	0.37	1.19	1.00	0.19	0.00	32.25	69.47	0.00	0.00	32.76
080000	9.42	5.53	8.10	2.43	97.46	0.35	1.19	1.00	0.19	0.00	32.24	69.47	0.00	0.00	29.09
090000	9.39	5.54	8.19	2.52	121.54	0.33	1.19	1.00	0.19	0.00	32.10	69.47	0.00	0.00	34.15
100000	9.38	5.59	8.15	2.42	138.70	0.35	1.19	1.00	0.19	0.00	32.03	69.47	0.00	0.00	54.15
110000	9.45	5.63	8.09	2.35	149.92	0.36	1.19	1.00	0.19	0.00	31.95	69.47	0.00	0.00	58.94
120000	9.42	5.56	8.12	2.42	155.80	0.36	1.19	1.00	0.19	0.00	31.89	69.45	0.00	0.00	79.28
130000	9.44	5.56	8.11	2.44	178.41	0.37	1.19	1.00	0.19	0.00	31.89	69.43	0.00	0.00	90.07
140000	9.44	5.60	8.11	2.38	234.33	0.39	1.19	1.00	0.19	0.00	31.87	69.36	0.00	0.00	73.58
150000	9.44	5.63	8.13	2.38	261.72	0.42	1.19	1.00	0.19	0.00	31.84	69.39	0.00	0.00	69.04
160000	9.44	5.56	8.11	2.43	265.13	0.51	1.19	1.00	0.19	0.00	31.84	69.41	0.00	0.00	69.28
170000	9.46	5.54	8.06	2.40	227.41	0.50	1.19	1.00	0.19	0.00	31.95	69.43	0.00	0.00	73.47
180000	9.39	5.61	8.14	2.42	193.91	0.51	1.19	1.00	0.19	0.00	31.96	69.47	0.00	0.00	84.26
190000	9.38	5.61	8.17	2.45	171.59	0.49	1.19	1.01	0.18	0.00	32.01	69.47	0.00	0.00	106.82
200000	9.40	5.62	8.19	2.46	160.72	0.48	1.19	1.00	0.19	0.00	31.98	69.47	0.00	0.00	102.15
210000	9.39	5.60	8.10	2.39	157.83	0.48	1.19	1.00	0.19	0.00	31.97	69.47	0.00	0.00	91.44
220000	9.45	5.59	8.18	2.46	150.53	0.47	1.19	1.00	0.19	0.00	31.97	69.47	0.00	0.00	78.81
230000	9.44	5.58	8.08	2.35	145.74	0.45	1.19	1.00	0.19	0.00	31.94	69.47	0.00	0.00	70.39
極大值	9.46	5.67	8.19	2.52	265.13	0.51	1.20	1.01	0.19	0.00	32.26	69.47	0.00	0.00	106.82
極小值	9.34	5.51	7.99	2.30	51.40	0.33	1.19	1.00	0.18	0.00	31.84	69.36	0.00	0.00	29.09
平均值	9.41	5.59	8.12	2.40	140.06	0.42	1.19	1.00	0.19	0.00	32.06	69.45	0.00	0.00	70.86
標準差	0.03	0.04	0.04	0.05	65.21	0.06	0	0	0	0	0.16	0.03	0	0	21.24

測報表

時間/單位	SO2 (ppb)	NO (ppb)	NOX (ppb)	NO2 (ppb)	O3 (ppb)	CO (ppm)	THC (ppm)	NMHC (ppm)	CH4 (ppm)	站外溫 (°C)	站內溫 (°C)	RH (%)	WD (°)	WS (m/s)	PM10 (ug/m)
000000	9.42	5.49	8.06	2.43	140.84	0.44	1.19	1.00	0.19	0.00	31.98	69.48	0.00	0.00	64.23
010000	9.49	5.62	8.11	2.37	141.05	0.44	1.19	1.00	0.19	0.00	32.01	69.47	0.00	0.00	64.02
020000	9.48	5.60	8.10	2.35	142.27	0.43	1.19	1.00	0.19	0.00	31.95	69.47	0.00	0.00	58.99
030000	9.48	5.70	8.21	2.40	129.23	0.44	1.19	1.00	0.19	0.00	31.95	69.47	0.00	0.00	57.54
040000	9.52	5.56	8.15	2.47	115.97	0.45	1.19	1.00	0.19	0.00	31.94	69.47	0.00	0.00	54.97
050000	9.54	5.60	8.11	2.40	109.32	0.47	1.19	1.01	0.18	0.00	31.94	69.47	0.00	0.00	57.16
060000	9.52	5.58	8.13	2.43	96.12	0.47	1.19	1.00	0.19	0.00	31.99	69.47	0.00	0.00	58.15
070000	9.54	5.63	8.04	2.28	83.77	0.47	1.19	1.00	0.19	0.00	31.97	69.47	0.00	0.00	63.73
080000	9.49	5.57	8.16	2.45	79.81	0.50	1.19	1.00	0.19	0.00	31.90	69.47	0.00	0.00	69.61
090000	9.53	5.57	8.11	2.39	111.87	0.60	1.19	1.00	0.19	0.00	31.83	69.39	0.00	0.00	68.76
100000	9.50	5.53	8.10	2.43	162.45	0.58	1.19	1.00	0.19	0.00	31.79	69.33	0.00	0.00	73.93
110000	9.49	5.57	8.08	2.37	249.56	0.54	1.19	1.00	0.19	0.00	31.76	69.33	0.00	0.00	71.72
120000	9.46	5.54	8.04	2.34	269.68	0.46	1.19	1.00	0.19	0.00	31.77	69.33	0.00	0.00	71.98
130000	9.47	5.65	8.08	2.28	295.04	0.45	1.19	1.00	0.19	0.00	31.76	69.33	0.00	0.00	60.30
140000	9.40	5.40	8.04	2.50	314.61	0.44	1.20	1.01	0.19	0.00	31.72	69.35	0.00	0.00	54.44
150000	9.40	5.59	8.09	2.38	316.49	0.44	1.20	1.01	0.19	0.00	31.72	69.35	0.00	0.00	57.71
160000	9.45	5.58	8.04	2.33	298.92	0.44	1.19	1.00	0.19	0.00	31.71	69.39	0.00	0.00	62.95
170000	9.42	5.60	8.11	2.36	247.45	0.49	1.19	1.01	0.18	0.00	31.69	69.39	0.00	0.00	61.50
180000	9.41	5.50	8.09	2.44	247.15	0.44	1.19	1.00	0.19	0.00	31.72	69.44	0.00	0.00	60.71
190000	9.41	5.45	8.04	2.46	243.50	0.42	1.19	1.00	0.19	0.00	31.76	69.47	0.00	0.00	58.13
200000	9.37	5.63	8.12	2.35	221.55	0.41	1.19	1.00	0.19	0.00	31.74	69.47	0.00	0.00	54.92
210000	9.39	5.57	8.05	2.36	189.04	0.43	1.19	1.00	0.19	0.00	31.76	69.47	0.00	0.00	56.92
220000	9.41	5.60	8.06	2.35	171.85	0.44	1.20	1.01	0.19	0.00	31.79	69.50	0.00	0.00	59.00
230000	9.42	5.65	8.12	2.36	152.67	0.42	1.19	1.00	0.19	0.00	31.81	69.57	0.00	0.00	61.41
極大值	9.54	5.70	8.21	2.50	316.49	0.60	1.20	1.01	0.19	0.00	32.01	69.57	0.00	0.00	73.93
極小值	9.37	5.40	8.04	2.28	79.81	0.41	1.19	1.00	0.18	0.00	31.69	69.33	0.00	0.00	54.44
平均值	9.46	5.57	8.09	2.39	188.76	0.46	1.19	1.00	0.19	0.00	31.83	69.43	0.00	0.00	61.78
標準差	0.05	0.07	0.04	0.06	77.55	0.05	0	0	0	0	0.11	0.07	0	0	5.71

測報表

時間/單位	SO2 (ppb)	NO (ppb)	NOX (ppb)	NO2 (ppb)	O3 (ppb)	CO (ppm)	THC (ppm)	NMHC (ppm)	CH4 (ppm)	站外溫 (°C)	站內溫 (°C)	RH (%)	WD (o)	WS (m/s)	PM10 (ug/m)
000000	9.41	5.67	8.19	2.43	121.57	0.43	1.19	1.00	0.19	0.00	31.83	69.58	0.00	0.00	54.56
010000	9.47	5.66	8.06	2.28	95.99	0.45	1.19	1.00	0.19	0.00	31.82	69.56	0.00	0.00	53.11
020000	9.43	5.50	8.09	2.49	99.43	0.45	1.19	1.00	0.19	0.00	31.78	69.61	0.00	0.00	54.13
030000	9.53	5.58	8.15	2.47	100.30	0.43	1.20	1.01	0.19	0.00	31.76	69.58	0.00	0.00	48.19
040000	9.51	5.52	8.10	2.47	109.57	0.42	1.19	1.00	0.19	0.00	31.77	69.59	0.00	0.00	49.21
050000	9.49	5.65	8.11	2.36	114.59	0.43	1.19	1.00	0.19	0.00	31.76	69.61	0.00	0.00	45.40
060000	9.48	5.59	8.18	2.48	77.86	0.45	1.19	1.00	0.19	0.00	31.71	69.57	0.00	0.00	50.92
070000	9.48	5.57	8.10	2.42	70.23	0.49	1.19	1.00	0.19	0.00	31.66	69.52	0.00	0.00	56.46
080000	9.49	5.64	8.13	2.39	99.92	0.46	1.19	1.00	0.19	0.00	31.61	69.47	0.00	0.00	66.21
090000	9.47	5.64	8.16	2.41	142.86	0.45	1.19	1.00	0.19	0.00	31.54	69.44	0.00	0.00	50.39
100000	9.49	5.53	8.01	2.35	210.13	0.41	1.19	1.00	0.19	0.00	31.48	69.39	0.00	0.00	41.55
110000	9.46	5.59	8.11	2.39	250.18	0.41	1.20	1.01	0.19	0.00	31.45	69.42	0.00	0.00	32.97
120000	9.44	5.66	8.10	2.32	263.02	0.39	1.20	1.01	0.19	0.00	31.44	69.33	0.00	0.00	33.66
130000	9.44	5.60	8.03	2.31	264.29	0.38	1.20	1.01	0.19	0.00	31.43	69.33	0.00	0.00	31.51
140000	9.41	5.49	8.07	2.44	318.16	0.39	1.20	1.01	0.19	0.00	31.39	69.36	0.00	0.00	30.02
150000	9.44	5.70	8.11	2.28	329.87	0.38	1.20	1.01	0.19	0.00	31.41	69.34	0.00	0.00	33.34
160000	9.44	5.57	8.05	2.34	316.11	0.38	1.20	1.01	0.19	0.00	31.45	69.33	0.00	0.00	35.71
170000	9.49	5.47	8.04	2.40	284.85	0.39	1.20	1.01	0.19	0.00	31.52	69.33	0.00	0.00	43.83
180000	9.41	5.57	8.09	2.36	224.09	0.41	1.20	1.01	0.19	0.00	31.46	69.37	0.00	0.00	47.59
190000	9.43	5.51	8.10	2.45	195.40	0.45	1.20	1.01	0.19	0.00	31.47	69.40	0.00	0.00	52.89
200000	9.45	5.56	8.16	2.46	148.24	0.51	1.20	1.01	0.19	0.00	31.50	69.43	0.00	0.00	74.06
210000	9.44	5.57	8.03	2.33	101.35	0.53	1.20	1.01	0.19	0.00	31.52	69.46	0.00	0.00	85.19
220000	9.42	5.61	8.17	2.42	86.02	0.51	1.20	1.01	0.19	0.00	31.46	69.45	0.00	0.00	82.88
230000	9.42	5.60	8.13	2.39	78.76	0.50	1.20	1.01	0.19	0.00	31.39	69.46	0.00	0.00	94.16
最大值	9.53	5.70	8.19	2.49	329.87	0.53	1.20	1.01	0.19	0.00	31.83	69.61	0.00	0.00	94.16
最小值	9.41	5.47	8.01	2.28	70.23	0.38	1.19	1.00	0.19	0.00	31.39	69.33	0.00	0.00	30.02
平均值	9.46	5.59	8.10	2.39	170.95	0.44	1.20	1.01	0.19	0.00	31.57	69.46	0.00	0.00	52.00
標準差	0.03	0.06	0.05	0.06	88.52	0.04	0.01	0.01	0	0	0.15	0.1	0	0	17.49

測報表

時間/單位	SO2 (ppb)	NO (ppb)	NOX (ppb)	NO2 (ppb)	O3 (ppb)	CO (ppm)	THC (ppm)	NMHC (ppm)	CH4 (ppm)	站外溫 (oC)	站內溫 (oC)	RH (%)	WD (o)	WS (m/s)	PM10 (ug/m)
000000	9.42	5.60	8.16	2.42	67.28	0.51	1.20	1.01	0.19	0.00	31.42	69.47	0.00	0.00	96.49
010000	9.43	5.53	8.07	2.40	44.64	0.52	1.20	1.01	0.19	0.00	31.47	69.47	0.00	0.00	95.06
020000	9.41	5.57	8.09	2.36	42.06	0.48	1.20	1.01	0.19	0.00	31.48	69.47	0.00	0.00	80.76
030000	9.41	5.57	7.99	2.26	52.94	0.45	1.20	1.01	0.19	0.00	31.43	69.47	0.00	0.00	67.01
040000	9.41	5.52	8.12	2.46	33.47	0.43	1.20	1.01	0.19	0.00	31.36	69.47	0.00	0.00	56.79
050000	9.44	5.65	8.14	2.36	50.74	0.41	1.20	1.01	0.19	0.00	31.36	69.56	0.00	0.00	48.94
060000	9.46	5.56	8.04	2.34	48.61	0.45	1.20	1.01	0.19	0.00	31.34	69.57	0.00	0.00	41.41
070000	9.44	5.62	8.10	2.34	30.04	0.47	1.19	1.01	0.18	0.00	31.34	69.51	0.00	0.00	49.90
080000	9.41	5.58	8.06	2.34	73.79	0.43	1.19	1.00	0.19	0.00	31.33	69.35	0.00	0.00	55.56
090000	9.43	5.58	8.05	2.33	112.68	0.43	1.19	1.00	0.19	0.00	31.23	69.33	0.00	0.00	49.91
100000	9.41	5.58	8.08	2.37	171.05	0.41	1.19	1.00	0.19	0.00	31.14	69.33	0.00	0.00	40.02
110000	9.40	5.59	8.11	2.37	220.23	0.39	1.20	1.01	0.19	0.00	31.22	69.33	0.00	0.00	40.09
120000	9.38	5.54	8.14	2.45	255.72	0.38	1.20	1.01	0.19	0.00	31.27	69.33	0.00	0.00	40.08
130000	9.39	5.57	8.07	2.33	287.63	0.38	1.20	1.01	0.19	0.00	31.34	69.36	0.00	0.00	40.10
140000	9.40	5.54	8.05	2.36	314.67	0.40	1.20	1.01	0.19	0.00	31.33	69.39	0.00	0.00	40.08
150000	9.42	5.57	8.07	2.34	319.25	0.42	1.20	1.01	0.19	0.00	31.29	69.40	0.00	0.00	40.09
160000	9.44	5.60	8.22	2.47	305.72	0.44	1.20	1.01	0.19	0.00	31.30	69.38	0.00	0.00	40.09
170000	9.34	5.61	8.01	2.25	285.12	0.45	1.20	1.01	0.19	0.00	31.32	69.45	0.00	0.00	40.09
180000	9.32	5.65	8.07	2.30	230.55	0.45	1.20	1.02	0.18	0.00	31.38	69.47	0.00	0.00	40.09
190000	9.30	5.49	7.99	2.36	202.39	0.47	1.19	1.00	0.19	0.00	31.40	69.47	0.00	0.00	40.08
200000	9.36	5.55	8.09	2.39	200.42	0.46	1.19	1.01	0.18	0.00	31.47	69.47	0.00	0.00	40.09
210000	9.36	5.50	8.01	2.38	187.76	0.47	1.19	1.00	0.19	0.00	31.41	69.47	0.00	0.00	40.08
220000	9.45	5.59	8.09	2.36	169.63	0.47	1.19	1.00	0.19	0.00	31.35	69.47	0.00	0.00	40.08
230000	9.41	5.54	8.07	2.40	169.87	0.49	1.19	1.00	0.19	0.00	31.28	69.47	0.00	0.00	40.08
極大值	9.46	5.65	8.22	2.47	319.25	0.52	1.20	1.02	0.19	0.00	31.48	69.57	0.00	0.00	96.49
極小值	9.30	5.49	7.99	2.25	30.04	0.38	1.19	1.00	0.18	0.00	31.14	69.33	0.00	0.00	40.02
平均值	9.40	5.57	8.08	2.36	161.51	0.44	1.20	1.01	0.19	0.00	31.34	69.44	0.00	0.00	50.12
標準差	0.04	0.04	0.05	0.05	101.91	0.04	0	0.01	0	0	0.08	0.07	0	0	17.39

測報表

時間/單位	SO2 (ppb)	NO (ppb)	NOX (ppb)	NO2 (ppb)	O3 (ppb)	CO (ppm)	THC (ppm)	NMHC (ppm)	CH4 (ppm)	站外溫 (°C)	站內溫 (°C)	RH (%)	WD (o)	WS (m/s)	PM10 (ug/m)
000000	9.42	5.59	8.05	2.32	154.30	0.48	1.19	1.00	0.19	0.00	31.11	69.47	0.00	0.00	126.68
010000	9.52	5.55	7.99	2.30	152.46	0.47	1.19	1.00	0.19	0.00	31.04	69.47	0.00	0.00	121.64
020000	9.51	5.58	8.02	2.32	138.69	0.47	1.19	1.00	0.19	0.00	31.00	69.47	0.00	0.00	117.17
030000	9.49	5.48	8.04	2.44	129.88	0.47	1.19	1.00	0.19	0.00	30.91	69.38	0.00	0.00	107.34
040000	9.49	5.64	8.12	2.34	121.31	0.47	1.19	1.00	0.19	0.00	30.88	69.33	0.00	0.00	103.48
050000	9.45	5.57	8.08	2.40	115.94	0.45	1.19	1.00	0.19	0.00	30.86	69.33	0.00	0.00	96.48
060000	9.45	5.62	8.13	2.40	117.62	0.44	1.19	1.00	0.19	0.00	30.89	69.33	0.00	0.00	105.13
070000	9.43	5.53	8.05	2.41	121.63	0.44	1.19	1.00	0.19	0.00	30.90	69.33	0.00	0.00	112.70
080000	9.40	5.66	8.05	2.26	123.47	0.45	1.19	1.00	0.19	0.00	30.94	69.38	0.00	0.00	115.09
090000	9.36	5.62	8.05	2.30	125.33	0.48	1.19	1.01	0.18	0.00	31.00	69.47	0.00	0.00	119.91
100000	9.41	5.51	8.10	2.44	152.51	0.54	1.19	1.00	0.19	0.00	30.98	69.46	0.00	0.00	167.89
110000	9.42	5.54	8.07	2.40	164.40	0.63	1.19	1.00	0.19	0.00	30.85	69.43	0.00	0.00	201.06
120000	9.43	5.61	8.08	2.35	209.93	0.58	1.19	1.00	0.19	0.00	30.86	69.43	0.00	0.00	126.14
130000	9.45	5.57	8.04	2.33	310.69	0.50	1.19	1.00	0.19	0.00	30.88	69.44	0.00	0.00	83.86
140000	9.37	5.44	7.95	2.39	346.62	0.48	1.20	1.01	0.19	0.00	30.89	69.38	0.00	0.00	87.84
150000	9.37	5.60	8.20	2.49	349.33	0.50	1.20	1.01	0.19	0.00	30.90	69.41	0.00	0.00	94.05
160000	9.37	5.51	8.00	2.35	324.01	0.55	1.20	1.01	0.19	0.00	30.92	69.47	0.00	0.00	106.84
170000	9.30	5.59	8.10	2.39	306.53	0.50	1.19	1.01	0.18	0.00	30.92	69.47	0.00	0.00	98.20
180000	9.32	5.49	8.10	2.49	261.25	0.50	1.19	1.00	0.19	0.00	30.95	69.47	0.00	0.00	113.09
190000	9.35	5.50	8.10	2.50	216.16	0.43	1.19	1.00	0.19	0.00	31.00	69.47	0.00	0.00	123.42
200000	9.31	5.50	8.05	2.42	184.37	0.44	1.19	1.01	0.18	0.00	31.02	69.47	0.00	0.00	121.11
210000	9.35	5.56	8.16	2.47	166.23	0.45	1.19	1.01	0.18	0.00	31.01	69.47	0.00	0.00	118.82
220000	9.41	5.63	8.10	2.35	144.37	0.46	1.19	1.00	0.19	0.00	30.99	69.47	0.00	0.00	97.43
230000	9.38	5.57	8.10	2.39	139.29	0.46	1.19	1.00	0.19	0.00	30.93	69.47	0.00	0.00	97.46
極大值	9.52	5.66	8.20	2.50	349.33	0.63	1.20	1.01	0.19	0.00	31.11	69.47	0.00	0.00	201.06
極小值	9.30	5.44	7.95	2.26	115.94	0.43	1.19	1.00	0.18	0.00	30.85	69.33	0.00	0.00	83.86
平均值	9.41	5.56	8.07	2.39	190.68	0.48	1.19	1.00	0.19	0.00	30.94	69.43	0.00	0.00	115.12
標準差	0.06	0.06	0.05	0.07	79.98	0.05	0	0	0	0	0.07	0.05	0	0	25.03

測報表

時間/單位	SO2 (ppb)	NO (ppb)	NOX (ppb)	NO2 (ppb)	O3 (ppb)	CO (ppm)	THC (ppm)	NMHC (ppm)	CH4 (ppm)	站外溫 (°C)	站內溫 (°C)	RH (%)	WD (o)	WS (m/s)	PM10 (ug/m)
000000	9.45	5.51	8.06	2.42	119.51	0.47	1.19	1.00	0.19	0.00	30.83	69.43	0.00	0.00	89.85
010000	9.44	5.49	7.99	2.36	92.56	0.49	1.19	1.00	0.19	0.00	30.62	69.19	0.00	0.00	108.10
020000	9.38	5.58	8.10	2.36	87.63	0.47	1.19	1.00	0.19	0.00	30.66	69.19	0.00	0.00	124.50
030000	9.35	5.63	8.05	2.27	81.98	0.47	1.19	1.00	0.19	0.00	30.68	69.19	0.00	0.00	128.52
040000	9.28	5.57	8.09	2.38	73.72	0.46	1.19	1.00	0.19	0.00	30.66	69.19	0.00	0.00	134.21
050000	9.24	5.64	8.01	2.22	69.81	0.46	1.19	1.00	0.19	0.00	30.64	69.19	0.00	0.00	103.40
060000	9.25	5.49	8.02	2.38	61.68	0.46	1.19	1.00	0.19	0.00	30.65	69.19	0.00	0.00	81.43
070000	9.24	5.64	8.09	2.32	52.30	0.47	1.19	1.00	0.19	0.00	30.66	69.19	0.00	0.00	84.79
080000	9.22	5.57	8.16	2.44	49.99	0.49	1.19	1.00	0.19	0.00	30.64	69.15	0.00	0.00	74.61
090000	9.22	5.45	7.97	2.35	62.38	0.50	1.19	1.00	0.19	0.00	30.66	69.19	0.00	0.00	66.74
100000	9.16	5.51	7.98	2.31	96.09	0.49	1.19	1.00	0.19	0.00	30.68	69.19	0.00	0.00	77.98
110000	9.16	5.63	8.19	2.43	152.65	0.46	1.19	1.00	0.19	0.00	30.67	69.19	0.00	0.00	75.38
120000	9.21	5.54	8.03	2.38	205.98	0.52	1.19	1.00	0.19	0.00	30.72	69.22	0.00	0.00	83.39
130000	9.21	5.63	8.07	2.35	313.01	0.55	1.20	1.01	0.19	0.00	30.88	69.46	0.00	0.00	100.91
140000	9.23	5.57	8.03	2.35	305.79	0.53	1.20	1.01	0.19	0.00	30.89	69.41	0.00	0.00	71.48
150000	9.28	5.58	8.15	2.47	320.17	0.50	1.20	1.01	0.19	0.00	30.87	69.45	0.00	0.00	74.49
160000	9.27	5.60	8.07	2.36	314.51	0.48	1.20	1.01	0.19	0.00	30.76	69.46	0.00	0.00	80.61
170000	9.26	5.56	8.06	2.39	285.05	0.49	1.19	1.00	0.19	0.00	30.80	69.47	0.00	0.00	80.43
180000	9.25	5.57	8.07	2.39	258.03	0.61	1.19	1.01	0.18	0.00	30.79	69.47	0.00	0.00	92.81
190000	9.24	5.55	8.13	2.46	187.68	0.57	1.19	1.00	0.19	0.00	30.80	69.47	0.00	0.00	69.03
200000	9.27	5.65	8.12	2.33	167.90	0.57	1.19	1.00	0.19	0.00	30.78	69.47	0.00	0.00	81.04
210000	9.29	5.53	8.13	2.46	165.32	0.58	1.19	1.00	0.19	0.00	30.74	69.47	0.00	0.00	81.55
220000	9.31	5.50	8.00	2.37	147.21	0.51	1.19	1.00	0.19	0.00	30.75	69.47	0.00	0.00	83.16
230000	9.31	5.58	8.12	2.41	143.14	0.52	1.19	1.00	0.19	0.00	30.75	69.47	0.00	0.00	82.64
極大值	9.45	5.65	8.19	2.47	320.17	0.61	1.20	1.01	0.19	0.00	30.89	69.47	0.00	0.00	134.21
極小值	9.16	5.45	7.97	2.22	49.99	0.46	1.19	1.00	0.18	0.00	30.62	69.15	0.00	0.00	66.74
平均值	9.27	5.57	8.07	2.37	158.92	0.50	1.19	1.00	0.19	0.00	30.73	69.32	0.00	0.00	88.79
標準差	0.07	0.06	0.06	0.06	93.94	0.04	0	0	0	0	0.08	0.14	0	0	18.61

測報表

時間/單位	SO2 (ppb)	NO (ppb)	NOX (ppb)	NO2 (ppb)	O3 (ppb)	CO (ppm)	THC (ppm)	NMHC (ppm)	CH4 (ppm)	站外溫 (°C)	站內溫 (°C)	RH (%)	WD (°)	WS (m/s)	PM10 (ug/m)
000000	9.35	5.64	8.23	2.46	122.39	0.54	1.19	1.00	0.19	0.00	30.82	69.47	0.00	0.00	96.79
010000	9.35	5.60	8.14	2.41	109.63	0.58	1.19	1.00	0.19	0.00	30.88	69.47	0.00	0.00	88.62
020000	9.35	5.48	8.05	2.45	108.24	0.57	1.19	1.00	0.19	0.00	30.81	69.47	0.00	0.00	86.98
030000	9.38	5.57	8.10	2.42	109.90	0.56	1.19	1.00	0.19	0.00	30.80	69.47	0.00	0.00	79.05
040000	9.37	5.55	8.09	2.43	82.85	0.59	1.19	1.00	0.19	0.00	30.80	69.47	0.00	0.00	69.75
050000	9.32	5.64	8.10	2.34	64.65	0.56	1.19	1.00	0.19	0.00	30.77	69.47	0.00	0.00	67.85
060000	9.33	5.62	8.14	2.40	48.94	0.58	1.19	1.00	0.19	0.00	30.72	69.47	0.00	0.00	68.33
070000	9.34	5.42	8.08	2.53	42.47	0.61	1.19	1.00	0.19	0.00	30.70	69.47	0.00	0.00	70.95
080000	9.36	5.59	8.10	2.41	72.03	0.60	1.19	1.00	0.19	0.00	30.67	69.41	0.00	0.00	79.77
090000	9.33	5.67	8.11	2.33	123.17	0.53	1.19	1.00	0.19	0.00	30.65	69.33	0.00	0.00	92.71
100000	9.29	5.62	8.11	2.38	226.13	0.49	1.19	1.01	0.18	0.00	30.61	69.33	0.00	0.00	96.96
110000	9.29	5.66	8.06	2.27	271.48	0.45	1.19	1.00	0.19	0.00	30.59	69.33	0.00	0.00	90.05
120000	9.30	5.66	8.16	2.40	405.16	0.51	1.19	1.00	0.19	0.00	30.59	69.34	0.00	0.00	86.70
130000	9.33	5.60	8.09	2.37	439.74	0.57	1.19	1.00	0.19	0.00	30.61	69.33	0.00	0.00	64.46
140000	9.24	5.64	8.10	2.35	442.10	0.56	1.20	1.01	0.19	0.00	30.60	69.35	0.00	0.00	92.26
150000	9.25	5.48	8.02	2.41	454.08	0.52	1.20	1.01	0.19	0.00	30.49	69.34	0.00	0.00	91.96
160000	9.27	5.55	8.09	2.40	446.08	0.52	1.19	1.00	0.19	0.00	30.51	69.34	0.00	0.00	98.67
170000	9.23	5.60	8.07	2.34	319.34	0.55	1.19	1.00	0.19	0.00	30.53	69.40	0.00	0.00	113.97
180000	9.25	5.62	8.11	2.35	262.00	0.50	1.19	1.00	0.19	0.00	30.55	69.46	0.00	0.00	126.69
190000	9.24	5.58	8.15	2.44	229.11	0.58	1.19	1.00	0.19	0.00	30.56	69.47	0.00	0.00	108.51
200000	9.23	5.63	8.10	2.34	187.72	0.53	1.19	1.00	0.19	0.00	30.59	69.47	0.00	0.00	84.37
210000	9.24	5.51	8.04	2.38	159.51	0.50	1.19	1.00	0.19	0.00	30.54	69.47	0.00	0.00	91.41
220000	9.24	5.66	8.12	2.33	135.93	0.52	1.19	1.00	0.19	0.00	30.53	69.51	0.00	0.00	100.61
230000	9.23	5.53	8.08	2.41	160.54	0.51	1.19	1.00	0.19	0.00	30.55	69.56	0.00	0.00	88.11
極大值	9.38	5.67	8.23	2.53	454.08	0.61	1.20	1.01	0.19	0.00	30.88	69.56	0.00	0.00	126.69
極小值	9.23	5.42	8.02	2.27	42.47	0.45	1.19	1.00	0.18	0.00	30.49	69.33	0.00	0.00	64.46
平均值	9.30	5.59	8.10	2.39	209.30	0.54	1.19	1.00	0.19	0.00	30.64	69.42	0.00	0.00	88.98
標準差	0.05	0.07	0.04	0.05	139.26	0.04	0	0	0	0	0.12	0.07	0	0	15.05

測報表

時間/單位	SO2 (ppb)	NO (ppb)	NOX (ppb)	NO2 (ppb)	O3 (ppb)	CO (ppm)	THC (ppm)	NMHC (ppm)	CH4 (ppm)	站外溫 (°C)	站內溫 (°C)	RH (%)	WD (°)	WS (m/s)	PM10 (ug/m)
000000	9.28	5.53	8.07	2.40	123.91	0.55	1.19	1.00	0.19	0.00	30.55	69.52	0.00	0.00	40.11
010000	9.35	5.65	8.12	2.36	77.26	0.57	1.19	1.00	0.19	0.00	30.51	69.47	0.00	0.00	40.10
020000	9.35	5.60	8.09	2.35	57.15	0.58	1.20	1.01	0.19	0.00	30.51	69.50	0.00	0.00	40.10
030000	9.32	5.55	8.11	2.42	55.80	0.58	1.19	1.00	0.19	0.00	30.47	69.57	0.00	0.00	40.12
040000	9.28	5.55	8.09	2.39	47.27	0.55	1.20	1.01	0.19	0.00	30.45	69.61	0.00	0.00	40.13
050000	9.35	5.62	8.20	2.43	32.12	0.57	1.20	1.01	0.19	0.00	30.41	69.61	0.00	0.00	40.14
060000	9.34	5.60	8.15	2.41	32.11	0.54	1.19	1.00	0.19	0.00	30.38	69.61	0.00	0.00	40.13
070000	9.33	5.52	8.07	2.41	30.04	0.56	1.19	1.00	0.19	0.00	30.40	69.55	0.00	0.00	40.13
080000	9.35	5.54	8.01	2.33	64.15	0.57	1.19	1.00	0.19	0.00	30.39	69.47	0.00	0.00	40.13
090000	9.28	5.54	8.05	2.36	157.13	0.54	1.19	1.00	0.19	0.00	30.34	69.44	0.00	0.00	40.13
100000	9.30	5.50	8.12	2.47	261.74	0.49	1.19	1.00	0.19	0.00	30.36	69.39	0.00	0.00	40.12
110000	9.28	5.62	8.08	2.32	316.40	0.44	1.20	1.01	0.19	0.00	30.43	69.33	0.00	0.00	40.10
120000	9.25	5.49	8.10	2.45	359.54	0.44	1.20	1.01	0.19	0.00	30.49	69.33	0.00	0.00	40.10
130000	9.24	5.64	8.17	2.39	436.49	0.48	1.20	1.01	0.19	0.00	30.49	69.33	0.00	0.00	40.10
140000	9.28	5.54	8.05	2.36	411.52	0.46	1.20	1.01	0.19	0.00	30.50	69.34	0.00	0.00	40.10
150000	9.32	5.63	8.20	2.41	369.95	0.55	1.20	1.01	0.19	0.00	30.53	69.35	0.00	0.00	40.10
160000	9.30	5.52	8.06	2.40	404.53	0.49	1.20	1.01	0.19	0.00	30.52	69.34	0.00	0.00	40.10
170000	9.30	5.52	8.05	2.38	357.26	0.46	1.20	1.01	0.19	0.00	30.51	69.35	0.00	0.00	40.10
180000	9.30	5.60	8.13	2.39	241.99	0.50	1.20	1.01	0.19	0.00	30.56	69.43	0.00	0.00	40.10
190000	9.30	5.65	8.13	2.35	189.88	0.48	1.20	1.01	0.19	0.00	30.56	69.47	0.00	0.00	40.10
200000	9.27	5.47	8.12	2.53	192.17	0.46	1.20	1.01	0.19	0.00	30.59	69.47	0.00	0.00	40.10
210000	9.29	5.58	8.09	2.42	116.17	0.50	1.20	1.01	0.19	0.00	30.61	69.47	0.00	0.00	40.10
220000	9.32	5.60	8.02	2.31	139.95	0.48	1.20	1.01	0.19	0.00	30.61	69.47	0.00	0.00	40.10
230000	9.35	5.55	8.12	2.43	158.61	0.45	1.20	1.01	0.19	0.00	30.63	69.47	0.00	0.00	40.10
極大值	9.35	5.65	8.20	2.53	436.49	0.58	1.20	1.01	0.19	0.00	30.63	69.61	0.00	0.00	40.14
極小值	9.24	5.47	8.01	2.31	30.04	0.44	1.19	1.00	0.19	0.00	30.34	69.33	0.00	0.00	40.10
平均值	9.31	5.57	8.10	2.39	193.05	0.51	1.20	1.01	0.19	0.00	30.49	69.45	0.00	0.00	40.11
標準差	0.03	0.05	0.05	0.05	138.78	0.05	0	0	0	0	0.08	0.09	0	0	0.01

監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	36.79	2.10	7.22	5.28	4.50	0.34	3.46	0.65	2.81	39.48	24.00	72.00	120.51	2.17	51.32
010000	36.84	2.17	7.45	5.45	4.38	0.34	3.61	0.64	2.97	39.65	47.81	133.69	39.82	5.80	982.75
020000	36.95	2.24	7.76	5.71	4.69	0.34	3.67	0.64	3.03	39.81	24.43	73.12	39.69	9.32	77.66
030000	36.90	2.21	7.01	4.92	3.84	0.35	3.56	0.62	2.94	39.28	24.00	72.00	43.01	5.98	58.93
040000	36.82	2.22	6.81	4.73	3.90	0.34	3.43	0.61	2.82	39.15	24.00	72.00	32.36	6.91	55.27
050000	36.90	2.54	7.00	4.66	3.63	0.35	3.45	0.63	2.82	39.05	24.00	72.00	66.15	3.26	51.63
060000	36.86	2.83	7.23	4.61	3.25	0.35	3.49	0.67	2.82	39.00	24.00	72.00	253.78	0.42	47.03
070000	36.83	2.96	7.48	4.75	3.01	0.35	3.47	0.64	2.83	39.14	24.00	72.00	45.50	5.80	52.18
080000	36.75	3.16	8.33	5.49	4.19	0.35	3.47	0.67	2.80	39.39	24.00	72.00	53.81	7.19	53.19
090000	36.71	3.04	7.73	4.94	4.90	0.35	3.36	0.67	2.69	39.95	24.00	72.00	76.14	5.42	49.96
100000	36.67	2.45	6.72	4.35	6.77	0.34	3.36	0.71	2.65	40.31	24.00	72.00	94.78	4.84	58.25
110000	36.65	2.51	7.03	4.66	10.72	0.35	3.40	0.74	2.66	39.98	24.00	72.00	63.51	6.29	65.00
120000	36.63	2.53	7.07	4.65	10.41	0.35	3.49	0.74	2.75	40.29	24.00	72.00	93.10	3.89	67.23
130000	36.68	2.40	7.01	4.77	10.40	0.36	3.41	0.73	2.68	40.38	24.00	72.00	70.92	4.36	63.66
140000	36.75	2.32	7.09	4.86	11.31	0.37	3.45	0.81	2.64	40.16	24.00	72.00	86.81	4.98	60.94
150000	36.79	2.17	6.91	4.77	11.36	0.35	3.76	1.07	2.69	40.17	24.00	72.00	41.98	5.86	70.85
160000	36.94	2.14	6.55	4.41	11.64	0.34	3.71	1.11	2.60	40.14	24.00	72.00	56.59	4.40	69.78
170000	36.96	2.22	7.25	5.12	11.26	0.34	3.59	0.96	2.63	40.01	24.00	72.00	55.23	0.99	58.14
180000	37.10	2.22	7.62	5.57	8.87	0.36	3.53	0.83	2.70	39.84	24.00	72.00	112.58	2.75	61.34
190000	37.13	2.18	7.32	5.29	9.82	0.34	3.40	0.73	2.67	39.74	24.00	72.00	64.05	8.73	56.78
200000	37.22	2.44	7.47	5.16	8.75	0.35	3.42	0.70	2.72	39.30	24.00	72.00	57.20	1.63	54.25
210000	37.27	2.17	6.96	4.89	8.29	0.34	3.48	0.69	2.79	39.01	24.00	72.00	57.17	1.05	58.58
220000	37.32	2.24	6.96	4.78	6.37	0.33	3.54	0.68	2.86	39.08	24.00	72.00	53.10	4.32	54.28
230000	37.29	2.19	6.76	4.61	6.49	0.34	3.41	0.62	2.79	38.54	24.00	72.00	54.63	8.65	52.53
極大值	37.32	3.16	8.33	5.71	11.64	0.37	3.76	1.11	3.03	40.38	47.81	133.69	253.78	9.32	982.75
極小值	36.63	2.10	6.55	4.35	3.01	0.33	3.36	0.61	2.60	38.54	24.00	72.00	32.36	0.42	47.03
平均值	36.91	2.40	7.20	4.93	7.20	0.35	3.50	0.73	2.76	39.62	25.01	74.62	72.18	4.79	97.15
標準差	0.21	0.3	0.4	0.37	3.11	0.01	0.11	0.14	0.11	0.52	4.86	12.58	44.94	2.47	188.78

監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	37.34	2.21	6.36	4.25	4.20	0.33	3.22	0.60	2.62	38.58	24.00	72.00	45.14	6.18	44.58
010000	37.39	2.17	6.33	4.22	4.70	0.33	3.34	0.61	2.73	38.34	24.00	72.00	41.72	8.26	47.35
020000	37.36	2.25	6.01	3.89	5.39	0.34	3.37	0.57	2.80	38.45	24.00	72.00	35.57	6.56	41.40
030000	37.37	2.26	5.99	3.77	4.41	0.33	3.42	0.57	2.85	38.62	24.00	72.00	60.20	5.46	42.48
040000	37.41	2.39	6.06	3.78	4.13	0.34	3.41	0.56	2.85	38.73	24.00	72.00	50.00	6.69	38.86
050000	37.30	2.53	6.04	3.58	5.01	0.34	3.19	0.56	2.63	38.34	24.00	72.00	69.57	5.00	34.67
060000	37.35	2.57	6.36	3.89	4.80	0.32	3.13	0.55	2.58	38.73	24.00	72.00	35.76	7.36	42.83
070000	37.22	2.89	6.58	3.79	5.36	0.33	3.19	0.56	2.63	38.51	24.00	72.00	47.91	3.60	39.08
080000	37.25	2.93	6.36	3.47	4.97	0.33	3.13	0.57	2.56	39.01	24.00	72.00	81.47	9.56	43.61
090000	37.11	3.93	7.71	3.98	5.84	0.33	3.03	0.55	2.48	38.62	24.00	72.00	77.88	13.69	30.44
100000	37.05	3.86	7.78	4.13	5.88	0.33	3.08	0.58	2.50	39.35	24.00	72.00	87.62	8.43	32.36
110000	37.11	2.87	6.57	3.80	7.54	0.32	3.10	0.63	2.47	40.38	24.00	72.00	90.77	6.73	25.71
120000	37.09	2.91	6.93	4.14	11.09	0.33	3.13	0.69	2.44	40.64	24.00	72.00	89.33	6.22	24.62
130000	36.96	2.86	7.17	4.39	10.93	0.33	3.22	0.79	2.43	40.68	24.00	72.00	123.76	4.23	21.75
140000	36.93	2.35	6.10	3.67	12.49	0.32	4.17	1.76	2.41	40.68	24.00	72.00	109.43	3.66	28.47
150000	37.29	2.31	6.56	4.24	11.99	0.33	4.81	2.40	2.41	40.67	24.00	72.00	180.89	1.46	48.14
160000	37.50	2.18	6.81	4.66	11.78	0.34	3.72	1.30	2.42	40.54	24.00	72.00	288.59	4.19	34.43
170000	37.86	2.07	8.25	6.32	11.19	0.33	3.37	0.95	2.42	39.96	24.00	72.00	176.76	3.21	46.72
180000	38.09	2.03	8.04	6.19	9.02	0.34	3.35	0.83	2.52	38.53	24.00	72.00	41.79	5.50	37.79
190000	38.10	2.33	7.36	5.14	11.03	0.33	3.38	0.78	2.60	37.94	24.00	72.00	92.83	2.40	33.49
200000	38.03	2.15	7.50	5.42	8.39	0.33	3.37	0.76	2.61	37.67	24.00	72.00	68.73	4.06	31.24
210000	38.15	2.18	7.61	5.55	9.55	0.33	3.27	0.74	2.53	38.04	24.00	72.00	51.50	5.37	34.62
220000	38.21	2.18	6.97	4.86	8.25	0.34	3.22	0.69	2.53	37.93	24.00	72.00	59.13	3.89	39.50
230000	38.23	2.36	7.34	5.10	8.04	0.34	3.22	0.68	2.54	37.90	24.00	72.00	52.28	5.25	43.64
極大值	38.23	3.93	8.25	6.32	12.49	0.34	4.81	2.40	2.85	40.68	24.00	72.00	288.59	13.69	48.14
極小值	36.93	2.03	5.99	3.47	4.13	0.32	3.03	0.55	2.41	37.67	24.00	72.00	35.57	1.46	21.75
平均值	37.49	2.53	6.87	4.43	7.75	0.33	3.37	0.80	2.56	39.04	24.00	72.00	85.78	5.71	36.99
標準差	0.43	0.51	0.7	0.81	2.91	0.01	0.39	0.44	0.13	1.04	0	0	58.28	2.59	7.47

監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	38.29	2.22	6.54	4.42	7.82	0.34	3.19	0.66	2.53	37.77	24.00	72.00	67.62	4.78	45.66
010000	38.28	2.14	6.06	4.01	7.84	0.33	3.18	0.62	2.56	37.79	47.82	133.67	51.50	5.02	982.96
020000	38.32	2.16	6.03	3.93	5.38	0.35	3.24	0.61	2.63	37.78	24.43	73.12	58.87	3.68	67.55
030000	38.33	2.32	6.18	3.92	4.78	0.33	3.30	0.63	2.67	37.87	24.00	72.00	91.50	2.93	54.42
040000	38.28	2.29	6.43	4.27	4.62	0.33	3.33	0.68	2.65	38.19	24.00	72.00	71.14	6.57	54.21
050000	38.25	2.51	6.25	3.81	3.70	0.33	3.26	0.62	2.64	38.24	24.00	72.00	178.56	1.83	45.60
060000	38.28	2.46	6.88	4.55	3.69	0.33	3.29	0.63	2.66	38.42	24.00	72.00	46.21	5.88	42.32
070000	38.26	3.57	7.92	4.59	3.96	0.35	3.35	0.61	2.74	38.55	24.00	72.00	59.78	3.52	44.66
080000	38.19	3.37	7.49	4.31	3.31	0.34	3.32	0.64	2.68	39.06	24.00	72.00	59.22	3.76	47.86
090000	38.11	3.66	7.79	4.39	5.06	0.35	3.20	0.51	2.69	39.37	24.00	72.00	79.63	5.36	51.24
100000	38.10	4.94	10.36	5.97	3.97	0.37	3.02	0.40	2.62	39.94	24.00	72.00	62.82	6.36	69.88
110000	37.92	4.75	10.74	6.51	4.28	0.36	3.20	0.63	2.57	40.00	24.00	72.00	103.43	7.07	83.48
120000	37.87	3.49	9.65	6.54	8.78	0.35	3.24	0.73	2.51	39.83	24.00	72.00	76.39	9.60	75.25
130000	37.96	2.78	7.79	5.25	25.91	0.49	2.91	0.41	2.50	39.49	24.00	72.00	85.50	8.66	54.36
140000	38.07	2.41	7.43	5.19	30.76	0.41	2.93	0.44	2.49	39.12	24.00	72.00	89.58	6.49	44.84
150000	38.04	2.76	7.83	5.26	27.56	0.40	3.17	0.63	2.54	39.60	24.00	72.00	72.50	4.56	42.50
160000	37.98	2.88	8.16	5.50	27.56	0.41	3.23	0.67	2.56	39.52	24.00	72.00	76.10	2.95	51.41
170000	38.15	2.92	9.14	6.53	26.73	0.42	3.35	0.75	2.60	39.43	24.00	72.00	145.68	0.86	45.80
180000	38.16	2.84	10.03	7.58	26.58	0.41	3.34	0.76	2.58	39.16	24.00	72.00	139.03	2.74	57.47
190000	38.19	2.53	9.44	7.26	26.74	0.41	3.38	0.77	2.61	38.82	24.00	72.00	68.71	5.52	56.22
200000	38.16	2.55	8.15	5.83	28.23	0.40	3.35	0.71	2.64	38.63	24.00	72.00	74.00	6.06	56.68
210000	38.18	2.27	7.61	5.51	28.41	0.40	3.21	0.67	2.54	38.40	24.00	72.00	49.43	5.23	44.18
220000	38.32	2.36	8.00	5.85	27.13	0.40	3.21	0.65	2.56	38.43	24.00	72.00	64.06	5.71	46.16
230000	38.19	2.58	8.03	5.68	25.89	0.40	3.23	0.65	2.58	37.97	24.00	72.00	54.63	3.76	44.44
極大值	38.33	4.94	10.74	7.58	30.76	0.49	3.38	0.77	2.74	40.00	47.82	133.67	178.56	9.60	982.96
極小值	37.87	2.14	6.03	3.81	3.31	0.33	2.91	0.40	2.49	37.77	24.00	72.00	46.21	0.86	42.32
平均值	38.16	2.86	7.91	5.28	15.36	0.38	3.23	0.63	2.60	38.81	25.01	74.62	80.25	4.95	92.05
標準差	0.13	0.76	1.38	1.09	11.43	0.04	0.12	0.1	0.07	0.73	4.86	12.58	32.41	2.05	190.07

監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	38.25	2.38	7.85	5.71	25.52	0.40	3.27	0.65	2.62	38.29	24.00	72.00	48.67	5.41	33.29
010000	38.23	2.39	7.54	5.41	25.36	0.39	3.35	0.63	2.72	38.00	47.84	133.79	61.20	5.03	983.33
020000	38.20	2.40	7.52	5.35	25.26	0.39	3.35	0.61	2.74	38.18	24.41	73.07	59.48	5.32	48.06
030000	38.21	2.56	7.30	4.97	24.78	0.38	3.35	0.61	2.74	37.80	24.00	72.00	68.65	2.10	35.01
040000	38.12	2.71	7.37	4.89	24.77	0.39	3.35	0.61	2.74	37.80	24.00	72.00	50.61	4.25	26.13
050000	38.07	3.09	7.92	5.10	23.98	0.39	3.43	0.59	2.84	37.86	24.00	72.00	62.23	6.47	26.73
060000	37.97	3.47	7.87	4.67	23.96	0.38	3.43	0.59	2.84	37.84	24.00	72.00	38.21	2.86	30.14
070000	37.87	5.09	9.36	4.73	23.89	0.40	3.46	0.61	2.85	38.17	24.00	72.00	52.45	3.24	31.87
080000	37.82	4.98	9.23	4.68	24.14	0.39	3.51	0.61	2.90	38.71	24.00	72.00	73.95	5.32	31.90
090000	37.69	4.53	9.09	4.97	25.09	0.40	3.37	0.64	2.73	39.52	24.00	72.00	106.75	4.89	36.49
100000	37.63	3.45	7.98	4.81	26.44	0.39	3.32	0.73	2.59	40.50	24.00	72.00	130.94	4.66	36.35
110000	37.51	3.01	7.79	4.96	30.22	0.39	3.27	0.79	2.48	40.88	24.00	72.00	202.60	5.68	38.76
120000	37.53	2.98	10.13	7.51	34.94	0.41	3.29	0.84	2.45	40.94	24.00	72.00	286.61	9.22	47.09
130000	37.47	2.80	9.43	6.91	37.98	0.41	3.27	0.84	2.43	41.38	24.00	72.00	290.99	8.26	64.01
140000	37.90	2.51	9.16	6.85	40.42	0.40	3.18	0.78	2.40	41.18	24.00	72.00	288.95	10.18	45.81
150000	38.57	2.22	8.66	6.55	41.14	0.41	3.08	0.73	2.35	40.88	24.00	72.00	292.20	10.82	50.12
160000	39.26	2.20	7.75	5.57	39.55	0.40	3.08	0.74	2.34	40.21	24.00	72.00	290.83	6.51	42.50
170000	39.77	1.96	7.37	5.43	38.06	0.40	3.15	0.79	2.36	39.82	24.00	72.00	298.11	4.55	37.28
180000	39.97	2.10	9.08	7.20	33.61	0.41	3.14	0.76	2.38	39.43	24.00	72.00	258.45	1.18	59.45
190000	39.85	1.95	9.06	7.38	28.32	0.41	3.18	0.75	2.43	38.83	24.00	72.00	205.88	0.14	46.22
200000	39.54	1.98	8.16	6.40	27.91	0.41	3.28	0.75	2.53	39.01	24.00	72.00	129.59	1.43	51.22
210000	39.41	1.92	8.04	6.35	29.26	0.40	3.31	0.72	2.59	38.62	24.00	72.00	39.51	5.06	61.91
220000	39.42	1.96	7.28	5.46	29.66	0.40	3.26	0.69	2.57	38.37	24.00	72.00	46.69	4.88	58.96
230000	39.37	2.21	7.58	5.54	27.77	0.39	3.47	0.65	2.82	38.30	24.00	72.00	48.93	6.52	52.91
極大值	39.97	5.09	10.13	7.51	41.14	0.41	3.51	0.84	2.90	41.38	47.84	133.79	298.11	10.82	983.33
極小值	37.47	1.92	7.28	4.67	23.89	0.38	3.08	0.59	2.34	37.80	24.00	72.00	38.21	0.14	26.13
平均值	38.48	2.79	8.27	5.72	29.67	0.40	3.30	0.70	2.60	39.19	25.01	74.62	143.02	5.17	82.31
標準差	0.84	0.93	0.83	0.92	5.9	0.01	0.12	0.08	0.18	1.23	4.86	12.61	104.34	2.67	192.24

監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	39.28	1.95	6.81	5.01	27.95	0.40	3.35	0.66	2.69	38.28	24.00	72.00	62.80	4.70	56.14
010000	39.17	2.08	6.82	4.86	26.56	0.40	3.30	0.67	2.63	38.27	24.00	72.00	43.51	3.41	52.57
020000	39.10	2.13	6.67	4.61	26.21	0.41	3.26	0.63	2.63	37.67	24.00	72.00	63.55	3.97	44.83
030000	39.04	2.20	6.65	4.55	25.59	0.39	3.30	0.59	2.71	37.00	24.00	72.00	55.31	5.72	51.87
040000	38.92	2.52	7.29	4.95	24.73	0.39	3.41	0.58	2.83	37.06	24.00	72.00	39.47	6.71	50.83
050000	38.88	2.64	7.25	4.83	24.12	0.40	3.56	0.56	3.00	37.22	24.00	72.00	28.76	7.27	51.76
060000	38.84	2.81	7.25	4.71	24.09	0.40	3.48	0.58	2.90	37.70	24.00	72.00	44.09	6.80	46.74
070000	38.74	4.95	9.36	4.87	24.05	0.41	3.45	0.59	2.86	37.74	24.00	72.00	54.74	7.99	50.75
080000	38.59	4.55	9.18	5.05	24.23	0.41	3.51	0.62	2.89	38.81	24.00	72.00	49.29	9.48	52.23
090000	38.45	3.62	8.39	5.07	26.81	0.41	3.45	0.66	2.79	40.29	24.00	72.00	81.77	7.13	59.48
100000	38.36	3.27	8.93	6.00	31.53	0.41	3.38	0.79	2.59	41.02	24.00	72.00	120.51	6.50	64.90
110000	38.26	3.14	9.63	6.86	34.30	0.40	3.43	0.91	2.52	41.52	24.00	72.00	85.20	6.36	81.30
120000	38.16	3.17	11.35	8.59	34.65	0.42	3.54	1.00	2.54	41.78	24.00	72.00	147.84	5.85	85.13
130000	38.24	2.92	10.78	8.27	41.19	0.42	3.50	1.02	2.48	42.01	24.00	72.00	266.41	8.65	85.64
140000	38.84	2.46	9.54	7.24	45.69	0.40	3.32	0.93	2.39	41.57	24.00	72.00	293.87	9.83	59.99
150000	40.13	2.45	7.98	5.57	39.84	0.39	3.21	0.86	2.35	41.05	24.00	72.00	292.50	7.29	69.44
160000	41.31	2.13	8.18	6.06	36.61	0.40	3.22	0.88	2.34	40.47	24.00	72.00	283.28	5.42	38.73
170000	42.09	1.71	8.75	7.20	33.76	0.40	3.32	0.94	2.38	39.79	24.00	72.00	287.87	1.84	40.60
180000	42.38	1.54	8.01	6.60	32.90	0.40	3.25	0.86	2.39	39.25	24.00	72.00	251.41	0.96	51.91
190000	42.12	1.63	8.72	7.31	30.16	0.40	3.22	0.81	2.41	38.98	24.00	72.00	226.88	0.26	53.48
200000	41.74	1.61	8.12	6.70	28.01	0.40	3.45	0.75	2.70	39.09	24.00	72.00	15.91	3.71	52.36
210000	41.28	1.73	6.89	5.21	30.43	0.39	3.51	0.69	2.82	38.97	24.00	72.00	75.84	3.28	60.06
220000	41.03	2.05	8.61	6.84	28.50	0.40	3.71	0.71	3.00	39.01	24.00	72.00	61.31	2.93	53.42
230000	40.87	2.18	9.06	7.17	25.04	0.41	4.65	0.72	3.93	38.60	24.00	72.00	45.88	6.20	97.33
極大值	42.38	4.95	11.35	8.59	45.69	0.42	4.65	1.02	3.93	42.01	24.00	72.00	293.87	9.83	97.33
極小值	38.16	1.54	6.65	4.55	24.05	0.39	3.21	0.56	2.34	37.00	24.00	72.00	15.91	0.26	38.73
平均值	39.74	2.56	8.34	6.01	30.29	0.40	3.45	0.75	2.70	39.30	24.00	72.00	124.08	5.51	58.81
標準差	1.44	0.88	1.27	1.23	6.01	0.01	0.29	0.14	0.34	1.58	0	0	101.31	2.54	14.88

監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	40.63	2.24	8.30	6.31	24.78	0.41	4.19	0.75	3.44	38.51	24.00	72.00	31.96	7.24	74.03
010000	40.44	2.23	7.58	5.55	25.02	0.41	3.73	0.74	2.99	38.30	47.82	133.76	49.64	6.04	983.46
020000	40.44	2.27	7.53	5.43	24.96	0.39	3.41	0.71	2.70	38.45	24.43	73.10	51.36	6.71	68.43
030000	40.26	2.28	7.10	4.98	25.47	0.39	3.20	0.65	2.55	38.32	24.00	72.00	49.88	7.34	47.77
040000	40.19	2.27	6.85	4.73	25.76	0.39	3.17	0.58	2.59	38.46	24.00	72.00	82.83	11.80	55.81
050000	40.11	2.47	6.57	4.21	26.15	0.39	3.23	0.58	2.65	38.19	24.00	72.00	78.75	13.71	51.85
060000	39.95	2.56	6.52	4.08	26.19	0.39	3.18	0.58	2.60	37.95	24.00	72.00	80.53	14.39	38.53
070000	39.84	3.06	7.05	4.19	26.17	0.40	3.22	0.58	2.64	38.22	24.00	72.00	45.39	9.42	38.30
080000	39.72	3.41	7.82	4.64	26.20	0.40	3.25	0.59	2.66	38.74	24.00	72.00	40.76	9.29	46.54
090000	39.53	3.30	7.74	4.67	27.92	0.39	3.23	0.61	2.62	39.30	24.00	72.00	62.80	10.21	52.67
100000	39.49	2.90	7.11	4.35	30.81	0.39	3.18	0.66	2.52	40.38	24.00	72.00	82.39	8.13	51.82
110000	39.40	2.76	7.38	4.73	34.88	0.39	3.22	0.78	2.44	41.04	24.00	72.00	72.70	8.40	54.46
120000	39.11	2.69	8.32	5.77	39.23	0.39	3.33	0.89	2.44	41.46	24.00	72.00	161.83	5.12	55.00
130000	39.31	2.67	7.90	5.29	42.14	0.40	3.44	0.99	2.45	41.87	24.00	72.00	158.07	4.72	56.23
140000	40.02	2.42	9.57	7.31	42.00	0.40	3.39	0.98	2.41	41.64	24.00	72.00	294.93	8.34	54.11
150000	41.47	2.27	8.43	6.22	40.63	0.40	3.28	0.91	2.37	41.22	24.00	72.00	291.28	7.80	74.32
160000	42.87	2.17	8.62	6.54	38.38	0.40	3.31	0.94	2.37	41.05	24.00	72.00	284.10	7.48	59.76
170000	43.87	1.65	7.47	5.82	42.42	0.40	3.19	0.82	2.37	40.28	24.00	72.00	299.56	8.24	60.98
180000	44.34	1.53	7.15	5.64	38.00	0.39	3.20	0.83	2.37	40.65	24.00	72.00	289.79	2.67	49.30
190000	44.31	1.56	7.51	6.01	33.59	0.39	3.25	0.83	2.42	40.12	24.00	72.00	159.86	3.12	55.00
200000	43.98	1.66	7.77	6.20	30.25	0.40	3.35	0.82	2.53	39.85	24.00	72.00	65.27	5.53	57.91
210000	43.52	1.72	7.62	6.01	28.77	0.40	3.33	0.80	2.53	39.39	24.00	72.00	54.96	5.91	58.46
220000	42.89	1.86	8.13	6.48	27.77	0.40	3.35	0.78	2.57	39.42	24.00	72.00	44.51	7.78	54.83
230000	42.46	1.70	7.15	5.66	28.71	0.40	3.33	0.69	2.64	39.41	24.00	72.00	22.01	8.38	47.62
極大值	44.34	3.41	9.57	7.31	42.42	0.41	4.19	0.99	3.44	41.87	47.82	133.76	299.56	14.39	983.46
極小值	39.11	1.53	6.52	4.08	24.78	0.39	3.17	0.58	2.37	37.95	24.00	72.00	22.01	2.67	38.30
平均值	41.17	2.32	7.63	5.45	31.51	0.40	3.33	0.75	2.58	39.68	25.01	74.62	118.96	7.82	93.63
標準差	1.81	0.54	0.7	0.87	6.42	0.01	0.22	0.13	0.23	1.26	4.86	12.6	98.02	2.83	189.74

監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	42.16	1.79	7.29	5.71	27.87	0.40	3.58	0.70	2.88	39.32	24.00	72.00	32.03	8.60	53.88
010000	41.92	1.86	7.46	5.85	26.70	0.39	3.83	0.67	3.16	38.99	47.83	133.77	31.46	8.49	983.40
020000	41.74	1.98	7.33	5.58	26.12	0.40	3.85	0.64	3.21	38.63	24.43	73.10	37.25	5.80	68.24
030000	41.59	2.23	7.36	5.35	25.58	0.41	4.05	0.66	3.39	37.91	24.00	72.00	50.88	6.35	52.78
040000	41.39	2.27	7.24	5.16	25.41	0.40	3.82	0.68	3.14	38.55	24.00	72.00	59.30	5.54	59.28
050000	41.26	2.66	8.10	5.68	24.69	0.40	3.81	0.69	3.12	38.79	24.00	72.00	33.57	7.05	50.75
060000	41.14	2.48	7.38	5.12	24.67	0.40	3.85	0.67	3.18	38.88	24.00	72.00	36.15	5.53	50.39
070000	41.03	3.99	8.54	4.86	24.60	0.40	4.01	0.69	3.32	39.06	24.00	72.00	55.69	4.54	49.91
080000	40.90	4.78	9.35	4.96	24.50	0.41	4.12	0.72	3.40	39.46	24.00	72.00	56.84	5.15	56.10
090000	40.63	3.39	8.18	5.07	26.44	0.40	3.66	0.74	2.92	40.67	24.00	72.00	175.33	3.14	62.47
100000	40.50	2.96	8.38	5.68	34.65	0.39	3.48	0.88	2.60	40.74	24.00	72.00	245.41	4.02	58.53
110000	40.36	2.95	9.05	6.41	41.49	0.40	3.41	0.92	2.49	41.08	24.00	72.00	289.76	7.46	72.05
120000	40.25	2.77	8.89	6.36	44.44	0.40	3.27	0.82	2.45	41.12	24.00	72.00	292.27	10.76	73.96
130000	40.48	2.46	8.28	5.93	45.58	0.40	3.17	0.73	2.44	40.75	24.00	72.00	289.89	9.51	53.62
140000	40.96	2.31	7.85	5.58	43.73	0.40	3.26	0.83	2.43	40.81	24.00	72.00	293.46	7.95	42.79
150000	41.63	2.24	7.61	5.36	44.59	0.39	3.18	0.76	2.42	40.63	24.00	72.00	295.69	9.03	51.27
160000	42.17	2.14	7.29	5.12	42.71	0.39	3.19	0.78	2.41	40.33	24.00	72.00	298.33	6.43	44.41
170000	42.46	2.06	6.92	4.89	40.85	0.39	3.21	0.80	2.41	40.18	24.00	72.00	289.81	3.28	52.67
180000	42.54	1.77	6.53	4.71	40.34	0.39	3.23	0.82	2.41	40.26	24.00	72.00	285.86	3.67	37.35
190000	42.24	1.94	6.05	3.97	38.31	0.39	3.17	0.78	2.39	40.12	24.00	72.00	279.60	3.29	42.71
200000	41.95	1.86	5.81	3.90	38.85	0.39	3.12	0.74	2.38	40.17	24.00	72.00	283.13	1.19	15.64
210000	41.70	1.87	6.48	4.56	38.27	0.38	3.17	0.74	2.43	40.03	24.00	72.00	307.01	3.53	21.13
220000	41.60	1.98	6.10	4.10	36.36	0.39	3.11	0.68	2.43	39.90	24.00	72.00	267.59	3.17	30.84
230000	41.58	1.89	6.09	4.23	32.81	0.39	3.26	0.69	2.57	39.61	24.00	72.00	122.39	0.27	16.84
極大值	42.54	4.78	9.35	6.41	45.58	0.41	4.12	0.92	3.40	41.12	47.83	133.77	307.01	10.76	983.40
極小值	40.25	1.77	5.81	3.90	24.50	0.38	3.11	0.64	2.38	37.91	24.00	72.00	31.46	0.27	15.64
平均值	41.42	2.44	7.48	5.17	34.15	0.40	3.49	0.74	2.75	39.83	25.01	74.62	183.70	5.57	87.54
標準差	0.68	0.74	0.99	0.69	7.92	0.01	0.34	0.07	0.38	0.9	4.86	12.6	118	2.68	191.44

監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	41.49	1.86	6.43	4.62	30.62	0.39	3.39	0.68	2.71	39.40	24.00	72.00	150.57	0.23	15.15
010000	41.51	1.83	6.80	5.03	28.72	0.38	3.42	0.66	2.76	39.69	24.00	72.00	44.14	3.62	19.19
020000	41.49	1.86	6.58	4.69	28.17	0.39	3.56	0.67	2.89	39.48	24.00	72.00	236.22	0.37	17.33
030000	41.44	1.93	6.75	4.87	28.01	0.40	3.65	0.66	2.99	39.21	24.00	72.00	58.28	4.46	21.87
040000	41.36	2.08	6.64	4.57	27.59	0.39	4.15	0.66	3.49	39.12	24.00	72.00	99.76	1.65	33.45
050000	41.28	2.34	7.05	4.81	25.96	0.39	4.73	0.67	4.06	39.18	24.00	72.00	69.05	2.10	37.53
060000	41.25	2.52	7.10	4.74	25.82	0.42	4.54	0.73	3.81	39.10	24.00	72.00	85.62	4.31	46.30
070000	41.11	2.98	8.43	5.69	25.79	0.42	4.22	0.77	3.45	39.28	24.00	72.00	34.58	6.44	68.33
080000	41.15	3.11	7.97	5.03	26.35	0.41	4.23	0.79	3.44	39.86	24.00	72.00	134.79	3.30	80.58
090000	40.91	2.48	6.87	4.46	34.47	0.38	3.71	0.77	2.94	40.67	24.00	72.00	74.40	8.17	74.71
100000	40.89	2.62	6.71	4.15	38.73	0.39	3.47	0.80	2.67	41.42	24.00	72.00	245.97	3.88	54.15
110000	40.70	2.48	7.60	5.21	48.82	0.40	3.42	0.86	2.56	41.49	24.00	72.00	282.01	7.72	41.60
120000	40.80	2.32	8.79	6.60	55.26	0.41	3.35	0.82	2.53	41.02	24.00	72.00	287.40	10.94	69.27
130000	41.31	2.18	8.39	6.25	56.52	0.41	3.29	0.77	2.52	41.51	24.00	72.00	289.61	11.37	64.00
140000	42.24	2.14	7.56	5.40	52.77	0.40	3.31	0.82	2.49	41.69	24.00	72.00	288.45	9.36	67.53
150000	43.03	2.04	7.77	5.76	50.43	0.41	3.36	0.89	2.47	41.48	24.00	72.00	284.84	6.81	56.77
160000	43.83	1.87	7.59	5.66	47.30	0.42	3.46	0.99	2.47	41.12	24.00	72.00	282.37	5.19	61.17
170000	44.40	1.75	7.53	5.77	49.77	0.41	3.31	0.84	2.47	40.40	24.00	72.00	295.54	8.37	54.22
180000	44.64	1.67	6.81	5.08	45.52	0.40	3.29	0.84	2.45	40.08	24.00	72.00	287.03	3.95	47.14
190000	44.54	1.69	7.04	5.35	42.48	0.39	3.29	0.84	2.45	40.04	24.00	72.00	290.17	4.30	42.91
200000	44.15	1.64	7.05	5.44	40.52	0.40	3.25	0.80	2.45	39.56	24.00	72.00	262.29	2.85	43.46
210000	43.64	1.92	7.11	5.24	37.30	0.44	3.43	0.82	2.61	39.28	24.00	72.00	269.19	0.21	46.23
220000	43.25	1.85	6.65	4.78	37.02	0.40	3.61	0.72	2.89	39.07	24.00	72.00	146.62	2.22	51.99
230000	42.94	1.92	5.93	3.98	35.13	0.40	3.57	0.68	2.89	39.09	24.00	72.00	122.80	4.76	49.71
極大值	44.64	3.11	8.79	6.60	56.52	0.44	4.73	0.99	4.06	41.69	24.00	72.00	295.54	11.37	80.58
極小值	40.70	1.64	5.93	3.98	25.79	0.38	3.25	0.66	2.45	39.07	24.00	72.00	34.58	0.21	15.15
平均值	42.22	2.13	7.21	5.13	38.29	0.40	3.63	0.77	2.85	40.09	24.00	72.00	192.57	4.86	48.52
標準差	1.36	0.4	0.69	0.63	10.39	0.01	0.42	0.09	0.47	0.95	0	0	98.49	3.2	18.14

監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	42.80	1.97	6.89	4.97	31.20	0.40	3.88	0.64	3.24	38.96	24.00	72.00	42.46	10.84	42.43
010000	42.59	1.99	6.64	4.70	31.14	0.41	4.14	0.63	3.51	38.85	47.83	133.77	31.22	11.65	982.90
020000	42.44	2.16	6.56	4.45	30.49	0.41	4.25	0.66	3.59	38.73	24.42	73.08	116.10	2.48	80.18
030000	42.30	2.29	7.00	4.83	27.14	0.41	4.82	0.65	4.17	38.53	24.00	72.00	37.53	8.50	60.21
040000	42.29	2.37	7.12	4.92	27.32	0.41	4.94	0.62	4.32	38.54	24.00	72.00	32.77	9.77	74.59
050000	42.18	2.42	7.11	4.83	26.87	0.40	4.88	0.62	4.26	38.58	24.00	72.00	58.22	6.51	64.20
060000	42.03	3.28	7.49	4.45	25.49	0.41	4.72	0.67	4.05	38.29	24.00	72.00	234.87	0.48	61.44
070000	41.95	4.00	8.53	4.87	24.89	0.41	4.70	0.71	3.99	38.37	24.00	72.00	190.19	0.22	70.59
080000	41.79	3.05	7.42	4.53	27.31	0.41	4.31	0.68	3.63	39.02	24.00	72.00	55.75	6.12	60.79
090000	41.56	3.14	8.98	6.19	33.20	0.41	3.86	0.67	3.19	39.81	24.00	72.00	42.90	12.25	64.23
100000	41.41	3.05	9.54	6.83	35.26	0.42	3.59	0.78	2.81	40.72	24.00	72.00	66.37	9.13	85.02
110000	41.28	2.79	7.58	4.92	42.03	0.41	3.43	0.84	2.59	41.33	24.00	72.00	119.75	7.16	88.73
120000	41.21	2.73	8.45	5.87	46.13	0.41	3.39	0.87	2.52	41.17	24.00	72.00	242.46	7.62	67.15
130000	41.54	2.50	9.39	7.09	48.55	0.40	3.33	0.83	2.50	41.21	24.00	72.00	290.65	9.98	63.65
140000	42.38	2.49	9.94	7.72	46.30	0.41	3.46	0.95	2.51	41.15	24.00	72.00	233.40	9.75	79.13
150000	43.54	2.53	8.83	6.40	45.65	0.41	3.48	0.97	2.51	41.05	24.00	72.00	120.17	7.34	85.59
160000	44.51	2.53	9.74	7.41	41.29	0.41	3.45	0.96	2.49	40.62	24.00	72.00	139.65	4.23	59.30
170000	45.23	1.87	8.81	7.03	36.61	0.41	3.41	0.93	2.48	40.14	24.00	72.00	140.15	2.04	59.99
180000	45.65	1.78	8.25	6.53	36.09	0.41	3.36	0.89	2.47	40.12	24.00	72.00	159.33	3.47	72.10
190000	45.49	1.56	8.40	6.97	32.59	0.41	3.41	0.90	2.51	39.41	24.00	72.00	206.81	1.07	63.79
200000	45.09	1.47	8.23	6.90	31.93	0.41	3.55	0.89	2.66	39.30	24.00	72.00	70.71	4.63	64.23
210000	44.64	1.64	8.00	6.54	31.61	0.40	3.60	0.85	2.75	39.15	24.00	72.00	33.34	5.14	84.81
220000	43.96	1.80	7.90	6.19	30.22	0.40	3.72	0.83	2.89	38.85	24.00	72.00	88.90	1.93	94.34
230000	43.72	1.95	8.03	6.20	28.26	0.41	3.88	0.89	2.99	38.19	24.00	72.00	77.19	1.42	89.11
極大值	45.65	4.00	9.94	7.72	48.55	0.42	4.94	0.97	4.32	41.33	47.83	133.77	290.65	12.25	982.90
極小值	41.21	1.47	6.56	4.45	24.89	0.40	3.33	0.62	2.47	38.19	24.00	72.00	31.22	0.22	42.43
平均值	42.98	2.39	8.12	5.89	34.07	0.41	3.90	0.79	3.11	39.59	25.01	74.62	117.95	5.99	109.10
標準差	1.45	0.62	0.99	1.07	7.24	0	0.55	0.12	0.66	1.08	4.86	12.6	78.77	3.77	186.54

監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	43.58	2.07	7.88	5.93	26.98	0.42	3.95	0.89	3.06	38.09	24.00	72.00	104.99	2.13	91.20
010000	43.41	2.22	8.00	5.96	26.34	0.42	4.44	0.78	3.66	38.08	24.00	72.00	37.94	6.39	94.90
020000	43.18	2.22	7.66	5.64	26.30	0.41	4.67	0.75	3.92	38.05	24.00	72.00	39.91	8.32	87.14
030000	43.10	2.18	7.55	5.61	26.21	0.40	4.61	0.70	3.91	38.22	24.00	72.00	31.28	9.10	82.33
040000	42.96	2.33	7.14	4.94	26.05	0.41	4.45	0.72	3.73	38.50	24.00	72.00	108.97	2.92	77.55
050000	42.80	2.60	7.31	4.92	25.28	0.42	4.44	0.76	3.68	38.59	24.00	72.00	165.19	0.96	72.29
060000	42.76	2.51	6.84	4.46	26.45	0.40	4.28	0.76	3.52	38.98	24.00	72.00	243.08	2.97	78.92
070000	42.47	3.29	8.23	5.23	25.73	0.40	4.04	0.69	3.35	39.14	24.00	72.00	87.84	2.45	51.56
080000	42.37	4.52	10.00	5.92	25.09	0.41	4.13	0.71	3.42	39.43	24.00	72.00	80.59	7.06	60.44
090000	42.25	3.12	8.65	5.81	28.49	0.41	3.79	0.79	3.00	39.92	24.00	72.00	84.50	6.40	82.31
100000	42.13	2.94	9.24	6.64	33.03	0.42	3.64	0.82	2.82	39.97	24.00	72.00	86.29	8.29	91.54
110000	41.93	2.78	9.17	6.74	37.50	0.42	3.53	0.81	2.72	40.61	24.00	72.00	73.68	7.99	103.70
120000	41.90	2.89	9.97	7.44	38.43	0.43	3.55	0.91	2.64	41.29	24.00	72.00	226.54	6.44	100.85
130000	41.86	2.70	9.30	6.89	41.39	0.41	3.34	0.83	2.51	41.38	24.00	72.00	280.38	8.50	106.26
140000	42.18	4.63	13.02	9.02	34.58	0.41	3.31	0.84	2.47	40.83	24.00	72.00	166.52	6.28	58.89
150000	42.59	2.59	8.75	6.38	35.45	0.40	3.28	0.83	2.45	40.63	24.00	72.00	154.40	5.30	59.84
160000	42.86	2.41	8.06	5.80	35.05	0.39	3.28	0.81	2.47	40.18	24.00	72.00	232.36	6.15	52.08
170000	43.10	2.22	7.44	5.31	37.83	0.39	3.22	0.74	2.48	39.92	24.00	72.00	259.31	6.74	52.52
180000	43.18	2.37	8.10	5.88	35.07	0.39	3.21	0.73	2.48	40.00	24.00	72.00	268.27	4.40	59.56
190000	43.00	2.16	7.69	5.64	31.60	0.39	3.28	0.78	2.50	39.70	24.00	72.00	137.78	1.54	66.18
200000	42.80	2.11	7.69	5.64	30.42	0.39	3.33	0.78	2.55	39.49	24.00	72.00	117.94	0.91	58.60
210000	42.76	2.28	7.55	5.40	29.61	0.41	3.43	0.76	2.67	39.13	24.00	72.00	176.92	1.88	52.90
220000	42.78	2.40	7.59	5.32	29.45	0.40	3.45	0.76	2.69	39.33	24.00	72.00	132.56	0.80	53.06
230000	42.73	2.58	7.58	5.17	27.73	0.40	3.86	0.81	3.05	39.27	24.00	72.00	136.47	2.24	61.26
極大值	43.58	4.63	13.02	9.02	41.39	0.43	4.67	0.91	3.92	41.38	24.00	72.00	280.38	9.10	106.26
極小值	41.86	2.07	6.84	4.46	25.09	0.39	3.21	0.69	2.45	38.05	24.00	72.00	31.28	0.80	51.56
平均值	42.70	2.67	8.35	5.90	30.84	0.41	3.77	0.78	2.99	39.53	24.00	72.00	143.07	4.84	73.16
標準差	0.47	0.67	1.31	0.95	4.96	0.01	0.5	0.06	0.52	0.99	0	0	75.57	2.79	18.21

監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	42.84	2.67	8.79	6.41	26.19	0.40	3.93	0.86	3.07	39.22	24.00	72.00	91.89	3.56	61.16
010000	42.75	2.69	8.61	6.18	25.76	0.41	3.86	0.90	2.96	39.22	47.84	133.80	91.44	4.88	983.81
020000	42.69	2.48	8.23	5.96	26.26	0.41	4.03	0.80	3.23	39.35	24.42	73.08	34.03	7.46	81.61
030000	42.72	2.56	7.39	4.97	26.27	0.40	3.88	0.78	3.10	39.42	24.00	72.00	76.37	5.61	61.94
040000	42.59	2.43	7.17	4.88	25.95	0.40	4.03	0.75	3.28	39.33	24.00	72.00	89.18	3.34	66.20
050000	42.61	2.75	7.07	4.49	25.57	0.40	4.01	0.80	3.21	39.11	24.00	72.00	233.61	4.96	56.18
060000	42.57	2.73	7.81	5.31	25.22	0.40	4.07	0.81	3.26	38.63	24.00	72.00	61.46	15.15	66.80
070000	42.58	2.81	7.64	4.95	26.08	0.40	3.62	0.67	2.95	38.43	24.00	72.00	34.93	14.10	70.93
080000	42.42	3.44	7.85	4.65	26.17	0.40	3.52	0.67	2.85	38.97	24.00	72.00	90.71	8.28	72.63
090000	42.37	2.89	7.41	4.72	34.10	0.40	3.02	0.38	2.64	39.09	24.00	72.00	58.89	12.85	67.36
100000	42.30	2.65	6.72	4.19	31.84	0.39	2.97	0.41	2.56	39.81	24.00	72.00	60.81	10.73	71.19
110000	23.30	2.67	6.98	4.43	30.92	0.40	3.10	0.56	2.54	40.64	24.00	72.00	83.72	8.43	60.38
120000	0.26	2.61	6.80	4.24	32.75	0.39	3.24	0.71	2.53	41.23	24.00	72.00	104.36	10.83	59.70
130000	0.42	2.47	7.57	5.18	33.86	0.39	3.38	0.87	2.51	41.59	24.00	72.00	79.48	7.90	46.49
140000	0.91	2.48	8.79	6.45	32.55	0.40	3.51	0.95	2.56	41.11	24.00	72.00	184.96	7.22	65.76
150000	1.86	2.33	11.62	9.68	31.48	0.40	3.31	0.79	2.52	40.21	24.00	72.00	286.99	13.42	94.28
160000	2.59	2.44	9.31	7.08	32.03	0.40	3.25	0.79	2.46	40.07	24.00	72.00	295.80	9.27	95.51
170000	2.98	2.32	8.14	5.92	26.93	0.39	3.29	0.84	2.45	39.80	24.00	72.00	286.01	6.46	75.54
180000	3.04	2.19	8.17	6.12	23.95	0.40	3.28	0.83	2.45	39.87	24.00	72.00	271.53	4.31	53.46
190000	2.88	2.15	8.04	5.99	21.91	0.39	3.31	0.84	2.47	39.67	24.00	72.00	270.10	2.74	45.93
200000	2.62	2.16	7.54	5.45	21.53	0.38	3.31	0.85	2.46	39.64	24.00	72.00	274.87	1.66	45.72
210000	2.33	2.10	7.48	5.44	19.84	0.38	3.28	0.83	2.45	39.64	24.00	72.00	271.74	1.38	39.62
220000	2.02	2.24	7.70	5.54	19.69	0.39	3.43	0.80	2.63	39.38	24.00	72.00	140.04	4.30	42.05
230000	1.74	2.39	8.51	6.33	15.47	0.40	3.94	0.84	3.10	39.29	24.00	72.00	99.62	4.51	68.34
極大值	42.84	3.44	11.62	9.68	34.10	0.41	4.07	0.95	3.28	41.59	47.84	133.80	295.80	15.15	983.81
極小值	0.26	2.10	6.72	4.19	15.47	0.38	2.97	0.38	2.45	38.43	24.00	72.00	34.03	1.38	39.62
平均值	21.47	2.53	7.97	5.61	26.76	0.40	3.52	0.76	2.76	39.70	25.01	74.62	148.86	7.22	102.19
標準差	20.3	0.3	1.02	1.17	4.93	0.01	0.35	0.14	0.31	0.79	4.86	12.61	95.7	3.98	188.34

監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	1.51	2.58	8.80	6.49	15.13	0.40	4.29	0.79	3.50	39.03	24.00	72.00	37.18	10.83	78.20
010000	1.36	2.45	7.47	5.17	15.67	0.40	3.97	0.80	3.17	38.89	47.85	133.83	102.04	5.71	984.11
020000	1.22	2.54	7.86	5.51	15.07	0.40	4.09	0.79	3.30	38.75	24.43	73.12	84.86	4.82	86.63
030000	1.20	2.78	7.35	4.76	14.90	0.39	4.28	0.77	3.51	38.62	24.00	72.00	104.40	4.22	69.02
040000	1.16	2.75	7.63	5.07	15.14	0.39	4.09	0.72	3.37	38.43	24.00	72.00	31.34	11.94	64.14
050000	1.03	3.00	7.29	4.46	15.26	0.39	4.01	0.70	3.31	38.25	24.00	72.00	110.58	6.20	65.97
060000	0.85	3.31	8.28	5.22	14.97	0.40	3.82	0.74	3.08	37.98	24.00	72.00	40.58	6.75	65.30
070000	0.83	5.04	9.58	4.89	14.74	0.40	3.85	0.75	3.10	38.30	24.00	72.00	98.56	1.35	79.76
080000	0.79	4.66	9.12	4.77	15.08	0.40	4.05	0.73	3.32	38.75	24.00	72.00	108.43	4.73	73.26
090000	0.71	4.05	8.87	5.08	16.03	0.39	3.81	0.75	3.06	39.62	24.00	72.00	116.86	5.18	75.56
100000	0.69	3.17	7.61	4.63	19.95	0.39	3.53	0.72	2.81	40.15	24.00	72.00	127.18	6.17	83.69
110000	0.63	3.08	8.34	5.50	23.82	0.39	3.36	0.80	2.56	40.85	24.00	72.00	95.34	7.70	65.28
120000	0.72	2.73	8.60	6.03	26.73	0.40	3.38	0.88	2.50	41.08	24.00	72.00	248.45	8.15	64.54
130000	0.99	2.59	8.69	6.26	33.26	0.40	3.47	0.95	2.52	41.50	24.00	72.00	280.25	9.00	63.69
140000	1.62	2.56	9.71	7.38	34.93	0.41	3.48	0.95	2.53	41.09	24.00	72.00	285.64	9.31	72.00
150000	2.48	2.71	10.47	8.14	33.63	0.43	3.57	1.01	2.56	41.36	24.00	72.00	277.07	7.72	80.88
160000	3.29	2.52	9.95	7.64	30.53	0.43	3.67	1.11	2.56	41.15	24.00	72.00	286.39	7.45	74.24
170000	3.95	2.40	9.48	7.29	30.12	0.41	3.54	1.03	2.51	40.66	24.00	72.00	277.45	4.44	75.37
180000	4.33	2.06	10.09	8.30	24.05	0.41	3.49	0.96	2.53	40.14	24.00	72.00	218.42	0.43	61.02
190000	4.37	2.62	11.55	9.41	17.97	0.42	3.57	0.98	2.59	39.63	24.00	72.00	148.02	0.82	65.90
200000	4.11	2.06	10.57	8.90	17.34	0.41	3.88	0.85	3.03	39.32	24.00	72.00	60.22	2.07	80.82
210000	3.70	1.89	8.00	6.25	21.18	0.40	3.99	0.77	3.22	38.38	24.00	72.00	74.06	0.97	72.76
220000	3.19	2.03	7.30	5.30	21.72	0.37	3.87	0.75	3.12	38.22	24.00	72.00	255.33	0.60	69.14
230000	2.71	2.13	7.64	5.59	20.33	0.36	3.80	0.73	3.07	38.27	24.00	72.00	100.38	2.26	57.14
極大值	4.37	5.04	11.55	9.41	34.93	0.43	4.29	1.11	3.51	41.50	47.85	133.83	286.39	11.94	984.11
極小值	0.63	1.89	7.29	4.46	14.74	0.36	3.36	0.70	2.50	37.98	24.00	72.00	31.34	0.43	57.14
平均值	1.98	2.82	8.76	6.17	21.15	0.40	3.79	0.83	2.95	39.52	25.01	74.62	148.71	5.37	109.52
標準差	1.35	0.78	1.2	1.45	6.88	0.02	0.28	0.12	0.36	1.19	4.87	12.61	89.93	3.33	186.44

監測報表

時間/單位	SO2 (ppb)	NO (ppb)	NOX (ppb)	NO2 (ppb)	O3 (ppb)	CO (ppm)	THC (ppm)	NMHC (ppm)	CH4 (ppm)	站外溫 (°C)	站內溫 (°C)	RH (%)	WD (°)	WS (m/s)	PM10 (ug/m)
000000	2.35	2.21	8.70	6.71	17.03	0.35	4.84	0.70	4.14	38.48	24.00	72.00	29.12	9.82	62.67
010000	2.15	2.29	9.19	7.19	16.09	0.35	4.73	0.73	4.00	38.28	47.41	132.67	18.69	10.65	966.53
020000	1.91	2.56	8.46	6.15	15.49	0.34	4.83	0.73	4.10	38.00	24.82	74.13	75.09	4.93	95.80
030000	1.80	3.07	7.95	5.10	15.19	0.34	4.64	0.72	3.92	37.90	24.00	72.00	140.05	1.10	56.50
040000	1.63	2.79	7.59	4.95	16.40	0.34	4.34	0.65	3.69	37.82	24.00	72.00	29.80	7.86	48.49
050000	1.55	2.85	6.98	4.30	17.60	0.33	4.04	0.61	3.43	37.63	24.00	72.00	123.40	5.13	51.68
060000	1.38	4.31	9.13	5.14	15.10	0.33	4.29	0.62	3.67	37.46	24.00	72.00	49.27	6.32	48.33
070000	1.29	5.85	10.88	5.62	14.78	0.34	4.70	0.62	4.08	37.69	24.00	72.00	35.34	10.44	45.11
080000	1.19	5.37	10.56	5.75	15.29	0.34	4.39	0.60	3.79	39.84	24.00	72.00	49.58	11.47	54.63
090000	1.10	3.33	7.71	4.62	20.25	0.34	3.78	0.65	3.13	40.99	24.00	72.00	61.60	8.04	45.54
100000	0.94	3.11	6.99	4.02	25.01	0.34	3.48	0.76	2.72	41.55	24.00	72.00	64.63	8.05	48.35
110000	0.93	2.92	7.39	4.60	26.58	0.34	3.46	0.90	2.56	42.48	24.00	72.00	158.31	5.10	44.56
120000	1.15	2.44	8.71	6.40	30.48	0.33	3.36	0.85	2.51	42.19	24.00	72.00	288.65	11.14	38.88
130000	2.01	2.41	7.14	4.65	29.26	0.33	3.03	0.60	2.43	42.26	24.00	72.00	282.80	21.38	75.61
140000	3.27	3.01	7.06	3.95	24.43	0.33	2.86	0.48	2.38	42.18	29.19	81.94	287.96	24.13	591.06
150000	4.45	3.29	7.24	3.92	22.58	0.33	2.87	0.49	2.38	42.15	24.19	72.35	292.45	22.51	242.40
160000	5.18	2.12	5.90	3.58	24.12	0.34	2.88	0.50	2.38	41.98	24.00	72.00	285.54	19.47	127.87
170000	5.45	1.84	6.28	4.27	24.27	0.34	2.88	0.51	2.37	41.66	24.00	72.00	291.72	16.34	51.35
180000	5.47	1.98	7.20	5.22	22.96	0.34	2.97	0.58	2.39	41.51	24.00	72.00	289.46	14.10	23.41
190000	5.22	1.89	7.39	5.46	21.29	0.35	3.03	0.63	2.40	41.29	24.00	72.00	294.43	11.78	63.07
200000	4.83	2.00	7.57	5.60	22.02	0.35	2.95	0.59	2.36	41.26	24.00	72.00	298.54	10.09	44.78
210000	4.26	2.06	7.06	5.03	21.81	0.33	2.95	0.58	2.37	41.02	24.00	72.00	198.28	6.89	18.08
220000	3.82	2.20	6.71	4.51	16.79	0.34	3.33	0.70	2.63	40.78	24.00	72.00	188.13	1.09	19.29
230000	3.29	2.30	6.96	4.73	14.74	0.34	3.70	0.74	2.96	40.36	24.00	72.00	181.26	2.22	26.47
極大值	5.47	5.85	10.88	7.19	30.48	0.35	4.84	0.90	4.14	42.48	47.41	132.67	298.54	24.13	966.53
極小值	0.93	1.84	5.90	3.58	14.74	0.33	2.86	0.48	2.36	37.46	24.00	72.00	18.69	1.09	18.08
平均值	2.78	2.84	7.78	5.06	20.40	0.34	3.68	0.65	3.03	40.28	25.23	75.05	167.25	10.42	120.44
標準差	1.64	1.03	1.23	0.92	4.83	0.01	0.74	0.11	0.7	1.83	4.84	12.44	109.52	6.47	215.02

監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	2.79	2.34	6.73	4.43	15.46	0.34	3.53	0.75	2.78	40.21	24.00	72.00	278.56	2.88	26.13
010000	2.44	2.27	6.55	4.29	15.84	0.34	3.56	0.68	2.88	39.89	24.00	72.00	56.38	6.02	20.37
020000	2.26	2.22	6.89	4.66	15.49	0.34	3.58	0.63	2.95	39.58	24.00	72.00	48.30	8.27	23.77
030000	2.11	2.57	7.43	4.96	14.69	0.34	3.81	0.63	3.18	39.20	24.00	72.00	50.33	7.58	22.06
040000	1.99	2.55	6.82	4.33	14.85	0.34	4.06	0.61	3.45	39.03	24.00	72.00	56.43	6.31	23.15
050000	1.82	2.57	7.03	4.58	14.80	0.34	4.09	0.59	3.50	38.57	24.00	72.00	50.59	5.90	20.82
060000	1.82	3.30	8.03	4.89	14.88	0.34	4.07	0.60	3.47	38.81	24.00	72.00	26.27	5.27	17.22
070000	1.71	4.42	9.13	4.98	14.97	0.34	3.87	0.61	3.26	39.07	24.00	72.00	39.20	8.12	21.06
080000	1.57	4.66	9.25	4.92	15.04	0.34	4.00	0.69	3.31	40.19	24.00	72.00	56.92	6.78	23.36
090000	1.49	3.33	7.49	4.35	16.85	0.34	3.77	0.69	3.08	41.28	24.00	72.00	79.96	6.43	36.68
100000	1.43	3.30	7.52	4.37	18.16	0.33	3.57	0.85	2.72	42.18	24.00	72.00	249.73	3.95	30.74
110000	1.45	3.09	8.31	5.32	18.47	0.34	3.33	0.87	2.46	42.24	24.00	72.00	282.99	8.37	26.28
120000	2.09	2.86	8.49	5.73	20.27	0.33	3.25	0.85	2.40	42.23	24.00	72.00	280.42	10.69	38.44
130000	3.29	2.72	8.31	5.58	20.96	0.33	3.31	0.89	2.42	41.93	24.00	72.00	292.11	11.37	20.48
140000	4.86	2.60	7.78	5.14	19.95	0.33	3.16	0.86	2.30	41.79	24.00	72.00	287.79	10.49	27.27
150000	6.50	2.58	7.50	4.86	20.79	0.33	3.07	0.86	2.21	40.18	24.00	72.00	288.62	10.29	23.15
160000	7.83	2.42	7.30	4.78	19.27	0.33	3.13	0.90	2.23	36.42	24.00	72.00	293.56	9.63	20.87
170000	8.73	2.35	7.59	5.20	17.08	0.34	3.16	0.90	2.26	42.69	24.00	72.00	196.30	6.32	16.59
180000	9.04	2.15	6.78	4.55	16.82	0.34	3.20	0.91	2.29	41.57	24.00	72.00	122.24	5.56	23.24
190000	8.99	1.66	5.92	4.07	18.59	0.34	3.13	0.83	2.30	40.91	24.00	72.00	48.44	6.26	23.48
200000	8.63	1.78	6.07	4.17	17.44	0.34	3.18	0.76	2.42	40.85	24.00	72.00	57.01	4.32	18.58
210000	8.16	1.96	6.23	4.19	17.39	0.34	3.28	0.75	2.53	40.76	24.00	72.00	69.34	4.31	24.00
220000	7.61	1.97	6.21	4.18	17.45	0.34	3.24	0.75	2.49	40.57	24.00	72.00	67.71	7.06	27.56
230000	7.08	2.05	6.18	4.07	17.38	0.34	3.14	0.71	2.43	41.10	24.00	72.00	39.71	5.94	24.32
極大值	9.04	4.66	9.25	5.73	20.96	0.34	4.09	0.91	3.50	42.69	24.00	72.00	293.56	11.37	38.44
極小值	1.43	1.66	5.92	4.07	14.69	0.33	3.07	0.59	2.21	36.42	24.00	72.00	26.27	2.88	16.59
平均值	4.40	2.66	7.31	4.69	17.20	0.34	3.48	0.76	2.72	40.47	24.00	72.00	138.29	7.00	24.15
標準差	3.02	0.74	0.94	0.47	2.02	0	0.35	0.11	0.44	1.48	0	0	108.95	2.27	5.27

監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	6.58	2.16	6.57	4.42	16.29	0.34	3.41	0.71	2.70	41.02	24.00	72.00	44.77	7.47	25.65
010000	5.93	2.25	6.79	4.57	15.87	0.34	3.55	0.71	2.84	41.10	47.45	132.76	82.44	8.17	966.97
020000	5.36	2.51	6.93	4.53	15.06	0.34	4.07	0.66	3.41	39.95	24.87	74.24	44.98	7.12	58.24
030000	4.81	2.51	6.28	3.71	15.29	0.34	3.85	0.65	3.20	39.26	24.00	72.00	42.77	9.40	26.90
040000	4.36	2.60	6.04	3.43	16.19	0.34	3.33	0.63	2.70	39.48	24.00	72.00	94.21	10.30	20.93
050000	4.00	2.61	6.13	3.55	16.09	0.34	3.18	0.62	2.56	39.72	24.00	72.00	124.70	5.39	21.44
060000	3.78	2.86	6.73	3.96	14.84	0.34	3.56	0.66	2.90	39.87	24.00	72.00	222.97	0.66	23.81
070000	3.55	3.21	6.96	3.88	15.05	0.34	3.44	0.64	2.80	40.02	24.00	72.00	27.63	8.63	21.78
080000	3.39	3.23	6.68	3.47	15.84	0.34	3.23	0.62	2.61	40.06	24.00	72.00	52.01	7.96	21.46
090000	3.19	3.20	6.70	3.57	16.70	0.33	3.22	0.67	2.55	40.83	24.00	72.00	128.89	5.60	26.42
100000	3.05	3.16	6.87	3.76	17.66	0.33	3.34	0.83	2.51	41.85	24.00	72.00	269.96	4.20	27.01
110000	3.13	2.91	7.96	5.12	21.03	0.34	3.27	0.82	2.45	41.68	24.00	72.00	293.31	10.31	36.39
120000	3.90	2.76	8.43	5.77	25.43	0.33	3.14	0.78	2.36	41.13	24.00	72.00	287.07	12.15	41.73
130000	4.88	2.62	8.61	6.07	26.38	0.33	3.09	0.74	2.35	41.20	24.00	72.00	292.09	12.51	47.40
140000	5.99	2.41	8.08	5.75	28.68	0.33	3.03	0.70	2.33	41.20	24.00	72.00	292.04	13.58	45.96
150000	6.95	2.32	7.38	5.03	30.26	0.34	3.00	0.68	2.32	40.96	24.00	72.00	286.36	11.75	37.13
160000	7.59	2.26	7.22	4.95	28.43	0.34	3.02	0.70	2.32	40.67	24.00	72.00	301.44	10.98	36.51
170000	7.70	2.08	6.80	4.61	26.50	0.34	3.07	0.75	2.32	40.49	24.00	72.00	285.46	8.90	33.89
180000	7.51	2.03	7.04	4.98	23.98	0.34	3.16	0.81	2.35	40.18	24.00	72.00	264.38	2.84	36.40
190000	7.04	2.04	7.17	5.14	21.74	0.35	3.17	0.77	2.40	40.01	24.00	72.00	95.52	2.21	34.78
200000	6.49	2.25	7.22	5.05	21.09	0.34	3.19	0.72	2.47	39.51	24.00	72.00	117.06	4.58	49.04
210000	5.85	2.24	7.73	5.59	19.01	0.35	3.28	0.72	2.56	38.53	24.00	72.00	93.59	5.61	69.03
220000	5.18	2.25	7.65	5.48	17.72	0.34	3.28	0.70	2.58	38.01	24.00	72.00	106.44	7.03	63.81
230000	4.67	2.29	7.37	5.24	17.28	0.35	3.18	0.65	2.53	37.92	24.00	72.00	105.68	6.20	57.92
極大值	7.70	3.23	8.61	6.07	30.26	0.35	4.07	0.83	3.41	41.85	47.45	132.76	301.44	13.58	966.97
極小值	3.05	2.03	6.04	3.43	14.84	0.33	3.00	0.62	2.32	37.92	24.00	72.00	27.63	0.66	20.93
平均值	5.20	2.53	7.14	4.65	20.10	0.34	3.29	0.71	2.59	40.19	25.01	74.62	164.82	7.65	76.28
標準差	1.54	0.39	0.67	0.82	5.07	0.01	0.26	0.06	0.28	1.06	4.78	12.39	103.24	3.4	190.24

監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	4.33	2.16	7.24	5.19	17.05	0.35	3.15	0.63	2.52	40.30	24.00	72.00	159.10	0.14	42.45
010000	4.01	2.16	7.03	4.94	17.40	0.35	3.12	0.62	2.50	40.19	47.82	133.82	47.57	2.23	982.90
020000	3.74	2.09	6.71	4.72	17.61	0.35	3.10	0.60	2.50	40.17	24.43	73.10	57.64	2.08	44.89
030000	3.50	2.10	6.71	4.68	17.69	0.35	3.12	0.58	2.54	40.11	24.00	72.00	100.85	0.22	31.04
040000	3.31	2.24	6.52	4.38	18.04	0.34	3.09	0.56	2.53	39.66	24.00	72.00	48.20	0.82	30.14
050000	3.09	2.31	6.89	4.73	18.10	0.35	3.18	0.66	2.52	39.63	24.00	72.00	73.84	2.20	28.43
060000	2.89	2.35	6.86	4.67	18.05	0.35	3.22	0.72	2.50	39.85	24.00	72.00	24.31	1.36	34.59
070000	2.70	2.97	7.34	4.61	17.93	0.34	3.05	0.54	2.51	40.21	24.00	72.00	55.40	4.35	59.54
080000	2.52	3.53	8.02	4.86	17.60	0.34	3.06	0.55	2.51	41.23	24.00	72.00	114.33	2.47	48.01
090000	2.35	3.75	8.06	4.65	18.95	0.34	3.10	0.55	2.55	42.83	24.00	72.00	225.02	2.33	47.80
100000	2.13	3.61	8.47	5.16	19.65	0.34	3.23	0.65	2.58	43.11	24.00	72.00	206.43	2.13	62.93
110000	2.10	3.33	9.60	6.68	23.95	0.34	3.31	0.79	2.52	43.05	24.00	72.00	286.06	2.71	65.36
120000	2.01	2.98	11.29	8.86	26.90	0.34	3.20	0.75	2.45	42.92	24.00	72.00	287.69	9.62	76.01
130000	2.01	2.85	9.48	6.96	30.51	0.34	3.10	0.69	2.41	43.05	24.00	72.00	287.75	8.78	74.50
140000	2.02	2.83	9.86	7.36	30.19	0.34	3.05	0.67	2.38	42.85	24.00	72.00	278.65	8.60	60.57
150000	2.17	2.47	8.66	6.40	36.94	0.34	2.99	0.61	2.38	42.35	24.00	72.00	286.11	7.30	62.95
160000	2.20	2.39	7.86	5.58	33.03	0.34	2.99	0.62	2.37	41.99	24.00	72.00	287.01	5.60	46.12
170000	2.16	2.60	8.86	6.52	27.77	0.35	3.01	0.64	2.37	42.12	24.00	72.00	195.87	1.40	41.77
180000	2.13	2.73	9.59	7.20	24.93	0.34	3.05	0.67	2.38	41.84	24.00	72.00	109.96	0.66	39.45
190000	2.08	2.61	9.91	7.75	19.93	0.35	3.15	0.72	2.43	41.80	24.00	72.00	77.95	2.85	44.02
200000	2.00	2.51	9.83	7.72	17.80	0.35	3.20	0.70	2.50	41.65	24.00	72.00	55.91	5.42	61.82
210000	1.92	2.34	9.28	7.32	16.89	0.34	3.19	0.64	2.55	41.43	24.00	72.00	141.35	0.14	54.24
220000	1.85	2.19	8.14	6.17	17.51	0.34	3.23	0.61	2.62	41.55	24.00	72.00	232.69	1.03	56.06
230000	1.76	2.36	8.27	6.20	17.66	0.35	3.18	0.62	2.56	41.86	24.00	72.00	182.28	0.63	53.65
極大值	4.33	3.75	11.29	8.86	36.94	0.35	3.31	0.79	2.62	43.11	47.82	133.82	287.75	9.62	982.90
極小值	1.76	2.09	6.52	4.38	16.89	0.34	2.99	0.54	2.37	39.63	24.00	72.00	24.31	0.14	28.43
平均值	2.54	2.64	8.35	5.97	21.75	0.34	3.13	0.64	2.49	41.49	25.01	74.62	159.25	3.13	89.55
標準差	0.74	0.5	1.3	1.29	5.97	0.01	0.08	0.06	0.07	1.2	4.86	12.61	94.75	2.9	190.74

監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	1.69	2.64	8.37	6.09	16.33	0.34	3.19	0.62	2.57	41.45	24.00	72.00	48.12	0.81	47.22
010000	1.60	2.80	8.22	5.75	16.39	0.34	3.21	0.61	2.60	41.36	47.84	133.88	39.70	1.92	983.57
020000	1.46	2.90	7.99	5.37	16.50	0.34	3.17	0.59	2.58	40.72	24.42	73.09	137.97	1.86	49.20
030000	1.36	3.14	8.16	5.32	16.17	0.34	3.14	0.58	2.56	40.84	24.00	72.00	50.16	9.65	36.92
040000	1.19	3.10	8.59	5.88	15.73	0.35	3.14	0.58	2.56	40.84	24.00	72.00	65.33	3.57	46.44
050000	1.06	3.20	8.46	5.63	15.44	0.35	3.14	0.58	2.56	40.51	24.00	72.00	152.12	0.71	48.59
060000	1.00	3.58	8.62	5.41	15.50	0.35	3.25	0.64	2.61	40.79	24.00	72.00	60.34	4.28	56.46
070000	0.82	5.04	10.23	5.75	14.76	0.34	3.29	0.65	2.64	41.17	24.00	72.00	51.04	6.78	59.25
080000	0.75	5.86	11.54	6.40	14.93	0.34	3.28	0.63	2.65	41.67	24.00	72.00	63.45	8.43	62.91
090000	0.68	4.90	10.42	6.12	16.77	0.34	3.23	0.61	2.62	42.78	24.00	72.00	99.75	6.44	67.03
100000	0.59	3.82	10.78	7.50	22.48	0.34	3.35	0.75	2.60	43.33	24.00	72.00	117.31	5.91	75.75
110000	0.54	3.36	11.50	8.72	26.73	0.34	3.36	0.85	2.51	43.55	24.00	72.00	195.27	5.78	76.31
120000	0.59	3.10	9.89	7.17	33.34	0.34	3.22	0.80	2.42	43.30	24.00	72.00	282.92	8.66	83.14
130000	0.59	3.01	10.07	7.40	33.50	0.34	3.09	0.71	2.38	43.00	24.00	72.00	289.23	9.14	72.01
140000	0.65	2.90	9.51	6.91	32.61	0.33	3.11	0.72	2.39	43.04	24.00	72.00	287.27	7.80	63.56
150000	0.90	2.77	9.31	6.78	32.01	0.34	3.15	0.76	2.39	42.79	24.00	72.00	288.22	7.76	60.35
160000	1.28	2.78	9.96	7.46	27.52	0.34	3.19	0.80	2.39	42.33	24.00	72.00	286.30	6.56	56.66
170000	1.60	2.40	8.39	6.21	28.31	0.34	3.14	0.75	2.39	41.83	24.00	72.00	276.99	3.02	43.13
180000	1.65	2.37	8.94	6.81	24.80	0.34	3.12	0.71	2.41	41.46	24.00	72.00	191.65	0.25	39.47
190000	1.54	2.14	7.88	5.89	24.89	0.34	3.03	0.62	2.41	41.48	24.00	72.00	226.48	0.31	36.76
200000	1.45	1.96	6.83	4.96	25.28	0.35	2.96	0.55	2.41	41.31	24.00	72.00	61.23	2.67	48.39
210000	1.34	1.90	6.63	4.83	23.89	0.35	3.00	0.52	2.48	41.32	24.00	72.00	155.93	3.44	57.89
220000	1.32	2.03	6.69	4.74	22.40	0.34	3.12	0.53	2.59	41.16	24.00	72.00	287.04	0.51	54.16
230000	1.15	2.18	6.57	4.45	21.69	0.35	3.03	0.52	2.51	40.87	24.00	72.00	215.84	0.38	51.26
極大值	1.69	5.86	11.54	8.72	33.50	0.35	3.36	0.85	2.65	43.55	47.84	133.88	289.23	9.65	983.57
極小值	0.54	1.90	6.57	4.45	14.76	0.33	2.96	0.52	2.38	40.51	24.00	72.00	39.70	0.25	36.76
平均值	1.12	3.08	8.90	6.15	22.42	0.34	3.16	0.65	2.51	41.79	25.01	74.62	163.74	4.44	94.85
標準差	0.39	0.99	1.46	1.04	6.51	0.01	0.1	0.1	0.1	0.96	4.86	12.62	96.59	3.21	189.71

監測報表

時間/單位	SO2 (ppb)	NO (ppb)	NOX (ppb)	NO2 (ppb)	O3 (ppb)	CO (ppm)	THC (ppm)	NMHC (ppm)	CH4 (ppm)	站外溫 (°C)	站內溫 (°C)	RH (%)	WD (°)	WS (m/s)	PM10 (ug/m)
000000	1.03	2.59	6.67	4.25	21.15	0.35	2.99	0.51	2.48	40.62	24.00	72.00	156.44	1.61	42.77
010000	0.91	2.86	6.75	4.15	20.50	0.34	2.99	0.51	2.48	40.50	47.83	133.85	47.63	5.05	983.21
020000	0.77	2.93	6.62	3.85	20.37	0.34	3.01	0.50	2.51	40.43	24.41	73.07	21.16	7.60	60.79
030000	0.64	3.02	6.71	3.89	20.53	0.35	3.03	0.48	2.55	40.42	24.00	72.00	17.83	11.27	48.73
040000	0.57	3.23	6.97	3.96	19.17	0.34	3.24	0.47	2.77	40.59	24.00	72.00	31.52	7.44	47.62
050000	0.44	3.21	7.07	4.08	20.27	0.34	3.35	0.48	2.87	39.62	24.00	72.00	130.14	0.39	42.00
060000	0.30	3.19	7.02	4.12	21.17	0.34	3.34	0.49	2.85	39.75	24.00	72.00	24.43	8.03	32.96
070000	0.32	3.61	7.62	4.35	22.10	0.34	3.21	0.49	2.72	40.00	24.00	72.00	81.81	6.85	47.06
080000	0.00	3.93	8.03	4.49	22.88	0.34	3.10	0.48	2.62	40.35	24.00	72.00	83.64	6.60	36.49
090000	0.00	3.87	8.13	4.68	25.08	0.34	3.08	0.53	2.55	41.77	24.00	72.00	196.40	2.63	37.25
100000	0.00	3.59	7.87	4.64	25.85	0.34	3.12	0.63	2.49	42.85	24.00	72.00	267.37	4.33	42.32
110000	0.00	3.41	8.39	5.28	25.75	0.34	3.16	0.72	2.44	42.76	24.00	72.00	263.03	6.57	34.15
120000	0.00	3.30	9.74	6.80	29.85	0.34	3.25	0.83	2.42	42.29	24.00	72.00	277.81	6.42	40.10
130000	0.00	3.18	10.18	7.37	32.64	0.34	3.30	0.88	2.42	42.47	24.00	72.00	287.04	7.22	29.70
140000	0.00	2.99	9.89	7.21	35.86	0.34	3.33	0.91	2.42	42.17	24.00	72.00	292.21	8.22	35.99
150000	0.49	2.79	8.93	6.33	35.75	0.34	3.25	0.84	2.41	42.10	24.00	72.00	289.08	7.44	34.36
160000	0.92	2.70	8.85	6.40	34.88	0.34	3.20	0.80	2.40	41.89	24.00	72.00	284.78	5.69	23.70
170000	1.39	2.17	8.79	6.79	34.60	0.35	3.17	0.78	2.39	41.46	24.00	72.00	243.26	1.58	32.19
180000	1.56	2.29	9.32	7.25	27.99	0.34	3.19	0.78	2.41	41.15	24.00	72.00	146.86	0.25	42.23
190000	1.47	2.30	10.08	8.19	22.43	0.34	3.36	0.81	2.55	41.09	24.00	72.00	139.11	0.63	36.60
200000	1.26	2.04	9.03	7.29	22.28	0.34	3.36	0.74	2.62	39.05	24.00	72.00	72.72	0.90	43.28
210000	1.24	1.99	9.45	7.83	20.18	0.34	3.42	0.73	2.69	38.14	24.00	72.00	180.38	0.32	40.95
220000	1.03	2.17	9.55	7.75	18.25	0.35	3.36	0.75	2.61	38.92	24.00	72.00	151.27	0.44	38.26
230000	0.99	2.14	9.11	7.27	17.95	0.35	3.28	0.70	2.58	38.92	24.00	72.00	226.94	1.18	35.06
極大值	1.56	3.93	10.18	8.19	35.86	0.35	3.42	0.91	2.87	42.85	47.83	133.85	292.21	11.27	983.21
極小值	0.00	1.99	6.62	3.85	17.95	0.34	2.99	0.47	2.39	38.14	24.00	72.00	17.83	0.25	23.70
平均值	0.64	2.90	8.37	5.76	24.90	0.34	3.21	0.66	2.55	40.80	25.01	74.62	163.04	4.53	78.66
標準差	0.54	0.59	1.2	1.55	5.93	0	0.13	0.15	0.14	1.33	4.86	12.62	98.46	3.33	192.81

監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	0.87	2.18	9.23	7.45	16.96	0.35	3.32	0.68	2.64	38.28	24.00	72.00	96.90	4.35	36.47
010000	0.72	2.22	8.14	6.17	17.18	0.35	3.26	0.65	2.61	39.02	47.82	133.82	34.90	5.55	982.79
020000	0.65	2.33	7.78	5.65	17.98	0.35	3.18	0.60	2.58	39.91	24.43	73.10	59.60	4.49	55.35
030000	0.63	2.72	7.79	5.30	17.45	0.34	3.26	0.60	2.66	39.84	24.00	72.00	55.35	1.03	41.90
040000	0.45	3.08	8.72	5.97	16.58	0.34	3.25	0.63	2.62	39.99	24.00	72.00	78.35	1.63	33.94
050000	0.39	2.99	8.45	5.90	16.01	0.34	3.19	0.61	2.58	39.95	24.00	72.00	121.50	0.14	36.94
060000	0.29	3.15	8.27	5.51	16.30	0.34	3.21	0.58	2.63	40.13	24.00	72.00	51.37	2.26	33.60
070000	0.26	4.26	9.34	5.59	15.74	0.35	3.31	0.58	2.73	40.93	24.00	72.00	39.06	10.24	46.58
080000	0.23	4.59	9.73	5.73	15.95	0.35	3.42	0.60	2.82	42.63	24.00	72.00	46.47	10.60	41.00
090000	3.67	4.37	10.15	6.36	18.34	0.34	3.38	0.61	2.77	43.35	24.00	72.00	62.31	10.04	38.74
100000	13.38	3.32	8.96	6.01	24.29	0.35	3.09	0.50	2.59	44.14	24.00	72.00	57.77	9.84	35.98
110000	13.23	3.01	7.17	4.33	33.70	0.34	3.10	0.62	2.48	44.18	24.00	72.00	160.30	6.16	30.19
120000	13.19	2.97	9.75	7.15	35.63	0.34	3.16	0.72	2.44	43.72	24.00	72.00	293.20	11.68	38.51
130000	13.25	2.86	10.74	8.37	39.41	0.34	3.13	0.70	2.43	43.60	24.00	72.00	296.95	11.04	66.41
140000	13.47	2.73	9.58	7.15	40.19	0.34	3.16	0.74	2.42	43.46	24.00	72.00	286.90	9.82	47.99
150000	13.93	2.51	10.29	8.09	41.77	0.34	3.10	0.69	2.41	43.45	24.00	72.00	292.78	7.21	54.90
160000	14.40	2.45	8.95	6.73	40.50	0.34	3.08	0.69	2.39	43.04	24.00	72.00	280.17	5.03	43.39
170000	14.68	2.43	7.91	5.62	39.98	0.34	3.10	0.71	2.39	42.13	24.00	72.00	267.49	2.28	41.01
180000	14.76	2.17	7.13	4.99	40.52	0.34	3.08	0.68	2.40	41.70	24.00	72.00	150.52	1.49	46.76
190000	14.64	2.42	8.22	5.96	32.90	0.34	3.14	0.67	2.47	40.75	24.00	72.00	167.02	0.18	42.28
200000	14.46	2.65	9.35	7.05	22.83	0.34	3.31	0.65	2.66	40.70	24.00	72.00	263.31	0.22	48.69
210000	14.38	2.16	8.47	6.56	24.36	0.35	3.47	0.62	2.85	42.18	24.00	72.00	129.87	0.50	53.54
220000	14.26	2.05	7.95	6.12	23.89	0.34	3.62	0.62	3.00	41.60	24.00	72.00	242.02	0.21	51.74
230000	14.18	2.08	7.68	5.83	22.21	0.35	3.61	0.61	3.00	41.38	24.00	72.00	134.47	1.31	41.65
極大值	14.76	4.59	10.74	8.37	41.77	0.35	3.62	0.74	3.00	44.18	47.82	133.82	296.95	11.68	982.79
極小值	0.23	2.05	7.13	4.33	15.74	0.34	3.08	0.50	2.39	38.28	24.00	72.00	34.90	0.14	30.19
平均值	8.52	2.82	8.74	6.23	26.28	0.34	3.25	0.64	2.61	41.67	25.01	74.62	152.86	4.89	82.93
標準差	6.69	0.71	0.99	0.95	10.05	0	0.16	0.06	0.18	1.72	4.86	12.61	98.3	4.17	191.85

監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	14.01	2.39	7.25	5.06	21.99	0.34	3.42	0.61	2.81	41.24	24.00	72.00	66.14	0.90	39.73
010000	13.99	2.72	7.51	5.01	21.17	0.34	3.54	0.58	2.96	41.28	47.84	133.92	91.28	3.30	983.44
020000	13.96	2.91	7.51	4.83	19.85	0.34	3.82	0.57	3.25	40.66	24.43	73.10	54.00	0.99	59.48
030000	13.84	2.92	7.24	4.59	20.06	0.34	3.53	0.54	2.99	40.45	24.00	72.00	27.03	3.42	33.00
040000	13.79	3.11	7.88	5.08	20.24	0.34	3.44	0.53	2.91	40.46	24.00	72.00	27.61	8.08	33.80
050000	13.74	3.03	7.56	4.79	19.04	0.35	3.64	0.52	3.12	40.72	24.00	72.00	71.49	5.44	42.05
060000	13.64	3.24	7.78	4.89	18.71	0.34	3.74	0.53	3.21	40.86	24.00	72.00	45.49	8.37	48.97
070000	13.45	3.39	7.69	4.64	19.64	0.35	3.48	0.54	2.94	41.47	24.00	72.00	64.42	6.63	43.50
080000	13.34	3.56	8.17	4.96	20.23	0.35	3.35	0.57	2.78	42.30	24.00	72.00	80.26	5.00	45.56
090000	13.25	3.60	8.30	5.06	22.23	0.34	3.46	0.61	2.85	43.42	24.00	72.00	132.93	3.65	41.28
100000	13.19	3.44	8.26	5.13	24.01	0.34	3.42	0.66	2.76	43.84	24.00	72.00	211.62	4.83	40.22
110000	13.19	3.23	8.53	5.55	28.74	0.34	3.30	0.71	2.59	44.11	24.00	72.00	248.56	6.51	49.85
120000	13.10	3.07	7.91	5.02	34.88	0.34	3.25	0.74	2.51	44.11	24.00	72.00	286.55	9.06	58.43
130000	13.13	2.94	9.23	6.62	37.04	0.33	3.20	0.75	2.45	44.59	24.00	72.00	288.99	9.32	58.83
140000	13.17	2.73	9.87	7.49	38.58	0.34	3.03	0.63	2.40	44.66	48.29	135.10	283.11	7.73	1000.00
150000	13.43	2.74	8.60	6.09	37.29	0.33	3.05	0.66	2.39	44.55	48.29	135.07	282.22	7.84	1000.00
160000	13.72	2.62	7.83	5.37	37.11	0.34	3.10	0.70	2.40	44.17	48.28	135.07	287.88	7.66	1000.00
170000	13.98	2.33	7.10	4.82	35.83	0.34	3.12	0.72	2.40	43.73	24.41	73.07	282.45	6.35	54.80
180000	14.06	2.45	8.91	6.72	29.75	0.34	3.15	0.73	2.42	43.44	24.00	72.00	275.70	3.19	59.66
190000	13.90	2.17	9.02	7.10	24.35	0.34	3.20	0.73	2.47	43.31	24.00	72.00	239.12	2.31	48.58
200000	13.94	2.36	8.85	6.77	22.46	0.34	3.53	0.69	2.84	43.18	24.00	72.00	141.93	0.97	35.24
210000	13.97	2.25	7.46	5.41	23.66	0.34	3.55	0.62	2.93	43.08	24.00	72.00	212.09	1.92	47.59
220000	13.91	2.15	7.10	5.16	23.46	0.34	3.62	0.59	3.03	42.93	24.00	72.00	72.40	2.13	44.17
230000	13.92	2.23	7.08	5.00	21.73	0.35	3.53	0.59	2.94	42.60	24.00	72.00	239.02	0.38	43.40
極大值	14.06	3.60	9.87	7.49	38.58	0.35	3.82	0.75	3.25	44.66	48.29	135.10	288.99	9.32	1000.00
極小值	13.10	2.15	7.08	4.59	18.71	0.33	3.03	0.52	2.39	40.45	24.00	72.00	27.03	0.38	33.00
平均值	13.65	2.82	8.03	5.46	25.92	0.34	3.39	0.63	2.76	42.72	28.06	82.56	167.18	4.83	204.65
標準差	0.34	0.46	0.76	0.84	6.95	0.01	0.22	0.08	0.28	1.45	9.19	23.87	101.54	2.88	361.54

監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	13.82	2.36	7.28	5.11	20.71	0.34	3.39	0.62	2.77	42.68	24.00	72.00	300.24	0.58	40.75
010000	13.80	2.69	8.06	5.68	19.70	0.34	3.51	0.67	2.84	42.54	47.82	133.82	61.16	5.08	982.87
020000	13.70	2.92	7.71	5.03	20.30	0.35	3.58	0.56	3.02	42.43	24.40	73.05	56.96	4.13	45.38
030000	13.65	3.00	7.56	4.82	19.18	0.34	3.67	0.53	3.14	42.17	24.00	72.00	172.26	0.16	31.27
040000	13.58	3.04	7.22	4.51	17.89	0.34	3.63	0.53	3.10	42.33	24.00	72.00	45.81	6.85	35.44
050000	13.44	3.03	7.23	4.47	17.81	0.35	3.56	0.53	3.03	42.23	24.00	72.00	109.81	5.96	34.04
060000	13.42	3.14	7.64	4.80	17.55	0.35	3.64	0.54	3.10	42.13	24.00	72.00	127.58	1.75	40.85
070000	13.28	3.41	7.81	4.75	18.04	0.34	3.54	0.62	2.92	42.63	24.00	72.00	104.64	2.54	44.34
080000	13.18	3.40	7.51	4.49	20.46	0.34	3.40	0.58	2.82	43.10	24.00	72.00	47.84	9.73	53.46
090000	13.09	3.51	8.22	5.07	23.91	0.34	3.38	0.63	2.75	43.40	24.00	72.00	73.97	7.34	64.44
100000	13.05	3.29	8.12	5.10	28.72	0.34	3.35	0.74	2.61	43.49	24.00	72.00	88.76	6.36	59.60
110000	13.03	3.02	7.17	4.32	35.52	0.34	3.26	0.73	2.53	44.12	24.00	72.00	188.08	4.89	51.83
120000	12.96	2.96	7.94	5.19	38.70	0.34	3.25	0.75	2.50	44.30	24.00	72.00	273.09	6.03	47.67
130000	13.01	2.81	8.80	6.20	42.25	0.34	3.21	0.73	2.48	44.07	47.87	134.02	283.87	6.60	983.58
140000	13.29	2.66	8.79	6.34	43.85	0.34	3.14	0.68	2.46	43.90	24.43	73.11	287.24	6.89	70.78
150000	13.89	2.57	8.64	6.20	40.48	0.34	3.15	0.70	2.45	44.11	24.00	72.00	282.54	7.97	49.19
160000	14.44	2.43	8.43	6.17	39.34	0.34	3.12	0.68	2.44	43.64	24.00	72.00	287.80	8.70	46.42
170000	14.83	2.25	7.54	5.41	38.51	0.34	3.11	0.69	2.42	43.28	24.00	72.00	290.06	5.22	43.93
180000	14.88	2.20	6.77	4.57	37.74	0.35	3.14	0.70	2.44	42.94	24.00	72.00	281.83	3.41	42.68
190000	14.67	2.05	6.58	4.44	35.89	0.34	3.25	0.63	2.62	42.81	24.00	72.00	222.70	0.57	44.34
200000	14.45	1.93	6.42	4.50	33.42	0.34	3.46	0.59	2.87	42.73	24.00	72.00	87.51	0.94	37.11
210000	14.31	2.15	6.51	4.39	31.39	0.34	3.35	0.61	2.74	42.36	24.00	72.00	67.88	1.09	36.50
220000	14.19	2.24	7.28	5.16	25.39	0.34	3.39	0.62	2.77	42.46	24.00	72.00	131.52	0.76	40.84
230000	14.13	2.30	6.80	4.57	25.75	0.34	3.46	0.60	2.86	42.37	24.00	72.00	102.95	1.60	47.97
極大值	14.88	3.51	8.80	6.34	43.85	0.35	3.67	0.75	3.14	44.30	47.87	134.02	300.24	9.73	983.58
極小值	12.96	1.93	6.42	4.32	17.55	0.34	3.11	0.53	2.42	42.13	24.00	72.00	45.81	0.16	31.27
平均值	13.75	2.72	7.58	5.05	28.85	0.34	3.37	0.64	2.74	43.01	26.02	77.25	165.67	4.38	123.97
標準差	0.61	0.47	0.7	0.64	9.23	0	0.18	0.07	0.24	0.71	6.72	17.46	96.49	2.94	264.81

監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	14.08	2.72	6.90	4.33	24.22	0.34	3.66	0.60	3.06	42.24	24.00	72.00	304.31	0.27	39.56
010000	13.96	2.96	7.02	4.28	23.44	0.34	3.40	0.58	2.82	42.29	47.85	133.94	108.62	2.39	983.72
020000	13.88	2.94	6.69	3.89	23.72	0.34	3.33	0.52	2.81	42.36	24.41	73.07	94.82	1.45	55.47
030000	13.82	2.90	6.21	3.44	23.21	0.34	3.25	0.50	2.75	42.23	24.00	72.00	91.18	2.22	35.56
040000	13.73	2.97	6.14	3.31	23.04	0.34	3.10	0.48	2.62	41.99	24.00	72.00	67.24	6.57	42.04
050000	13.63	3.02	6.46	3.57	23.16	0.34	3.12	0.46	2.66	41.79	24.00	72.00	87.66	3.06	42.89
060000	13.51	3.02	6.46	3.54	23.02	0.34	3.18	0.47	2.71	41.66	24.00	72.00	45.35	6.94	37.81
070000	13.46	3.18	6.61	3.59	23.20	0.34	3.30	0.47	2.83	42.23	24.00	72.00	46.59	8.60	39.89
080000	13.39	3.21	6.66	3.58	24.59	0.34	3.33	0.50	2.83	42.78	24.00	72.00	83.02	7.59	34.10
090000	13.31	3.20	6.67	3.59	28.26	0.34	3.41	0.55	2.86	43.07	24.00	72.00	121.50	7.13	31.36
100000	13.19	3.04	6.28	3.30	32.45	0.34	3.34	0.66	2.68	43.38	24.00	72.00	155.53	5.90	26.57
110000	13.15	3.06	6.33	3.27	31.83	0.33	3.31	0.79	2.52	43.57	24.00	72.00	223.96	4.64	35.34
120000	13.22	2.71	7.29	4.60	33.12	0.33	3.22	0.78	2.44	43.27	24.00	72.00	285.53	8.72	38.45
130000	13.55	2.60	6.54	3.89	33.85	0.33	3.17	0.79	2.38	42.36	24.00	72.00	288.41	9.93	41.42
140000	14.50	2.34	6.80	4.36	35.42	0.33	3.21	0.82	2.39	41.94	24.00	72.00	285.83	6.93	40.72
150000	15.67	2.13	6.45	4.13	34.78	0.33	3.22	0.81	2.41	41.56	24.00	72.00	289.05	5.67	36.08
160000	16.79	2.05	5.95	3.70	33.12	0.33	3.24	0.83	2.41	42.08	24.00	72.00	269.41	2.59	35.51
170000	17.56	1.97	6.04	3.87	30.29	0.34	3.23	0.83	2.40	41.92	24.00	72.00	160.56	0.23	32.85
180000	17.88	1.87	5.77	3.76	29.40	0.34	3.19	0.79	2.40	41.28	24.00	72.00	145.46	0.30	34.97
190000	17.92	2.04	6.25	4.13	27.26	0.34	3.28	0.78	2.50	41.20	24.00	72.00	219.44	0.40	33.56
200000	17.68	2.19	6.32	4.11	27.04	0.34	3.25	0.71	2.54	41.16	24.00	72.00	51.40	8.91	39.09
210000	17.29	2.08	6.18	4.00	25.13	0.34	3.22	0.65	2.57	40.86	24.00	72.00	146.54	4.45	44.01
220000	16.87	2.10	6.04	3.88	24.64	0.34	3.24	0.62	2.62	40.66	24.00	72.00	74.47	9.09	48.72
230000	16.41	2.04	6.08	4.03	23.35	0.34	3.39	0.61	2.78	40.73	24.00	72.00	172.00	2.98	50.68
極大值	17.92	3.21	7.29	4.60	35.42	0.34	3.66	0.83	3.06	43.57	47.85	133.94	304.31	9.93	983.72
極小值	13.15	1.87	5.77	3.27	23.02	0.33	3.10	0.46	2.38	40.66	24.00	72.00	45.35	0.23	26.57
平均值	14.94	2.60	6.42	3.84	27.56	0.34	3.27	0.65	2.62	42.03	25.01	74.63	159.08	4.87	78.35
標準差	1.81	0.47	0.36	0.36	4.43	0	0.12	0.14	0.19	0.81	4.87	12.64	89.36	3.2	192.95

監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	15.97	2.01	6.02	4.02	22.63	0.34	3.48	0.58	2.90	40.69	24.00	72.00	39.95	8.85	48.15
010000	15.74	2.15	5.95	3.80	23.35	0.34	3.51	0.55	2.96	40.55	47.84	133.95	136.78	2.54	983.30
020000	15.44	2.06	6.16	4.16	22.90	0.34	3.48	0.56	2.92	40.48	24.42	73.09	304.40	0.52	62.47
030000	15.36	2.26	6.21	3.99	21.34	0.34	3.93	0.57	3.36	39.88	24.00	72.00	179.92	0.34	42.46
040000	15.25	2.50	5.99	3.51	21.88	0.34	3.51	0.60	2.91	39.90	24.00	72.00	193.41	0.28	43.38
050000	15.14	2.46	6.15	3.76	22.78	0.34	3.29	0.60	2.69	39.59	24.00	72.00	197.84	1.12	41.50
060000	15.09	2.62	6.55	4.05	21.74	0.34	3.34	0.57	2.77	39.60	24.00	72.00	89.31	2.72	49.86
070000	14.88	2.76	6.37	3.68	20.31	0.34	3.36	0.60	2.76	40.39	24.00	72.00	27.93	5.65	49.32
080000	14.89	2.86	6.79	4.07	19.85	0.33	3.37	0.63	2.74	40.46	24.00	72.00	76.66	8.31	43.50
090000	14.76	3.02	6.92	4.02	20.79	0.34	3.40	0.67	2.73	42.11	24.00	72.00	165.80	2.80	49.20
100000	14.68	2.80	7.19	4.53	23.83	0.33	3.40	0.73	2.67	42.75	24.00	72.00	272.21	5.22	54.50
110000	14.61	2.75	7.58	5.00	29.12	0.34	3.22	0.70	2.52	42.65	24.00	72.00	291.80	8.05	56.78
120000	14.52	2.66	6.81	4.19	26.34	0.34	3.12	0.68	2.44	42.57	24.00	72.00	289.42	9.54	73.71
130000	14.62	2.52	6.04	3.48	26.82	0.33	3.15	0.76	2.39	42.03	24.00	72.00	286.47	7.95	84.63
140000	14.96	2.37	6.44	3.98	31.52	0.33	3.24	0.82	2.42	42.05	24.00	72.00	261.92	3.68	71.14
150000	15.56	2.52	8.13	5.67	34.05	0.33	3.36	0.89	2.47	41.80	24.00	72.00	218.77	2.28	53.69
160000	16.49	2.36	7.06	4.66	30.93	0.33	3.37	0.89	2.48	41.25	24.00	72.00	200.11	1.12	56.30
170000	17.38	2.20	6.74	4.41	30.59	0.33	3.33	0.84	2.49	40.98	24.00	72.00	215.51	0.29	43.86
180000	18.04	2.05	6.37	4.23	29.96	0.34	3.29	0.78	2.51	40.45	24.00	72.00	219.85	0.43	48.72
190000	18.07	2.01	6.24	4.16	28.87	0.34	3.30	0.72	2.58	40.54	24.00	72.00	275.68	0.28	51.16
200000	17.85	1.96	6.19	4.16	26.42	0.34	3.29	0.70	2.59	40.12	24.00	72.00	238.14	0.55	66.56
210000	17.38	1.98	6.19	4.13	23.80	0.34	3.36	0.69	2.67	39.45	24.00	72.00	119.23	2.67	47.40
220000	16.92	2.06	6.74	4.61	21.25	0.34	3.42	0.68	2.74	39.20	24.00	72.00	75.96	7.70	41.79
230000	16.49	2.17	6.86	4.71	19.53	0.34	3.41	0.65	2.76	39.24	24.00	72.00	91.76	3.40	45.79
極大值	18.07	3.02	8.13	5.67	34.05	0.34	3.93	0.89	3.36	42.75	47.84	133.95	304.40	9.54	983.30
極小值	14.52	1.96	5.95	3.48	19.53	0.33	3.12	0.55	2.39	39.20	24.00	72.00	27.93	0.28	41.50
平均值	15.84	2.38	6.57	4.21	25.02	0.34	3.37	0.69	2.69	40.78	25.01	74.63	186.20	3.60	92.05
標準差	1.19	0.32	0.54	0.49	4.27	0	0.16	0.1	0.22	1.12	4.86	12.64	85.82	3.21	190.16

監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	16.18	2.17	6.57	4.43	20.00	0.34	3.23	0.59	2.64	39.09	24.00	72.00	135.32	1.86	49.25
010000	15.93	2.17	6.00	3.85	20.71	0.34	3.13	0.53	2.60	39.09	47.84	133.85	49.34	3.99	983.89
020000	15.78	2.43	6.05	3.65	21.00	0.34	3.10	0.53	2.57	38.09	24.43	73.12	114.26	1.80	73.94
030000	15.57	2.93	6.20	3.37	21.61	0.34	3.03	0.50	2.53	39.41	24.00	72.00	201.13	0.14	46.50
040000	15.49	3.04	6.17	3.26	22.68	0.34	2.95	0.47	2.48	40.56	24.00	72.00	112.32	3.06	44.83
050000	15.29	3.03	6.09	3.19	23.51	0.34	2.92	0.45	2.47	40.49	24.00	72.00	29.12	6.63	37.14
060000	15.11	3.05	6.15	3.21	23.62	0.34	2.93	0.46	2.47	40.68	24.00	72.00	123.34	7.02	39.20
070000	15.02	3.08	6.12	3.16	24.98	0.34	2.90	0.45	2.45	40.44	24.00	72.00	161.63	1.19	64.93
080000	14.85	3.05	6.10	3.19	26.25	0.33	2.87	0.43	2.44	40.33	24.00	72.00	38.26	8.28	43.79
090000	14.68	2.96	6.07	3.25	28.20	0.33	2.83	0.41	2.42	41.01	24.00	72.00	51.34	8.24	49.00
100000	14.55	3.04	6.01	3.14	28.89	0.33	2.84	0.42	2.42	42.56	24.00	72.00	48.00	10.15	38.19
110000	14.46	2.90	5.98	3.21	30.20	0.33	2.83	0.41	2.42	43.53	48.25	134.87	73.74	8.62	1000.00
120000	14.39	2.96	6.09	3.26	30.76	0.33	2.86	0.44	2.42	43.79	48.26	134.92	125.53	7.83	1000.00
130000	14.31	2.88	6.40	3.61	29.01	0.34	2.93	0.51	2.42	43.39	48.25	134.86	81.43	7.32	1000.00
140000	14.26	2.77	6.35	3.67	32.21	0.34	2.95	0.54	2.41	43.22	24.85	74.21	199.06	6.77	64.15
150000	14.14	2.59	6.46	3.97	33.11	0.34	3.00	0.59	2.41	43.04	24.00	72.00	288.98	8.21	51.99
160000	14.14	2.66	6.85	4.29	33.30	0.34	3.05	0.64	2.41	42.56	24.00	72.00	296.01	9.92	70.37
170000	14.12	2.45	6.80	4.46	33.99	0.34	3.02	0.57	2.45	41.93	24.00	72.00	291.13	9.39	59.28
180000	14.09	2.61	6.74	4.29	31.36	0.34	2.99	0.51	2.48	41.63	24.00	72.00	288.67	5.84	42.77
190000	14.09	2.67	6.37	3.81	29.10	0.34	2.98	0.48	2.50	42.60	24.00	72.00	276.96	3.55	19.80
200000	14.07	2.51	6.53	4.22	30.58	0.34	2.95	0.47	2.48	42.22	24.00	72.00	255.70	2.22	5.23
210000	13.99	2.57	6.17	3.71	28.46	0.34	2.93	0.45	2.48	41.80	24.00	72.00	59.00	6.11	6.39
220000	13.88	2.58	6.12	3.67	29.37	0.34	2.91	0.44	2.47	41.72	24.00	72.00	81.27	2.04	18.20
230000	13.84	2.59	6.06	3.63	28.71	0.34	2.89	0.42	2.47	41.68	24.00	72.00	60.52	5.41	22.95
極大值	16.18	3.08	6.85	4.46	33.99	0.34	3.23	0.64	2.64	43.79	48.26	134.92	296.01	10.15	1000.00
極小值	13.84	2.17	5.98	3.14	20.00	0.33	2.83	0.41	2.41	38.09	24.00	72.00	29.12	0.14	5.23
平均值	14.68	2.74	6.27	3.65	27.57	0.34	2.96	0.49	2.47	41.45	28.08	82.58	143.42	5.65	201.32
標準差	0.7	0.28	0.26	0.44	4.3	0	0.1	0.06	0.06	1.55	9.17	23.78	94.25	3.03	363.48

監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	13.71	2.70	6.24	3.69	28.29	0.34	2.89	0.42	2.47	41.12	24.00	72.00	88.42	3.91	24.67
010000	13.57	2.78	6.07	3.53	28.54	0.34	2.89	0.41	2.48	41.32	47.45	132.96	204.51	2.55	966.94
020000	13.42	2.79	6.23	3.68	28.27	0.34	3.10	0.60	2.50	41.39	24.85	74.22	290.06	0.16	74.28
030000	13.33	2.89	6.12	3.47	28.52	0.34	3.37	0.79	2.58	40.97	24.00	72.00	195.60	0.35	37.33
040000	13.15	2.87	6.18	3.54	27.10	0.34	3.35	0.72	2.63	40.93	24.00	72.00	131.63	0.14	34.40
050000	13.00	2.93	6.16	3.43	25.79	0.34	3.56	0.76	2.80	40.97	24.00	72.00	182.28	0.22	27.45
060000	12.94	3.00	6.39	3.63	25.11	0.34	3.49	0.74	2.75	41.01	24.00	72.00	229.36	1.84	23.16
070000	12.86	3.16	6.72	3.82	23.61	0.34	3.42	0.71	2.71	41.37	24.00	72.00	280.13	1.11	27.05
080000	12.77	3.26	6.89	3.96	24.47	0.34	3.32	0.61	2.71	41.63	24.00	72.00	265.45	2.52	34.45
090000	12.67	3.34	7.43	4.41	25.45	0.34	3.12	0.45	2.67	42.19	24.00	72.00	247.03	3.02	44.19
100000	12.58	3.31	7.58	4.63	26.72	0.34	3.11	0.55	2.56	42.43	24.00	72.00	287.60	5.95	31.07
110000	12.50	3.05	7.54	4.75	32.38	0.34	3.06	0.57	2.49	42.18	24.00	72.00	278.84	5.69	33.20
120000	12.50	2.81	8.03	5.42	35.94	0.34	2.94	0.49	2.45	42.76	24.00	72.00	287.21	4.34	22.00
130000	12.55	2.78	7.27	4.67	55.14	0.34	2.93	0.50	2.43	43.21	24.00	72.00	285.48	6.63	27.69
140000	12.61	2.79	7.42	4.78	42.58	0.33	2.93	0.51	2.42	42.92	24.00	72.00	291.77	9.49	42.85
150000	12.62	2.65	7.68	5.21	32.90	0.33	2.95	0.53	2.42	42.33	24.00	72.00	293.41	9.09	33.17
160000	12.75	2.67	7.47	4.99	39.15	0.33	2.95	0.53	2.42	41.86	24.00	72.00	285.87	7.85	29.33
170000	12.87	2.59	7.62	5.18	32.84	0.34	2.97	0.55	2.42	41.67	24.00	72.00	293.65	7.09	36.70
180000	12.91	2.44	6.66	4.33	34.09	0.34	2.93	0.51	2.42	41.24	24.00	72.00	274.69	2.02	34.38
190000	12.93	2.25	5.98	3.75	34.90	0.34	2.96	0.49	2.47	41.24	24.00	72.00	264.47	0.14	34.01
200000	12.90	2.25	6.17	3.99	34.83	0.34	3.07	0.46	2.61	41.17	24.00	72.00	116.45	0.16	26.27
210000	12.89	2.23	6.43	4.31	32.58	0.34	3.16	0.46	2.70	40.82	24.00	72.00	164.94	0.25	30.44
220000	12.82	2.50	6.81	4.48	30.60	0.34	3.65	0.43	3.22	40.78	24.00	72.00	192.49	0.17	41.07
230000	12.77	2.74	6.88	4.41	28.32	0.34	3.66	0.42	3.24	40.63	24.00	72.00	333.28	0.40	38.75
極大值	13.71	3.34	8.03	5.42	55.14	0.34	3.66	0.79	3.24	43.21	47.45	132.96	333.28	9.49	966.94
極小值	12.50	2.23	5.98	3.43	23.61	0.33	2.89	0.41	2.42	40.63	24.00	72.00	88.42	0.14	22.00
平均值	12.90	2.78	6.83	4.25	31.59	0.34	3.16	0.55	2.61	41.59	25.01	74.63	240.19	3.13	73.12
標準差	0.33	0.31	0.64	0.61	6.94	0	0.25	0.12	0.23	0.73	4.78	12.43	65.43	3.14	190.67

監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	12.77	3.11	6.98	4.15	27.24	0.34	3.30	0.44	2.86	40.28	24.00	72.00	259.75	1.35	33.93
010000	12.65	2.97	6.89	4.17	27.10	0.34	3.52	0.41	3.11	40.37	47.46	132.95	162.29	0.87	967.79
020000	12.52	2.98	6.79	4.11	26.45	0.34	3.63	0.39	3.24	40.18	24.81	74.10	37.28	0.64	60.31
030000	12.41	3.17	6.77	3.93	26.43	0.34	3.65	0.40	3.25	40.10	24.00	72.00	64.55	0.93	24.82
040000	12.37	3.21	6.57	3.69	28.04	0.34	4.16	0.80	3.36	39.96	24.00	72.00	22.50	3.41	26.63
050000	12.16	3.21	6.74	3.81	29.29	0.34	3.87	0.89	2.98	40.06	24.00	72.00	25.04	5.59	22.94
060000	12.08	3.24	7.31	4.45	26.86	0.34	4.30	1.18	3.12	40.11	24.00	72.00	61.90	2.13	24.64
070000	12.03	3.58	7.75	4.57	24.98	0.34	4.49	1.14	3.35	40.15	24.00	72.00	78.37	1.03	29.12
080000	11.96	3.52	7.26	4.06	28.87	0.34	3.74	0.74	3.00	41.23	24.00	72.00	203.86	1.67	35.08
090000	11.84	3.42	6.79	3.64	33.13	0.34	3.12	0.45	2.67	41.94	24.00	72.00	249.22	2.30	42.85
100000	11.82	3.62	7.08	3.72	33.48	0.34	2.93	0.44	2.49	43.00	24.00	72.00	267.10	4.62	26.00
110000	11.80	3.17	6.43	3.38	32.85	0.33	2.96	0.52	2.44	43.19	24.00	72.00	250.90	5.43	29.32
120000	11.77	3.15	6.29	3.23	31.91	0.33	3.04	0.61	2.43	41.83	24.00	72.00	290.31	11.79	26.80
130000	11.84	3.11	6.19	3.05	31.95	0.33	3.09	0.68	2.41	42.20	24.00	72.00	296.19	10.70	28.79
140000	12.00	2.90	6.70	3.76	34.88	0.33	3.17	0.73	2.44	42.82	24.00	72.00	284.31	9.24	35.12
150000	12.50	2.73	6.33	3.57	36.69	0.33	3.12	0.67	2.45	42.59	24.00	72.00	287.74	9.48	39.64
160000	13.19	2.59	5.87	3.20	38.08	0.34	3.05	0.60	2.45	41.89	24.00	72.00	153.66	7.27	53.94
170000	13.85	2.09	5.89	3.71	36.59	0.34	3.06	0.60	2.46	40.67	24.00	72.00	138.69	7.25	45.35
180000	14.08	1.91	7.42	5.59	28.30	0.34	3.15	0.64	2.51	40.82	24.00	72.00	145.13	5.69	33.49
190000	13.99	1.61	6.55	4.93	28.73	0.34	3.19	0.62	2.57	40.94	24.00	72.00	91.74	7.58	28.84
200000	13.72	1.56	7.12	5.66	24.09	0.35	3.31	0.61	2.70	41.04	24.00	72.00	36.99	10.58	36.72
210000	13.50	2.44	9.81	7.77	16.76	0.35	3.50	0.60	2.90	40.65	24.00	72.00	55.13	8.76	30.63
220000	13.39	2.01	7.41	5.61	18.44	0.35	3.48	0.58	2.90	40.23	24.00	72.00	71.45	10.70	39.11
230000	13.29	2.14	7.70	5.79	18.26	0.34	3.27	0.57	2.70	40.38	24.00	72.00	40.53	17.06	31.59
極大值	14.08	3.62	9.81	7.77	38.08	0.35	4.49	1.18	3.36	43.19	47.46	132.95	296.19	17.06	967.79
極小值	11.77	1.56	5.87	3.05	16.76	0.33	2.93	0.39	2.41	39.96	24.00	72.00	22.50	0.64	22.94
平均值	12.65	2.81	6.94	4.31	28.72	0.34	3.42	0.64	2.78	41.11	25.01	74.63	148.94	6.09	73.06
標準差	0.78	0.62	0.8	1.09	5.69	0.01	0.43	0.21	0.33	1.05	4.78	12.43	101.11	4.38	190.8

監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	13.22	2.27	7.29	5.18	17.47	0.34	3.33	0.55	2.78	39.90	24.00	72.00	33.71	12.83	26.78
010000	13.08	2.89	7.67	5.02	18.32	0.35	3.48	0.51	2.97	39.63	47.38	132.67	32.38	9.34	965.24
020000	12.91	3.09	7.52	4.71	19.31	0.34	3.50	0.51	2.99	39.42	24.87	74.25	38.88	9.77	64.08
030000	12.81	3.09	7.34	4.59	19.28	0.34	3.18	0.49	2.69	39.63	24.00	72.00	52.62	8.07	27.97
040000	12.71	3.14	7.30	4.47	18.60	0.34	3.42	0.48	2.94	39.30	24.00	72.00	51.13	7.22	35.97
050000	12.57	3.10	6.98	4.16	19.03	0.34	3.55	0.48	3.07	39.09	24.00	72.00	30.14	12.81	38.87
060000	12.49	3.27	7.28	4.37	19.30	0.34	3.45	0.48	2.97	38.77	24.00	72.00	80.15	9.52	36.11
070000	12.35	3.43	7.77	4.75	21.31	0.34	3.38	0.61	2.77	39.46	24.00	72.00	38.09	16.70	36.97
080000	12.23	3.48	7.46	4.33	24.97	0.34	3.25	0.60	2.65	40.75	24.00	72.00	38.05	16.63	25.61
090000	12.10	3.36	6.96	3.83	37.56	0.34	3.03	0.46	2.57	41.86	24.00	72.00	127.23	6.06	18.16
100000	12.04	3.39	6.90	3.71	32.28	0.34	3.08	0.51	2.57	42.85	24.00	72.00	282.94	8.52	14.39
110000	11.95	3.20	6.72	3.66	30.94	0.34	3.06	0.58	2.48	42.83	24.00	72.00	179.78	11.35	25.35
120000	11.96	3.13	6.72	3.66	36.11	0.33	3.08	0.64	2.44	42.89	24.00	72.00	105.43	9.99	28.60
130000	11.97	3.00	6.88	3.92	34.87	0.33	3.13	0.69	2.44	43.56	24.00	72.00	136.50	6.11	24.74
140000	12.16	2.82	7.17	4.42	33.55	0.33	3.15	0.69	2.46	43.46	24.00	72.00	175.60	6.32	17.20
150000	12.65	2.67	7.11	4.46	32.77	0.33	3.15	0.66	2.49	42.23	24.00	72.00	275.50	14.53	28.56
160000	13.32	2.47	7.02	4.63	31.69	0.33	3.15	0.64	2.51	41.80	24.00	72.00	296.61	13.79	33.39
170000	13.76	2.49	6.70	4.20	32.01	0.33	3.11	0.60	2.51	41.45	24.00	72.00	298.29	10.47	19.16
180000	13.75	2.30	6.76	4.49	36.97	0.34	3.07	0.57	2.50	41.34	24.00	72.00	293.47	8.49	17.99
190000	13.57	2.24	6.69	4.48	38.01	0.34	3.04	0.54	2.50	41.13	24.00	72.00	295.21	7.93	17.98
200000	13.37	2.07	6.29	4.26	36.54	0.34	3.00	0.49	2.51	40.07	24.00	72.00	122.47	5.04	15.11
210000	13.20	2.00	6.06	4.18	37.16	0.34	3.03	0.46	2.57	39.84	24.00	72.00	52.00	12.06	17.61
220000	13.07	1.97	6.07	4.32	37.64	0.35	3.04	0.46	2.58	40.15	24.00	72.00	53.21	7.40	33.90
230000	12.92	1.95	6.08	4.33	37.38	0.35	3.00	0.46	2.54	40.82	24.00	72.00	138.45	1.47	29.37
極大值	13.76	3.48	7.77	5.18	38.01	0.35	3.55	0.69	3.07	43.56	47.38	132.67	298.29	16.70	965.24
極小值	11.95	1.95	6.06	3.66	17.47	0.33	3.00	0.46	2.44	38.77	24.00	72.00	30.14	1.47	14.39
平均值	12.76	2.78	6.95	4.34	29.29	0.34	3.19	0.55	2.65	40.93	25.01	74.62	134.49	9.68	66.63
標準差	0.58	0.51	0.48	0.39	7.93	0.01	0.18	0.08	0.2	1.48	4.77	12.37	102.19	3.69	191.71

監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	12.78	2.04	6.25	4.40	36.04	0.35	3.00	0.45	2.55	39.93	24.00	72.00	192.66	2.02	31.03
010000	12.66	2.17	6.08	4.07	50.22	0.34	2.98	0.44	2.54	39.97	47.43	132.86	65.62	9.79	966.59
020000	12.49	2.18	6.04	4.02	40.14	0.34	3.00	0.45	2.55	39.72	24.87	74.25	40.31	12.00	68.99
030000	12.38	2.63	6.32	3.96	38.49	0.35	3.45	0.81	2.64	39.04	24.00	72.00	100.97	6.09	26.96
040000	12.20	3.03	6.60	3.90	40.94	0.34	3.47	0.62	2.85	39.04	24.00	72.00	257.77	0.14	29.29
050000	12.11	3.10	6.57	3.78	41.42	0.34	3.26	0.63	2.63	39.00	24.00	72.00	78.77	0.42	23.27
060000	11.98	3.08	6.69	3.99	41.07	0.34	3.23	0.63	2.60	39.17	24.00	72.00	65.67	0.14	16.92
070000	11.84	3.03	6.90	4.28	40.54	0.34	3.45	0.79	2.66	39.90	24.00	72.00	233.66	0.72	15.27
080000	11.75	3.17	7.05	4.33	41.30	0.34	3.42	0.81	2.61	41.30	24.00	72.00	142.12	2.16	20.81
090000	11.66	3.20	7.08	4.21	40.23	0.34	3.28	0.66	2.62	41.67	24.00	72.00	128.26	4.20	28.35
100000	11.62	3.30	7.74	4.81	40.09	0.34	3.06	0.46	2.60	41.84	24.00	72.00	77.98	7.12	23.79
110000	11.49	3.53	9.03	5.97	40.34	0.34	3.05	0.52	2.53	42.00	24.00	72.00	65.02	10.48	29.27
120000	11.43	3.25	9.21	6.37	39.77	0.34	3.08	0.57	2.51	42.05	24.00	72.00	66.68	8.21	17.92
130000	11.40	2.77	7.39	4.81	39.39	0.34	3.03	0.55	2.48	41.79	24.00	72.00	245.73	2.99	20.09
140000	11.44	2.63	7.14	4.67	37.23	0.33	2.98	0.51	2.47	41.37	24.00	72.00	285.19	7.37	29.76
150000	11.51	2.60	7.22	4.76	37.24	0.34	2.98	0.52	2.46	41.33	24.00	72.00	279.08	6.17	34.21
160000	11.59	2.61	7.99	5.59	37.41	0.34	2.99	0.53	2.46	41.33	24.00	72.00	282.10	5.35	33.82
170000	11.63	2.52	7.70	5.36	38.09	0.34	2.97	0.52	2.45	40.69	24.00	72.00	276.07	3.08	36.46
180000	11.72	2.55	8.37	6.07	38.91	0.34	3.00	0.53	2.47	40.37	24.00	72.00	235.70	0.24	31.89
190000	11.76	2.69	7.37	4.87	38.90	0.33	2.98	0.48	2.50	40.63	24.00	72.00	108.22	2.72	32.51
200000	11.70	2.58	7.02	4.66	39.30	0.33	2.98	0.46	2.52	39.72	24.00	72.00	84.84	5.58	34.75
210000	11.66	2.50	6.89	4.63	42.59	0.34	3.03	0.45	2.58	40.13	24.00	72.00	69.97	3.65	33.60
220000	11.61	2.51	7.01	4.75	44.48	0.34	3.01	0.44	2.57	39.86	24.00	72.00	32.30	9.55	28.78
230000	11.50	2.57	6.94	4.66	40.67	0.34	2.99	0.43	2.56	40.04	24.00	72.00	79.16	5.38	35.67
極大值	12.78	3.53	9.21	6.37	50.22	0.35	3.47	0.81	2.85	42.05	47.43	132.86	285.19	12.00	966.59
極小值	11.40	2.04	6.04	3.78	36.04	0.33	2.97	0.43	2.45	39.00	24.00	72.00	32.30	0.14	15.27
平均值	11.83	2.76	7.19	4.70	40.20	0.34	3.11	0.55	2.56	40.50	25.01	74.63	145.58	4.82	68.75
標準差	0.4	0.39	0.82	0.71	2.83	0	0.18	0.12	0.09	1.01	4.78	12.41	90.81	3.53	191.52

監測報表

時間/單位	SO2 (ppb)	NO (ppb)	NOX (ppb)	NO2 (ppb)	O3 (ppb)	CO (ppm)	THC (ppm)	NMHC (ppm)	CH4 (ppm)	站外溫 (°C)	站內溫 (°C)	RH (%)	WD (°)	WS (m/s)	PM10 (ug/m)
000000	11.43	2.71	7.15	4.75	39.82	0.34	3.10	0.48	2.62	39.66	24.00	72.00	196.18	0.14	38.41
010000	11.37	2.98	7.13	4.53	40.51	0.35	3.25	0.69	2.56	39.63	47.84	133.88	83.84	3.59	983.42
020000	11.23	2.95	6.80	4.24	40.77	0.34	3.35	0.76	2.59	40.05	24.44	73.14	19.21	10.05	52.35
030000	11.13	3.00	6.65	4.00	40.23	0.34	3.47	0.85	2.62	39.67	24.00	72.00	44.40	7.17	29.52
040000	11.08	2.95	6.62	3.98	40.04	0.34	4.08	1.33	2.75	39.44	24.00	72.00	30.46	7.13	28.70
050000	10.99	3.03	6.66	3.96	40.81	0.34	4.50	1.60	2.90	39.14	24.00	72.00	24.33	10.41	28.69
060000	10.94	3.03	6.70	4.03	40.18	0.34	3.84	0.96	2.88	39.24	24.00	72.00	26.44	10.37	32.75
070000	10.91	3.16	7.12	4.35	39.57	0.34	3.51	0.75	2.76	39.35	24.00	72.00	53.68	7.98	32.11
080000	10.77	3.36	7.37	4.38	40.87	0.34	3.44	0.59	2.85	40.22	24.00	72.00	59.60	8.32	34.03
090000	10.70	3.41	7.63	4.60	40.02	0.34	3.34	0.49	2.85	41.37	24.00	72.00	47.45	11.25	29.74
100000	10.68	3.25	7.23	4.26	39.66	0.34	3.27	0.50	2.77	42.80	24.00	72.00	141.69	5.44	14.56
110000	10.62	3.20	6.80	3.79	40.77	0.34	3.06	0.49	2.57	42.51	24.00	72.00	283.47	9.98	8.79
120000	10.57	3.20	7.68	4.77	42.56	0.34	3.02	0.53	2.49	42.89	24.00	72.00	289.20	11.12	20.20
130000	10.62	3.03	8.52	5.79	39.11	0.33	3.09	0.59	2.50	42.64	24.00	72.00	291.00	14.87	11.51
140000	10.65	2.79	8.99	6.51	37.22	0.33	3.02	0.54	2.48	42.40	24.00	72.00	301.06	15.94	33.62
150000	10.78	2.89	8.07	5.41	37.17	0.34	3.06	0.57	2.49	42.70	24.00	72.00	285.15	14.54	28.18
160000	10.84	2.79	7.48	4.86	36.29	0.34	3.09	0.58	2.51	42.56	24.00	72.00	297.28	14.08	30.62
170000	10.96	2.59	7.33	4.89	35.77	0.34	3.09	0.57	2.52	42.20	24.00	72.00	291.29	7.98	16.43
180000	11.01	2.40	7.47	5.24	37.60	0.34	3.12	0.57	2.55	41.95	24.00	72.00	297.24	8.16	11.44
190000	11.06	2.36	8.33	6.24	37.99	0.34	3.17	0.56	2.61	42.01	24.00	72.00	300.91	3.17	13.75
200000	11.07	2.32	8.45	6.39	39.44	0.34	3.23	0.58	2.65	41.99	24.00	72.00	140.32	2.14	13.55
210000	11.12	2.26	7.65	5.62	38.79	0.34	3.29	0.55	2.74	41.95	24.00	72.00	97.91	2.57	14.02
220000	11.00	2.51	7.17	4.87	38.41	0.34	3.41	0.53	2.88	42.46	24.00	72.00	32.66	7.00	16.95
230000	11.08	2.61	7.16	4.81	41.14	0.34	3.54	0.49	3.05	41.16	24.00	72.00	249.80	0.51	18.64
極大值	11.43	3.41	8.99	6.51	42.56	0.35	4.50	1.60	3.05	42.89	47.84	133.88	301.06	15.94	983.42
極小值	10.57	2.26	6.62	3.79	35.77	0.33	3.02	0.48	2.48	39.14	24.00	72.00	19.21	0.14	8.79
平均值	10.94	2.87	7.42	4.84	39.36	0.34	3.35	0.67	2.67	41.25	25.01	74.63	161.86	8.08	64.25
標準差	0.24	0.33	0.65	0.79	1.66	0	0.36	0.27	0.16	1.38	4.86	12.62	117.14	4.49	196.07

監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	10.99	3.05	7.39	4.70	42.38	0.34	3.41	0.48	2.93	41.45	24.00	72.00	311.53	0.48	14.50
010000	10.94	2.98	7.21	4.55	44.53	0.34	3.32	0.46	2.86	41.20	47.83	133.93	196.18	0.88	981.75
020000	10.78	3.05	7.55	4.86	69.24	0.34	3.80	0.46	3.34	41.17	24.45	73.16	29.48	2.47	27.95
030000	10.80	3.18	7.47	4.70	44.14	0.34	3.85	0.45	3.40	41.15	24.00	72.00	96.34	0.38	8.19
040000	10.67	3.18	7.13	4.32	50.59	0.34	3.52	0.43	3.09	40.89	24.00	72.00	362.76	0.55	6.24
050000	10.62	3.24	7.15	4.31	44.54	0.34	3.92	0.66	3.26	40.79	24.00	72.00	46.77	3.26	8.17
060000	10.52	3.36	7.23	4.30	44.23	0.34	4.48	1.01	3.47	41.17	24.00	72.00	68.29	1.86	19.40
070000	10.50	3.99	8.55	5.06	42.52	0.34	4.62	1.22	3.40	41.28	24.00	72.00	65.33	4.11	31.38
080000	10.42	4.10	8.83	5.30	48.58	0.34	3.94	0.90	3.04	42.21	24.00	72.00	78.75	6.18	16.97
090000	10.34	3.54	7.79	4.61	46.05	0.34	3.41	0.49	2.92	43.06	24.00	72.00	91.26	5.28	20.79
100000	10.26	3.42	7.03	3.88	48.00	0.34	3.24	0.55	2.69	44.00	24.00	72.00	184.53	3.13	14.38
110000	10.26	3.57	7.88	4.56	37.45	0.34	3.19	0.65	2.54	43.65	47.84	133.95	262.63	3.41	982.40
120000	10.31	3.16	8.52	5.62	71.66	0.33	3.19	0.66	2.53	43.93	24.42	73.09	290.04	8.35	29.35
130000	10.35	2.97	9.29	6.60	39.23	0.33	3.16	0.62	2.54	43.76	24.00	72.00	293.85	12.36	18.31
140000	10.44	2.86	9.68	7.13	36.63	0.33	3.14	0.59	2.55	43.55	24.00	72.00	301.72	13.29	9.78
150000	10.79	2.62	8.21	5.77	37.82	0.33	3.14	0.60	2.54	43.32	24.00	72.00	293.49	13.77	10.43
160000	11.19	2.58	8.06	5.64	35.63	0.33	3.23	0.66	2.57	43.11	24.00	72.00	288.05	12.03	18.36
170000	11.47	2.59	9.31	6.98	47.03	0.34	3.27	0.73	2.54	42.91	24.00	72.00	296.23	9.75	8.94
180000	11.51	3.34	11.09	8.25	55.72	0.34	3.21	0.70	2.51	42.66	24.00	72.00	303.63	7.22	11.26
190000	11.46	4.48	14.90	11.33	36.83	0.34	3.19	0.68	2.51	41.98	24.00	72.00	61.72	4.41	12.05
200000	11.44	2.53	10.83	8.80	37.49	0.34	3.23	0.67	2.56	41.09	24.00	72.00	28.64	11.04	15.90
210000	11.36	2.94	10.11	7.61	38.16	0.34	3.39	0.66	2.73	41.21	24.00	72.00	18.31	9.24	26.52
220000	11.34	2.26	8.86	6.94	38.59	0.35	3.63	0.59	3.04	41.47	24.00	72.00	39.44	14.48	28.18
230000	11.28	2.38	8.00	5.85	39.53	0.34	4.03	0.58	3.45	41.27	24.00	72.00	56.08	14.19	18.32
極大值	11.51	4.48	14.90	11.33	71.66	0.35	4.62	1.22	3.47	44.00	47.84	133.95	362.76	14.48	982.40
極小值	10.26	2.26	7.03	3.88	35.63	0.33	3.14	0.43	2.51	40.79	24.00	72.00	18.31	0.38	6.24
平均值	10.84	3.14	8.67	5.90	44.86	0.34	3.52	0.65	2.88	42.18	26.02	77.26	169.38	6.76	97.48
標準差	0.44	0.54	1.77	1.78	9.39	0	0.43	0.18	0.35	1.13	6.72	17.46	121.16	4.89	272.55

監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	11.25	2.93	8.42	5.83	39.71	0.34	3.74	0.55	3.19	40.34	24.00	72.00	30.30	11.30	19.61
010000	11.20	3.10	8.58	5.87	40.20	0.34	3.69	0.55	3.14	40.81	47.83	133.82	31.47	13.73	982.80
020000	11.10	3.25	8.73	5.93	40.51	0.35	4.07	0.55	3.52	41.41	24.41	73.07	34.08	13.23	40.06
030000	11.09	3.09	8.16	5.40	48.96	0.34	4.62	0.53	4.09	41.83	24.00	72.00	38.87	10.34	19.96
040000	10.96	3.13	8.01	5.22	48.67	0.34	4.33	0.51	3.82	41.80	24.00	72.00	45.05	10.48	16.01
050000	10.94	3.27	8.11	5.25	42.31	0.34	4.10	0.49	3.61	41.79	24.00	72.00	60.61	9.66	16.70
060000	10.82	3.29	7.62	4.69	44.31	0.34	4.26	0.51	3.75	41.93	24.00	72.00	52.21	11.09	12.18
070000	10.74	4.10	8.71	5.07	52.45	0.34	4.51	0.50	4.01	42.05	24.00	72.00	70.50	8.54	20.26
080000	10.68	4.26	9.21	5.47	47.42	0.34	4.14	0.53	3.61	42.43	24.00	72.00	58.56	8.22	25.28
090000	10.64	3.50	8.02	4.93	47.83	0.34	3.56	0.55	3.01	43.42	24.00	72.00	160.10	3.43	33.16
100000	10.52	3.53	8.29	5.13	41.71	0.34	3.33	0.63	2.70	44.17	24.00	72.00	286.41	11.12	29.22
110000	10.54	3.35	9.57	6.60	37.45	0.33	3.14	0.62	2.52	44.06	47.86	133.93	160.11	7.94	983.82
120000	10.55	3.19	8.91	5.97	41.80	0.33	3.06	0.58	2.48	44.44	24.43	73.11	171.29	6.46	36.35
130000	10.63	3.05	8.42	5.54	66.66	0.33	3.16	0.65	2.51	43.98	47.86	133.97	286.66	12.61	982.79
140000	10.71	3.05	7.76	4.79	37.20	0.33	3.23	0.72	2.51	43.59	48.28	135.04	293.80	12.54	1000.00
150000	11.21	3.06	9.27	6.42	33.33	0.33	3.32	0.80	2.52	43.38	24.43	73.11	292.02	11.99	59.30
160000	11.82	2.81	8.64	5.98	33.73	0.33	3.32	0.78	2.54	43.18	24.00	72.00	286.00	11.11	56.38
170000	12.40	2.54	8.20	5.79	32.86	0.34	3.29	0.75	2.54	42.83	24.00	72.00	284.08	8.82	43.64
180000	12.63	2.57	9.05	6.74	35.22	0.34	3.23	0.69	2.54	42.92	24.00	72.00	298.29	10.14	85.93
190000	12.56	2.57	9.93	7.72	84.93	0.34	3.30	0.68	2.62	42.91	24.00	72.00	299.89	10.62	66.76
200000	12.29	2.81	10.53	8.23	41.40	0.34	3.34	0.68	2.66	42.66	24.00	72.00	291.11	7.56	77.01
210000	12.16	2.69	9.62	7.34	37.44	0.35	3.62	0.63	2.99	42.09	24.00	72.00	92.45	7.30	77.40
220000	12.05	2.03	7.17	5.31	39.05	0.35	3.85	0.58	3.27	41.63	24.00	72.00	74.41	8.28	58.84
230000	11.92	2.06	7.57	5.70	38.11	0.34	3.41	0.55	2.86	41.29	24.00	72.00	111.22	5.63	46.11
極大值	12.63	4.26	10.53	8.23	84.93	0.35	4.62	0.80	4.09	44.44	48.28	135.04	299.89	13.73	1000.00
極小值	10.52	2.03	7.17	4.69	32.86	0.33	3.06	0.49	2.48	40.34	24.00	72.00	30.30	3.43	12.18
平均值	11.31	3.05	8.60	5.87	43.89	0.34	3.65	0.61	3.04	42.54	28.05	82.50	158.73	9.67	199.57
標準差	0.72	0.52	0.8	0.91	11.44	0.01	0.47	0.09	0.54	1.1	9.1	23.62	111.46	2.53	360.51