

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫  | 站內溫   | RH    | WD   | WS    | PM10   |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|------|-------|--------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (oC) | (oC)  | (%)   | (o)  | (m/s) | (ug/m) |
| 000000 | 3.77  | 3.14  | 9.80  | 6.60  | 22.50 | 0.31  | 2.63  | 0.15  | 2.48  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 50.79  |
| 010000 | 3.73  | 3.22  | 11.40 | 8.17  | 12.40 | 0.31  | 2.78  | 0.17  | 2.61  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 54.05  |
| 020000 | 3.73  | 3.35  | 11.18 | 7.81  | 8.30  | 0.31  | 2.92  | 0.18  | 2.74  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 57.55  |
| 030000 | 3.76  | 3.42  | 11.26 | 7.82  | 8.33  | 0.31  | 2.76  | 0.18  | 2.58  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 52.60  |
| 040000 | 3.77  | 3.30  | 9.87  | 6.50  | 11.27 | 0.31  | 2.89  | 0.18  | 2.71  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 54.00  |
| 050000 | 3.70  | 3.42  | 9.51  | 6.03  | 6.36  | 0.31  | 3.08  | 0.18  | 2.90  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 59.64  |
| 060000 | 3.76  | 3.94  | 9.93  | 5.91  | 4.82  | 0.31  | 3.20  | 0.18  | 3.02  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 62.37  |
| 070000 | 3.80  | 3.80  | 9.22  | 5.40  | 15.52 | 0.31  | 2.69  | 0.18  | 2.51  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 51.80  |
| 080000 | 3.95  | 3.05  | 7.53  | 4.44  | 35.39 | 0.31  | 2.35  | 0.18  | 2.17  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 44.82  |
| 090000 | 4.01  | 2.94  | 7.05  | 4.09  | 41.48 | 0.31  | 2.27  | 0.19  | 2.08  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 44.30  |
| 100000 | 4.01  | 2.96  | 6.48  | 3.52  | 39.57 | 0.31  | 2.22  | 0.19  | 2.03  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 43.00  |
| 110000 | 3.62  | 3.05  | 5.53  | 2.45  | 24.29 | 0.31  | 2.11  | 0.16  | 1.95  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 38.90  |
| 120000 | 3.58  | 3.04  | 5.11  | 2.04  | 21.74 | 0.31  | 2.08  | 0.14  | 1.94  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.82  |
| 130000 | 3.50  | 3.05  | 4.73  | 1.63  | 19.19 | 0.31  | 2.06  | 0.14  | 1.92  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 40.88  |
| 140000 | 3.51  | 2.98  | 4.28  | 1.27  | 17.60 | 0.31  | 2.05  | 0.13  | 1.92  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 42.55  |
| 150000 | 3.46  | 2.98  | 4.25  | 1.25  | 17.83 | 0.31  | 2.05  | 0.13  | 1.92  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 38.99  |
| 160000 | 3.51  | 2.88  | 4.30  | 1.39  | 17.73 | 0.31  | 2.04  | 0.12  | 1.92  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.71  |
| 170000 | 3.51  | 2.82  | 4.48  | 1.64  | 15.94 | 0.31  | 2.06  | 0.13  | 1.93  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.65  |
| 180000 | 3.50  | 2.79  | 4.64  | 1.81  | 13.77 | 0.31  | 2.06  | 0.13  | 1.93  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.03  |
| 190000 | 3.47  | 2.85  | 4.82  | 1.95  | 11.07 | 0.31  | 2.17  | 0.14  | 2.03  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.68  |
| 200000 | 3.46  | 2.81  | 5.02  | 2.21  | 11.36 | 0.31  | 2.12  | 0.14  | 1.98  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.46  |
| 210000 | 3.44  | 2.97  | 4.81  | 1.83  | 10.39 | 0.31  | 2.10  | 0.13  | 1.97  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.13  |
| 220000 | 3.46  | 2.94  | 4.12  | 1.16  | 12.33 | 0.31  | 2.03  | 0.12  | 1.91  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 38.27  |
| 230000 | 3.43  | 2.83  | 4.08  | 1.22  | 11.16 | 0.31  | 2.04  | 0.12  | 1.92  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.51  |
| 極大值    | 4.01  | 3.94  | 11.40 | 8.17  | 41.48 | 0.31  | 3.20  | 0.19  | 3.02  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 62.37  |
| 極小值    | 3.43  | 2.79  | 4.08  | 1.16  | 4.82  | 0.31  | 2.03  | 0.12  | 1.91  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 38.27  |
| 平均值    | 3.64  | 3.11  | 6.81  | 3.67  | 17.10 | 0.31  | 2.36  | 0.15  | 2.21  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 45.85  |
| 標準差    | 0.18  | 0.3   | 2.69  | 2.46  | 9.79  | 0     | 0.39  | 0.03  | 0.37  | 0    | 0     | 0     | 0    | 0     | 7.38   |

屏東縣崁頂焚化爐空氣品質監  
測報表

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫  | 站內溫   | RH    | WD   | WS    | PM10   |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|------|-------|--------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (oC) | (oC)  | (%)   | (o)  | (m/s) | (ug/m) |
| 000000 | 3.42  | 2.85  | 3.79  | 0.94  | 12.34 | 0.31  | 2.02  | 0.12  | 1.90  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 38.24  |
| 010000 | 3.39  | 2.84  | 4.02  | 1.17  | 11.62 | 0.31  | 2.03  | 0.12  | 1.91  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 40.48  |
| 020000 | 3.45  | 2.90  | 4.45  | 1.54  | 12.39 | 0.31  | 2.07  | 0.13  | 1.94  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 40.75  |
| 030000 | 3.46  | 2.66  | 5.06  | 2.40  | 11.39 | 0.31  | 2.15  | 0.18  | 1.97  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.65  |
| 040000 | 3.46  | 2.74  | 4.16  | 1.43  | 10.91 | 0.31  | 2.11  | 0.14  | 1.97  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.88  |
| 050000 | 3.49  | 2.81  | 5.21  | 2.40  | 8.85  | 0.31  | 2.17  | 0.17  | 2.00  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 43.41  |
| 060000 | 3.46  | 3.01  | 6.47  | 3.43  | 8.21  | 0.31  | 2.21  | 0.19  | 2.02  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 42.28  |
| 070000 | 3.49  | 3.26  | 6.90  | 3.63  | 9.30  | 0.31  | 2.15  | 0.17  | 1.98  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 42.97  |
| 080000 | 3.47  | 3.30  | 6.72  | 3.40  | 10.70 | 0.31  | 2.12  | 0.13  | 1.99  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 40.55  |
| 090000 | 3.47  | 3.32  | 6.26  | 2.89  | 12.34 | 0.31  | 2.16  | 0.13  | 2.03  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 43.83  |
| 100000 | 3.45  | 3.44  | 6.00  | 2.55  | 12.76 | 0.31  | 2.12  | 0.13  | 1.99  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 42.07  |
| 110000 | 3.55  | 2.57  | 5.77  | 3.22  | 14.09 | 0.31  | 2.09  | 0.12  | 1.97  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 40.44  |
| 120000 | 3.50  | 2.51  | 5.43  | 2.89  | 13.78 | 0.31  | 2.09  | 0.13  | 1.96  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.39  |
| 130000 | 3.52  | 2.43  | 4.98  | 2.52  | 13.81 | 0.31  | 2.07  | 0.12  | 1.95  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 40.79  |
| 140000 | 3.50  | 2.66  | 6.32  | 3.63  | 12.08 | 0.31  | 2.11  | 0.14  | 1.97  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.04  |
| 150000 | 3.48  | 2.56  | 6.31  | 3.73  | 11.85 | 0.31  | 2.13  | 0.15  | 1.98  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 42.65  |
| 160000 | 3.50  | 2.65  | 7.79  | 5.16  | 11.60 | 0.31  | 2.15  | 0.16  | 1.99  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.57  |
| 170000 | 3.57  | 2.58  | 6.92  | 4.32  | 11.80 | 0.31  | 2.16  | 0.16  | 2.00  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.76  |
| 180000 | 3.52  | 2.80  | 7.72  | 4.88  | 8.78  | 0.31  | 2.38  | 0.18  | 2.20  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 47.39  |
| 190000 | 3.50  | 2.96  | 8.72  | 5.74  | 9.02  | 0.31  | 2.31  | 0.20  | 2.11  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 44.56  |
| 200000 | 3.51  | 2.78  | 6.69  | 3.84  | 9.63  | 0.31  | 2.21  | 0.17  | 2.04  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 42.27  |
| 210000 | 3.46  | 2.73  | 6.59  | 3.84  | 7.66  | 0.31  | 2.27  | 0.16  | 2.11  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 45.79  |
| 220000 | 3.47  | 2.71  | 5.10  | 2.32  | 7.89  | 0.31  | 2.17  | 0.13  | 2.04  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 42.81  |
| 230000 | 3.46  | 2.66  | 4.25  | 1.56  | 7.79  | 0.31  | 2.13  | 0.13  | 2.00  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.97  |
| 極大值    | 3.57  | 3.44  | 8.72  | 5.74  | 14.09 | 0.31  | 2.38  | 0.20  | 2.20  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 47.39  |
| 極小值    | 3.39  | 2.43  | 3.79  | 0.94  | 7.66  | 0.31  | 2.02  | 0.12  | 1.90  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 38.24  |
| 平均值    | 3.48  | 2.82  | 5.90  | 3.06  | 10.86 | 0.31  | 2.15  | 0.15  | 2.00  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 42.02  |
| 標準差    | 0.04  | 0.27  | 1.29  | 1.26  | 2.02  | 0     | 0.08  | 0.02  | 0.07  | 0    | 0     | 0     | 0    | 0     | 2.01   |

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫  | 站內溫   | RH    | WD   | WS    | PM10   |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|------|-------|--------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (oC) | (oC)  | (%)   | (o)  | (m/s) | (ug/m) |
| 000000 | 3.46  | 2.78  | 4.46  | 1.63  | 7.36  | 0.31  | 2.17  | 0.14  | 2.03  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 42.33  |
| 010000 | 3.48  | 2.68  | 4.61  | 1.86  | 6.59  | 0.31  | 2.27  | 0.15  | 2.12  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 46.35  |
| 020000 | 3.44  | 2.70  | 4.60  | 1.83  | 6.14  | 0.31  | 2.49  | 0.16  | 2.33  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 47.55  |
| 030000 | 3.50  | 2.53  | 4.10  | 1.51  | 4.78  | 0.31  | 2.34  | 0.15  | 2.19  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 45.16  |
| 040000 | 3.46  | 2.46  | 3.69  | 1.21  | 5.09  | 0.31  | 2.20  | 0.14  | 2.06  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 42.79  |
| 050000 | 3.42  | 2.59  | 4.32  | 1.69  | 4.77  | 0.31  | 2.14  | 0.13  | 2.01  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 40.52  |
| 060000 | 3.45  | 2.77  | 4.82  | 1.99  | 5.47  | 0.31  | 2.14  | 0.13  | 2.01  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 40.82  |
| 070000 | 3.49  | 2.85  | 5.38  | 2.51  | 5.50  | 0.31  | 2.13  | 0.14  | 1.99  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.91  |
| 080000 | 3.49  | 2.79  | 4.77  | 2.10  | 9.01  | 0.31  | 2.09  | 0.13  | 1.96  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.04  |
| 090000 | 3.46  | 6.14  | 6.67  | 2.15  | 11.84 | 0.31  | 2.25  | 0.16  | 2.09  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 43.00  |
| 100000 | 3.49  | 3.13  | 5.06  | 1.87  | 14.36 | 0.31  | 2.25  | 0.15  | 2.10  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.13  |
| 110000 | 3.48  | 2.91  | 4.41  | 1.48  | 17.53 | 0.31  | 2.18  | 0.13  | 2.05  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.63  |
| 120000 | 3.49  | 2.67  | 3.91  | 1.26  | 16.96 | 0.31  | 2.16  | 0.14  | 2.02  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 40.78  |
| 130000 | 3.44  | 2.71  | 3.85  | 1.18  | 15.61 | 0.31  | 2.11  | 0.13  | 1.98  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 40.06  |
| 140000 | 3.53  | 2.90  | 4.06  | 1.18  | 16.07 | 0.31  | 2.12  | 0.13  | 1.99  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.28  |
| 150000 | 3.48  | 2.89  | 3.62  | 0.73  | 16.01 | 0.31  | 2.18  | 0.13  | 2.05  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.41  |
| 160000 | 3.52  | 2.93  | 6.29  | 3.35  | 14.36 | 0.31  | 2.24  | 0.19  | 2.05  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 42.61  |
| 170000 | 3.47  | 2.54  | 3.20  | 0.77  | 16.08 | 0.31  | 2.09  | 0.13  | 1.96  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.98  |
| 180000 | 3.44  | 2.51  | 3.25  | 0.81  | 13.96 | 0.31  | 2.11  | 0.13  | 1.98  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.15  |
| 190000 | 3.44  | 2.52  | 3.98  | 1.49  | 11.97 | 0.31  | 2.13  | 0.13  | 2.00  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.73  |
| 200000 | 3.46  | 2.50  | 2.90  | 0.45  | 12.27 | 0.31  | 2.14  | 0.12  | 2.02  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.41  |
| 210000 | 3.41  | 2.48  | 3.25  | 0.79  | 10.32 | 0.31  | 2.14  | 0.13  | 2.01  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.94  |
| 220000 | 3.46  | 2.54  | 3.35  | 0.80  | 8.48  | 0.31  | 2.20  | 0.15  | 2.05  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 43.38  |
| 230000 | 3.52  | 2.53  | 3.66  | 1.09  | 8.36  | 0.31  | 2.16  | 0.16  | 2.00  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.12  |
| 極大值    | 3.53  | 6.14  | 6.67  | 3.35  | 17.53 | 0.31  | 2.49  | 0.19  | 2.33  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 47.55  |
| 極小值    | 3.41  | 2.46  | 2.90  | 0.45  | 4.77  | 0.31  | 2.09  | 0.12  | 1.96  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.04  |
| 平均值    | 3.47  | 2.84  | 4.26  | 1.49  | 10.79 | 0.31  | 2.18  | 0.14  | 2.04  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 42.04  |
| 標準差    | 0.03  | 0.73  | 0.93  | 0.66  | 4.46  | 0     | 0.09  | 0.02  | 0.08  | 0    | 0     | 0     | 0    | 0     | 1.97   |

屏東縣崁頂焚化爐空氣品質監測報表

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫  | 站內溫   | RH    | WD   | WS    | PM10   |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|------|-------|--------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (oC) | (oC)  | (%)   | (o)  | (m/s) | (ug/m) |
| 000000 | 3.50  | 2.41  | 4.03  | 1.58  | 7.80  | 0.31  | 2.23  | 0.16  | 2.07  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.05  |
| 010000 | 3.53  | 2.40  | 2.99  | 0.61  | 9.12  | 0.31  | 2.17  | 0.13  | 2.04  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 43.57  |
| 020000 | 3.46  | 2.44  | 2.13  | 0.00  | 14.47 | 0.31  | 2.07  | 0.12  | 1.95  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.68  |
| 030000 | 3.45  | 2.43  | 2.28  | 0.00  | 12.38 | 0.31  | 2.11  | 0.12  | 1.99  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 40.11  |
| 040000 | 3.48  | 2.40  | 2.34  | 0.00  | 10.19 | 0.31  | 2.10  | 0.13  | 1.97  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 40.64  |
| 050000 | 3.49  | 2.53  | 3.01  | 0.72  | 9.74  | 0.31  | 2.08  | 0.13  | 1.95  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.27  |
| 060000 | 3.43  | 2.62  | 2.59  | 0.00  | 11.51 | 0.31  | 2.04  | 0.12  | 1.92  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 38.95  |
| 070000 | 3.46  | 2.81  | 4.06  | 1.39  | 10.42 | 0.31  | 2.06  | 0.13  | 1.93  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.68  |
| 080000 | 3.47  | 2.87  | 3.29  | 0.46  | 10.97 | 0.31  | 2.05  | 0.12  | 1.93  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 40.17  |
| 090000 | 3.46  | 2.65  | 2.74  | 0.24  | 12.63 | 0.31  | 2.05  | 0.12  | 1.93  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 37.98  |
| 100000 | 3.41  | 2.41  | 2.27  | 0.00  | 14.57 | 0.31  | 2.04  | 0.13  | 1.91  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.31  |
| 110000 | 3.44  | 2.44  | 2.19  | 0.00  | 15.73 | 0.31  | 2.04  | 0.13  | 1.91  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 38.18  |
| 120000 | 3.46  | 2.43  | 2.19  | 0.00  | 15.53 | 0.31  | 2.03  | 0.13  | 1.90  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 38.71  |
| 130000 | 3.43  | 2.51  | 2.30  | 0.00  | 15.05 | 0.31  | 2.03  | 0.12  | 1.91  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 38.50  |
| 140000 | 3.45  | 2.47  | 2.47  | 0.00  | 15.54 | 0.31  | 2.04  | 0.13  | 1.91  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 38.19  |
| 150000 | 3.49  | 2.40  | 2.18  | 0.00  | 16.50 | 0.31  | 2.03  | 0.13  | 1.90  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 40.13  |
| 160000 | 3.43  | 2.49  | 2.18  | 0.00  | 16.57 | 0.31  | 2.04  | 0.14  | 1.90  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.92  |
| 170000 | 3.47  | 2.42  | 2.64  | 0.37  | 16.30 | 0.31  | 2.04  | 0.13  | 1.91  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 40.78  |
| 180000 | 3.45  | 2.38  | 2.80  | 0.59  | 16.27 | 0.31  | 2.05  | 0.13  | 1.92  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 40.37  |
| 190000 | 3.49  | 2.36  | 2.30  | 0.00  | 17.04 | 0.31  | 2.04  | 0.13  | 1.91  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 38.80  |
| 200000 | 3.45  | 2.45  | 2.82  | 0.49  | 13.79 | 0.31  | 2.09  | 0.13  | 1.96  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 40.01  |
| 210000 | 3.49  | 2.36  | 3.50  | 1.18  | 10.56 | 0.31  | 2.17  | 0.13  | 2.04  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 40.17  |
| 220000 | 3.44  | 2.35  | 3.39  | 1.05  | 10.76 | 0.31  | 2.45  | 0.13  | 2.32  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 49.57  |
| 230000 | 3.44  | 2.39  | 3.32  | 0.95  | 12.27 | 0.31  | 2.50  | 0.14  | 2.36  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 50.16  |
| 極大值    | 3.53  | 2.87  | 4.06  | 1.58  | 17.04 | 0.31  | 2.50  | 0.16  | 2.36  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 50.16  |
| 極小值    | 3.41  | 2.35  | 2.13  | 0.00  | 7.80  | 0.31  | 2.03  | 0.12  | 1.90  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 37.98  |
| 平均值    | 3.46  | 2.48  | 2.75  | 0.40  | 13.15 | 0.31  | 2.11  | 0.13  | 1.98  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 40.75  |
| 標準差    | 0.03  | 0.13  | 0.59  | 0.5   | 2.78  | 0     | 0.12  | 0.01  | 0.12  | 0    | 0     | 0     | 0    | 0     | 3.09   |

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫  | 站內溫   | RH    | WD   | WS    | PM10   |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|------|-------|--------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (oC) | (oC)  | (%)   | (o)  | (m/s) | (ug/m) |
| 000000 | 3.50  | 2.41  | 4.13  | 1.74  | 9.83  | 0.31  | 2.36  | 0.15  | 2.21  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 44.57  |
| 010000 | 3.46  | 2.44  | 5.02  | 2.59  | 5.70  | 0.31  | 2.70  | 0.19  | 2.51  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 52.22  |
| 020000 | 3.48  | 2.49  | 5.06  | 2.60  | 3.97  | 0.31  | 2.73  | 0.20  | 2.53  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 50.60  |
| 030000 | 3.40  | 2.57  | 3.86  | 1.28  | 4.10  | 0.31  | 2.51  | 0.16  | 2.35  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 48.33  |
| 040000 | 3.46  | 2.59  | 4.41  | 1.81  | 2.89  | 0.31  | 2.82  | 0.18  | 2.64  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 51.77  |
| 050000 | 3.51  | 2.97  | 5.11  | 2.15  | 2.71  | 0.31  | 2.77  | 0.18  | 2.59  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 53.47  |
| 060000 | 3.48  | 4.65  | 7.03  | 2.37  | 2.74  | 0.31  | 2.98  | 0.17  | 2.81  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 58.67  |
| 070000 | 3.52  | 5.55  | 7.18  | 1.62  | 4.24  | 0.31  | 3.12  | 0.17  | 2.95  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 61.13  |
| 080000 | 3.56  | 4.89  | 8.02  | 3.11  | 8.04  | 0.31  | 2.70  | 0.14  | 2.56  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 51.62  |
| 090000 | 3.55  | 3.23  | 5.75  | 2.54  | 20.67 | 0.31  | 2.41  | 0.17  | 2.24  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 46.55  |
| 100000 | 3.67  | 2.69  | 4.47  | 1.81  | 24.75 | 0.31  | 2.36  | 0.17  | 2.19  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 46.97  |
| 110000 | 3.68  | 2.62  | 4.18  | 1.58  | 30.92 | 0.31  | 2.24  | 0.20  | 2.04  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 42.14  |
| 120000 | 3.53  | 2.69  | 3.55  | 0.86  | 27.76 | 0.31  | 2.22  | 0.16  | 2.06  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.07  |
| 130000 | 3.63  | 2.60  | 3.63  | 1.06  | 33.16 | 0.31  | 2.24  | 0.19  | 2.05  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 43.20  |
| 140000 | 3.62  | 2.54  | 3.77  | 1.23  | 33.87 | 0.31  | 2.17  | 0.17  | 2.00  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 42.86  |
| 150000 | 3.52  | 2.63  | 3.67  | 1.07  | 29.90 | 0.31  | 2.15  | 0.16  | 1.99  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 40.81  |
| 160000 | 3.49  | 2.53  | 3.56  | 1.04  | 26.72 | 0.31  | 2.13  | 0.14  | 1.99  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 40.53  |
| 170000 | 3.50  | 2.60  | 2.93  | 0.40  | 20.37 | 0.31  | 2.09  | 0.13  | 1.96  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.93  |
| 180000 | 3.59  | 2.43  | 3.18  | 0.77  | 19.56 | 0.31  | 2.15  | 0.14  | 2.01  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.93  |
| 190000 | 3.51  | 2.42  | 3.77  | 1.36  | 11.55 | 0.31  | 2.22  | 0.16  | 2.06  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 42.58  |
| 200000 | 3.52  | 2.52  | 7.68  | 5.14  | 8.98  | 0.31  | 2.56  | 0.18  | 2.38  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 48.33  |
| 210000 | 3.51  | 2.60  | 6.04  | 3.48  | 8.96  | 0.31  | 2.61  | 0.16  | 2.45  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 50.59  |
| 220000 | 3.53  | 2.48  | 5.60  | 3.14  | 7.49  | 0.31  | 2.89  | 0.16  | 2.73  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 55.85  |
| 230000 | 3.51  | 2.46  | 6.07  | 3.63  | 6.03  | 0.31  | 2.89  | 0.19  | 2.70  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 54.18  |
| 極大值    | 3.68  | 5.55  | 8.02  | 5.14  | 33.87 | 0.31  | 3.12  | 0.20  | 2.95  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 61.13  |
| 極小值    | 3.40  | 2.41  | 2.93  | 0.40  | 2.71  | 0.31  | 2.09  | 0.13  | 1.96  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.93  |
| 平均值    | 3.53  | 2.90  | 4.90  | 2.02  | 14.79 | 0.31  | 2.50  | 0.17  | 2.33  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 47.91  |
| 標準差    | 0.07  | 0.85  | 1.47  | 1.11  | 11.08 | 0     | 0.31  | 0.02  | 0.31  | 0    | 0     | 0     | 0    | 0     | 6.12   |

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫  | 站內溫   | RH    | WD   | WS    | PM10   |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|------|-------|--------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (oC) | (oC)  | (%)   | (o)  | (m/s) | (ug/m) |
| 000000 | 3.53  | 2.45  | 4.95  | 2.49  | 6.03  | 0.31  | 3.03  | 0.17  | 2.86  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 56.48  |
| 010000 | 3.53  | 2.53  | 4.88  | 2.35  | 4.89  | 0.31  | 3.14  | 0.18  | 2.96  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 59.58  |
| 020000 | 3.52  | 2.51  | 4.64  | 2.14  | 3.49  | 0.31  | 3.06  | 0.17  | 2.89  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 58.61  |
| 030000 | 3.52  | 2.79  | 5.45  | 2.67  | 2.30  | 0.31  | 3.17  | 0.18  | 2.99  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 59.10  |
| 040000 | 3.50  | 2.84  | 4.82  | 1.97  | 1.91  | 0.31  | 3.67  | 0.17  | 3.50  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 68.24  |
| 050000 | 3.51  | 3.49  | 5.36  | 1.89  | 1.67  | 0.31  | 3.44  | 0.17  | 3.27  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 64.42  |
| 060000 | 3.54  | 5.62  | 8.14  | 2.53  | 2.09  | 0.31  | 3.19  | 0.18  | 3.01  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 59.87  |
| 070000 | 3.61  | 5.45  | 7.96  | 2.49  | 3.58  | 0.31  | 2.81  | 0.16  | 2.65  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 52.94  |
| 080000 | 3.56  | 3.19  | 4.08  | 0.88  | 8.50  | 0.31  | 2.23  | 0.13  | 2.10  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 42.01  |
| 090000 | 3.51  | 2.59  | 2.61  | 0.21  | 10.43 | 0.31  | 2.06  | 0.12  | 1.94  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.01  |
| 100000 | 3.50  | 2.62  | 2.56  | 0.00  | 12.21 | 0.31  | 2.06  | 0.13  | 1.93  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 37.54  |
| 110000 | 3.53  | 2.62  | 2.64  | 0.23  | 10.36 | 0.31  | 2.05  | 0.14  | 1.91  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.71  |
| 120000 | 3.47  | 2.66  | 2.66  | 0.21  | 10.44 | 0.31  | 2.04  | 0.13  | 1.91  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.14  |
| 130000 | 3.50  | 2.60  | 2.64  | 0.27  | 11.67 | 0.31  | 2.04  | 0.13  | 1.91  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 38.01  |
| 140000 | 3.52  | 2.71  | 2.68  | 0.00  | 13.42 | 0.31  | 2.05  | 0.14  | 1.91  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 38.05  |
| 150000 | 3.48  | 2.55  | 2.61  | 0.26  | 14.99 | 0.31  | 2.04  | 0.12  | 1.92  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 38.39  |
| 160000 | 3.50  | 2.66  | 2.97  | 0.51  | 14.47 | 0.31  | 2.04  | 0.12  | 1.92  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 37.17  |
| 170000 | 3.50  | 2.82  | 3.69  | 0.89  | 13.30 | 0.31  | 2.04  | 0.12  | 1.92  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 37.36  |
| 180000 | 3.47  | 2.89  | 3.47  | 0.61  | 10.41 | 0.31  | 2.05  | 0.12  | 1.93  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.88  |
| 190000 | 3.49  | 2.71  | 3.49  | 0.75  | 9.06  | 0.31  | 2.06  | 0.12  | 1.94  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 37.44  |
| 200000 | 3.46  | 2.74  | 3.61  | 0.85  | 8.12  | 0.31  | 2.08  | 0.12  | 1.96  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 38.77  |
| 210000 | 3.46  | 2.66  | 3.52  | 0.86  | 7.52  | 0.31  | 2.09  | 0.12  | 1.97  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.49  |
| 220000 | 3.48  | 2.88  | 3.53  | 0.73  | 7.53  | 0.31  | 2.08  | 0.12  | 1.96  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.85  |
| 230000 | 3.42  | 2.93  | 3.23  | 0.37  | 7.83  | 0.31  | 2.06  | 0.12  | 1.94  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 38.24  |
| 極大值    | 3.61  | 5.62  | 8.14  | 2.67  | 14.99 | 0.31  | 3.67  | 0.18  | 3.50  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 68.24  |
| 極小值    | 3.42  | 2.45  | 2.56  | 0.00  | 1.67  | 0.31  | 2.04  | 0.12  | 1.91  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 37.17  |
| 平均值    | 3.50  | 2.98  | 4.01  | 1.09  | 8.18  | 0.31  | 2.44  | 0.14  | 2.30  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 45.80  |
| 標準差    | 0.04  | 0.82  | 1.55  | 0.94  | 4.18  | 0     | 0.56  | 0.02  | 0.54  | 0    | 0     | 0     | 0    | 0     | 10.55  |

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫  | 站內溫   | RH    | WD   | WS    | PM10   |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|------|-------|--------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (oC) | (oC)  | (%)   | (o)  | (m/s) | (ug/m) |
| 000000 | 3.47  | 2.91  | 3.14  | 0.34  | 7.38  | 0.31  | 2.08  | 0.12  | 1.96  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.52  |
| 010000 | 3.47  | 2.94  | 3.09  | 0.27  | 7.35  | 0.31  | 2.07  | 0.13  | 1.94  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 38.26  |
| 020000 | 3.46  | 2.52  | 3.49  | 1.26  | 5.58  | 0.31  | 2.25  | 0.13  | 2.12  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 40.01  |
| 030000 | 3.43  | 2.83  | 5.04  | 2.19  | 2.00  | 0.31  | 2.47  | 0.14  | 2.33  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 46.61  |
| 040000 | 3.51  | 3.00  | 5.47  | 2.49  | 2.11  | 0.31  | 2.49  | 0.14  | 2.35  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 44.77  |
| 050000 | 3.49  | 3.50  | 5.49  | 1.96  | 2.14  | 0.31  | 2.27  | 0.14  | 2.13  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.18  |
| 060000 | 3.47  | 4.17  | 5.55  | 1.34  | 4.27  | 0.31  | 2.23  | 0.14  | 2.09  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 44.40  |
| 070000 | 3.51  | 3.19  | 3.86  | 0.73  | 8.42  | 0.31  | 2.13  | 0.14  | 1.99  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 40.01  |
| 080000 | 3.47  | 3.05  | 3.41  | 0.42  | 9.64  | 0.31  | 2.03  | 0.12  | 1.91  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 38.55  |
| 090000 | 3.49  | 3.13  | 3.41  | 0.37  | 9.71  | 0.31  | 2.04  | 0.13  | 1.91  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 38.71  |
| 100000 | 3.45  | 3.06  | 3.43  | 0.42  | 9.41  | 0.31  | 2.03  | 0.13  | 1.90  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 36.64  |
| 110000 | 3.48  | 3.08  | 3.49  | 0.48  | 8.83  | 0.31  | 2.03  | 0.14  | 1.89  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 38.29  |
| 120000 | 3.46  | 2.99  | 3.26  | 0.44  | 10.00 | 0.31  | 2.03  | 0.15  | 1.88  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 37.25  |
| 130000 | 3.49  | 3.12  | 3.42  | 0.37  | 9.33  | 0.31  | 2.03  | 0.15  | 1.88  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 37.69  |
| 140000 | 3.50  | 3.06  | 3.29  | 0.36  | 9.72  | 0.31  | 2.03  | 0.15  | 1.88  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 38.10  |
| 150000 | 3.50  | 3.01  | 3.36  | 0.43  | 9.76  | 0.31  | 2.03  | 0.13  | 1.90  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 38.26  |
| 160000 | 3.53  | 2.88  | 3.16  | 0.37  | 11.43 | 0.31  | 2.05  | 0.13  | 1.92  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 40.30  |
| 170000 | 3.58  | 2.89  | 3.76  | 0.91  | 10.67 | 0.31  | 2.10  | 0.14  | 1.96  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.98  |
| 180000 | 3.50  | 2.65  | 3.13  | 0.59  | 11.08 | 0.31  | 2.07  | 0.12  | 1.95  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 38.73  |
| 190000 | 3.49  | 2.80  | 3.76  | 0.95  | 9.65  | 0.31  | 2.10  | 0.13  | 1.97  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.12  |
| 200000 | 3.54  | 2.55  | 3.94  | 1.39  | 8.72  | 0.31  | 2.14  | 0.13  | 2.01  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 42.15  |
| 210000 | 3.49  | 3.24  | 5.73  | 2.50  | 6.25  | 0.31  | 2.21  | 0.14  | 2.07  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.86  |
| 220000 | 3.48  | 3.35  | 6.25  | 2.92  | 4.46  | 0.31  | 2.28  | 0.14  | 2.14  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 42.67  |
| 230000 | 3.54  | 3.88  | 7.72  | 3.80  | 2.26  | 0.31  | 2.46  | 0.15  | 2.31  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 47.99  |
| 極大值    | 3.58  | 4.17  | 7.72  | 3.80  | 11.43 | 0.31  | 2.49  | 0.15  | 2.35  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 47.99  |
| 極小值    | 3.43  | 2.52  | 3.09  | 0.27  | 2.00  | 0.31  | 2.03  | 0.12  | 1.88  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 36.64  |
| 平均值    | 3.49  | 3.08  | 4.15  | 1.14  | 7.51  | 0.31  | 2.15  | 0.14  | 2.02  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 40.46  |
| 標準差    | 0.03  | 0.37  | 1.25  | 0.99  | 3.09  | 0     | 0.15  | 0.01  | 0.15  | 0    | 0     | 0     | 0    | 0     | 2.98   |

屏東縣崁頂焚化爐空氣品質監  
測報表

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫  | 站內溫   | RH    | WD   | WS    | PM10   |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|------|-------|--------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (oC) | (oC)  | (%)   | (o)  | (m/s) | (ug/m) |
| 000000 | 3.47  | 3.28  | 4.82  | 1.65  | 3.86  | 0.31  | 2.23  | 0.12  | 2.11  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 43.90  |
| 010000 | 3.48  | 2.94  | 3.42  | 0.62  | 6.01  | 0.31  | 2.09  | 0.12  | 1.97  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.34  |
| 020000 | 3.44  | 2.94  | 4.83  | 1.88  | 2.62  | 0.31  | 2.29  | 0.14  | 2.15  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.25  |
| 030000 | 3.44  | 3.33  | 6.56  | 3.22  | 1.39  | 0.31  | 2.53  | 0.15  | 2.38  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 45.68  |
| 040000 | 3.46  | 2.88  | 5.64  | 2.76  | 1.59  | 0.31  | 2.43  | 0.14  | 2.29  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 44.90  |
| 050000 | 3.50  | 3.97  | 6.33  | 2.34  | 1.78  | 0.31  | 2.71  | 0.14  | 2.57  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 52.21  |
| 060000 | 3.53  | 5.58  | 7.77  | 2.20  | 3.13  | 0.31  | 2.39  | 0.16  | 2.23  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 45.76  |
| 070000 | 3.50  | 3.97  | 5.35  | 1.40  | 6.37  | 0.31  | 2.21  | 0.15  | 2.06  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 40.07  |
| 080000 | 3.50  | 2.92  | 3.30  | 0.40  | 7.92  | 0.31  | 2.11  | 0.14  | 1.97  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 38.51  |
| 090000 | 3.54  | 2.95  | 3.17  | 0.33  | 6.36  | 0.31  | 2.05  | 0.14  | 1.91  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 36.47  |
| 100000 | 3.48  | 2.91  | 2.98  | 0.26  | 7.72  | 0.31  | 2.03  | 0.13  | 1.90  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 36.74  |
| 110000 | 3.55  | 2.78  | 2.74  | 0.00  | 8.66  | 0.31  | 2.03  | 0.13  | 1.90  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 37.63  |
| 120000 | 3.47  | 2.84  | 2.87  | 0.22  | 7.69  | 0.31  | 2.03  | 0.14  | 1.89  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.03  |
| 130000 | 3.48  | 2.86  | 2.87  | 0.00  | 8.32  | 0.31  | 2.03  | 0.13  | 1.90  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 38.12  |
| 140000 | 3.50  | 2.90  | 2.95  | 0.27  | 8.15  | 0.31  | 2.04  | 0.13  | 1.91  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.77  |
| 150000 | 3.64  | 3.18  | 3.33  | 0.36  | 7.26  | 0.31  | 2.05  | 0.14  | 1.91  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 37.91  |
| 160000 | 3.53  | 3.23  | 3.68  | 0.60  | 8.38  | 0.31  | 2.04  | 0.14  | 1.90  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.07  |
| 170000 | 3.48  | 2.98  | 3.51  | 0.61  | 9.36  | 0.31  | 2.03  | 0.12  | 1.91  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 38.20  |
| 180000 | 3.46  | 3.16  | 4.01  | 0.91  | 7.26  | 0.31  | 2.05  | 0.12  | 1.93  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 38.48  |
| 190000 | 3.66  | 3.63  | 5.25  | 1.62  | 6.18  | 0.31  | 2.18  | 0.12  | 2.06  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.81  |
| 200000 | 3.58  | 3.57  | 6.55  | 2.96  | 2.99  | 0.31  | 2.47  | 0.13  | 2.34  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 45.50  |
| 210000 | 3.48  | 4.56  | 8.22  | 3.64  | 1.66  | 0.31  | 2.39  | 0.13  | 2.26  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 44.65  |
| 220000 | 3.50  | 4.15  | 7.13  | 2.95  | 1.18  | 0.31  | 2.34  | 0.13  | 2.21  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 43.12  |
| 230000 | 3.48  | 3.85  | 6.55  | 2.72  | 1.31  | 0.31  | 2.86  | 0.13  | 2.73  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 55.45  |
| 極大值    | 3.66  | 5.58  | 8.22  | 3.64  | 9.36  | 0.31  | 2.86  | 0.16  | 2.73  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 55.45  |
| 極小值    | 3.44  | 2.78  | 2.74  | 0.00  | 1.18  | 0.31  | 2.03  | 0.12  | 1.89  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 36.47  |
| 平均值    | 3.51  | 3.39  | 4.74  | 1.41  | 5.30  | 0.31  | 2.23  | 0.13  | 2.10  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.82  |
| 標準差    | 0.06  | 0.68  | 1.74  | 1.18  | 2.88  | 0     | 0.24  | 0.01  | 0.23  | 0    | 0     | 0     | 0    | 0     | 4.78   |

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫  | 站內溫   | RH    | WD   | WS    | PM10   |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|------|-------|--------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (oC) | (oC)  | (%)   | (o)  | (m/s) | (ug/m) |
| 000000 | 3.39  | 2.93  | 5.67  | 2.73  | 1.39  | 0.31  | 2.31  | 0.12  | 2.19  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.78  |
| 010000 | 3.45  | 2.69  | 4.48  | 1.79  | 1.81  | 0.31  | 2.21  | 0.14  | 2.07  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 40.76  |
| 020000 | 3.51  | 3.30  | 5.97  | 2.66  | 1.51  | 0.31  | 2.44  | 0.15  | 2.29  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 47.21  |
| 030000 | 3.55  | 3.13  | 5.74  | 2.57  | 1.54  | 0.31  | 2.66  | 0.14  | 2.52  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 51.20  |
| 040000 | 3.50  | 4.79  | 6.90  | 2.09  | 1.69  | 0.31  | 2.56  | 0.15  | 2.41  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 48.51  |
| 050000 | 3.48  | 6.26  | 7.78  | 1.50  | 1.55  | 0.31  | 2.82  | 0.15  | 2.67  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 51.94  |
| 060000 | 3.53  | 6.51  | 8.05  | 1.53  | 1.89  | 0.31  | 2.32  | 0.13  | 2.19  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 42.22  |
| 070000 | 3.67  | 4.91  | 6.94  | 2.03  | 5.20  | 0.31  | 2.27  | 0.14  | 2.13  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 43.37  |
| 080000 | 3.71  | 3.41  | 5.09  | 1.64  | 9.71  | 0.31  | 2.15  | 0.12  | 2.03  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.97  |
| 090000 | 3.70  | 2.86  | 4.10  | 1.21  | 12.23 | 0.31  | 2.16  | 0.12  | 2.04  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.82  |
| 100000 | 3.73  | 2.56  | 3.56  | 0.99  | 13.91 | 0.31  | 2.25  | 0.17  | 2.08  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 44.01  |
| 110000 | 3.79  | 2.55  | 5.23  | 2.69  | 28.34 | 0.31  | 2.33  | 0.22  | 2.11  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 43.86  |
| 120000 | 4.28  | 2.93  | 7.57  | 4.65  | 27.33 | 0.31  | 2.29  | 0.26  | 2.03  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 42.59  |
| 130000 | 4.20  | 3.11  | 7.68  | 4.56  | 23.40 | 0.31  | 2.32  | 0.32  | 2.00  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 43.24  |
| 140000 | 3.99  | 2.64  | 6.37  | 3.74  | 26.20 | 0.31  | 2.34  | 0.27  | 2.07  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 43.15  |
| 150000 | 3.66  | 2.44  | 5.29  | 2.86  | 30.09 | 0.31  | 2.15  | 0.14  | 2.01  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 40.39  |
| 160000 | 3.59  | 2.60  | 6.60  | 4.02  | 27.00 | 0.31  | 2.16  | 0.15  | 2.01  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 40.73  |
| 170000 | 3.67  | 2.53  | 7.32  | 4.84  | 24.65 | 0.31  | 2.25  | 0.18  | 2.07  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.88  |
| 180000 | 3.63  | 2.41  | 7.35  | 4.97  | 21.56 | 0.31  | 2.27  | 0.16  | 2.11  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 42.42  |
| 190000 | 3.55  | 2.35  | 6.24  | 3.91  | 17.25 | 0.31  | 2.19  | 0.15  | 2.04  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.87  |
| 200000 | 3.58  | 2.87  | 8.11  | 5.24  | 12.12 | 0.31  | 2.61  | 0.15  | 2.46  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 48.64  |
| 210000 | 3.52  | 2.67  | 9.01  | 6.37  | 6.71  | 0.31  | 3.15  | 0.16  | 2.99  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 61.10  |
| 220000 | 3.52  | 2.98  | 6.64  | 3.67  | 5.69  | 0.31  | 2.61  | 0.15  | 2.46  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 50.00  |
| 230000 | 3.49  | 2.52  | 5.66  | 3.15  | 5.02  | 0.31  | 2.70  | 0.14  | 2.56  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 50.46  |
| 極大值    | 4.28  | 6.51  | 9.01  | 6.37  | 30.09 | 0.31  | 3.15  | 0.32  | 2.99  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 61.10  |
| 極小值    | 3.39  | 2.35  | 3.56  | 0.99  | 1.39  | 0.31  | 2.15  | 0.12  | 2.00  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.82  |
| 平均值    | 3.65  | 3.25  | 6.39  | 3.14  | 12.82 | 0.31  | 2.40  | 0.17  | 2.23  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 45.05  |
| 標準差    | 0.22  | 1.16  | 1.36  | 1.45  | 10.58 | 0     | 0.25  | 0.05  | 0.26  | 0    | 0     | 0     | 0    | 0     | 5.12   |

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫  | 站內溫   | RH    | WD   | WS    | PM10   |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|------|-------|--------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (oC) | (oC)  | (%)   | (o)  | (m/s) | (ug/m) |
| 000000 | 3.49  | 2.51  | 5.58  | 3.08  | 4.78  | 0.31  | 2.95  | 0.13  | 2.82  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 56.38  |
| 010000 | 3.50  | 2.63  | 6.19  | 3.56  | 2.96  | 0.31  | 3.22  | 0.14  | 3.08  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 59.53  |
| 020000 | 3.51  | 2.61  | 6.33  | 3.73  | 2.24  | 0.31  | 2.80  | 0.15  | 2.65  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 53.19  |
| 030000 | 3.52  | 2.60  | 5.49  | 2.90  | 2.24  | 0.31  | 2.85  | 0.14  | 2.71  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 53.51  |
| 040000 | 3.44  | 3.44  | 6.48  | 3.02  | 2.10  | 0.31  | 2.79  | 0.16  | 2.63  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 51.12  |
| 050000 | 3.47  | 3.92  | 6.54  | 2.61  | 2.22  | 0.31  | 2.56  | 0.17  | 2.39  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 47.84  |
| 060000 | 3.51  | 5.58  | 8.06  | 2.49  | 2.99  | 0.31  | 2.52  | 0.16  | 2.36  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 47.96  |
| 070000 | 3.51  | 4.17  | 7.14  | 2.95  | 8.44  | 0.31  | 2.37  | 0.17  | 2.20  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 44.98  |
| 080000 | 3.53  | 4.01  | 7.41  | 3.37  | 13.44 | 0.31  | 2.27  | 0.18  | 2.09  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.62  |
| 090000 | 3.49  | 3.71  | 7.93  | 4.19  | 20.69 | 0.31  | 2.30  | 0.20  | 2.10  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 42.64  |
| 100000 | 3.50  | 3.03  | 7.17  | 4.14  | 28.37 | 0.31  | 2.33  | 0.19  | 2.14  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 42.81  |
| 110000 | 3.50  | 2.83  | 6.36  | 3.52  | 32.22 | 0.31  | 2.29  | 0.19  | 2.10  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 43.79  |
| 120000 | 3.60  | 2.76  | 8.00  | 5.19  | 38.48 | 0.31  | 2.45  | 0.31  | 2.14  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 45.82  |
| 130000 | 3.64  | 2.96  | 10.93 | 7.95  | 52.16 | 0.31  | 2.61  | 0.46  | 2.15  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 49.24  |
| 140000 | 3.66  | 3.24  | 13.53 | 10.26 | 49.90 | 0.31  | 2.54  | 0.34  | 2.20  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 46.33  |
| 150000 | 3.57  | 2.95  | 10.85 | 7.89  | 45.41 | 0.31  | 2.49  | 0.37  | 2.12  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 46.13  |
| 160000 | 3.72  | 2.81  | 9.32  | 6.49  | 36.32 | 0.31  | 2.38  | 0.33  | 2.05  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 44.83  |
| 170000 | 3.64  | 3.01  | 10.20 | 7.14  | 18.46 | 0.31  | 2.28  | 0.25  | 2.03  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 42.18  |
| 180000 | 3.72  | 3.70  | 17.00 | 13.29 | 7.32  | 0.31  | 2.45  | 0.32  | 2.13  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 47.05  |
| 190000 | 3.85  | 4.65  | 20.77 | 16.14 | 3.95  | 0.31  | 2.60  | 0.47  | 2.13  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 48.72  |
| 200000 | 3.66  | 3.16  | 14.00 | 10.84 | 5.64  | 0.31  | 2.63  | 0.29  | 2.34  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 48.74  |
| 210000 | 3.60  | 3.56  | 12.26 | 8.68  | 2.62  | 0.31  | 2.65  | 0.19  | 2.46  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 48.81  |
| 220000 | 3.59  | 2.48  | 7.47  | 5.01  | 7.84  | 0.31  | 2.68  | 0.14  | 2.54  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 49.27  |
| 230000 | 3.66  | 2.67  | 7.03  | 4.37  | 8.78  | 0.31  | 2.74  | 0.16  | 2.58  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 52.27  |
| 極大值    | 3.85  | 5.58  | 20.77 | 16.14 | 52.16 | 0.31  | 3.22  | 0.47  | 3.08  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 59.53  |
| 極小值    | 3.44  | 2.48  | 5.49  | 2.49  | 2.10  | 0.31  | 2.27  | 0.13  | 2.03  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.62  |
| 平均值    | 3.58  | 3.29  | 9.25  | 5.95  | 16.65 | 0.31  | 2.57  | 0.23  | 2.34  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 48.12  |
| 標準差    | 0.1   | 0.76  | 3.86  | 3.66  | 16.93 | 0     | 0.24  | 0.1   | 0.28  | 0    | 0     | 0     | 0    | 0     | 4.53   |

屏東縣崁頂焚化爐空氣品質監測報表

日報(小時數據)  
A002 油車庄站

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫  | 站內溫   | RH    | WD   | WS    | PM10   |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|------|-------|--------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (oC) | (oC)  | (%)   | (o)  | (m/s) | (ug/m) |
| 000000 | 3.61  | 2.69  | 7.85  | 5.18  | 6.85  | 0.31  | 2.98  | 0.19  | 2.79  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 54.20  |
| 010000 | 3.63  | 2.93  | 7.87  | 4.96  | 6.48  | 0.31  | 2.86  | 0.20  | 2.66  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 54.34  |
| 020000 | 3.62  | 2.71  | 8.37  | 5.67  | 5.07  | 0.31  | 2.90  | 0.23  | 2.67  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 52.81  |
| 030000 | 3.53  | 2.67  | 7.19  | 4.53  | 4.56  | 0.31  | 2.92  | 0.23  | 2.69  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 54.43  |
| 040000 | 3.59  | 2.87  | 6.86  | 3.99  | 5.54  | 0.31  | 2.87  | 0.24  | 2.63  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 53.11  |
| 050000 | 3.64  | 3.07  | 7.42  | 4.33  | 4.51  | 0.31  | 2.85  | 0.24  | 2.61  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 53.19  |
| 060000 | 3.58  | 4.85  | 9.79  | 4.92  | 3.79  | 0.31  | 2.88  | 0.24  | 2.64  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 53.28  |
| 070000 | 3.58  | 5.42  | 9.21  | 3.74  | 9.33  | 0.31  | 2.64  | 0.22  | 2.42  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 50.87  |
| 080000 | 3.60  | 3.07  | 6.13  | 3.06  | 21.79 | 0.31  | 2.35  | 0.19  | 2.16  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 44.42  |
| 090000 | 3.61  | 2.69  | 5.17  | 2.51  | 30.47 | 0.31  | 2.24  | 0.17  | 2.07  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 42.48  |
| 100000 | 3.66  | 2.59  | 5.67  | 3.11  | 41.84 | 0.31  | 2.32  | 0.24  | 2.08  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 44.21  |
| 110000 | 3.78  | 2.80  | 9.18  | 6.41  | 55.26 | 0.31  | 2.50  | 0.36  | 2.14  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 46.55  |
| 120000 | 3.83  | 2.68  | 10.20 | 7.50  | 59.55 | 0.31  | 2.58  | 0.39  | 2.19  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 48.44  |
| 130000 | 3.75  | 3.12  | 10.97 | 7.84  | 48.44 | 0.31  | 2.45  | 0.32  | 2.13  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 45.34  |
| 140000 | 3.75  | 2.44  | 6.25  | 3.80  | 60.61 | 0.31  | 2.23  | 0.17  | 2.06  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.89  |
| 150000 | 3.71  | 2.51  | 7.73  | 5.23  | 42.05 | 0.31  | 2.23  | 0.16  | 2.07  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 42.24  |
| 160000 | 3.72  | 2.90  | 13.54 | 10.66 | 32.49 | 0.31  | 2.31  | 0.23  | 2.08  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 42.54  |
| 170000 | 3.84  | 2.48  | 10.03 | 7.57  | 30.53 | 0.31  | 2.32  | 0.24  | 2.08  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.96  |
| 180000 | 3.75  | 2.39  | 8.12  | 5.74  | 26.13 | 0.31  | 2.34  | 0.22  | 2.12  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 43.08  |
| 190000 | 3.74  | 2.33  | 8.18  | 5.88  | 20.11 | 0.31  | 2.32  | 0.22  | 2.10  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 44.65  |
| 200000 | 3.70  | 2.34  | 7.12  | 4.80  | 20.12 | 0.31  | 2.35  | 0.21  | 2.14  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 43.56  |
| 210000 | 3.69  | 2.48  | 8.23  | 5.78  | 14.59 | 0.31  | 2.54  | 0.21  | 2.33  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 48.63  |
| 220000 | 3.57  | 2.51  | 5.02  | 2.52  | 8.24  | 0.31  | 2.26  | 0.15  | 2.11  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 43.58  |
| 230000 | 3.59  | 2.37  | 2.75  | 0.56  | 6.84  | 0.31  | 2.10  | 0.11  | 1.99  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 38.65  |
| 極大值    | 3.84  | 5.42  | 13.54 | 10.66 | 60.61 | 0.31  | 2.98  | 0.39  | 2.79  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 54.43  |
| 極小值    | 3.53  | 2.33  | 2.75  | 0.56  | 3.79  | 0.31  | 2.10  | 0.11  | 1.99  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 38.65  |
| 平均值    | 3.67  | 2.87  | 7.87  | 5.01  | 23.55 | 0.31  | 2.51  | 0.22  | 2.29  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 47.02  |
| 標準差    | 0.09  | 0.74  | 2.23  | 2.1   | 19.03 | 0     | 0.28  | 0.06  | 0.27  | 0    | 0     | 0     | 0    | 0     | 5      |

屏東縣崁頂焚化爐空氣品質監  
測報表

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫  | 站內溫   | RH    | WD   | WS    | PM10   |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|------|-------|--------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (oC) | (oC)  | (%)   | (o)  | (m/s) | (ug/m) |
| 000000 | 3.60  | 2.35  | 4.17  | 1.82  | 4.37  | 0.31  | 2.42  | 0.12  | 2.30  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 43.59  |
| 010000 | 3.65  | 2.52  | 5.25  | 2.75  | 4.04  | 0.31  | 2.60  | 0.17  | 2.43  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 47.50  |
| 020000 | 3.72  | 2.38  | 5.81  | 3.41  | 3.98  | 0.31  | 2.73  | 0.19  | 2.54  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 51.59  |
| 030000 | 3.68  | 2.52  | 6.25  | 3.72  | 3.89  | 0.31  | 2.71  | 0.20  | 2.51  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 50.74  |
| 040000 | 3.72  | 2.62  | 6.16  | 3.55  | 3.59  | 0.31  | 2.95  | 0.21  | 2.74  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 54.76  |
| 050000 | 3.60  | 2.93  | 6.42  | 3.50  | 3.11  | 0.31  | 2.76  | 0.20  | 2.56  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 50.91  |
| 060000 | 3.62  | 4.03  | 7.95  | 3.89  | 3.67  | 0.31  | 2.77  | 0.18  | 2.59  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 52.32  |
| 070000 | 3.63  | 3.56  | 6.50  | 2.93  | 6.82  | 0.31  | 2.59  | 0.16  | 2.43  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 49.37  |
| 080000 | 3.68  | 2.86  | 5.26  | 2.40  | 10.25 | 0.31  | 2.46  | 0.15  | 2.31  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 47.84  |
| 090000 | 3.68  | 3.48  | 7.87  | 4.38  | 10.47 | 0.31  | 2.44  | 0.16  | 2.28  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 47.12  |
| 100000 | 3.59  | 2.88  | 5.26  | 2.38  | 12.17 | 0.31  | 2.18  | 0.14  | 2.04  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 40.36  |
| 110000 | 3.66  | 3.11  | 5.91  | 2.78  | 11.50 | 0.31  | 2.18  | 0.14  | 2.04  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.41  |
| 120000 | 3.56  | 2.76  | 4.52  | 1.75  | 11.36 | 0.31  | 2.21  | 0.13  | 2.08  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.83  |
| 130000 | 3.64  | 2.81  | 4.98  | 2.16  | 10.38 | 0.31  | 2.16  | 0.13  | 2.03  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 40.10  |
| 140000 | 3.59  | 3.17  | 6.31  | 3.12  | 9.67  | 0.31  | 2.18  | 0.13  | 2.05  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.44  |
| 150000 | 3.68  | 3.16  | 6.17  | 2.99  | 10.33 | 0.31  | 2.22  | 0.14  | 2.08  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 42.13  |
| 160000 | 3.65  | 2.92  | 5.26  | 2.33  | 11.32 | 0.31  | 2.18  | 0.13  | 2.05  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.95  |
| 170000 | 3.74  | 2.64  | 5.42  | 2.76  | 11.52 | 0.31  | 2.18  | 0.16  | 2.02  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.49  |
| 180000 | 3.73  | 2.67  | 5.41  | 2.73  | 8.26  | 0.31  | 2.18  | 0.15  | 2.03  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 42.03  |
| 190000 | 3.69  | 2.59  | 5.02  | 2.43  | 6.58  | 0.31  | 2.20  | 0.16  | 2.04  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 40.72  |
| 200000 | 3.59  | 2.67  | 4.67  | 2.00  | 6.76  | 0.31  | 2.20  | 0.15  | 2.05  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.60  |
| 210000 | 3.63  | 2.43  | 3.10  | 0.72  | 12.14 | 0.31  | 2.11  | 0.12  | 1.99  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 40.64  |
| 220000 | 3.55  | 2.46  | 2.74  | 0.46  | 10.91 | 0.31  | 2.09  | 0.12  | 1.97  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 38.78  |
| 230000 | 3.68  | 2.30  | 3.08  | 1.30  | 10.08 | 0.31  | 2.10  | 0.12  | 1.98  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 37.96  |
| 極大值    | 3.74  | 4.03  | 7.95  | 4.38  | 12.17 | 0.31  | 2.95  | 0.21  | 2.74  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 54.76  |
| 極小值    | 3.55  | 2.30  | 2.74  | 0.46  | 3.11  | 0.31  | 2.09  | 0.12  | 1.97  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 37.96  |
| 平均值    | 3.65  | 2.83  | 5.40  | 2.59  | 8.22  | 0.31  | 2.37  | 0.15  | 2.21  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 44.42  |
| 標準差    | 0.05  | 0.42  | 1.3   | 0.95  | 3.28  | 0     | 0.26  | 0.03  | 0.24  | 0    | 0     | 0     | 0    | 0     | 4.97   |

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫  | 站內溫   | RH    | WD   | WS    | PM10   |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|------|-------|--------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (oC) | (oC)  | (%)   | (o)  | (m/s) | (ug/m) |
| 000000 | 3.59  | 2.27  | 2.39  | 0.34  | 10.00 | 0.31  | 2.09  | 0.12  | 1.97  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 36.80  |
| 010000 | 3.59  | 2.27  | 3.02  | 0.77  | 8.05  | 0.31  | 2.08  | 0.13  | 1.95  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 38.30  |
| 020000 | 3.52  | 2.28  | 1.98  | 0.00  | 11.04 | 0.31  | 2.03  | 0.12  | 1.91  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 36.32  |
| 030000 | 3.49  | 2.19  | 1.77  | 0.00  | 11.42 | 0.31  | 2.02  | 0.12  | 1.90  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 37.22  |
| 040000 | 3.52  | 2.20  | 1.86  | 0.00  | 11.66 | 0.31  | 2.03  | 0.12  | 1.91  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 37.44  |
| 050000 | 3.51  | 2.26  | 1.77  | 0.00  | 10.87 | 0.31  | 2.01  | 0.12  | 1.89  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 38.02  |
| 060000 | 3.48  | 2.20  | 2.35  | 0.37  | 9.97  | 0.31  | 2.01  | 0.11  | 1.90  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.80  |
| 070000 | 3.48  | 2.36  | 4.13  | 1.77  | 7.84  | 0.31  | 2.13  | 0.13  | 2.00  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.68  |
| 080000 | 3.47  | 2.28  | 2.49  | 0.56  | 4.27  | 0.31  | 2.00  | 0.10  | 1.90  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 36.95  |
| 090000 | 3.51  | 2.37  | 2.33  | 0.00  | 3.43  | 0.31  | 2.00  | 0.10  | 1.90  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 36.91  |
| 100000 | 3.46  | 2.34  | 2.87  | 0.68  | 3.34  | 0.31  | 2.01  | 0.10  | 1.91  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 37.03  |
| 110000 | 3.48  | 2.60  | 3.53  | 1.00  | 4.16  | 0.31  | 2.07  | 0.12  | 1.95  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 38.48  |
| 120000 | 3.50  | 2.40  | 2.61  | 0.44  | 9.11  | 0.31  | 2.01  | 0.12  | 1.89  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 36.66  |
| 130000 | 3.50  | 2.27  | 2.10  | 0.00  | 12.19 | 0.31  | 2.01  | 0.11  | 1.90  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 38.03  |
| 140000 | 3.45  | 2.33  | 2.08  | 0.00  | 12.13 | 0.31  | 2.01  | 0.11  | 1.90  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 38.28  |
| 150000 | 3.51  | 2.28  | 2.43  | 0.55  | 11.13 | 0.31  | 2.01  | 0.12  | 1.89  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 36.06  |
| 160000 | 3.57  | 2.36  | 3.53  | 1.17  | 9.41  | 0.31  | 2.03  | 0.13  | 1.90  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 38.62  |
| 170000 | 3.55  | 2.31  | 4.34  | 2.04  | 9.16  | 0.31  | 2.08  | 0.17  | 1.91  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 38.77  |
| 180000 | 3.53  | 2.32  | 3.49  | 1.17  | 8.68  | 0.31  | 2.20  | 0.14  | 2.06  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 43.29  |
| 190000 | 3.54  | 2.27  | 4.00  | 1.74  | 7.43  | 0.31  | 2.12  | 0.15  | 1.97  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.92  |
| 200000 | 3.52  | 2.27  | 3.35  | 1.08  | 6.29  | 0.31  | 2.11  | 0.13  | 1.98  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.06  |
| 210000 | 3.53  | 2.67  | 4.68  | 2.02  | 5.98  | 0.31  | 2.20  | 0.14  | 2.06  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 38.72  |
| 220000 | 3.62  | 2.31  | 4.77  | 2.48  | 6.73  | 0.31  | 2.17  | 0.14  | 2.03  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.95  |
| 230000 | 3.53  | 2.25  | 3.02  | 0.80  | 7.53  | 0.31  | 2.14  | 0.14  | 2.00  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 40.81  |
| 極大值    | 3.62  | 2.67  | 4.77  | 2.48  | 12.19 | 0.31  | 2.20  | 0.17  | 2.06  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 43.29  |
| 極小值    | 3.45  | 2.19  | 1.77  | 0.00  | 3.34  | 0.31  | 2.00  | 0.10  | 1.89  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 36.06  |
| 平均值    | 3.52  | 2.32  | 2.95  | 0.79  | 8.41  | 0.31  | 2.07  | 0.12  | 1.94  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 38.46  |
| 標準差    | 0.04  | 0.11  | 0.93  | 0.76  | 2.77  | 0     | 0.07  | 0.02  | 0.06  | 0    | 0     | 0     | 0    | 0     | 1.78   |

## 屏東縣崁頂焚化爐空氣品質監測報表

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫  | 站內溫   | RH    | WD   | WS    | PM10   |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|------|-------|--------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (oC) | (oC)  | (%)   | (o)  | (m/s) | (ug/m) |
| 000000 | 3.53  | 2.17  | 2.85  | 0.69  | 8.09  | 0.31  | 2.21  | 0.14  | 2.07  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 40.82  |
| 010000 | 3.46  | 2.27  | 2.22  | 0.00  | 10.17 | 0.31  | 2.24  | 0.13  | 2.11  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.89  |
| 020000 | 3.49  | 2.32  | 2.55  | 0.36  | 10.40 | 0.31  | 2.07  | 0.12  | 1.95  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 36.92  |
| 030000 | 3.48  | 2.23  | 2.31  | 0.24  | 10.56 | 0.31  | 2.07  | 0.12  | 1.95  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 38.17  |
| 040000 | 3.48  | 2.26  | 2.36  | 0.28  | 9.57  | 0.31  | 2.07  | 0.12  | 1.95  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.13  |
| 050000 | 3.47  | 2.27  | 2.85  | 0.63  | 8.95  | 0.31  | 2.16  | 0.13  | 2.03  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 40.94  |
| 060000 | 3.53  | 2.75  | 4.40  | 1.65  | 8.33  | 0.31  | 2.30  | 0.14  | 2.16  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.82  |
| 070000 | 3.54  | 2.86  | 3.93  | 1.12  | 10.91 | 0.31  | 2.18  | 0.14  | 2.04  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.76  |
| 080000 | 3.58  | 2.78  | 3.61  | 0.93  | 12.37 | 0.31  | 2.10  | 0.14  | 1.96  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 38.45  |
| 090000 | 3.60  | 2.40  | 2.44  | 0.00  | 15.63 | 0.31  | 2.03  | 0.13  | 1.90  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 36.36  |
| 100000 | 3.58  | 2.36  | 2.34  | 0.22  | 15.63 | 0.31  | 2.03  | 0.15  | 1.88  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 38.03  |
| 110000 | 3.59  | 2.34  | 2.22  | 0.00  | 13.25 | 0.31  | 2.03  | 0.15  | 1.88  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 36.38  |
| 120000 | 3.62  | 2.42  | 2.56  | 0.36  | 15.34 | 0.31  | 2.03  | 0.15  | 1.88  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 37.79  |
| 130000 | 3.67  | 2.33  | 2.28  | 0.00  | 17.89 | 0.31  | 2.04  | 0.14  | 1.90  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 37.21  |
| 140000 | 3.71  | 2.22  | 2.17  | 0.00  | 20.24 | 0.31  | 2.05  | 0.14  | 1.91  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 37.03  |
| 150000 | 3.79  | 2.40  | 2.67  | 0.44  | 17.90 | 0.31  | 2.06  | 0.14  | 1.92  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.56  |
| 160000 | 3.75  | 2.58  | 3.24  | 0.77  | 14.15 | 0.31  | 2.05  | 0.15  | 1.90  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 37.59  |
| 170000 | 3.71  | 2.31  | 2.58  | 0.26  | 15.03 | 0.31  | 2.04  | 0.14  | 1.90  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 37.46  |
| 180000 | 3.65  | 2.43  | 4.28  | 1.85  | 13.47 | 0.31  | 2.09  | 0.14  | 1.95  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 38.49  |
| 190000 | 3.64  | 2.37  | 3.87  | 1.51  | 13.37 | 0.31  | 2.13  | 0.14  | 1.99  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.63  |
| 200000 | 3.61  | 2.28  | 3.89  | 1.62  | 10.19 | 0.31  | 2.18  | 0.16  | 2.02  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 40.59  |
| 210000 | 3.66  | 2.63  | 5.63  | 3.00  | 7.14  | 0.31  | 2.52  | 0.17  | 2.35  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 46.61  |
| 220000 | 3.64  | 2.51  | 4.45  | 1.94  | 3.35  | 0.31  | 2.41  | 0.16  | 2.25  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 46.64  |
| 230000 | 3.95  | 2.44  | 5.73  | 3.31  | 2.24  | 0.31  | 2.31  | 0.17  | 2.14  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.50  |
| 極大值    | 3.95  | 2.86  | 5.73  | 3.31  | 20.24 | 0.31  | 2.52  | 0.17  | 2.35  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 46.64  |
| 極小值    | 3.46  | 2.17  | 2.17  | 0.00  | 2.24  | 0.31  | 2.03  | 0.12  | 1.88  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 36.36  |
| 平均值    | 3.61  | 2.41  | 3.23  | 0.88  | 11.84 | 0.31  | 2.14  | 0.14  | 2.00  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.62  |
| 標準差    | 0.12  | 0.18  | 1.07  | 0.94  | 4.39  | 0     | 0.13  | 0.01  | 0.13  | 0    | 0     | 0     | 0    | 0     | 2.8    |

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫  | 站內溫   | RH    | WD   | WS    | PM10   |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|------|-------|--------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (oC) | (oC)  | (%)   | (o)  | (m/s) | (ug/m) |
| 000000 | 4.14  | 2.52  | 5.11  | 2.62  | 1.91  | 0.31  | 2.34  | 0.20  | 2.14  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 44.25  |
| 010000 | 3.72  | 2.32  | 3.51  | 1.19  | 2.81  | 0.31  | 2.24  | 0.17  | 2.07  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 42.59  |
| 020000 | 3.53  | 2.52  | 3.10  | 0.60  | 3.85  | 0.31  | 2.18  | 0.14  | 2.04  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 40.42  |
| 030000 | 3.52  | 2.62  | 3.43  | 0.81  | 4.14  | 0.31  | 2.16  | 0.14  | 2.02  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 40.52  |
| 040000 | 3.59  | 2.44  | 3.73  | 1.30  | 2.02  | 0.31  | 2.30  | 0.16  | 2.14  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 44.13  |
| 050000 | 3.58  | 2.63  | 3.61  | 0.98  | 1.78  | 0.31  | 2.29  | 0.15  | 2.14  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 42.76  |
| 060000 | 3.55  | 2.97  | 3.84  | 0.84  | 2.53  | 0.31  | 2.72  | 0.16  | 2.56  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 51.95  |
| 070000 | 3.73  | 3.00  | 3.89  | 0.94  | 6.72  | 0.31  | 2.21  | 0.16  | 2.05  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.56  |
| 080000 | 3.76  | 2.79  | 3.32  | 0.87  | 9.03  | 0.31  | 2.12  | 0.17  | 1.95  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.04  |
| 090000 | 3.63  | 2.55  | 2.45  | 0.00  | 14.35 | 0.31  | 2.07  | 0.16  | 1.91  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 38.77  |
| 100000 | 3.68  | 2.45  | 2.27  | 0.00  | 16.30 | 0.31  | 2.06  | 0.15  | 1.91  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.00  |
| 110000 | 3.62  | 2.41  | 2.29  | 0.00  | 16.99 | 0.31  | 2.06  | 0.15  | 1.91  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 40.09  |
| 120000 | 3.63  | 2.65  | 2.69  | 0.00  | 19.35 | 0.31  | 2.06  | 0.15  | 1.91  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.84  |
| 130000 | 3.67  | 2.61  | 2.67  | 0.23  | 19.68 | 0.31  | 2.06  | 0.15  | 1.91  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.44  |
| 140000 | 3.66  | 2.55  | 2.51  | 0.00  | 21.16 | 0.31  | 2.08  | 0.14  | 1.94  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 40.26  |
| 150000 | 3.67  | 2.57  | 2.55  | 0.00  | 21.45 | 0.31  | 2.07  | 0.14  | 1.93  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 37.96  |
| 160000 | 3.68  | 2.51  | 2.66  | 0.24  | 21.43 | 0.31  | 2.08  | 0.14  | 1.94  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.08  |
| 170000 | 3.66  | 2.57  | 2.80  | 0.41  | 19.35 | 0.31  | 2.09  | 0.14  | 1.95  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 40.02  |
| 180000 | 3.67  | 2.78  | 2.72  | 0.00  | 12.13 | 0.31  | 2.17  | 0.16  | 2.01  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 40.22  |
| 190000 | 3.69  | 2.47  | 2.77  | 0.43  | 8.15  | 0.31  | 2.39  | 0.17  | 2.22  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 47.57  |
| 200000 | 3.61  | 2.58  | 2.51  | 0.00  | 8.96  | 0.31  | 2.27  | 0.16  | 2.11  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.70  |
| 210000 | 3.65  | 2.75  | 4.50  | 2.38  | 5.73  | 0.31  | 2.59  | 0.17  | 2.42  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 48.49  |
| 220000 | 3.62  | 2.70  | 4.90  | 2.24  | 3.07  | 0.31  | 2.41  | 0.16  | 2.25  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 44.75  |
| 230000 | 3.62  | 2.56  | 3.39  | 0.90  | 1.99  | 0.31  | 2.52  | 0.17  | 2.35  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 46.91  |
| 極大值    | 4.14  | 3.00  | 5.11  | 2.62  | 21.45 | 0.31  | 2.72  | 0.20  | 2.56  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 51.95  |
| 極小值    | 3.52  | 2.32  | 2.27  | 0.00  | 1.78  | 0.31  | 2.06  | 0.14  | 1.91  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 37.96  |
| 平均值    | 3.66  | 2.60  | 3.22  | 0.71  | 10.20 | 0.31  | 2.23  | 0.16  | 2.07  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 42.22  |
| 標準差    | 0.12  | 0.16  | 0.8   | 0.79  | 7.49  | 0     | 0.19  | 0.01  | 0.18  | 0    | 0     | 0     | 0    | 0     | 3.54   |

屏東縣崁頂焚化爐空氣品質監  
測報表

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫  | 站內溫   | RH    | WD   | WS    | PM10   |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|------|-------|--------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (oC) | (oC)  | (%)   | (o)  | (m/s) | (ug/m) |
| 000000 | 3.62  | 2.51  | 3.03  | 0.53  | 1.99  | 0.31  | 2.35  | 0.16  | 2.19  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 46.01  |
| 010000 | 3.52  | 2.65  | 3.00  | 0.45  | 2.28  | 0.31  | 2.42  | 0.15  | 2.27  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 46.63  |
| 020000 | 3.60  | 2.64  | 2.52  | 0.00  | 3.31  | 0.31  | 2.41  | 0.14  | 2.27  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 44.60  |
| 030000 | 3.52  | 2.55  | 2.66  | 0.36  | 2.93  | 0.31  | 2.47  | 0.15  | 2.32  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 45.55  |
| 040000 | 3.53  | 2.61  | 3.35  | 0.81  | 2.23  | 0.31  | 2.73  | 0.17  | 2.56  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 52.39  |
| 050000 | 3.52  | 2.91  | 3.58  | 0.68  | 3.18  | 0.31  | 2.39  | 0.17  | 2.22  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 45.21  |
| 060000 | 3.58  | 3.96  | 4.77  | 0.77  | 4.19  | 0.31  | 2.44  | 0.17  | 2.27  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 45.94  |
| 070000 | 3.61  | 4.55  | 5.65  | 1.06  | 6.80  | 0.31  | 2.64  | 0.16  | 2.48  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 50.06  |
| 080000 | 3.66  | 2.95  | 3.88  | 0.98  | 14.18 | 0.31  | 2.32  | 0.15  | 2.17  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 43.87  |
| 090000 | 4.02  | 3.43  | 5.29  | 1.81  | 14.97 | 0.31  | 2.35  | 0.16  | 2.19  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 45.09  |
| 100000 | 3.87  | 2.77  | 3.51  | 0.82  | 18.59 | 0.31  | 2.26  | 0.24  | 2.02  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.98  |
| 110000 | 3.58  | 2.53  | 2.55  | 0.25  | 18.00 | 0.31  | 2.14  | 0.15  | 1.99  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.73  |
| 120000 | 3.49  | 2.41  | 2.21  | 0.00  | 16.84 | 0.31  | 2.09  | 0.13  | 1.96  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.13  |
| 130000 | 3.49  | 2.45  | 2.41  | 0.00  | 17.41 | 0.31  | 2.10  | 0.14  | 1.96  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.33  |
| 140000 | 3.53  | 2.90  | 3.90  | 1.05  | 16.51 | 0.31  | 2.15  | 0.16  | 1.99  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.87  |
| 150000 | 3.63  | 3.55  | 6.52  | 3.04  | 10.25 | 0.31  | 2.57  | 0.48  | 2.09  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 47.83  |
| 160000 | 3.74  | 3.71  | 8.67  | 4.94  | 10.01 | 0.31  | 2.62  | 0.48  | 2.14  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 50.04  |
| 170000 | 3.70  | 3.53  | 8.05  | 4.54  | 8.33  | 0.31  | 2.39  | 0.34  | 2.05  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 44.60  |
| 180000 | 3.85  | 3.22  | 10.45 | 7.20  | 5.10  | 0.31  | 2.25  | 0.21  | 2.04  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.18  |
| 190000 | 3.54  | 2.54  | 6.29  | 3.77  | 7.64  | 0.31  | 2.27  | 0.17  | 2.10  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 40.71  |
| 200000 | 3.54  | 2.54  | 5.24  | 2.73  | 6.06  | 0.31  | 2.50  | 0.16  | 2.34  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 46.38  |
| 210000 | 3.56  | 2.40  | 4.24  | 1.86  | 5.53  | 0.31  | 2.53  | 0.14  | 2.39  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 47.98  |
| 220000 | 3.58  | 2.46  | 4.92  | 2.47  | 3.45  | 0.31  | 2.84  | 0.17  | 2.67  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 54.08  |
| 230000 | 3.59  | 2.39  | 4.94  | 2.57  | 2.47  | 0.31  | 2.89  | 0.19  | 2.70  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 53.28  |
| 極大值    | 4.02  | 4.55  | 10.45 | 7.20  | 18.59 | 0.31  | 2.89  | 0.48  | 2.70  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 54.08  |
| 極小值    | 3.49  | 2.39  | 2.21  | 0.00  | 1.99  | 0.31  | 2.09  | 0.13  | 1.96  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.13  |
| 平均值    | 3.62  | 2.92  | 4.65  | 1.78  | 8.43  | 0.31  | 2.42  | 0.20  | 2.22  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 45.64  |
| 標準差    | 0.13  | 0.58  | 2.13  | 1.84  | 5.9   | 0     | 0.22  | 0.1   | 0.21  | 0    | 0     | 0     | 0    | 0     | 4.18   |

屏東縣崁頂焚化爐空氣品質監測報表

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫  | 站內溫   | RH    | WD   | WS    | PM10   |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|------|-------|--------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (oC) | (oC)  | (%)   | (o)  | (m/s) | (ug/m) |
| 000000 | 3.57  | 2.49  | 4.06  | 1.60  | 2.09  | 0.31  | 2.81  | 0.16  | 2.65  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 53.26  |
| 010000 | 3.57  | 2.45  | 4.06  | 1.64  | 1.84  | 0.31  | 2.84  | 0.15  | 2.69  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 53.73  |
| 020000 | 3.57  | 2.61  | 4.47  | 1.87  | 1.49  | 0.31  | 2.63  | 0.15  | 2.48  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 48.96  |
| 030000 | 3.54  | 2.53  | 3.69  | 1.18  | 1.49  | 0.31  | 3.02  | 0.16  | 2.86  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 55.36  |
| 040000 | 3.59  | 2.43  | 3.33  | 0.92  | 1.42  | 0.31  | 2.86  | 0.15  | 2.71  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 52.88  |
| 050000 | 3.60  | 3.15  | 3.91  | 0.72  | 1.51  | 0.31  | 2.74  | 0.15  | 2.59  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 51.24  |
| 060000 | 3.64  | 4.99  | 5.44  | 0.51  | 1.75  | 0.31  | 2.74  | 0.16  | 2.58  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 50.70  |
| 070000 | 3.68  | 4.27  | 4.43  | 0.28  | 1.52  | 0.31  | 2.45  | 0.14  | 2.31  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 46.70  |
| 080000 | 3.78  | 3.53  | 4.18  | 0.61  | 3.73  | 0.31  | 2.28  | 0.15  | 2.13  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.64  |
| 090000 | 3.81  | 2.98  | 3.73  | 0.81  | 11.79 | 0.31  | 2.24  | 0.17  | 2.07  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.31  |
| 100000 | 3.83  | 3.54  | 6.72  | 3.18  | 21.57 | 0.31  | 2.22  | 0.22  | 2.00  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 40.84  |
| 110000 | 3.77  | 3.07  | 4.77  | 1.67  | 18.61 | 0.31  | 2.24  | 0.29  | 1.95  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.92  |
| 120000 | 3.72  | 2.81  | 3.99  | 1.13  | 13.05 | 0.31  | 2.07  | 0.13  | 1.94  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.55  |
| 130000 | 3.69  | 2.97  | 4.05  | 1.04  | 22.12 | 0.31  | 2.08  | 0.13  | 1.95  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 38.29  |
| 140000 | 3.67  | 2.96  | 4.22  | 1.23  | 22.92 | 0.31  | 2.12  | 0.14  | 1.98  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.89  |
| 150000 | 3.69  | 2.88  | 3.56  | 0.69  | 22.35 | 0.31  | 2.07  | 0.13  | 1.94  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 38.73  |
| 160000 | 3.69  | 2.73  | 3.78  | 1.05  | 26.16 | 0.31  | 2.14  | 0.15  | 1.99  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.58  |
| 170000 | 3.76  | 2.93  | 5.35  | 2.46  | 22.98 | 0.31  | 2.27  | 0.18  | 2.09  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 42.73  |
| 180000 | 3.67  | 2.84  | 6.68  | 3.86  | 10.43 | 0.31  | 2.42  | 0.22  | 2.20  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 45.20  |
| 190000 | 3.67  | 3.83  | 7.93  | 4.10  | 4.92  | 0.31  | 2.73  | 0.21  | 2.52  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 50.50  |
| 200000 | 3.63  | 3.69  | 6.38  | 2.66  | 2.80  | 0.31  | 2.56  | 0.22  | 2.34  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 47.64  |
| 210000 | 3.89  | 3.66  | 7.08  | 3.39  | 2.02  | 0.31  | 2.79  | 0.30  | 2.49  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 54.42  |
| 220000 | 3.95  | 5.12  | 8.72  | 3.58  | 1.66  | 0.31  | 2.73  | 0.32  | 2.41  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 51.34  |
| 230000 | 3.79  | 4.41  | 7.76  | 3.31  | 1.54  | 0.31  | 3.44  | 0.26  | 3.18  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 65.04  |
| 極大值    | 3.95  | 5.12  | 8.72  | 4.10  | 26.16 | 0.31  | 3.44  | 0.32  | 3.18  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 65.04  |
| 極小值    | 3.54  | 2.43  | 3.33  | 0.28  | 1.42  | 0.31  | 2.07  | 0.13  | 1.94  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 38.29  |
| 平均值    | 3.70  | 3.29  | 5.10  | 1.81  | 9.24  | 0.31  | 2.52  | 0.18  | 2.34  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 47.23  |
| 標準差    | 0.11  | 0.77  | 1.6   | 1.19  | 9.29  | 0     | 0.36  | 0.06  | 0.34  | 0    | 0     | 0     | 0    | 0     | 6.79   |

屏東縣崁頂焚化爐空氣品質監  
測報表

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫  | 站內溫   | RH    | WD   | WS    | PM10   |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|------|-------|--------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (oC) | (oC)  | (%)   | (o)  | (m/s) | (ug/m) |
| 000000 | 3.70  | 3.17  | 6.06  | 2.86  | 1.77  | 0.31  | 2.77  | 0.18  | 2.59  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 53.36  |
| 010000 | 3.59  | 2.79  | 4.94  | 2.12  | 2.54  | 0.31  | 2.81  | 0.18  | 2.63  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 52.58  |
| 020000 | 3.60  | 2.61  | 3.98  | 1.31  | 2.29  | 0.31  | 2.66  | 0.17  | 2.49  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 49.79  |
| 030000 | 3.64  | 2.61  | 3.68  | 1.02  | 1.82  | 0.31  | 2.90  | 0.16  | 2.74  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 54.48  |
| 040000 | 3.61  | 2.70  | 3.92  | 1.19  | 1.72  | 0.31  | 2.79  | 0.17  | 2.62  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 52.23  |
| 050000 | 3.66  | 3.28  | 4.72  | 1.37  | 1.87  | 0.31  | 3.09  | 0.18  | 2.91  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 57.84  |
| 060000 | 3.67  | 3.68  | 4.21  | 0.54  | 2.29  | 0.31  | 2.69  | 0.17  | 2.52  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 50.59  |
| 070000 | 3.78  | 4.31  | 4.89  | 0.53  | 2.99  | 0.31  | 2.58  | 0.16  | 2.42  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 47.73  |
| 080000 | 3.87  | 3.66  | 4.19  | 0.51  | 6.70  | 0.31  | 2.34  | 0.15  | 2.19  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 43.33  |
| 090000 | 4.51  | 3.04  | 4.03  | 0.94  | 20.30 | 0.31  | 2.27  | 0.18  | 2.09  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 44.48  |
| 100000 | 4.41  | 2.75  | 3.77  | 1.07  | 30.50 | 0.31  | 2.23  | 0.21  | 2.02  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.56  |
| 110000 | 3.82  | 2.63  | 3.08  | 0.43  | 27.84 | 0.31  | 2.12  | 0.15  | 1.97  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.63  |
| 120000 | 3.60  | 2.76  | 2.98  | 0.37  | 15.30 | 0.31  | 2.08  | 0.14  | 1.94  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 38.16  |
| 130000 | 3.61  | 2.76  | 2.53  | 0.00  | 9.51  | 0.31  | 2.07  | 0.14  | 1.93  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.97  |
| 140000 | 3.58  | 2.76  | 2.31  | 0.00  | 7.96  | 0.31  | 2.08  | 0.12  | 1.96  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 38.17  |
| 150000 | 3.62  | 2.78  | 2.95  | 0.00  | 6.81  | 0.31  | 2.14  | 0.13  | 2.01  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.45  |
| 160000 | 3.63  | 3.06  | 5.41  | 2.33  | 10.32 | 0.31  | 2.32  | 0.19  | 2.13  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 44.25  |
| 170000 | 3.66  | 2.97  | 5.11  | 2.12  | 13.23 | 0.31  | 2.38  | 0.18  | 2.20  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 44.21  |
| 180000 | 3.69  | 2.76  | 5.17  | 2.42  | 8.54  | 0.31  | 2.37  | 0.18  | 2.19  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 43.41  |
| 190000 | 3.63  | 2.73  | 4.28  | 1.56  | 5.67  | 0.31  | 2.40  | 0.18  | 2.22  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 44.63  |
| 200000 | 3.73  | 2.87  | 4.86  | 2.01  | 3.80  | 0.31  | 2.37  | 0.19  | 2.18  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 43.30  |
| 210000 | 3.60  | 2.85  | 5.28  | 2.46  | 2.45  | 0.31  | 2.42  | 0.19  | 2.23  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 45.41  |
| 220000 | 3.59  | 3.25  | 5.03  | 1.75  | 1.84  | 0.31  | 2.91  | 0.17  | 2.74  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 54.64  |
| 230000 | 3.59  | 2.98  | 3.93  | 0.98  | 1.43  | 0.31  | 2.60  | 0.16  | 2.44  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 48.22  |
| 極大值    | 4.51  | 4.31  | 6.06  | 2.86  | 30.50 | 0.31  | 3.09  | 0.21  | 2.91  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 57.84  |
| 極小值    | 3.58  | 2.61  | 2.31  | 0.00  | 1.43  | 0.31  | 2.07  | 0.12  | 1.93  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 38.16  |
| 平均值    | 3.72  | 2.99  | 4.22  | 1.25  | 7.90  | 0.31  | 2.47  | 0.17  | 2.31  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 46.23  |
| 標準差    | 0.24  | 0.41  | 0.97  | 0.86  | 8.21  | 0     | 0.3   | 0.02  | 0.29  | 0    | 0     | 0     | 0    | 0     | 5.83   |

屏東縣崁頂焚化爐空氣品質監  
測報表

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫  | 站內溫   | RH    | WD   | WS    | PM10   |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|------|-------|--------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (oC) | (oC)  | (%)   | (o)  | (m/s) | (ug/m) |
| 000000 | 3.59  | 2.80  | 3.53  | 0.72  | 1.59  | 0.31  | 2.63  | 0.16  | 2.47  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 49.55  |
| 010000 | 3.61  | 2.70  | 3.33  | 0.64  | 1.43  | 0.31  | 2.72  | 0.17  | 2.55  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 51.06  |
| 020000 | 3.61  | 2.87  | 3.38  | 0.53  | 1.33  | 0.31  | 3.03  | 0.18  | 2.85  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 55.35  |
| 030000 | 3.59  | 2.98  | 3.40  | 0.47  | 1.29  | 0.31  | 2.79  | 0.16  | 2.63  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 53.06  |
| 040000 | 3.55  | 3.14  | 3.28  | 0.26  | 1.50  | 0.31  | 2.98  | 0.16  | 2.82  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 55.78  |
| 050000 | 3.58  | 3.65  | 3.56  | 0.00  | 1.46  | 0.31  | 3.04  | 0.16  | 2.88  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 57.33  |
| 060000 | 3.60  | 5.27  | 5.24  | 0.00  | 1.58  | 0.31  | 2.97  | 0.17  | 2.80  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 55.97  |
| 070000 | 3.74  | 8.18  | 8.45  | 0.35  | 1.79  | 0.31  | 2.76  | 0.17  | 2.59  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 51.56  |
| 080000 | 3.74  | 5.39  | 5.40  | 0.00  | 2.34  | 0.31  | 2.47  | 0.15  | 2.32  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 46.55  |
| 090000 | 3.77  | 3.04  | 2.85  | 0.00  | 6.78  | 0.31  | 2.21  | 0.13  | 2.08  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 40.41  |
| 100000 | 3.73  | 2.65  | 2.56  | 0.00  | 14.86 | 0.31  | 2.18  | 0.14  | 2.04  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.37  |
| 110000 | 3.78  | 2.56  | 2.52  | 0.00  | 22.88 | 0.31  | 2.15  | 0.12  | 2.03  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.22  |
| 120000 | 3.66  | 2.54  | 2.37  | 0.00  | 15.63 | 0.31  | 2.10  | 0.13  | 1.97  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.15  |
| 130000 | 3.60  | 2.72  | 2.36  | 0.00  | 11.40 | 0.31  | 2.10  | 0.14  | 1.96  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 38.53  |
| 140000 | 3.86  | 2.43  | 2.57  | 0.20  | 29.68 | 0.31  | 2.12  | 0.14  | 1.98  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 40.96  |
| 150000 | 3.69  | 2.62  | 2.94  | 0.72  | 15.63 | 0.31  | 2.10  | 0.13  | 1.97  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.73  |
| 160000 | 3.71  | 2.47  | 3.77  | 1.38  | 35.25 | 0.31  | 2.18  | 0.15  | 2.03  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 40.36  |
| 170000 | 3.67  | 2.37  | 3.69  | 1.31  | 31.54 | 0.31  | 2.17  | 0.15  | 2.02  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 38.04  |
| 180000 | 3.67  | 2.42  | 4.23  | 1.83  | 27.87 | 0.31  | 2.20  | 0.16  | 2.04  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 42.13  |
| 190000 | 3.64  | 2.30  | 4.63  | 2.34  | 22.85 | 0.31  | 2.35  | 0.15  | 2.20  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 44.18  |
| 200000 | 3.66  | 2.36  | 4.97  | 2.64  | 19.78 | 0.31  | 2.72  | 0.19  | 2.53  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 50.58  |
| 210000 | 3.65  | 2.47  | 5.19  | 2.73  | 13.35 | 0.31  | 2.96  | 0.19  | 2.77  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 54.75  |
| 220000 | 3.62  | 2.41  | 5.75  | 3.38  | 10.03 | 0.31  | 2.74  | 0.18  | 2.56  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 52.41  |
| 230000 | 3.63  | 2.41  | 4.38  | 1.99  | 7.16  | 0.31  | 2.72  | 0.16  | 2.56  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 51.20  |
| 極大值    | 3.86  | 8.18  | 8.45  | 3.38  | 35.25 | 0.31  | 3.04  | 0.19  | 2.88  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 57.33  |
| 極小值    | 3.55  | 2.30  | 2.36  | 0.00  | 1.29  | 0.31  | 2.10  | 0.12  | 1.96  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 38.04  |
| 平均值    | 3.66  | 3.11  | 3.93  | 0.90  | 12.46 | 0.31  | 2.52  | 0.16  | 2.36  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 47.13  |
| 標準差    | 0.08  | 1.35  | 1.41  | 1.05  | 11.12 | 0     | 0.35  | 0.02  | 0.34  | 0    | 0     | 0     | 0    | 0     | 6.66   |

屏東縣崁頂焚化爐空氣品質監  
測報表

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫  | 站內溫   | RH    | WD   | WS    | PM10   |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|------|-------|--------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (oC) | (oC)  | (%)   | (o)  | (m/s) | (ug/m) |
| 000000 | 3.62  | 2.37  | 3.69  | 1.32  | 10.36 | 0.31  | 2.35  | 0.15  | 2.20  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 45.03  |
| 010000 | 3.61  | 2.44  | 4.15  | 1.69  | 8.19  | 0.31  | 2.80  | 0.17  | 2.63  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 54.01  |
| 020000 | 3.62  | 2.42  | 3.70  | 1.33  | 6.84  | 0.31  | 2.69  | 0.16  | 2.53  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 50.61  |
| 030000 | 3.63  | 2.74  | 4.82  | 2.11  | 4.21  | 0.31  | 2.93  | 0.17  | 2.76  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 56.64  |
| 040000 | 3.60  | 2.88  | 4.64  | 1.74  | 1.97  | 0.31  | 3.73  | 0.17  | 3.56  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 72.27  |
| 050000 | 3.61  | 3.80  | 5.28  | 1.47  | 1.94  | 0.31  | 3.84  | 0.18  | 3.66  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 72.81  |
| 060000 | 3.71  | 5.50  | 7.01  | 1.47  | 2.56  | 0.31  | 2.84  | 0.17  | 2.67  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 53.04  |
| 070000 | 3.85  | 3.65  | 4.94  | 1.22  | 8.30  | 0.31  | 2.67  | 0.17  | 2.50  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 50.51  |
| 080000 | 4.67  | 3.13  | 4.99  | 1.83  | 22.39 | 0.31  | 2.41  | 0.20  | 2.21  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 44.33  |
| 090000 | 4.37  | 2.68  | 4.13  | 1.49  | 33.10 | 0.31  | 2.29  | 0.18  | 2.11  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 43.16  |
| 100000 | 3.78  | 2.51  | 2.41  | 0.00  | 14.21 | 0.31  | 2.13  | 0.15  | 1.98  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.43  |
| 110000 | 3.63  | 2.57  | 2.30  | 0.00  | 10.49 | 0.31  | 2.10  | 0.15  | 1.95  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.62  |
| 120000 | 3.61  | 2.58  | 2.31  | 0.00  | 10.40 | 0.31  | 2.09  | 0.15  | 1.94  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 38.75  |
| 130000 | 3.56  | 2.50  | 2.22  | 0.00  | 11.10 | 0.31  | 2.08  | 0.15  | 1.93  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 38.00  |
| 140000 | 3.56  | 2.45  | 2.09  | 0.00  | 11.54 | 0.31  | 2.06  | 0.14  | 1.92  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 38.73  |
| 150000 | 3.59  | 2.46  | 2.08  | 0.00  | 12.14 | 0.31  | 2.06  | 0.14  | 1.92  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 38.58  |
| 160000 | 3.56  | 2.61  | 2.42  | 0.00  | 7.66  | 0.31  | 2.07  | 0.14  | 1.93  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 38.38  |
| 170000 | 3.60  | 2.51  | 2.38  | 0.00  | 10.46 | 0.31  | 2.09  | 0.12  | 1.97  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 38.01  |
| 180000 | 3.53  | 2.44  | 2.49  | 0.00  | 8.82  | 0.31  | 2.11  | 0.13  | 1.98  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 40.42  |
| 190000 | 3.58  | 2.39  | 2.69  | 0.32  | 7.41  | 0.31  | 2.19  | 0.13  | 2.06  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 40.99  |
| 200000 | 3.55  | 2.51  | 2.84  | 0.35  | 5.58  | 0.31  | 2.21  | 0.13  | 2.08  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 42.52  |
| 210000 | 3.57  | 2.56  | 2.98  | 0.48  | 5.76  | 0.31  | 2.37  | 0.12  | 2.25  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 43.93  |
| 220000 | 3.57  | 2.75  | 3.60  | 0.86  | 5.35  | 0.31  | 2.34  | 0.12  | 2.22  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 42.41  |
| 230000 | 3.55  | 2.48  | 3.29  | 0.82  | 3.99  | 0.31  | 2.52  | 0.12  | 2.40  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 47.18  |
| 極大值    | 4.67  | 5.50  | 7.01  | 2.11  | 33.10 | 0.31  | 3.84  | 0.20  | 3.66  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 72.81  |
| 極小值    | 3.53  | 2.37  | 2.08  | 0.00  | 1.94  | 0.31  | 2.06  | 0.12  | 1.92  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 38.00  |
| 平均值    | 3.69  | 2.79  | 3.48  | 0.77  | 9.37  | 0.31  | 2.46  | 0.15  | 2.31  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 46.22  |
| 標準差    | 0.27  | 0.68  | 1.29  | 0.75  | 6.75  | 0     | 0.49  | 0.02  | 0.48  | 0    | 0     | 0     | 0    | 0     | 9.79   |

## 屏東縣崁頂焚化爐空氣品質監測報表

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫  | 站內溫   | RH    | WD   | WS    | PM10   |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|------|-------|--------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (oC) | (oC)  | (%)   | (o)  | (m/s) | (ug/m) |
| 000000 | 3.55  | 2.83  | 5.27  | 2.47  | 1.79  | 0.31  | 2.56  | 0.12  | 2.44  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 48.17  |
| 010000 | 3.53  | 2.80  | 4.93  | 2.14  | 1.47  | 0.31  | 2.65  | 0.13  | 2.52  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 52.88  |
| 020000 | 3.58  | 2.71  | 4.21  | 1.51  | 1.28  | 0.31  | 2.57  | 0.15  | 2.42  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 48.50  |
| 030000 | 3.58  | 3.48  | 4.84  | 1.31  | 1.44  | 0.31  | 2.68  | 0.16  | 2.52  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 49.56  |
| 040000 | 3.54  | 3.72  | 4.81  | 1.04  | 1.57  | 0.31  | 2.74  | 0.15  | 2.59  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 51.16  |
| 050000 | 3.57  | 5.68  | 5.99  | 0.45  | 1.59  | 0.31  | 2.92  | 0.16  | 2.76  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 54.45  |
| 060000 | 3.60  | 8.56  | 8.79  | 0.30  | 1.41  | 0.31  | 2.69  | 0.15  | 2.54  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 51.17  |
| 070000 | 3.71  | 5.25  | 5.68  | 0.44  | 2.76  | 0.31  | 2.57  | 0.14  | 2.43  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 49.19  |
| 080000 | 3.75  | 3.14  | 3.26  | 0.25  | 6.74  | 0.31  | 2.33  | 0.12  | 2.21  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 43.44  |
| 090000 | 3.74  | 2.66  | 2.55  | 0.00  | 10.65 | 0.31  | 2.19  | 0.13  | 2.06  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.63  |
| 100000 | 3.65  | 2.62  | 2.29  | 0.00  | 10.65 | 0.31  | 2.15  | 0.14  | 2.01  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 40.86  |
| 110000 | 3.61  | 2.54  | 2.19  | 0.00  | 10.62 | 0.31  | 2.11  | 0.14  | 1.97  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 40.69  |
| 120000 | 3.55  | 2.58  | 2.29  | 0.00  | 13.08 | 0.31  | 2.10  | 0.14  | 1.96  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.04  |
| 130000 | 3.57  | 2.55  | 2.36  | 0.00  | 13.58 | 0.31  | 2.10  | 0.15  | 1.95  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 40.20  |
| 140000 | 3.57  | 2.52  | 2.31  | 0.00  | 14.09 | 0.31  | 2.08  | 0.15  | 1.93  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 40.16  |
| 150000 | 3.59  | 2.66  | 2.45  | 0.00  | 9.09  | 0.31  | 2.08  | 0.15  | 1.93  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 40.28  |
| 160000 | 3.63  | 2.58  | 2.27  | 0.00  | 7.80  | 0.31  | 2.08  | 0.15  | 1.93  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.53  |
| 170000 | 3.58  | 2.62  | 2.20  | 0.00  | 5.62  | 0.31  | 2.09  | 0.16  | 1.93  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.29  |
| 180000 | 3.58  | 2.49  | 2.14  | 0.00  | 8.68  | 0.31  | 2.10  | 0.13  | 1.97  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 40.02  |
| 190000 | 3.63  | 2.57  | 2.70  | 0.25  | 8.86  | 0.31  | 2.15  | 0.14  | 2.01  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.33  |
| 200000 | 3.66  | 2.59  | 3.00  | 0.41  | 7.22  | 0.31  | 2.26  | 0.13  | 2.13  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.72  |
| 210000 | 3.57  | 2.57  | 3.90  | 1.30  | 3.41  | 0.31  | 2.26  | 0.15  | 2.11  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 42.63  |
| 220000 | 3.56  | 2.64  | 3.17  | 0.50  | 2.12  | 0.31  | 2.19  | 0.14  | 2.05  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.62  |
| 230000 | 3.53  | 2.89  | 3.89  | 0.94  | 1.52  | 0.31  | 2.22  | 0.16  | 2.06  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 40.12  |
| 極大值    | 3.75  | 8.56  | 8.79  | 2.47  | 14.09 | 0.31  | 2.92  | 0.16  | 2.76  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 54.45  |
| 極小值    | 3.53  | 2.49  | 2.14  | 0.00  | 1.28  | 0.31  | 2.08  | 0.12  | 1.93  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.04  |
| 平均值    | 3.60  | 3.22  | 3.65  | 0.55  | 6.13  | 0.31  | 2.33  | 0.14  | 2.18  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 43.82  |
| 標準差    | 0.06  | 1.4   | 1.66  | 0.72  | 4.48  | 0     | 0.27  | 0.01  | 0.26  | 0    | 0     | 0     | 0    | 0     | 5.17   |

屏東縣崁頂焚化爐空氣品質監測報表

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫  | 站內溫   | RH    | WD   | WS    | PM10   |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|------|-------|--------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (oC) | (oC)  | (%)   | (o)  | (m/s) | (ug/m) |
| 000000 | 3.58  | 2.67  | 3.37  | 0.67  | 1.84  | 0.31  | 2.29  | 0.16  | 2.13  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 43.64  |
| 010000 | 3.59  | 2.94  | 4.00  | 1.03  | 1.71  | 0.31  | 2.40  | 0.16  | 2.24  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 44.98  |
| 020000 | 3.61  | 3.25  | 4.11  | 0.83  | 1.43  | 0.31  | 2.30  | 0.18  | 2.12  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 42.99  |
| 030000 | 3.52  | 3.83  | 4.85  | 0.95  | 1.31  | 0.31  | 2.56  | 0.18  | 2.38  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 46.56  |
| 040000 | 3.58  | 3.86  | 4.84  | 0.92  | 1.23  | 0.31  | 2.49  | 0.19  | 2.30  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 47.06  |
| 050000 | 3.62  | 4.95  | 6.12  | 1.12  | 1.53  | 0.31  | 2.48  | 0.20  | 2.28  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 46.42  |
| 060000 | 3.70  | 5.17  | 5.79  | 0.59  | 2.86  | 0.31  | 2.37  | 0.20  | 2.17  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 43.36  |
| 070000 | 4.00  | 3.87  | 4.48  | 0.56  | 7.09  | 0.31  | 2.22  | 0.18  | 2.04  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 42.64  |
| 080000 | 4.01  | 4.30  | 5.47  | 1.18  | 12.90 | 0.31  | 2.19  | 0.16  | 2.03  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 40.55  |
| 090000 | 3.81  | 2.55  | 2.88  | 0.36  | 19.95 | 0.31  | 2.24  | 0.15  | 2.09  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 40.86  |
| 100000 | 4.22  | 2.90  | 5.13  | 2.29  | 30.85 | 0.31  | 2.34  | 0.25  | 2.09  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 44.08  |
| 110000 | 4.65  | 3.75  | 6.32  | 2.57  | 24.31 | 0.31  | 2.30  | 0.25  | 2.05  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 45.19  |
| 120000 | 5.26  | 4.03  | 7.21  | 3.15  | 20.36 | 0.31  | 2.30  | 0.27  | 2.03  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.39  |
| 130000 | 5.72  | 4.65  | 8.04  | 3.37  | 17.26 | 0.31  | 2.36  | 0.30  | 2.06  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 44.44  |
| 140000 | 7.28  | 5.81  | 9.35  | 3.48  | 13.94 | 0.31  | 2.30  | 0.22  | 2.08  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 43.80  |
| 150000 | 7.27  | 5.74  | 9.39  | 3.62  | 14.54 | 0.31  | 2.30  | 0.25  | 2.05  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 42.76  |
| 160000 | 5.96  | 4.65  | 7.62  | 2.93  | 14.44 | 0.31  | 2.22  | 0.18  | 2.04  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.24  |
| 170000 | 4.00  | 2.91  | 4.11  | 1.19  | 16.52 | 0.31  | 2.19  | 0.15  | 2.04  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 40.62  |
| 180000 | 3.72  | 2.45  | 2.98  | 0.54  | 12.90 | 0.31  | 2.17  | 0.14  | 2.03  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.54  |
| 190000 | 3.71  | 2.48  | 3.65  | 1.18  | 10.44 | 0.31  | 2.27  | 0.16  | 2.11  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 42.87  |
| 200000 | 3.81  | 2.41  | 4.67  | 2.27  | 8.32  | 0.31  | 2.27  | 0.17  | 2.10  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 43.13  |
| 210000 | 3.86  | 2.34  | 4.69  | 2.35  | 3.93  | 0.31  | 2.29  | 0.17  | 2.12  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 44.66  |
| 220000 | 3.81  | 2.42  | 4.49  | 2.07  | 3.04  | 0.31  | 2.45  | 0.16  | 2.29  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 47.46  |
| 230000 | 3.77  | 2.53  | 3.55  | 1.03  | 2.72  | 0.31  | 2.58  | 0.17  | 2.41  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 50.33  |
| 極大值    | 7.28  | 5.81  | 9.39  | 3.62  | 30.85 | 0.31  | 2.58  | 0.30  | 2.41  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 50.33  |
| 極小值    | 3.52  | 2.34  | 2.88  | 0.36  | 1.23  | 0.31  | 2.17  | 0.14  | 2.03  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 40.55  |
| 平均值    | 4.34  | 3.60  | 5.30  | 1.68  | 10.23 | 0.31  | 2.33  | 0.19  | 2.14  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 43.86  |
| 標準差    | 1.12  | 1.11  | 1.86  | 1.06  | 8.46  | 0     | 0.11  | 0.04  | 0.12  | 0    | 0     | 0     | 0    | 0     | 2.44   |

屏東縣崁頂焚化爐空氣品質監  
測報表

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫  | 站內溫   | RH    | WD   | WS    | PM10   |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|------|-------|--------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (oC) | (oC)  | (%)   | (o)  | (m/s) | (ug/m) |
| 000000 | 3.92  | 2.42  | 3.57  | 1.15  | 2.11  | 0.31  | 2.37  | 0.17  | 2.20  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 45.08  |
| 010000 | 3.75  | 2.60  | 3.83  | 1.22  | 1.85  | 0.31  | 2.62  | 0.17  | 2.45  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 49.40  |
| 020000 | 3.70  | 2.68  | 4.23  | 1.54  | 1.80  | 0.31  | 2.55  | 0.17  | 2.38  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 46.96  |
| 030000 | 3.59  | 2.58  | 4.17  | 1.60  | 1.65  | 0.31  | 2.70  | 0.16  | 2.54  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 49.15  |
| 040000 | 3.64  | 2.96  | 4.53  | 1.56  | 1.86  | 0.31  | 2.94  | 0.16  | 2.78  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 55.83  |
| 050000 | 3.62  | 4.97  | 6.36  | 1.37  | 2.00  | 0.31  | 3.11  | 0.16  | 2.95  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 59.25  |
| 060000 | 3.75  | 5.52  | 6.71  | 1.16  | 2.94  | 0.31  | 2.42  | 0.17  | 2.25  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 46.50  |
| 070000 | 3.83  | 4.14  | 5.30  | 1.11  | 6.36  | 0.31  | 2.13  | 0.14  | 1.99  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.40  |
| 080000 | 4.08  | 3.49  | 4.29  | 0.75  | 10.18 | 0.31  | 2.15  | 0.13  | 2.02  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.93  |
| 090000 | 4.07  | 3.37  | 5.29  | 1.94  | 11.49 | 0.31  | 2.23  | 0.16  | 2.07  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 40.28  |
| 100000 | 3.86  | 3.21  | 4.82  | 1.57  | 17.76 | 0.31  | 2.17  | 0.17  | 2.00  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 40.71  |
| 110000 | 3.79  | 2.84  | 3.27  | 0.50  | 15.01 | 0.31  | 2.17  | 0.23  | 1.94  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 40.22  |
| 120000 | 4.03  | 3.03  | 3.95  | 0.91  | 17.88 | 0.31  | 2.17  | 0.21  | 1.96  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.72  |
| 130000 | 4.06  | 3.33  | 4.80  | 1.45  | 18.26 | 0.31  | 2.18  | 0.24  | 1.94  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.45  |
| 140000 | 4.96  | 5.17  | 8.50  | 3.33  | 15.67 | 0.31  | 2.28  | 0.30  | 1.98  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 43.29  |
| 150000 | 7.42  | 7.70  | 11.81 | 4.08  | 10.38 | 0.31  | 2.23  | 0.23  | 2.00  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.01  |
| 160000 | 6.18  | 6.02  | 10.20 | 4.17  | 10.84 | 0.31  | 2.20  | 0.20  | 2.00  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 42.43  |
| 170000 | 5.18  | 5.10  | 9.02  | 3.87  | 8.12  | 0.31  | 2.21  | 0.20  | 2.01  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 42.67  |
| 180000 | 3.88  | 2.85  | 5.27  | 2.41  | 8.20  | 0.31  | 2.19  | 0.17  | 2.02  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.34  |
| 190000 | 3.80  | 2.61  | 4.46  | 1.85  | 6.44  | 0.31  | 2.33  | 0.17  | 2.16  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 44.13  |
| 200000 | 3.83  | 2.55  | 4.40  | 1.86  | 5.38  | 0.31  | 2.46  | 0.20  | 2.26  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 46.31  |
| 210000 | 3.84  | 2.44  | 4.51  | 2.08  | 4.81  | 0.31  | 2.47  | 0.20  | 2.27  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 46.52  |
| 220000 | 3.80  | 3.66  | 6.19  | 2.54  | 3.74  | 0.31  | 2.81  | 0.19  | 2.62  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 53.98  |
| 230000 | 3.79  | 2.94  | 6.01  | 3.09  | 3.29  | 0.31  | 2.75  | 0.19  | 2.56  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 52.87  |
| 極大值    | 7.42  | 7.70  | 11.81 | 4.17  | 18.26 | 0.31  | 3.11  | 0.30  | 2.95  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 59.25  |
| 極小值    | 3.59  | 2.42  | 3.27  | 0.50  | 1.65  | 0.31  | 2.13  | 0.13  | 1.94  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.40  |
| 平均值    | 4.18  | 3.67  | 5.65  | 1.96  | 7.83  | 0.31  | 2.41  | 0.19  | 2.22  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 45.35  |
| 標準差    | 0.91  | 1.37  | 2.18  | 1.05  | 5.71  | 0     | 0.28  | 0.04  | 0.29  | 0    | 0     | 0     | 0    | 0     | 5.57   |

屏東縣崁頂焚化爐空氣品質監  
測報表

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫  | 站內溫   | RH    | WD   | WS    | PM10   |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|------|-------|--------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (oC) | (oC)  | (%)   | (o)  | (m/s) | (ug/m) |
| 000000 | 3.74  | 2.99  | 6.18  | 3.20  | 2.71  | 0.31  | 2.70  | 0.19  | 2.51  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 51.34  |
| 010000 | 3.70  | 3.17  | 6.22  | 3.04  | 2.09  | 0.31  | 2.57  | 0.19  | 2.38  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 48.40  |
| 020000 | 3.76  | 3.81  | 6.22  | 2.38  | 1.71  | 0.31  | 2.70  | 0.17  | 2.53  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 49.57  |
| 030000 | 3.60  | 3.31  | 5.36  | 2.01  | 1.45  | 0.31  | 3.04  | 0.17  | 2.87  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 56.69  |
| 040000 | 3.59  | 3.18  | 4.87  | 1.64  | 1.51  | 0.31  | 2.48  | 0.16  | 2.32  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 46.20  |
| 050000 | 3.60  | 3.41  | 4.54  | 1.09  | 1.68  | 0.31  | 2.44  | 0.15  | 2.29  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 44.92  |
| 060000 | 3.74  | 5.29  | 6.64  | 1.33  | 2.77  | 0.31  | 2.39  | 0.18  | 2.21  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 44.58  |
| 070000 | 3.89  | 4.32  | 5.63  | 1.25  | 7.22  | 0.31  | 2.22  | 0.17  | 2.05  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.73  |
| 080000 | 3.94  | 2.99  | 3.69  | 0.74  | 13.12 | 0.31  | 2.16  | 0.14  | 2.02  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.66  |
| 090000 | 3.90  | 2.62  | 2.96  | 0.42  | 18.72 | 0.31  | 2.18  | 0.14  | 2.04  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.79  |
| 100000 | 4.28  | 2.70  | 4.41  | 1.73  | 30.78 | 0.31  | 2.26  | 0.21  | 2.05  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 40.75  |
| 110000 | 3.87  | 2.56  | 3.11  | 0.59  | 26.62 | 0.31  | 2.17  | 0.19  | 1.98  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.01  |
| 120000 | 3.87  | 2.57  | 3.23  | 0.67  | 28.55 | 0.31  | 2.15  | 0.16  | 1.99  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.48  |
| 130000 | 3.77  | 2.75  | 3.22  | 0.49  | 17.01 | 0.31  | 2.09  | 0.15  | 1.94  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 38.74  |
| 140000 | 3.79  | 2.58  | 3.94  | 1.36  | 24.73 | 0.31  | 2.17  | 0.18  | 1.99  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 40.80  |
| 150000 | 4.01  | 2.88  | 3.85  | 0.96  | 19.07 | 0.31  | 2.14  | 0.19  | 1.95  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 40.55  |
| 160000 | 3.71  | 3.07  | 4.00  | 0.94  | 15.97 | 0.31  | 2.12  | 0.15  | 1.97  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 40.22  |
| 170000 | 3.68  | 2.72  | 3.91  | 1.17  | 15.51 | 0.31  | 2.14  | 0.15  | 1.99  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 40.01  |
| 180000 | 3.67  | 2.36  | 2.83  | 0.49  | 18.11 | 0.31  | 2.17  | 0.15  | 2.02  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 40.68  |
| 190000 | 3.61  | 2.33  | 3.08  | 0.77  | 16.63 | 0.31  | 2.17  | 0.16  | 2.01  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.92  |
| 200000 | 3.63  | 2.38  | 3.58  | 1.23  | 13.32 | 0.31  | 2.26  | 0.13  | 2.13  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 42.41  |
| 210000 | 3.61  | 2.75  | 4.68  | 1.94  | 10.37 | 0.31  | 2.46  | 0.14  | 2.32  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 45.96  |
| 220000 | 3.64  | 2.78  | 5.44  | 2.67  | 6.34  | 0.31  | 2.30  | 0.15  | 2.15  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 45.36  |
| 230000 | 3.65  | 2.56  | 4.53  | 1.98  | 5.92  | 0.31  | 2.23  | 0.16  | 2.07  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.29  |
| 極大值    | 4.28  | 5.29  | 6.64  | 3.20  | 30.78 | 0.31  | 3.04  | 0.21  | 2.87  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 56.69  |
| 極小值    | 3.59  | 2.33  | 2.83  | 0.42  | 1.45  | 0.31  | 2.09  | 0.13  | 1.94  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 38.74  |
| 平均值    | 3.76  | 3.00  | 4.42  | 1.42  | 12.58 | 0.31  | 2.32  | 0.16  | 2.16  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 43.42  |
| 標準差    | 0.16  | 0.67  | 1.17  | 0.81  | 9.33  | 0     | 0.24  | 0.02  | 0.23  | 0    | 0     | 0     | 0    | 0     | 4.47   |

屏東縣崁頂焚化爐空氣品質監  
測報表

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫  | 站內溫   | RH    | WD   | WS    | PM10   |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|------|-------|--------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (oC) | (oC)  | (%)   | (o)  | (m/s) | (ug/m) |
| 000000 | 3.56  | 2.47  | 3.51  | 1.09  | 7.61  | 0.31  | 2.18  | 0.13  | 2.05  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.07  |
| 010000 | 3.60  | 2.48  | 3.71  | 1.24  | 8.59  | 0.31  | 2.17  | 0.13  | 2.04  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 40.56  |
| 020000 | 3.58  | 2.66  | 4.45  | 1.81  | 3.91  | 0.31  | 2.35  | 0.15  | 2.20  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 43.65  |
| 030000 | 3.58  | 2.71  | 4.16  | 1.45  | 2.45  | 0.31  | 2.43  | 0.14  | 2.29  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 45.28  |
| 040000 | 3.58  | 2.85  | 4.58  | 1.73  | 2.64  | 0.31  | 2.74  | 0.13  | 2.61  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 51.20  |
| 050000 | 3.59  | 3.70  | 5.86  | 2.17  | 2.77  | 0.31  | 2.65  | 0.15  | 2.50  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 49.15  |
| 060000 | 3.74  | 5.20  | 7.72  | 2.52  | 4.27  | 0.31  | 2.50  | 0.18  | 2.32  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 46.44  |
| 070000 | 3.72  | 3.29  | 4.37  | 1.05  | 7.08  | 0.31  | 2.23  | 0.16  | 2.07  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 42.11  |
| 080000 | 3.81  | 2.78  | 2.90  | 0.32  | 5.29  | 0.31  | 2.07  | 0.13  | 1.94  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 37.23  |
| 090000 | 3.64  | 2.64  | 2.60  | 0.00  | 6.60  | 0.31  | 2.05  | 0.12  | 1.93  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 38.10  |
| 100000 | 3.63  | 2.59  | 2.57  | 0.16  | 7.23  | 0.31  | 2.05  | 0.12  | 1.93  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.72  |
| 110000 | 3.60  | 2.61  | 2.63  | 0.15  | 10.94 | 0.31  | 2.05  | 0.15  | 1.90  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 38.75  |
| 120000 | 3.56  | 2.60  | 2.63  | 0.20  | 10.65 | 0.31  | 2.04  | 0.14  | 1.90  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 36.58  |
| 130000 | 3.58  | 2.55  | 2.51  | 0.00  | 10.04 | 0.31  | 2.04  | 0.14  | 1.90  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 38.84  |
| 140000 | 3.59  | 2.69  | 2.81  | 0.36  | 9.69  | 0.31  | 2.03  | 0.13  | 1.90  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.55  |
| 150000 | 3.57  | 2.72  | 2.93  | 0.39  | 9.25  | 0.31  | 2.03  | 0.13  | 1.90  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.59  |
| 160000 | 3.59  | 3.00  | 3.61  | 0.61  | 8.10  | 0.31  | 2.03  | 0.13  | 1.90  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 37.30  |
| 170000 | 3.56  | 3.16  | 4.26  | 1.07  | 8.11  | 0.31  | 2.03  | 0.13  | 1.90  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 37.99  |
| 180000 | 3.57  | 3.16  | 4.70  | 1.50  | 9.08  | 0.31  | 2.03  | 0.13  | 1.90  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 38.18  |
| 190000 | 3.61  | 2.57  | 4.81  | 2.27  | 9.75  | 0.31  | 2.13  | 0.15  | 1.98  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 38.11  |
| 200000 | 3.67  | 2.67  | 5.85  | 3.20  | 8.48  | 0.31  | 2.23  | 0.16  | 2.07  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 42.18  |
| 210000 | 3.64  | 3.24  | 7.78  | 4.49  | 5.57  | 0.31  | 2.32  | 0.17  | 2.15  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 45.06  |
| 220000 | 3.64  | 2.79  | 5.90  | 3.11  | 5.58  | 0.31  | 2.38  | 0.17  | 2.21  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 45.54  |
| 230000 | 3.60  | 2.90  | 6.29  | 3.39  | 5.83  | 0.31  | 2.45  | 0.18  | 2.27  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 46.03  |
| 極大值    | 3.81  | 5.20  | 7.78  | 4.49  | 10.94 | 0.31  | 2.74  | 0.18  | 2.61  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 51.20  |
| 極小值    | 3.56  | 2.47  | 2.51  | 0.00  | 2.45  | 0.31  | 2.03  | 0.12  | 1.90  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 36.58  |
| 平均值    | 3.62  | 2.92  | 4.30  | 1.43  | 7.06  | 0.31  | 2.22  | 0.14  | 2.07  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.59  |
| 標準差    | 0.06  | 0.57  | 1.59  | 1.24  | 2.58  | 0     | 0.21  | 0.02  | 0.21  | 0    | 0     | 0     | 0    | 0     | 4.06   |

屏東縣崁頂焚化爐空氣品質監  
測報表

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫  | 站內溫   | RH    | WD   | WS    | PM10   |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|------|-------|--------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (oC) | (oC)  | (%)   | (o)  | (m/s) | (ug/m) |
| 000000 | 3.64  | 3.00  | 6.77  | 3.76  | 3.48  | 0.31  | 2.60  | 0.18  | 2.42  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 47.60  |
| 010000 | 3.62  | 3.76  | 7.87  | 4.05  | 1.88  | 0.31  | 2.55  | 0.19  | 2.36  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 47.86  |
| 020000 | 3.85  | 5.11  | 9.29  | 4.14  | 1.34  | 0.31  | 2.72  | 0.18  | 2.54  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 50.06  |
| 030000 | 3.98  | 4.72  | 9.21  | 4.46  | 1.32  | 0.31  | 2.75  | 0.17  | 2.58  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 50.96  |
| 040000 | 3.69  | 3.70  | 6.38  | 2.68  | 1.40  | 0.31  | 2.58  | 0.17  | 2.41  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 49.48  |
| 050000 | 3.70  | 7.84  | 10.36 | 2.52  | 1.58  | 0.31  | 2.89  | 0.20  | 2.69  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 55.47  |
| 060000 | 3.77  | 8.52  | 10.59 | 2.05  | 1.79  | 0.31  | 3.25  | 0.19  | 3.06  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 60.20  |
| 070000 | 3.82  | 6.31  | 9.22  | 2.90  | 1.75  | 0.31  | 2.62  | 0.17  | 2.45  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 49.40  |
| 080000 | 3.89  | 4.33  | 7.11  | 2.76  | 3.73  | 0.31  | 2.27  | 0.15  | 2.12  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 43.86  |
| 090000 | 3.88  | 3.48  | 6.17  | 2.66  | 10.55 | 0.31  | 2.19  | 0.13  | 2.06  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 40.17  |
| 100000 | 3.96  | 3.13  | 5.71  | 2.56  | 21.61 | 0.31  | 2.23  | 0.17  | 2.06  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 42.44  |
| 110000 | 4.05  | 2.95  | 5.29  | 2.35  | 29.87 | 0.31  | 2.28  | 0.21  | 2.07  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 42.10  |
| 120000 | 3.88  | 2.87  | 3.91  | 1.02  | 20.85 | 0.31  | 2.15  | 0.18  | 1.97  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.69  |
| 130000 | 3.67  | 2.89  | 3.48  | 0.59  | 14.30 | 0.31  | 2.10  | 0.16  | 1.94  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.83  |
| 140000 | 3.65  | 3.05  | 4.40  | 1.32  | 12.51 | 0.31  | 2.11  | 0.18  | 1.93  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 37.95  |
| 150000 | 3.60  | 2.81  | 4.96  | 2.13  | 14.80 | 0.31  | 2.12  | 0.13  | 1.99  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.52  |
| 160000 | 3.65  | 2.65  | 6.69  | 4.06  | 24.40 | 0.31  | 2.21  | 0.17  | 2.04  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 42.43  |
| 170000 | 3.68  | 2.63  | 7.44  | 4.85  | 20.10 | 0.31  | 2.34  | 0.18  | 2.16  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 44.81  |
| 180000 | 3.65  | 3.00  | 7.60  | 4.62  | 17.51 | 0.31  | 2.41  | 0.18  | 2.23  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 44.60  |
| 190000 | 3.67  | 2.93  | 7.10  | 4.19  | 15.57 | 0.31  | 2.37  | 0.17  | 2.20  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 44.12  |
| 200000 | 3.68  | 2.96  | 6.15  | 3.22  | 13.09 | 0.31  | 2.44  | 0.17  | 2.27  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 45.92  |
| 210000 | 3.58  | 2.71  | 5.19  | 2.51  | 11.28 | 0.31  | 2.51  | 0.18  | 2.33  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 46.97  |
| 220000 | 3.66  | 2.83  | 5.01  | 2.22  | 8.73  | 0.31  | 2.53  | 0.16  | 2.37  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 47.00  |
| 230000 | 3.61  | 2.86  | 5.01  | 2.15  | 7.09  | 0.31  | 2.64  | 0.17  | 2.47  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 49.49  |
| 極大值    | 4.05  | 8.52  | 10.59 | 4.85  | 29.87 | 0.31  | 3.25  | 0.21  | 3.06  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 60.20  |
| 極小值    | 3.58  | 2.63  | 3.48  | 0.59  | 1.32  | 0.31  | 2.10  | 0.13  | 1.93  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 37.95  |
| 平均值    | 3.74  | 3.79  | 6.70  | 2.91  | 10.86 | 0.31  | 2.45  | 0.17  | 2.28  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 46.00  |
| 標準差    | 0.14  | 1.62  | 1.97  | 1.15  | 8.53  | 0     | 0.28  | 0.02  | 0.27  | 0    | 0     | 0     | 0    | 0     | 5.21   |

屏東縣崁頂焚化爐空氣品質監  
測報表

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫  | 站內溫   | RH    | WD   | WS    | PM10   |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|------|-------|--------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (oC) | (oC)  | (%)   | (o)  | (m/s) | (ug/m) |
| 000000 | 3.63  | 2.86  | 4.97  | 2.12  | 4.19  | 0.31  | 2.59  | 0.16  | 2.43  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 49.89  |
| 010000 | 3.62  | 2.80  | 5.13  | 2.35  | 3.39  | 0.31  | 2.95  | 0.17  | 2.78  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 55.32  |
| 020000 | 3.63  | 2.94  | 5.42  | 2.50  | 2.15  | 0.31  | 3.30  | 0.18  | 3.12  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 62.32  |
| 030000 | 3.59  | 3.17  | 5.11  | 1.89  | 1.81  | 0.31  | 2.96  | 0.20  | 2.76  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 55.71  |
| 040000 | 3.57  | 3.20  | 5.51  | 2.28  | 1.80  | 0.31  | 3.09  | 0.20  | 2.89  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 58.90  |
| 050000 | 3.63  | 4.12  | 5.97  | 1.83  | 1.69  | 0.31  | 3.27  | 0.19  | 3.08  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 61.77  |
| 060000 | 3.66  | 5.36  | 6.88  | 1.52  | 2.13  | 0.31  | 2.79  | 0.17  | 2.62  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 53.14  |
| 070000 | 3.71  | 4.61  | 5.64  | 1.00  | 4.99  | 0.31  | 2.53  | 0.14  | 2.39  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 48.27  |
| 080000 | 3.72  | 3.32  | 4.21  | 0.82  | 11.68 | 0.31  | 2.34  | 0.14  | 2.20  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 44.16  |
| 090000 | 3.90  | 2.94  | 4.09  | 1.12  | 22.57 | 0.31  | 2.29  | 0.21  | 2.08  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 42.13  |
| 100000 | 4.39  | 2.86  | 5.84  | 3.00  | 42.03 | 0.31  | 2.27  | 0.24  | 2.03  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 42.79  |
| 110000 | 4.28  | 2.74  | 5.59  | 2.86  | 50.46 | 0.31  | 2.27  | 0.27  | 2.00  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.85  |
| 120000 | 4.09  | 2.85  | 4.13  | 1.28  | 39.16 | 0.31  | 2.17  | 0.21  | 1.96  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.99  |
| 130000 | 3.87  | 2.77  | 3.65  | 0.93  | 29.64 | 0.31  | 2.12  | 0.18  | 1.94  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.00  |
| 140000 | 3.79  | 2.53  | 3.03  | 0.58  | 31.60 | 0.31  | 2.11  | 0.17  | 1.94  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 40.14  |
| 150000 | 3.76  | 2.52  | 4.17  | 1.63  | 29.84 | 0.31  | 2.15  | 0.14  | 2.01  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.82  |
| 160000 | 3.66  | 2.39  | 3.56  | 1.41  | 25.81 | 0.31  | 2.12  | 0.14  | 1.98  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.50  |
| 170000 | 3.58  | 2.40  | 3.07  | 0.74  | 21.32 | 0.31  | 2.22  | 0.26  | 1.96  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.64  |
| 180000 | 3.53  | 2.59  | 5.31  | 2.73  | 16.96 | 0.31  | 2.16  | 0.15  | 2.01  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 40.64  |
| 190000 | 3.60  | 2.50  | 6.03  | 3.54  | 13.66 | 0.31  | 2.27  | 0.17  | 2.10  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.64  |
| 200000 | 3.54  | 2.56  | 5.90  | 3.36  | 9.91  | 0.31  | 2.29  | 0.18  | 2.11  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 43.57  |
| 210000 | 3.59  | 2.59  | 6.87  | 4.30  | 7.29  | 0.31  | 2.58  | 0.18  | 2.40  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 48.70  |
| 220000 | 3.57  | 2.54  | 5.78  | 3.26  | 7.35  | 0.31  | 2.73  | 0.18  | 2.55  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 51.24  |
| 230000 | 3.58  | 2.59  | 4.94  | 2.38  | 5.73  | 0.31  | 2.70  | 0.18  | 2.52  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 50.44  |
| 極大值    | 4.39  | 5.36  | 6.88  | 4.30  | 50.46 | 0.31  | 3.30  | 0.27  | 3.12  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 62.32  |
| 極小值    | 3.53  | 2.39  | 3.03  | 0.58  | 1.69  | 0.31  | 2.11  | 0.14  | 1.94  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.00  |
| 平均值    | 3.73  | 2.99  | 5.03  | 2.06  | 16.13 | 0.31  | 2.51  | 0.18  | 2.33  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 47.11  |
| 標準差    | 0.23  | 0.73  | 1.08  | 1     | 14.63 | 0     | 0.38  | 0.04  | 0.38  | 0    | 0     | 0     | 0    | 0     | 7.51   |

屏東縣崁頂焚化爐空氣品質監  
測報表

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫  | 站內溫   | RH    | WD   | WS    | PM10   |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|------|-------|--------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (oC) | (oC)  | (%)   | (o)  | (m/s) | (ug/m) |
| 000000 | 3.54  | 2.49  | 4.33  | 1.87  | 3.72  | 0.31  | 2.77  | 0.18  | 2.59  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 54.19  |
| 010000 | 3.62  | 2.52  | 3.70  | 1.17  | 2.84  | 0.31  | 2.84  | 0.17  | 2.67  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 54.12  |
| 020000 | 3.57  | 2.47  | 3.43  | 0.99  | 2.34  | 0.31  | 2.70  | 0.17  | 2.53  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 50.02  |
| 030000 | 3.51  | 2.64  | 3.74  | 1.10  | 2.04  | 0.31  | 2.77  | 0.17  | 2.60  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 52.58  |
| 040000 | 3.55  | 2.74  | 4.04  | 1.31  | 1.67  | 0.31  | 3.03  | 0.17  | 2.86  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 58.19  |
| 050000 | 3.54  | 3.36  | 3.96  | 0.62  | 1.87  | 0.31  | 2.88  | 0.17  | 2.71  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 54.10  |
| 060000 | 3.61  | 5.21  | 6.05  | 0.81  | 2.07  | 0.31  | 2.95  | 0.18  | 2.77  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 54.19  |
| 070000 | 3.64  | 4.63  | 5.90  | 1.25  | 4.85  | 0.31  | 2.79  | 0.17  | 2.62  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 53.31  |
| 080000 | 3.73  | 3.97  | 5.42  | 1.43  | 10.98 | 0.31  | 2.53  | 0.17  | 2.36  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 46.89  |
| 090000 | 3.75  | 2.80  | 3.70  | 0.88  | 20.61 | 0.31  | 2.25  | 0.15  | 2.10  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 40.63  |
| 100000 | 3.82  | 2.53  | 3.24  | 0.71  | 30.31 | 0.31  | 2.21  | 0.16  | 2.05  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.76  |
| 110000 | 3.82  | 2.40  | 3.17  | 0.79  | 33.82 | 0.31  | 2.20  | 0.18  | 2.02  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.99  |
| 120000 | 4.01  | 2.48  | 3.71  | 1.20  | 43.63 | 0.31  | 2.21  | 0.19  | 2.02  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 42.63  |
| 130000 | 4.18  | 2.46  | 4.47  | 1.96  | 53.27 | 0.31  | 2.20  | 0.22  | 1.98  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 43.19  |
| 140000 | 4.46  | 2.52  | 4.35  | 1.78  | 57.67 | 0.31  | 2.15  | 0.19  | 1.96  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.73  |
| 150000 | 4.27  | 2.38  | 3.66  | 1.25  | 56.46 | 0.31  | 2.11  | 0.18  | 1.93  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 40.22  |
| 160000 | 4.14  | 2.42  | 3.85  | 1.41  | 47.03 | 0.31  | 2.12  | 0.19  | 1.93  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.96  |
| 170000 | 3.94  | 2.54  | 5.46  | 2.89  | 31.63 | 0.31  | 2.20  | 0.24  | 1.96  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 40.51  |
| 180000 | 4.62  | 2.42  | 10.41 | 7.97  | 22.68 | 0.31  | 2.55  | 0.54  | 2.01  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 47.09  |
| 190000 | 4.43  | 2.51  | 8.92  | 6.38  | 21.58 | 0.31  | 2.47  | 0.33  | 2.14  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 46.89  |
| 200000 | 3.82  | 2.45  | 5.54  | 3.09  | 23.05 | 0.31  | 2.31  | 0.18  | 2.13  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 42.39  |
| 210000 | 3.74  | 2.33  | 5.10  | 2.78  | 23.30 | 0.31  | 2.27  | 0.17  | 2.10  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.49  |
| 220000 | 3.70  | 2.65  | 5.98  | 3.34  | 18.50 | 0.31  | 2.36  | 0.17  | 2.19  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 44.41  |
| 230000 | 3.71  | 2.37  | 5.59  | 3.19  | 17.00 | 0.31  | 2.51  | 0.17  | 2.34  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 47.23  |
| 極大值    | 4.62  | 5.21  | 10.41 | 7.97  | 57.67 | 0.31  | 3.03  | 0.54  | 2.86  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 58.19  |
| 極小值    | 3.51  | 2.33  | 3.17  | 0.62  | 1.67  | 0.31  | 2.11  | 0.15  | 1.93  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.73  |
| 平均值    | 3.86  | 2.80  | 4.90  | 2.09  | 22.20 | 0.31  | 2.47  | 0.20  | 2.27  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 46.57  |
| 標準差    | 0.32  | 0.75  | 1.75  | 1.79  | 18.64 | 0     | 0.3   | 0.08  | 0.31  | 0    | 0     | 0     | 0    | 0     | 5.83   |

屏東縣崁頂焚化爐空氣品質監  
測報表

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫  | 站內溫   | RH    | WD   | WS    | PM10   |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|------|-------|--------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (oC) | (oC)  | (%)   | (o)  | (m/s) | (ug/m) |
| 000000 | 3.71  | 2.31  | 4.74  | 2.41  | 15.80 | 0.31  | 2.43  | 0.16  | 2.27  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 45.06  |
| 010000 | 3.71  | 2.41  | 5.16  | 2.77  | 12.52 | 0.31  | 2.56  | 0.15  | 2.41  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 49.33  |
| 020000 | 3.65  | 2.62  | 5.53  | 2.92  | 7.57  | 0.31  | 2.55  | 0.17  | 2.38  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 47.04  |
| 030000 | 3.63  | 2.60  | 5.60  | 3.00  | 5.08  | 0.31  | 2.69  | 0.17  | 2.52  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 51.31  |
| 040000 | 3.63  | 2.65  | 5.11  | 2.48  | 3.08  | 0.31  | 2.42  | 0.18  | 2.24  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 44.37  |
| 050000 | 3.62  | 3.03  | 5.06  | 2.06  | 3.46  | 0.31  | 2.92  | 0.17  | 2.75  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 55.58  |
| 060000 | 3.55  | 3.57  | 5.37  | 1.76  | 3.89  | 0.31  | 2.82  | 0.16  | 2.66  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 52.03  |
| 070000 | 3.67  | 3.08  | 4.29  | 1.18  | 11.55 | 0.31  | 2.54  | 0.16  | 2.38  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 47.43  |
| 080000 | 3.75  | 2.58  | 3.61  | 1.00  | 21.35 | 0.31  | 2.28  | 0.16  | 2.12  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 42.45  |
| 090000 | 3.97  | 2.55  | 4.32  | 1.71  | 29.29 | 0.31  | 2.30  | 0.19  | 2.11  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.64  |
| 100000 | 4.25  | 2.56  | 5.84  | 3.25  | 47.01 | 0.31  | 2.31  | 0.24  | 2.07  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 42.13  |
| 110000 | 4.35  | 2.71  | 6.83  | 4.09  | 52.76 | 0.31  | 2.30  | 0.28  | 2.02  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 43.40  |
| 120000 | 4.16  | 2.80  | 6.18  | 3.36  | 43.43 | 0.31  | 2.19  | 0.22  | 1.97  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 40.12  |
| 130000 | 3.98  | 2.40  | 3.48  | 1.09  | 45.47 | 0.31  | 2.13  | 0.16  | 1.97  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 40.04  |
| 140000 | 3.88  | 2.37  | 3.42  | 1.09  | 39.66 | 0.31  | 2.12  | 0.14  | 1.98  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.72  |
| 150000 | 4.62  | 2.44  | 4.75  | 2.32  | 32.28 | 0.31  | 2.23  | 0.16  | 2.07  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 42.10  |
| 160000 | 5.97  | 2.47  | 5.19  | 2.74  | 25.86 | 0.31  | 2.32  | 0.17  | 2.15  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 43.28  |
| 170000 | 3.88  | 2.41  | 5.66  | 3.25  | 24.33 | 0.31  | 2.34  | 0.18  | 2.16  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 44.16  |
| 180000 | 3.75  | 2.45  | 5.84  | 3.40  | 20.38 | 0.31  | 2.52  | 0.18  | 2.34  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 45.37  |
| 190000 | 3.70  | 2.37  | 5.17  | 2.80  | 17.96 | 0.31  | 2.57  | 0.17  | 2.40  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 48.05  |
| 200000 | 3.70  | 2.47  | 5.84  | 3.37  | 11.96 | 0.31  | 2.68  | 0.18  | 2.50  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 49.52  |
| 210000 | 3.64  | 2.41  | 5.56  | 3.18  | 11.91 | 0.31  | 2.56  | 0.16  | 2.40  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 48.47  |
| 220000 | 3.63  | 2.41  | 6.36  | 3.97  | 8.49  | 0.31  | 2.70  | 0.19  | 2.51  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 50.88  |
| 230000 | 3.69  | 2.56  | 6.81  | 4.27  | 5.32  | 0.31  | 3.26  | 0.19  | 3.07  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 60.09  |
| 極大值    | 5.97  | 3.57  | 6.83  | 4.27  | 52.76 | 0.31  | 3.26  | 0.28  | 3.07  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 60.09  |
| 極小值    | 3.55  | 2.31  | 3.42  | 1.00  | 3.08  | 0.31  | 2.12  | 0.14  | 1.97  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 39.72  |
| 平均值    | 3.92  | 2.59  | 5.24  | 2.64  | 20.85 | 0.31  | 2.49  | 0.18  | 2.31  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 46.40  |
| 標準差    | 0.51  | 0.29  | 0.93  | 0.96  | 15.44 | 0     | 0.27  | 0.03  | 0.27  | 0    | 0     | 0     | 0    | 0     | 5.13   |

屏東縣崁頂焚化爐空氣品質監  
測報表

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫  | 站內溫   | RH    | WD   | WS    | PM10   |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|------|-------|--------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (oC) | (oC)  | (%)   | (o)  | (m/s) | (ug/m) |
| 000000 | 3.64  | 2.64  | 6.51  | 3.89  | 4.38  | 0.31  | 3.17  | 0.18  | 2.99  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 59.56  |
| 010000 | 3.64  | 2.64  | 5.76  | 3.15  | 2.31  | 0.31  | 2.84  | 0.18  | 2.66  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 53.99  |
| 020000 | 3.63  | 2.55  | 4.66  | 2.13  | 3.85  | 0.31  | 2.67  | 0.18  | 2.49  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 50.45  |
| 030000 | 3.68  | 2.41  | 3.83  | 1.42  | 4.20  | 0.31  | 2.58  | 0.17  | 2.41  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 46.94  |
| 040000 | 3.61  | 2.58  | 4.25  | 1.68  | 3.05  | 0.31  | 2.81  | 0.17  | 2.64  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 51.13  |
| 050000 | 3.67  | 2.96  | 4.68  | 1.71  | 3.33  | 0.31  | 2.67  | 0.18  | 2.49  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 50.13  |
| 060000 | 3.66  | 4.23  | 6.19  | 1.95  | 4.10  | 0.31  | 2.90  | 0.18  | 2.72  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 55.95  |
| 070000 | 3.65  | 4.11  | 6.19  | 2.08  | 9.72  | 0.31  | 2.64  | 0.16  | 2.48  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 49.16  |
| 080000 | 3.89  | 4.00  | 7.88  | 3.88  | 20.26 | 0.31  | 2.43  | 0.17  | 2.26  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 44.72  |
| 090000 | 4.96  | 3.60  | 11.62 | 7.99  | 28.95 | 0.31  | 2.50  | 0.31  | 2.19  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 47.07  |
| 100000 | 4.25  | 2.73  | 10.95 | 8.20  | 39.10 | 0.31  | 2.55  | 0.30  | 2.25  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 46.44  |
| 110000 | 4.54  | 3.08  | 11.09 | 7.99  | 43.18 | 0.31  | 2.56  | 0.42  | 2.14  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 46.64  |
| 120000 | 4.52  | 2.98  | 8.24  | 5.24  | 46.70 | 0.31  | 2.32  | 0.31  | 2.01  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 43.25  |
| 130000 | 4.60  | 2.77  | 7.07  | 4.31  | 47.18 | 0.31  | 2.28  | 0.27  | 2.01  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 43.43  |
| 140000 | 4.33  | 2.72  | 6.89  | 4.16  | 49.67 | 0.31  | 2.29  | 0.28  | 2.01  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 43.49  |
| 150000 | 4.20  | 2.84  | 7.22  | 4.35  | 44.86 | 0.31  | 2.25  | 0.24  | 2.01  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.03  |
| 160000 | 4.12  | 3.02  | 8.21  | 5.13  | 43.37 | 0.31  | 2.25  | 0.21  | 2.04  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.93  |
| 170000 | 4.33  | 2.66  | 9.43  | 6.74  | 42.90 | 0.31  | 2.38  | 0.33  | 2.05  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 43.69  |
| 180000 | 4.08  | 2.39  | 7.21  | 4.77  | 35.99 | 0.31  | 2.26  | 0.26  | 2.00  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 42.15  |
| 190000 | 3.86  | 2.38  | 6.66  | 4.30  | 30.02 | 0.31  | 2.21  | 0.19  | 2.02  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 42.43  |
| 200000 | 4.09  | 2.38  | 10.30 | 7.93  | 19.50 | 0.31  | 2.50  | 0.46  | 2.04  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 46.07  |
| 210000 | 3.91  | 2.53  | 9.19  | 6.66  | 11.53 | 0.31  | 2.50  | 0.37  | 2.13  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 46.53  |
| 220000 | 3.71  | 2.49  | 6.57  | 4.10  | 10.77 | 0.31  | 2.72  | 0.17  | 2.55  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 50.85  |
| 230000 | 3.83  | 2.44  | 6.41  | 4.00  | 14.39 | 0.31  | 2.43  | 0.18  | 2.25  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 44.41  |
| 極大值    | 4.96  | 4.23  | 11.62 | 8.20  | 49.67 | 0.31  | 3.17  | 0.46  | 2.99  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 59.56  |
| 極小值    | 3.61  | 2.38  | 3.83  | 1.42  | 2.31  | 0.31  | 2.21  | 0.16  | 2.00  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 41.03  |
| 平均值    | 4.02  | 2.88  | 7.38  | 4.49  | 23.47 | 0.31  | 2.53  | 0.24  | 2.28  | 0.00 | 26.04 | 74.00 | 0.00 | 0.00  | 47.14  |
| 標準差    | 0.38  | 0.55  | 2.17  | 2.16  | 17.75 | 0     | 0.24  | 0.09  | 0.28  | 0    | 0     | 0     | 0    | 0     | 4.73   |

屏東縣崁頂焚化爐空氣品質監  
測報表日報(小時數  
據)A003 溪北國小  
站

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫  | 站內溫   | RH    | WD   | WS    | PM10    |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|------|-------|---------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (oC) | (oC)  | (%)   | (o)  | (m/s) | (ug/m)  |
| 000000 | 4.96  | 2.61  | 10.56 | 8.14  | 14.60 | 0.96  | 2.44  | 0.11  | 2.33  | 0.00 | 19.32 | 69.05 | 0.00 | 0.00  | 1000.00 |
| 010000 | 5.17  | 2.70  | 10.75 | 8.21  | 12.07 | 0.91  | 2.77  | 0.11  | 2.66  | 0.00 | 19.33 | 69.05 | 0.00 | 0.00  | 1000.00 |
| 020000 | 5.10  | 2.65  | 10.07 | 7.57  | 12.74 | 0.91  | 2.51  | 0.11  | 2.40  | 0.00 | 19.34 | 69.05 | 0.00 | 0.00  | 1000.00 |
| 030000 | 5.05  | 2.73  | 9.51  | 6.93  | 11.66 | 0.91  | 2.53  | 0.12  | 2.41  | 0.00 | 19.32 | 69.05 | 0.00 | 0.00  | 1000.00 |
| 040000 | 4.99  | 2.62  | 8.27  | 5.77  | 12.97 | 0.90  | 2.55  | 0.11  | 2.44  | 0.00 | 19.31 | 69.05 | 0.00 | 0.00  | 1000.00 |
| 050000 | 5.13  | 2.83  | 8.50  | 5.79  | 11.11 | 0.90  | 2.85  | 0.11  | 2.74  | 0.00 | 19.31 | 69.05 | 0.00 | 0.00  | 1000.00 |
| 060000 | 5.06  | 2.96  | 8.94  | 6.09  | 11.89 | 0.94  | 2.87  | 0.12  | 2.75  | 0.00 | 19.32 | 69.04 | 0.00 | 0.00  | 1000.00 |
| 070000 | 5.11  | 2.89  | 8.51  | 5.74  | 14.40 | 0.92  | 2.64  | 0.14  | 2.50  | 0.00 | 19.30 | 69.00 | 0.00 | 0.00  | 1000.00 |
| 080000 | 4.92  | 2.56  | 7.03  | 4.57  | 26.32 | 0.93  | 2.29  | 0.15  | 2.14  | 0.00 | 19.26 | 68.91 | 0.00 | 0.00  | 1000.00 |
| 090000 | 4.98  | 2.42  | 6.69  | 4.38  | 31.13 | 0.94  | 2.14  | 0.16  | 1.98  | 0.00 | 19.27 | 68.92 | 0.00 | 0.00  | 1000.00 |
| 100000 | 5.00  | 2.48  | 6.01  | 3.63  | 26.98 | 0.85  | 2.06  | 0.15  | 1.91  | 0.00 | 19.31 | 69.05 | 0.00 | 0.00  | 1000.00 |
| 110000 | 5.06  | 2.66  | 5.64  | 3.06  | 18.79 | 0.74  | 2.00  | 0.12  | 1.88  | 0.00 | 19.34 | 69.05 | 0.00 | 0.00  | 1000.00 |
| 120000 | 5.00  | 2.62  | 5.53  | 2.94  | 17.53 | 0.72  | 1.97  | 0.11  | 1.86  | 0.00 | 19.35 | 69.13 | 0.00 | 0.00  | 1000.00 |
| 130000 | 5.04  | 2.56  | 5.11  | 2.60  | 15.78 | 0.70  | 1.95  | 0.11  | 1.84  | 0.00 | 19.36 | 69.19 | 0.00 | 0.00  | 1000.00 |
| 140000 | 5.06  | 2.58  | 4.87  | 2.32  | 14.71 | 0.69  | 1.94  | 0.10  | 1.84  | 0.00 | 19.35 | 69.11 | 0.00 | 0.00  | 1000.00 |
| 150000 | 5.07  | 2.57  | 4.78  | 2.24  | 15.23 | 0.74  | 1.94  | 0.09  | 1.85  | 0.00 | 19.31 | 69.00 | 0.00 | 0.00  | 1000.00 |
| 160000 | 5.11  | 2.52  | 4.86  | 2.38  | 16.53 | 0.77  | 1.94  | 0.08  | 1.86  | 0.00 | 19.30 | 68.95 | 0.00 | 0.00  | 1000.00 |
| 170000 | 4.94  | 2.52  | 5.19  | 2.70  | 15.11 | 0.78  | 1.95  | 0.08  | 1.87  | 0.00 | 19.30 | 68.99 | 0.00 | 0.00  | 1000.00 |
| 180000 | 5.04  | 2.65  | 5.99  | 3.41  | 13.25 | 0.77  | 1.96  | 0.07  | 1.89  | 0.00 | 19.31 | 69.04 | 0.00 | 0.00  | 1000.00 |
| 190000 | 5.07  | 2.61  | 5.74  | 3.20  | 12.56 | 0.77  | 2.04  | 0.06  | 1.98  | 0.00 | 19.32 | 69.02 | 0.00 | 0.00  | 1000.00 |
| 200000 | 5.03  | 2.54  | 5.85  | 3.38  | 12.10 | 0.78  | 2.04  | 0.06  | 1.98  | 0.00 | 19.32 | 69.02 | 0.00 | 0.00  | 1000.00 |
| 210000 | 4.97  | 2.55  | 5.16  | 2.65  | 12.35 | 0.77  | 2.06  | 0.07  | 1.99  | 0.00 | 19.30 | 69.04 | 0.00 | 0.00  | 1000.00 |
| 220000 | 5.07  | 2.55  | 5.01  | 2.49  | 13.43 | 0.77  | 1.99  | 0.07  | 1.92  | 0.00 | 19.31 | 69.02 | 0.00 | 0.00  | 1000.00 |
| 230000 | 4.98  | 2.54  | 5.10  | 2.59  | 12.44 | 0.76  | 1.98  | 0.06  | 1.92  | 0.00 | 19.32 | 69.01 | 0.00 | 0.00  | 1000.00 |
| 極大值    | 5.17  | 2.96  | 10.75 | 8.21  | 31.13 | 0.96  | 2.87  | 0.16  | 2.75  | 0.00 | 19.36 | 69.19 | 0.00 | 0.00  | 1000.00 |
| 極小值    | 4.92  | 2.42  | 4.78  | 2.24  | 11.11 | 0.69  | 1.94  | 0.06  | 1.84  | 0.00 | 19.26 | 68.91 | 0.00 | 0.00  | 1000.00 |
| 平均值    | 5.04  | 2.62  | 6.82  | 4.28  | 15.65 | 0.83  | 2.23  | 0.10  | 2.12  | 0.00 | 19.32 | 69.03 | 0.00 | 0.00  | 1000.00 |
| 標準差    | 0.06  | 0.13  | 2     | 1.98  | 5.25  | 0.09  | 0.33  | 0.03  | 0.31  | 0    | 0.02  | 0.06  | 0    | 0     | 0       |

屏東縣崁頂焚化爐空氣品質監  
測報表日報(小時數  
據)A003 溪北國小  
站

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫  | 站內溫   | RH    | WD   | WS    | PM10    |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|------|-------|---------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (oC) | (oC)  | (%)   | (o)  | (m/s) | (ug/m)  |
| 000000 | 5.04  | 2.58  | 4.94  | 2.38  | 12.29 | 0.76  | 1.97  | 0.07  | 1.90  | 0.00 | 19.32 | 69.04 | 0.00 | 0.00  | 1000.00 |
| 010000 | 4.99  | 2.59  | 4.96  | 2.39  | 11.08 | 0.76  | 1.97  | 0.07  | 1.90  | 0.00 | 19.33 | 68.98 | 0.00 | 0.00  | 1000.00 |
| 020000 | 4.96  | 2.56  | 5.10  | 2.58  | 13.05 | 0.78  | 1.97  | 0.08  | 1.89  | 0.00 | 19.34 | 69.02 | 0.00 | 0.00  | 1000.00 |
| 030000 | 4.98  | 2.55  | 5.69  | 3.18  | 12.16 | 0.79  | 1.99  | 0.11  | 1.88  | 0.00 | 19.61 | 69.04 | 0.00 | 0.00  | 1000.00 |
| 040000 | 4.89  | 2.58  | 5.53  | 2.99  | 10.67 | 0.79  | 2.03  | 0.10  | 1.93  | 0.00 | 19.62 | 69.05 | 0.00 | 0.00  | 1000.00 |
| 050000 | 5.08  | 2.70  | 6.44  | 3.81  | 10.49 | 0.84  | 2.07  | 0.11  | 1.96  | 0.00 | 19.62 | 69.04 | 0.00 | 0.00  | 1000.00 |
| 060000 | 5.02  | 2.86  | 7.83  | 5.06  | 10.09 | 0.86  | 2.10  | 0.12  | 1.98  | 0.00 | 19.66 | 69.05 | 0.00 | 0.00  | 1000.00 |
| 070000 | 4.85  | 2.91  | 8.65  | 5.87  | 10.54 | 0.86  | 2.02  | 0.13  | 1.89  | 0.00 | 19.66 | 69.04 | 0.00 | 0.00  | 1000.00 |
| 080000 | 4.99  | 2.75  | 7.50  | 4.86  | 10.95 | 0.81  | 2.01  | 0.09  | 1.92  | 0.00 | 19.68 | 69.03 | 0.00 | 0.00  | 1000.00 |
| 090000 | 4.96  | 2.76  | 7.83  | 5.17  | 11.82 | 0.84  | 2.02  | 0.09  | 1.93  | 0.00 | 19.64 | 69.03 | 0.00 | 0.00  | 1000.00 |
| 100000 | 4.99  | 2.82  | 7.13  | 4.40  | 11.58 | 0.80  | 2.02  | 0.08  | 1.94  | 0.00 | 19.61 | 69.02 | 0.00 | 0.00  | 1000.00 |
| 110000 | 5.08  | 2.69  | 6.57  | 3.94  | 13.14 | 0.78  | 1.99  | 0.07  | 1.92  | 0.00 | 19.60 | 69.02 | 0.00 | 0.00  | 1000.00 |
| 120000 | 4.98  | 2.67  | 6.52  | 3.92  | 12.83 | 0.78  | 1.99  | 0.07  | 1.92  | 0.00 | 19.61 | 69.02 | 0.00 | 0.00  | 1000.00 |
| 130000 | 4.95  | 2.63  | 5.93  | 3.37  | 17.24 | 0.72  | 2.01  | 0.06  | 1.95  | 0.00 | 19.62 | 69.05 | 0.00 | 0.00  | 1000.00 |
| 140000 | 4.92  | 2.78  | 7.88  | 5.19  | 16.36 | 0.62  | 2.05  | 0.07  | 1.98  | 0.00 | 19.79 | 69.38 | 0.00 | 0.00  | 847.40  |
| 150000 | 5.26  | 3.19  | 9.09  | 6.05  | 16.85 | 0.47  | 1.98  | 0.07  | 1.91  | 0.00 | 19.92 | 69.66 | 0.00 | 0.00  | 15.18   |
| 160000 | 5.18  | 3.45  | 10.55 | 7.28  | 13.52 | 0.40  | 1.97  | 0.09  | 1.88  | 0.00 | 20.03 | 69.95 | 0.00 | 0.00  | 6.93    |
| 170000 | 5.08  | 3.94  | 9.96  | 6.18  | 10.78 | 0.51  | 2.02  | 0.23  | 1.79  | 0.00 | 19.88 | 69.50 | 0.00 | 0.00  | 2.82    |
| 180000 | 4.98  | 4.32  | 11.00 | 6.90  | 13.23 | 0.54  | 2.17  | 0.26  | 1.91  | 0.00 | 19.85 | 69.47 | 0.00 | 0.00  | 2.39    |
| 190000 | 5.07  | 4.49  | 10.75 | 6.46  | 13.26 | 0.53  | 2.21  | 0.27  | 1.94  | 0.00 | 19.85 | 69.47 | 0.00 | 0.00  | 14.69   |
| 200000 | 5.00  | 4.46  | 10.02 | 5.75  | 13.20 | 0.49  | 2.12  | 0.25  | 1.87  | 0.00 | 19.87 | 69.47 | 0.00 | 0.00  | 14.86   |
| 210000 | 4.90  | 4.53  | 9.55  | 5.18  | 13.16 | 0.48  | 2.11  | 0.22  | 1.89  | 0.00 | 19.86 | 69.47 | 0.00 | 0.00  | 4.67    |
| 220000 | 4.93  | 4.34  | 8.34  | 4.16  | 12.91 | 0.44  | 2.06  | 0.18  | 1.88  | 0.00 | 19.88 | 69.47 | 0.00 | 0.00  | 6.97    |
| 230000 | 5.03  | 4.45  | 8.11  | 3.80  | 13.29 | 0.43  | 2.02  | 0.19  | 1.83  | 0.00 | 19.87 | 69.47 | 0.00 | 0.00  | 9.51    |
| 極大值    | 5.26  | 4.53  | 11.00 | 7.28  | 17.24 | 0.86  | 2.21  | 0.27  | 1.98  | 0.00 | 20.03 | 69.95 | 0.00 | 0.00  | 1000.00 |
| 極小值    | 4.85  | 2.55  | 4.94  | 2.38  | 10.09 | 0.40  | 1.97  | 0.06  | 1.79  | 0.00 | 19.32 | 68.98 | 0.00 | 0.00  | 2.39    |
| 平均值    | 5.00  | 3.23  | 7.74  | 4.62  | 12.69 | 0.67  | 2.04  | 0.13  | 1.91  | 0.00 | 19.70 | 69.24 | 0.00 | 0.00  | 621.89  |
| 標準差    | 0.09  | 0.77  | 1.91  | 1.43  | 1.93  | 0.16  | 0.06  | 0.07  | 0.04  | 0    | 0.19  | 0.27  | 0    | 0     | 486.2   |

屏東縣崁頂焚化爐空氣品質監  
測報表日報(小時數  
據)A003 溪北國小  
站

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫  | 站內溫   | RH    | WD   | WS    | PM10   |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|------|-------|--------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (oC) | (oC)  | (%)   | (o)  | (m/s) | (ug/m) |
| 000000 | 4.86  | 4.22  | 7.86  | 3.78  | 12.50 | 0.43  | 2.01  | 0.19  | 1.82  | 0.00 | 19.88 | 69.47 | 0.00 | 0.00  | 10.17  |
| 010000 | 4.96  | 4.52  | 8.10  | 3.72  | 12.63 | 0.44  | 2.09  | 0.19  | 1.90  | 0.00 | 19.86 | 69.47 | 0.00 | 0.00  | 7.63   |
| 020000 | 5.06  | 3.95  | 7.57  | 3.74  | 14.04 | 0.47  | 2.20  | 0.18  | 2.02  | 0.00 | 19.88 | 69.47 | 0.00 | 0.00  | 9.01   |
| 030000 | 4.85  | 4.18  | 7.72  | 3.69  | 12.96 | 0.44  | 2.22  | 0.16  | 2.06  | 0.00 | 19.88 | 69.47 | 0.00 | 0.00  | 6.47   |
| 040000 | 4.94  | 3.94  | 7.52  | 3.69  | 13.65 | 0.44  | 2.11  | 0.14  | 1.97  | 0.00 | 19.88 | 69.47 | 0.00 | 0.00  | 3.12   |
| 050000 | 4.80  | 4.17  | 7.94  | 3.91  | 13.13 | 0.46  | 2.05  | 0.15  | 1.90  | 0.00 | 19.89 | 69.47 | 0.00 | 0.00  | 0.31   |
| 060000 | 4.85  | 4.40  | 8.42  | 4.14  | 12.70 | 0.45  | 2.05  | 0.16  | 1.89  | 0.00 | 19.89 | 69.47 | 0.00 | 0.00  | 1.15   |
| 070000 | 4.83  | 4.47  | 8.85  | 4.54  | 11.27 | 0.46  | 2.03  | 0.16  | 1.87  | 0.00 | 19.91 | 69.41 | 0.00 | 0.00  | 3.22   |
| 080000 | 4.74  | 3.78  | 8.01  | 4.34  | 9.15  | 0.49  | 2.02  | 0.17  | 1.85  | 0.00 | 19.90 | 69.33 | 0.00 | 0.00  | 5.29   |
| 090000 | 4.86  | 3.19  | 8.14  | 5.07  | 17.08 | 0.49  | 2.14  | 0.11  | 2.03  | 0.00 | 19.91 | 69.43 | 0.00 | 0.00  | 10.73  |
| 100000 | 4.92  | 3.83  | 9.73  | 6.07  | 16.65 | 0.38  | 3.64  | 0.00  | 3.64  | 0.00 | 19.98 | 69.66 | 0.00 | 0.00  | 25.51  |
| 110000 | 4.92  | 27.08 | 36.55 | 10.35 | 7.97  | 0.40  | 5.00  | 0.00  | 5.00  | 0.00 | 19.94 | 69.51 | 0.00 | 0.00  | 15.90  |
| 120000 | 4.84  | 46.46 | 57.18 | 12.07 | 8.95  | 0.42  | 5.00  | 0.00  | 5.00  | 0.00 | 19.98 | 69.47 | 0.00 | 0.00  | 6.56   |
| 130000 | 4.92  | 36.88 | 47.77 | 12.02 | 9.54  | 0.42  | 5.00  | 0.00  | 5.00  | 0.00 | 19.97 | 69.47 | 0.00 | 0.00  | 4.38   |
| 140000 | 4.93  | 29.05 | 39.09 | 10.94 | 7.10  | 0.45  | 5.00  | 0.00  | 5.00  | 0.00 | 19.98 | 69.47 | 0.00 | 0.00  | 4.00   |
| 150000 | 4.93  | 32.49 | 42.17 | 10.68 | 6.90  | 0.47  | 5.00  | 0.00  | 5.00  | 0.00 | 19.98 | 69.47 | 0.00 | 0.00  | 13.56  |
| 160000 | 5.00  | 26.50 | 37.66 | 12.07 | 7.45  | 0.49  | 5.00  | 0.00  | 5.00  | 0.00 | 19.95 | 69.47 | 0.00 | 0.00  | 8.44   |
| 170000 | 4.98  | 21.00 | 31.31 | 11.02 | 7.19  | 0.45  | 5.00  | 0.00  | 5.00  | 0.00 | 19.90 | 69.47 | 0.00 | 0.00  | 7.60   |
| 180000 | 4.81  | 19.88 | 28.63 | 9.44  | 7.81  | 0.44  | 5.00  | 0.00  | 5.00  | 0.00 | 19.93 | 69.47 | 0.00 | 0.00  | 7.37   |
| 190000 | 5.04  | 27.01 | 34.19 | 7.98  | 7.81  | 0.46  | 5.00  | 0.00  | 5.00  | 0.00 | 19.92 | 69.47 | 0.00 | 0.00  | 5.23   |
| 200000 | 4.94  | 16.60 | 25.05 | 9.06  | 8.89  | 0.43  | 5.00  | 0.00  | 5.00  | 0.00 | 19.91 | 69.47 | 0.00 | 0.00  | 1.34   |
| 210000 | 4.95  | 16.79 | 24.50 | 8.28  | 9.01  | 0.43  | 5.00  | 0.00  | 5.00  | 0.00 | 19.92 | 69.47 | 0.00 | 0.00  | 7.21   |
| 220000 | 4.97  | 18.50 | 25.72 | 7.82  | 8.24  | 0.44  | 5.00  | 0.00  | 5.00  | 0.00 | 19.94 | 69.47 | 0.00 | 0.00  | 8.43   |
| 230000 | 5.18  | 18.28 | 25.32 | 7.61  | 9.11  | 0.44  | 5.00  | 0.00  | 5.00  | 0.00 | 19.90 | 69.44 | 0.00 | 0.00  | 8.03   |
| 極大值    | 5.18  | 46.46 | 57.18 | 12.07 | 17.08 | 0.49  | 5.00  | 0.19  | 5.00  | 0.00 | 19.98 | 69.66 | 0.00 | 0.00  | 25.51  |
| 極小值    | 4.74  | 3.19  | 7.52  | 3.69  | 6.90  | 0.38  | 2.01  | 0.00  | 1.82  | 0.00 | 19.86 | 69.33 | 0.00 | 0.00  | 0.31   |
| 平均值    | 4.92  | 15.88 | 22.71 | 7.33  | 10.49 | 0.45  | 3.73  | 0.07  | 3.66  | 0.00 | 19.92 | 69.47 | 0.00 | 0.00  | 7.53   |
| 標準差    | 0.1   | 12.82 | 15.43 | 3.19  | 3.04  | 0.03  | 1.44  | 0.08  | 1.52  | 0    | 0.04  | 0.05  | 0    | 0     | 5.34   |

## 測報表

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫  | 站內溫   | RH    | WD   | WS    | PM10    |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|------|-------|---------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (oC) | (oC)  | (%)   | (o)  | (m/s) | (ug/m)  |
| 000000 | 5.03  | 26.64 | 32.36 | 6.44  | 11.10 | 0.41  | 5.00  | 0.00  | 5.00  | 0.00 | 19.87 | 69.33 | 0.00 | 0.00  | 18.03   |
| 010000 | 5.13  | 22.83 | 29.63 | 7.47  | 11.61 | 0.38  | 5.00  | 0.00  | 5.00  | 0.00 | 19.87 | 69.33 | 0.00 | 0.00  | 11.35   |
| 020000 | 5.06  | 17.64 | 24.81 | 7.73  | 12.02 | 0.37  | 5.00  | 0.00  | 5.00  | 0.00 | 19.85 | 69.33 | 0.00 | 0.00  | 10.97   |
| 030000 | 4.83  | 22.90 | 29.14 | 6.91  | 10.73 | 0.37  | 4.97  | 0.00  | 4.97  | 0.00 | 19.84 | 69.33 | 0.00 | 0.00  | 7.85    |
| 040000 | 5.02  | 27.40 | 33.63 | 6.99  | 9.74  | 0.37  | 4.91  | 0.00  | 4.91  | 0.00 | 19.82 | 69.33 | 0.00 | 0.00  | 7.48    |
| 050000 | 4.88  | 21.11 | 28.49 | 8.02  | 10.71 | 0.40  | 4.64  | 0.00  | 4.64  | 0.00 | 19.83 | 69.33 | 0.00 | 0.00  | 7.23    |
| 060000 | 4.92  | 15.09 | 23.36 | 8.77  | 11.20 | 0.39  | 4.24  | 0.00  | 4.24  | 0.00 | 20.00 | 69.33 | 0.00 | 0.00  | 8.56    |
| 070000 | 4.82  | 12.44 | 21.14 | 9.17  | 10.52 | 0.44  | 3.77  | 0.00  | 3.77  | 0.00 | 20.06 | 69.33 | 0.00 | 0.00  | 7.37    |
| 080000 | 4.78  | 14.17 | 23.18 | 9.50  | 10.80 | 0.43  | 3.58  | 0.20  | 3.38  | 0.00 | 20.06 | 69.33 | 0.00 | 0.00  | 8.92    |
| 090000 | 4.84  | 14.18 | 23.06 | 9.41  | 11.07 | 0.41  | 3.34  | 0.41  | 2.93  | 0.00 | 20.04 | 69.33 | 0.00 | 0.00  | 7.37    |
| 100000 | 4.79  | 12.05 | 20.93 | 9.34  | 8.02  | 0.41  | 2.87  | 0.74  | 2.13  | 0.00 | 20.03 | 69.33 | 0.00 | 0.00  | 14.10   |
| 110000 | 4.75  | 9.73  | 18.74 | 9.42  | 7.84  | 0.43  | 2.61  | 0.80  | 1.81  | 0.00 | 20.07 | 69.38 | 0.00 | 0.00  | 140.52  |
| 120000 | 4.81  | 7.28  | 15.82 | 8.87  | 7.59  | 0.43  | 2.60  | 0.55  | 2.05  | 0.00 | 21.07 | 69.61 | 0.00 | 0.00  | 1000.00 |
| 130000 | 4.86  | 8.05  | 16.64 | 8.96  | 8.28  | 0.45  | 2.59  | 0.55  | 2.04  | 0.00 | 21.86 | 69.61 | 0.00 | 0.00  | 1000.00 |
| 140000 | 4.88  | 8.70  | 17.19 | 8.84  | 7.76  | 0.45  | 2.62  | 0.57  | 2.05  | 0.00 | 21.63 | 69.61 | 0.00 | 0.00  | 1000.00 |
| 150000 | 4.83  | 10.24 | 18.80 | 8.98  | 7.69  | 0.46  | 2.66  | 0.67  | 1.99  | 0.00 | 21.62 | 69.61 | 0.00 | 0.00  | 1000.00 |
| 160000 | 4.84  | 9.38  | 18.33 | 9.32  | 8.03  | 0.46  | 2.56  | 0.69  | 1.87  | 0.00 | 21.77 | 69.61 | 0.00 | 0.00  | 1000.00 |
| 170000 | 4.86  | 10.18 | 19.05 | 9.31  | 8.51  | 0.47  | 2.68  | 0.65  | 2.03  | 0.00 | 21.81 | 69.61 | 0.00 | 0.00  | 1000.00 |
| 180000 | 4.98  | 11.19 | 19.99 | 9.25  | 9.82  | 0.47  | 2.76  | 0.65  | 2.11  | 0.00 | 21.58 | 69.52 | 0.00 | 0.00  | 1000.00 |
| 190000 | 4.85  | 11.14 | 19.87 | 9.17  | 9.70  | 0.46  | 2.75  | 0.65  | 2.10  | 0.00 | 21.47 | 69.47 | 0.00 | 0.00  | 1000.00 |
| 200000 | 5.09  | 11.48 | 19.51 | 8.46  | 10.09 | 0.47  | 2.70  | 0.71  | 1.99  | 0.00 | 21.43 | 69.47 | 0.00 | 0.00  | 1000.00 |
| 210000 | 4.87  | 14.82 | 22.08 | 7.76  | 10.08 | 0.49  | 2.81  | 0.72  | 2.09  | 0.00 | 21.40 | 69.47 | 0.00 | 0.00  | 1000.00 |
| 220000 | 4.92  | 18.33 | 25.32 | 7.55  | 10.45 | 0.49  | 2.92  | 0.79  | 2.13  | 0.00 | 21.40 | 69.47 | 0.00 | 0.00  | 1000.00 |
| 230000 | 4.96  | 19.44 | 26.15 | 7.30  | 8.93  | 0.50  | 3.02  | 0.83  | 2.19  | 0.00 | 21.40 | 69.45 | 0.00 | 0.00  | 1000.00 |
| 極大值    | 5.13  | 27.40 | 33.63 | 9.50  | 12.02 | 0.50  | 5.00  | 0.83  | 5.00  | 0.00 | 21.86 | 69.61 | 0.00 | 0.00  | 1000.00 |
| 極小值    | 4.75  | 7.28  | 15.82 | 6.44  | 7.59  | 0.37  | 2.56  | 0.00  | 1.81  | 0.00 | 19.82 | 69.33 | 0.00 | 0.00  | 7.23    |
| 平均值    | 4.90  | 14.85 | 22.80 | 8.46  | 9.68  | 0.43  | 3.44  | 0.42  | 3.02  | 0.00 | 20.74 | 69.44 | 0.00 | 0.00  | 510.41  |
| 標準差    | 0.1   | 5.89  | 4.97  | 0.95  | 1.4   | 0.04  | 0.97  | 0.33  | 1.28  | 0    | 0.83  | 0.12  | 0    | 0     | 500.81  |

屏東縣崁頂焚化爐空氣品質監  
測報表日報(小時數  
據)A003 溪北國小  
站

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫  | 站內溫   | RH    | WD   | WS    | PM10   |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|------|-------|--------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (oC) | (oC)  | (%)   | (o)  | (m/s) | (ug/m) |
| 000000 | 4.97  | 20.47 | 26.80 | 6.96  | 9.92  | 0.46  | 3.07  | 0.88  | 2.19  | 0.00 | 21.35 | 69.33 | 0.00 | 0.00  | 829.24 |
| 010000 | 5.05  | 24.31 | 29.49 | 5.85  | 10.19 | 0.47  | 3.08  | 1.04  | 2.04  | 0.00 | 21.35 | 69.38 | 0.00 | 0.00  | 10.41  |
| 020000 | 4.99  | 26.11 | 30.95 | 5.54  | 10.16 | 0.47  | 3.08  | 1.12  | 1.96  | 0.00 | 21.35 | 69.47 | 0.00 | 0.00  | 14.29  |
| 030000 | 4.93  | 26.49 | 30.79 | 4.98  | 9.87  | 0.43  | 3.01  | 1.14  | 1.87  | 0.00 | 21.34 | 69.46 | 0.00 | 0.00  | 17.77  |
| 040000 | 5.08  | 29.82 | 33.69 | 4.66  | 10.41 | 0.45  | 3.04  | 1.21  | 1.83  | 0.00 | 21.34 | 69.44 | 0.00 | 0.00  | 31.97  |
| 050000 | 4.97  | 30.94 | 34.95 | 4.84  | 9.72  | 0.46  | 3.03  | 1.23  | 1.80  | 0.00 | 21.31 | 69.46 | 0.00 | 0.00  | 17.63  |
| 060000 | 4.92  | 31.76 | 36.15 | 5.23  | 10.16 | 0.47  | 3.08  | 1.19  | 1.89  | 0.00 | 21.32 | 69.47 | 0.00 | 0.00  | 29.90  |
| 070000 | 4.88  | 30.10 | 35.13 | 5.86  | 9.91  | 0.49  | 3.14  | 1.18  | 1.96  | 0.00 | 21.31 | 69.47 | 0.00 | 0.00  | 25.69  |
| 080000 | 5.00  | 22.79 | 30.56 | 8.48  | 7.25  | 0.56  | 2.87  | 1.13  | 1.74  | 0.00 | 21.29 | 69.47 | 0.00 | 0.00  | 28.44  |
| 090000 | 4.89  | 15.58 | 26.68 | 11.70 | 7.37  | 0.55  | 2.64  | 1.14  | 1.50  | 0.00 | 21.30 | 69.47 | 0.00 | 0.00  | 26.98  |
| 100000 | 5.00  | 8.61  | 21.61 | 13.48 | 9.84  | 0.56  | 2.57  | 1.04  | 1.53  | 0.00 | 21.29 | 69.47 | 0.00 | 0.00  | 23.56  |
| 110000 | 4.82  | 5.34  | 17.73 | 12.76 | 10.50 | 0.53  | 2.46  | 0.91  | 1.55  | 0.00 | 21.30 | 69.50 | 0.00 | 0.00  | 28.88  |
| 120000 | 4.91  | 5.83  | 17.30 | 11.82 | 10.47 | 0.51  | 2.41  | 0.80  | 1.61  | 0.00 | 21.34 | 69.62 | 0.00 | 0.00  | 5.23   |
| 130000 | 4.82  | 4.81  | 15.49 | 10.97 | 12.63 | 0.52  | 2.33  | 0.63  | 1.70  | 0.00 | 21.36 | 69.64 | 0.00 | 0.00  | 18.07  |
| 140000 | 4.90  | 4.41  | 15.75 | 11.66 | 13.31 | 0.52  | 2.32  | 0.60  | 1.72  | 0.00 | 21.35 | 69.61 | 0.00 | 0.00  | 11.34  |
| 150000 | 4.95  | 4.86  | 15.84 | 11.28 | 11.52 | 0.52  | 2.30  | 0.58  | 1.72  | 0.00 | 21.35 | 69.63 | 0.00 | 0.00  | 12.23  |
| 160000 | 4.99  | 5.00  | 16.00 | 11.30 | 10.95 | 0.55  | 2.28  | 0.52  | 1.76  | 0.00 | 21.34 | 69.61 | 0.00 | 0.00  | 9.17   |
| 170000 | 4.99  | 6.17  | 15.97 | 10.10 | 9.16  | 0.52  | 2.28  | 0.57  | 1.71  | 0.00 | 21.34 | 69.61 | 0.00 | 0.00  | 16.49  |
| 180000 | 5.04  | 7.66  | 17.54 | 10.24 | 8.39  | 0.55  | 2.33  | 0.64  | 1.69  | 0.00 | 21.34 | 69.61 | 0.00 | 0.00  | 17.13  |
| 190000 | 4.99  | 8.49  | 18.45 | 10.38 | 8.34  | 0.55  | 2.35  | 0.67  | 1.68  | 0.00 | 21.27 | 69.61 | 0.00 | 0.00  | 17.12  |
| 200000 | 5.01  | 10.97 | 20.77 | 10.28 | 7.95  | 0.60  | 2.48  | 0.69  | 1.79  | 0.00 | 21.23 | 69.61 | 0.00 | 0.00  | 14.91  |
| 210000 | 4.98  | 13.90 | 22.96 | 9.54  | 9.52  | 0.56  | 2.60  | 0.72  | 1.88  | 0.00 | 21.20 | 69.61 | 0.00 | 0.00  | 17.81  |
| 220000 | 5.11  | 15.45 | 23.48 | 8.52  | 8.47  | 0.56  | 2.67  | 0.75  | 1.92  | 0.00 | 21.14 | 69.61 | 0.00 | 0.00  | 11.63  |
| 230000 | 5.08  | 16.63 | 23.75 | 7.66  | 9.24  | 0.56  | 2.78  | 0.76  | 2.02  | 0.00 | 21.13 | 69.61 | 0.00 | 0.00  | 12.93  |
| 極大值    | 5.11  | 31.76 | 36.15 | 13.48 | 13.31 | 0.60  | 3.14  | 1.23  | 2.19  | 0.00 | 21.36 | 69.64 | 0.00 | 0.00  | 829.24 |
| 極小值    | 4.82  | 4.41  | 15.49 | 4.66  | 7.25  | 0.43  | 2.28  | 0.52  | 1.50  | 0.00 | 21.13 | 69.33 | 0.00 | 0.00  | 5.23   |
| 平均值    | 4.97  | 15.69 | 24.08 | 8.92  | 9.80  | 0.52  | 2.68  | 0.88  | 1.79  | 0.00 | 21.30 | 69.53 | 0.00 | 0.00  | 52.03  |
| 標準差    | 0.08  | 9.86  | 7.16  | 2.81  | 1.46  | 0.05  | 0.32  | 0.25  | 0.17  | 0    | 0.06  | 0.09  | 0    | 0     | 165.7  |

屏東縣崁頂焚化爐空氣品質監  
測報表日報(小時數  
據)A003 溪北國小  
站

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫  | 站內溫   | RH    | WD   | WS    | PM10   |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|------|-------|--------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (oC) | (oC)  | (%)   | (o)  | (m/s) | (ug/m) |
| 000000 | 5.00  | 17.74 | 24.51 | 7.30  | 9.59  | 0.57  | 2.87  | 0.77  | 2.10  | 0.00 | 21.15 | 69.61 | 0.00 | 0.00  | 19.03  |
| 010000 | 5.07  | 19.17 | 25.40 | 6.79  | 9.55  | 0.56  | 2.93  | 0.80  | 2.13  | 0.00 | 21.14 | 69.61 | 0.00 | 0.00  | 18.64  |
| 020000 | 5.08  | 19.96 | 25.36 | 5.99  | 9.54  | 0.57  | 3.03  | 0.80  | 2.23  | 0.00 | 21.14 | 69.57 | 0.00 | 0.00  | 27.29  |
| 030000 | 5.05  | 20.72 | 25.49 | 5.32  | 8.88  | 0.56  | 3.02  | 0.82  | 2.20  | 0.00 | 21.10 | 69.47 | 0.00 | 0.00  | 29.90  |
| 040000 | 5.05  | 22.45 | 26.76 | 4.92  | 9.68  | 0.56  | 3.12  | 0.86  | 2.26  | 0.00 | 21.10 | 69.47 | 0.00 | 0.00  | 22.70  |
| 050000 | 4.97  | 22.84 | 27.01 | 4.79  | 9.75  | 0.58  | 3.35  | 0.83  | 2.52  | 0.00 | 21.12 | 69.47 | 0.00 | 0.00  | 21.72  |
| 060000 | 5.04  | 22.61 | 27.03 | 5.02  | 9.38  | 0.56  | 3.39  | 0.80  | 2.59  | 0.00 | 21.22 | 69.47 | 0.00 | 0.00  | 19.11  |
| 070000 | 5.05  | 21.02 | 26.33 | 5.90  | 7.67  | 0.55  | 3.15  | 0.80  | 2.35  | 0.00 | 21.27 | 69.47 | 0.00 | 0.00  | 29.01  |
| 080000 | 5.04  | 10.13 | 16.77 | 6.97  | 7.13  | 0.52  | 2.46  | 0.47  | 1.99  | 0.00 | 21.27 | 69.53 | 0.00 | 0.00  | 21.46  |
| 090000 | 4.97  | 3.40  | 8.04  | 4.75  | 7.88  | 0.51  | 2.00  | 0.15  | 1.85  | 0.00 | 21.27 | 69.61 | 0.00 | 0.00  | 13.03  |
| 100000 | 5.01  | 3.38  | 7.89  | 4.64  | 8.43  | 0.51  | 1.97  | 0.16  | 1.81  | 0.00 | 21.27 | 69.53 | 0.00 | 0.00  | 10.46  |
| 110000 | 4.97  | 3.24  | 7.38  | 4.23  | 9.13  | 0.54  | 1.95  | 0.15  | 1.80  | 0.00 | 21.25 | 69.47 | 0.00 | 0.00  | 12.34  |
| 120000 | 5.02  | 3.12  | 6.83  | 3.81  | 9.82  | 0.52  | 1.95  | 0.16  | 1.79  | 0.00 | 21.24 | 69.53 | 0.00 | 0.00  | 15.28  |
| 130000 | 5.12  | 3.11  | 6.43  | 3.39  | 9.35  | 0.53  | 1.95  | 0.16  | 1.79  | 0.00 | 21.23 | 69.51 | 0.00 | 0.00  | 1.86   |
| 140000 | 4.98  | 3.18  | 6.37  | 3.26  | 9.60  | 0.56  | 1.95  | 0.17  | 1.78  | 0.00 | 21.20 | 69.47 | 0.00 | 0.00  | 1.91   |
| 150000 | 5.09  | 3.24  | 6.40  | 3.22  | 10.80 | 0.55  | 1.95  | 0.16  | 1.79  | 0.00 | 21.13 | 69.48 | 0.00 | 0.00  | 12.78  |
| 160000 | 5.06  | 3.28  | 6.26  | 3.04  | 9.59  | 0.53  | 1.95  | 0.17  | 1.78  | 0.00 | 21.13 | 69.52 | 0.00 | 0.00  | 22.52  |
| 170000 | 5.09  | 3.19  | 5.78  | 2.69  | 9.18  | 0.51  | 1.94  | 0.17  | 1.77  | 0.00 | 21.10 | 69.54 | 0.00 | 0.00  | 12.00  |
| 180000 | 5.09  | 3.36  | 6.73  | 3.47  | 8.17  | 0.50  | 1.95  | 0.16  | 1.79  | 0.00 | 21.05 | 69.57 | 0.00 | 0.00  | 12.65  |
| 190000 | 5.03  | 3.29  | 6.40  | 3.18  | 7.87  | 0.49  | 1.95  | 0.16  | 1.79  | 0.00 | 21.04 | 69.54 | 0.00 | 0.00  | 19.91  |
| 200000 | 4.95  | 3.19  | 5.91  | 2.77  | 8.06  | 0.47  | 1.94  | 0.16  | 1.78  | 0.00 | 21.01 | 69.52 | 0.00 | 0.00  | 4.48   |
| 210000 | 5.00  | 3.18  | 5.93  | 2.81  | 7.86  | 0.46  | 1.94  | 0.16  | 1.78  | 0.00 | 21.03 | 69.50 | 0.00 | 0.00  | 4.74   |
| 220000 | 5.09  | 3.26  | 5.75  | 2.56  | 7.48  | 0.45  | 1.95  | 0.16  | 1.79  | 0.00 | 21.04 | 69.54 | 0.00 | 0.00  | 11.05  |
| 230000 | 5.08  | 3.17  | 5.14  | 2.01  | 7.89  | 0.45  | 1.93  | 0.16  | 1.77  | 0.00 | 20.97 | 69.52 | 0.00 | 0.00  | 17.87  |
| 極大值    | 5.12  | 22.84 | 27.03 | 7.30  | 10.80 | 0.58  | 3.39  | 0.86  | 2.59  | 0.00 | 21.27 | 69.61 | 0.00 | 0.00  | 29.90  |
| 極小值    | 4.95  | 3.11  | 5.14  | 2.01  | 7.13  | 0.45  | 1.93  | 0.15  | 1.77  | 0.00 | 20.97 | 69.47 | 0.00 | 0.00  | 1.86   |
| 平均值    | 5.04  | 9.38  | 13.41 | 4.28  | 8.84  | 0.53  | 2.36  | 0.39  | 1.97  | 0.00 | 21.14 | 69.52 | 0.00 | 0.00  | 15.91  |
| 標準差    | 0.05  | 8.43  | 9.35  | 1.51  | 0.95  | 0.04  | 0.56  | 0.31  | 0.26  | 0    | 0.09  | 0.05  | 0    | 0     | 7.96   |

屏東縣崁頂焚化爐空氣品質監  
測報表日報(小時數  
據)A003 溪北國小  
站

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫  | 站內溫   | RH    | WD   | WS    | PM10   |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|------|-------|--------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (oC) | (oC)  | (%)   | (o)  | (m/s) | (ug/m) |
| 000000 | 5.09  | 3.20  | 5.19  | 2.03  | 7.65  | 0.44  | 1.94  | 0.16  | 1.78  | 0.16 | 20.92 | 69.49 | 0.00 | 0.00  | 13.44  |
| 010000 | 5.14  | 3.35  | 5.20  | 1.92  | 7.34  | 0.44  | 1.93  | 0.17  | 1.76  | 0.17 | 20.97 | 69.50 | 0.00 | 0.00  | 24.47  |
| 020000 | 5.23  | 3.60  | 7.69  | 4.22  | 7.49  | 0.45  | 2.26  | 0.17  | 2.09  | 0.17 | 20.95 | 69.50 | 0.00 | 0.00  | 13.55  |
| 030000 | 5.00  | 4.25  | 8.42  | 4.30  | 8.46  | 0.46  | 2.24  | 0.19  | 2.05  | 0.19 | 20.94 | 69.47 | 0.00 | 0.00  | 21.70  |
| 040000 | 5.01  | 4.65  | 8.94  | 4.46  | 8.13  | 0.46  | 2.27  | 0.19  | 2.08  | 0.19 | 20.96 | 69.47 | 0.00 | 0.00  | 16.18  |
| 050000 | 5.07  | 5.39  | 9.71  | 4.45  | 8.30  | 0.47  | 2.06  | 0.21  | 1.85  | 0.21 | 20.97 | 69.47 | 0.00 | 0.00  | 12.53  |
| 060000 | 4.96  | 5.33  | 8.44  | 3.23  | 6.93  | 0.48  | 2.11  | 0.21  | 1.90  | 0.21 | 20.99 | 69.50 | 0.00 | 0.00  | 13.83  |
| 070000 | 5.03  | 3.97  | 6.72  | 2.85  | 7.01  | 0.49  | 1.97  | 0.20  | 1.77  | 0.20 | 21.00 | 69.60 | 0.00 | 0.00  | 14.25  |
| 080000 | 4.95  | 3.38  | 5.72  | 2.44  | 8.03  | 0.50  | 1.91  | 0.18  | 1.73  | 0.18 | 20.99 | 69.58 | 0.00 | 0.00  | 10.72  |
| 090000 | 4.91  | 3.49  | 5.94  | 2.54  | 7.72  | 0.50  | 1.91  | 0.20  | 1.71  | 0.20 | 21.00 | 69.57 | 0.00 | 0.00  | 9.72   |
| 100000 | 4.99  | 3.11  | 5.28  | 2.18  | 8.88  | 0.51  | 1.91  | 0.18  | 1.73  | 0.18 | 20.98 | 69.50 | 0.00 | 0.00  | 9.21   |
| 110000 | 5.00  | 3.05  | 5.02  | 1.97  | 8.66  | 0.52  | 1.91  | 0.17  | 1.74  | 0.17 | 20.97 | 69.48 | 0.00 | 0.00  | 10.49  |
| 120000 | 5.01  | 2.97  | 4.91  | 1.96  | 9.29  | 0.52  | 1.90  | 0.16  | 1.74  | 0.16 | 20.94 | 69.47 | 0.00 | 0.00  | 9.57   |
| 130000 | 5.02  | 3.02  | 4.85  | 1.84  | 8.71  | 0.53  | 1.90  | 0.16  | 1.74  | 0.16 | 20.92 | 69.47 | 0.00 | 0.00  | 6.62   |
| 140000 | 4.95  | 3.06  | 4.94  | 1.89  | 8.71  | 0.54  | 1.90  | 0.17  | 1.73  | 0.17 | 20.91 | 69.47 | 0.00 | 0.00  | 4.45   |
| 150000 | 4.97  | 3.18  | 5.04  | 1.90  | 8.08  | 0.55  | 1.90  | 0.17  | 1.73  | 0.17 | 20.92 | 69.47 | 0.00 | 0.00  | 15.54  |
| 160000 | 4.96  | 3.31  | 5.56  | 2.29  | 8.73  | 0.55  | 1.90  | 0.17  | 1.73  | 0.17 | 20.93 | 69.47 | 0.00 | 0.00  | 12.89  |
| 170000 | 4.96  | 3.23  | 5.72  | 2.55  | 8.26  | 0.55  | 1.91  | 0.17  | 1.74  | 0.17 | 20.95 | 69.47 | 0.00 | 0.00  | 10.44  |
| 180000 | 4.95  | 3.13  | 5.41  | 2.34  | 8.62  | 0.52  | 1.91  | 0.16  | 1.75  | 0.16 | 20.94 | 69.57 | 0.00 | 0.00  | 9.84   |
| 190000 | 5.14  | 3.03  | 5.48  | 2.49  | 7.81  | 0.51  | 1.93  | 0.16  | 1.77  | 0.16 | 20.93 | 69.61 | 0.00 | 0.00  | 18.52  |
| 200000 | 5.16  | 3.13  | 5.62  | 2.57  | 7.75  | 0.50  | 1.94  | 0.16  | 1.78  | 0.16 | 20.95 | 69.58 | 0.00 | 0.00  | 14.69  |
| 210000 | 5.04  | 3.20  | 6.33  | 3.18  | 7.29  | 0.49  | 1.97  | 0.16  | 1.81  | 0.16 | 20.93 | 69.54 | 0.00 | 0.00  | 18.10  |
| 220000 | 5.06  | 3.37  | 7.86  | 4.60  | 7.01  | 0.49  | 2.34  | 0.17  | 2.17  | 0.17 | 20.93 | 69.54 | 0.00 | 0.00  | 15.86  |
| 230000 | 5.09  | 3.56  | 8.51  | 5.09  | 8.31  | 0.49  | 2.21  | 0.18  | 2.03  | 0.18 | 20.93 | 69.47 | 0.00 | 0.00  | 4.93   |
| 極大值    | 5.23  | 5.39  | 9.71  | 5.09  | 9.29  | 0.55  | 2.34  | 0.21  | 2.17  | 0.21 | 21.00 | 69.61 | 0.00 | 0.00  | 24.47  |
| 極小值    | 4.91  | 2.97  | 4.85  | 1.84  | 6.93  | 0.44  | 1.90  | 0.16  | 1.71  | 0.16 | 20.91 | 69.47 | 0.00 | 0.00  | 4.45   |
| 平均值    | 5.03  | 3.54  | 6.35  | 2.89  | 8.05  | 0.50  | 2.01  | 0.18  | 1.83  | 0.18 | 20.95 | 69.51 | 0.00 | 0.00  | 12.98  |
| 標準差    | 0.08  | 0.69  | 1.52  | 1.04  | 0.65  | 0.03  | 0.15  | 0.02  | 0.14  | 0.02 | 0.03  | 0.05  | 0    | 0     | 4.84   |

屏東縣崁頂焚化爐空氣品質監  
測報表日報(小時數  
據)A003 溪北國小  
站

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫  | 站內溫   | RH    | WD   | WS    | PM10   |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|------|-------|--------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (oC) | (oC)  | (%)   | (o)  | (m/s) | (ug/m) |
| 000000 | 5.06  | 3.48  | 5.95  | 2.54  | 11.04 | 0.45  | 2.02  | 0.17  | 1.85  | 0.00 | 20.91 | 69.33 | 0.00 | 0.00  | 16.20  |
| 010000 | 5.03  | 3.50  | 6.54  | 3.11  | 10.10 | 0.44  | 2.12  | 0.18  | 1.94  | 0.00 | 20.95 | 69.33 | 0.00 | 0.00  | 7.57   |
| 020000 | 5.09  | 3.94  | 8.12  | 4.30  | 10.74 | 0.45  | 2.26  | 0.19  | 2.07  | 0.00 | 20.89 | 69.33 | 0.00 | 0.00  | 16.12  |
| 030000 | 5.03  | 4.62  | 9.16  | 4.69  | 10.24 | 0.44  | 2.32  | 0.20  | 2.12  | 0.00 | 20.90 | 69.33 | 0.00 | 0.00  | 22.84  |
| 040000 | 5.12  | 4.70  | 9.16  | 4.61  | 10.38 | 0.44  | 2.45  | 0.19  | 2.26  | 0.00 | 20.91 | 69.33 | 0.00 | 0.00  | 10.40  |
| 050000 | 4.96  | 5.81  | 9.76  | 4.11  | 10.42 | 0.46  | 2.33  | 0.21  | 2.12  | 0.00 | 20.93 | 69.33 | 0.00 | 0.00  | 12.37  |
| 060000 | 5.03  | 6.94  | 10.29 | 3.55  | 10.61 | 0.46  | 2.32  | 0.23  | 2.09  | 0.00 | 20.93 | 69.33 | 0.00 | 0.00  | 19.75  |
| 070000 | 4.96  | 5.06  | 8.08  | 3.14  | 6.00  | 0.49  | 2.05  | 0.22  | 1.83  | 0.00 | 20.91 | 69.33 | 0.00 | 0.00  | 19.32  |
| 080000 | 4.88  | 3.82  | 6.53  | 2.82  | 6.61  | 0.54  | 1.99  | 0.22  | 1.77  | 0.00 | 20.89 | 69.33 | 0.00 | 0.00  | 15.88  |
| 090000 | 4.86  | 3.29  | 5.62  | 2.42  | 7.61  | 0.56  | 1.95  | 0.21  | 1.74  | 0.00 | 20.85 | 69.33 | 0.00 | 0.00  | 15.01  |
| 100000 | 4.88  | 3.09  | 5.03  | 1.96  | 7.79  | 0.55  | 1.91  | 0.19  | 1.72  | 0.00 | 20.88 | 69.33 | 0.00 | 0.00  | 12.80  |
| 110000 | 4.81  | 3.12  | 5.03  | 1.94  | 8.74  | 0.54  | 1.91  | 0.18  | 1.73  | 0.00 | 20.93 | 69.39 | 0.00 | 0.00  | 8.71   |
| 120000 | 4.83  | 3.17  | 4.98  | 1.84  | 8.17  | 0.50  | 1.90  | 0.17  | 1.73  | 0.00 | 21.01 | 69.61 | 0.00 | 0.00  | 9.05   |
| 130000 | 4.91  | 3.14  | 4.79  | 1.67  | 7.54  | 0.49  | 1.89  | 0.16  | 1.73  | 0.00 | 20.98 | 69.61 | 0.00 | 0.00  | 6.55   |
| 140000 | 4.90  | 3.05  | 4.72  | 1.68  | 7.70  | 0.49  | 1.90  | 0.16  | 1.74  | 0.00 | 20.96 | 69.61 | 0.00 | 0.00  | 1.04   |
| 150000 | 4.88  | 3.17  | 4.93  | 1.76  | 6.86  | 0.49  | 1.90  | 0.17  | 1.73  | 0.00 | 20.97 | 69.61 | 0.00 | 0.00  | 6.32   |
| 160000 | 4.84  | 3.15  | 4.96  | 1.82  | 6.94  | 0.48  | 1.90  | 0.18  | 1.72  | 0.00 | 20.97 | 69.61 | 0.00 | 0.00  | 13.10  |
| 170000 | 4.95  | 3.34  | 5.16  | 1.87  | 6.83  | 0.48  | 1.90  | 0.18  | 1.72  | 0.00 | 20.96 | 69.60 | 0.00 | 0.00  | 14.97  |
| 180000 | 4.93  | 3.29  | 5.23  | 1.97  | 7.25  | 0.49  | 1.92  | 0.18  | 1.74  | 0.00 | 20.98 | 69.61 | 0.00 | 0.00  | 21.75  |
| 190000 | 4.99  | 3.49  | 6.20  | 2.80  | 6.45  | 0.49  | 1.96  | 0.19  | 1.77  | 0.00 | 20.95 | 69.60 | 0.00 | 0.00  | 21.32  |
| 200000 | 4.98  | 3.95  | 8.95  | 5.14  | 7.03  | 0.52  | 2.03  | 0.20  | 1.83  | 0.00 | 20.91 | 69.54 | 0.00 | 0.00  | 15.94  |
| 210000 | 5.03  | 4.27  | 9.12  | 5.00  | 8.08  | 0.51  | 2.14  | 0.19  | 1.95  | 0.00 | 20.91 | 69.57 | 0.00 | 0.00  | 7.81   |
| 220000 | 4.92  | 5.72  | 10.27 | 4.73  | 7.99  | 0.50  | 2.24  | 0.19  | 2.05  | 0.00 | 20.88 | 69.55 | 0.00 | 0.00  | 20.89  |
| 230000 | 4.97  | 5.63  | 10.23 | 4.77  | 8.86  | 0.51  | 2.24  | 0.20  | 2.04  | 0.00 | 20.86 | 69.48 | 0.00 | 0.00  | 18.82  |
| 極大值    | 5.12  | 6.94  | 10.29 | 5.14  | 11.04 | 0.56  | 2.45  | 0.23  | 2.26  | 0.00 | 21.01 | 69.61 | 0.00 | 0.00  | 22.84  |
| 極小值    | 4.81  | 3.05  | 4.72  | 1.67  | 6.00  | 0.44  | 1.89  | 0.16  | 1.72  | 0.00 | 20.85 | 69.33 | 0.00 | 0.00  | 1.04   |
| 平均值    | 4.95  | 4.03  | 7.03  | 3.09  | 8.33  | 0.49  | 2.06  | 0.19  | 1.87  | 0.00 | 20.93 | 69.46 | 0.00 | 0.00  | 13.94  |
| 標準差    | 0.08  | 1.09  | 2.09  | 1.25  | 1.58  | 0.03  | 0.18  | 0.02  | 0.17  | 0    | 0.04  | 0.13  | 0    | 0     | 5.8    |

屏東縣崁頂焚化爐空氣品質監  
測報表日報(小時數  
據)A003 溪北國小  
站

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫  | 站內溫   | RH    | WD   | WS    | PM10   |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|------|-------|--------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (oC) | (oC)  | (%)   | (o)  | (m/s) | (ug/m) |
| 000000 | 4.91  | 4.47  | 7.91  | 3.57  | 10.25 | 0.45  | 2.15  | 0.19  | 1.96  | 0.00 | 20.79 | 69.34 | 0.00 | 0.00  | 20.84  |
| 010000 | 4.85  | 4.20  | 7.94  | 3.85  | 10.81 | 0.44  | 2.05  | 0.20  | 1.85  | 0.00 | 20.79 | 69.33 | 0.00 | 0.00  | 21.03  |
| 020000 | 4.91  | 4.16  | 7.71  | 3.64  | 9.90  | 0.44  | 2.01  | 0.21  | 1.80  | 0.00 | 20.79 | 69.33 | 0.00 | 0.00  | 26.10  |
| 030000 | 4.96  | 4.45  | 8.10  | 3.78  | 10.22 | 0.43  | 2.13  | 0.22  | 1.91  | 0.00 | 20.78 | 69.33 | 0.00 | 0.00  | 26.15  |
| 040000 | 5.08  | 4.70  | 8.74  | 4.17  | 9.29  | 0.43  | 2.21  | 0.23  | 1.98  | 0.00 | 20.79 | 69.33 | 0.00 | 0.00  | 25.75  |
| 050000 | 4.97  | 6.29  | 10.12 | 4.02  | 9.49  | 0.43  | 2.11  | 0.23  | 1.88  | 0.00 | 20.80 | 69.33 | 0.00 | 0.00  | 22.06  |
| 060000 | 4.97  | 8.46  | 13.18 | 4.97  | 9.34  | 0.47  | 2.18  | 0.26  | 1.92  | 0.00 | 20.76 | 69.33 | 0.00 | 0.00  | 19.42  |
| 070000 | 4.99  | 6.27  | 10.38 | 4.29  | 5.96  | 0.51  | 2.13  | 0.27  | 1.86  | 0.00 | 20.77 | 69.33 | 0.00 | 0.00  | 21.77  |
| 080000 | 4.88  | 4.74  | 8.99  | 4.41  | 7.11  | 0.57  | 2.03  | 0.24  | 1.79  | 0.00 | 20.77 | 69.33 | 0.00 | 0.00  | 22.20  |
| 090000 | 4.95  | 3.44  | 7.48  | 4.12  | 11.31 | 0.57  | 1.98  | 0.20  | 1.78  | 0.00 | 20.77 | 69.33 | 0.00 | 0.00  | 15.66  |
| 100000 | 4.97  | 3.50  | 7.72  | 4.35  | 10.05 | 0.55  | 2.01  | 0.23  | 1.78  | 0.00 | 20.77 | 69.33 | 0.00 | 0.00  | 17.60  |
| 110000 | 4.90  | 2.95  | 8.45  | 5.60  | 18.19 | 0.65  | 2.03  | 0.29  | 1.74  | 0.00 | 20.79 | 69.30 | 0.00 | 0.00  | 13.16  |
| 120000 | 4.90  | 3.36  | 11.13 | 7.95  | 20.49 | 0.73  | 1.97  | 0.33  | 1.64  | 0.00 | 20.90 | 69.62 | 0.00 | 0.00  | 18.15  |
| 130000 | 4.87  | 3.50  | 10.79 | 7.50  | 17.52 | 0.72  | 1.94  | 0.31  | 1.63  | 0.00 | 20.92 | 69.64 | 0.00 | 0.00  | 23.10  |
| 140000 | 4.88  | 3.15  | 9.38  | 6.38  | 16.58 | 0.63  | 1.96  | 0.24  | 1.72  | 0.00 | 20.93 | 69.62 | 0.00 | 0.00  | 31.17  |
| 150000 | 5.01  | 3.04  | 8.58  | 5.68  | 16.64 | 0.56  | 1.96  | 0.19  | 1.77  | 0.00 | 20.91 | 69.61 | 0.00 | 0.00  | 30.54  |
| 160000 | 4.89  | 3.02  | 9.98  | 7.13  | 13.93 | 0.58  | 2.01  | 0.22  | 1.79  | 0.00 | 20.89 | 69.61 | 0.00 | 0.00  | 11.93  |
| 170000 | 5.02  | 3.01  | 10.44 | 7.62  | 13.55 | 0.60  | 2.08  | 0.22  | 1.86  | 0.00 | 20.92 | 69.61 | 0.00 | 0.00  | 32.56  |
| 180000 | 5.03  | 2.87  | 10.45 | 7.72  | 12.47 | 0.61  | 2.10  | 0.22  | 1.88  | 0.00 | 20.90 | 69.61 | 0.00 | 0.00  | 33.92  |
| 190000 | 4.97  | 2.87  | 8.05  | 5.28  | 10.82 | 0.56  | 2.02  | 0.20  | 1.82  | 0.00 | 20.88 | 69.61 | 0.00 | 0.00  | 50.55  |
| 200000 | 5.03  | 2.97  | 8.78  | 5.91  | 9.09  | 0.59  | 2.08  | 0.22  | 1.86  | 0.00 | 20.87 | 69.61 | 0.00 | 0.00  | 21.61  |
| 210000 | 5.03  | 3.14  | 8.84  | 5.85  | 8.31  | 0.58  | 2.12  | 0.22  | 1.90  | 0.00 | 20.85 | 69.60 | 0.00 | 0.00  | 24.03  |
| 220000 | 5.15  | 3.59  | 9.69  | 6.27  | 7.22  | 0.56  | 2.28  | 0.23  | 2.05  | 0.00 | 20.79 | 69.56 | 0.00 | 0.00  | 24.34  |
| 230000 | 5.34  | 3.60  | 8.64  | 5.18  | 7.91  | 0.53  | 2.38  | 0.23  | 2.15  | 0.00 | 20.75 | 69.49 | 0.00 | 0.00  | 26.73  |
| 極大值    | 5.34  | 8.46  | 13.18 | 7.95  | 20.49 | 0.73  | 2.38  | 0.33  | 2.15  | 0.00 | 20.93 | 69.64 | 0.00 | 0.00  | 50.55  |
| 極小值    | 4.85  | 2.87  | 7.48  | 3.57  | 5.96  | 0.43  | 1.94  | 0.19  | 1.63  | 0.00 | 20.75 | 69.30 | 0.00 | 0.00  | 11.93  |
| 平均值    | 4.98  | 3.99  | 9.23  | 5.38  | 11.52 | 0.55  | 2.08  | 0.23  | 1.85  | 0.00 | 20.83 | 69.46 | 0.00 | 0.00  | 24.18  |
| 標準差    | 0.11  | 1.36  | 1.37  | 1.42  | 3.87  | 0.09  | 0.11  | 0.04  | 0.12  | 0    | 0.06  | 0.14  | 0    | 0     | 7.96   |

屏東縣崁頂焚化爐空氣品質監  
測報表日報(小時數  
據)A003 溪北國小  
站

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫  | 站內溫   | RH    | WD   | WS    | PM10   |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|------|-------|--------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (oC) | (oC)  | (%)   | (o)  | (m/s) | (ug/m) |
| 000000 | 5.18  | 3.85  | 9.63  | 5.96  | 10.04 | 0.52  | 2.44  | 0.24  | 2.20  | 0.00 | 20.73 | 69.43 | 0.00 | 0.00  | 25.31  |
| 010000 | 5.10  | 3.94  | 9.39  | 5.60  | 10.21 | 0.50  | 2.40  | 0.23  | 2.17  | 0.00 | 20.74 | 69.47 | 0.00 | 0.00  | 33.43  |
| 020000 | 5.13  | 4.02  | 9.00  | 5.13  | 10.79 | 0.48  | 2.46  | 0.23  | 2.23  | 0.00 | 20.73 | 69.34 | 0.00 | 0.00  | 24.32  |
| 030000 | 5.01  | 4.13  | 8.64  | 4.64  | 8.96  | 0.48  | 2.45  | 0.24  | 2.21  | 0.00 | 20.72 | 69.33 | 0.00 | 0.00  | 38.15  |
| 040000 | 5.04  | 4.03  | 8.15  | 4.25  | 9.20  | 0.47  | 2.30  | 0.25  | 2.05  | 0.00 | 20.74 | 69.33 | 0.00 | 0.00  | 28.33  |
| 050000 | 5.09  | 5.72  | 10.54 | 5.04  | 8.77  | 0.49  | 2.20  | 0.36  | 1.84  | 0.00 | 20.67 | 69.33 | 0.00 | 0.00  | 20.82  |
| 060000 | 4.98  | 7.03  | 11.63 | 4.84  | 7.36  | 0.51  | 2.14  | 0.45  | 1.69  | 0.00 | 20.71 | 69.33 | 0.00 | 0.00  | 26.81  |
| 070000 | 5.11  | 4.76  | 9.42  | 4.82  | 6.36  | 0.59  | 1.99  | 0.44  | 1.55  | 0.00 | 20.70 | 69.33 | 0.00 | 0.00  | 28.42  |
| 080000 | 5.11  | 4.02  | 9.76  | 5.90  | 8.98  | 0.60  | 1.84  | 0.43  | 1.41  | 0.00 | 20.70 | 69.33 | 0.00 | 0.00  | 42.27  |
| 090000 | 5.00  | 3.67  | 10.05 | 6.54  | 11.37 | 0.63  | 1.86  | 0.40  | 1.46  | 0.00 | 20.70 | 69.33 | 0.00 | 0.00  | 31.36  |
| 100000 | 4.94  | 3.08  | 9.22  | 6.29  | 16.00 | 0.70  | 1.89  | 0.37  | 1.52  | 0.00 | 20.69 | 69.33 | 0.00 | 0.00  | 19.67  |
| 110000 | 4.99  | 2.89  | 8.21  | 5.39  | 19.39 | 0.61  | 1.87  | 0.36  | 1.51  | 0.00 | 20.72 | 69.38 | 0.00 | 0.00  | 21.41  |
| 120000 | 4.99  | 3.14  | 10.70 | 7.74  | 21.25 | 0.73  | 1.86  | 0.48  | 1.38  | 0.00 | 20.83 | 69.61 | 0.00 | 0.00  | 23.01  |
| 130000 | 5.00  | 3.18  | 12.81 | 9.86  | 26.86 | 0.82  | 1.88  | 0.60  | 1.28  | 0.00 | 20.87 | 69.61 | 0.00 | 0.00  | 21.07  |
| 140000 | 4.92  | 3.48  | 15.42 | 12.25 | 27.71 | 0.98  | 1.91  | 0.52  | 1.39  | 0.00 | 20.90 | 69.61 | 0.00 | 0.00  | 30.21  |
| 150000 | 4.98  | 3.25  | 12.90 | 9.90  | 25.91 | 0.79  | 1.89  | 0.52  | 1.37  | 0.00 | 20.91 | 69.61 | 0.00 | 0.00  | 41.92  |
| 160000 | 5.14  | 3.02  | 11.25 | 8.41  | 21.64 | 0.69  | 1.87  | 0.46  | 1.41  | 0.00 | 20.88 | 69.61 | 0.00 | 0.00  | 32.10  |
| 170000 | 5.14  | 3.20  | 11.43 | 8.43  | 12.28 | 0.65  | 1.83  | 0.42  | 1.41  | 0.00 | 20.88 | 69.61 | 0.00 | 0.00  | 23.89  |
| 180000 | 5.15  | 3.42  | 14.80 | 11.67 | 8.56  | 0.67  | 1.84  | 0.46  | 1.38  | 0.00 | 20.87 | 69.61 | 0.00 | 0.00  | 14.87  |
| 190000 | 5.24  | 3.83  | 18.81 | 15.37 | 6.86  | 0.72  | 1.90  | 0.51  | 1.39  | 0.00 | 20.85 | 69.61 | 0.00 | 0.00  | 22.63  |
| 200000 | 5.31  | 3.83  | 16.81 | 13.31 | 7.10  | 0.69  | 2.01  | 0.45  | 1.56  | 0.00 | 20.88 | 69.61 | 0.00 | 0.00  | 24.60  |
| 210000 | 5.40  | 3.93  | 14.79 | 11.16 | 7.27  | 0.63  | 2.21  | 0.40  | 1.81  | 0.00 | 20.89 | 69.60 | 0.00 | 0.00  | 29.53  |
| 220000 | 5.36  | 3.51  | 10.61 | 7.29  | 7.24  | 0.59  | 2.20  | 0.37  | 1.83  | 0.00 | 20.89 | 69.60 | 0.00 | 0.00  | 31.54  |
| 230000 | 5.29  | 3.19  | 10.12 | 7.11  | 8.63  | 0.60  | 1.99  | 0.38  | 1.61  | 0.00 | 20.86 | 69.54 | 0.00 | 0.00  | 30.28  |
| 極大值    | 5.40  | 7.03  | 18.81 | 15.37 | 27.71 | 0.98  | 2.46  | 0.60  | 2.23  | 0.00 | 20.91 | 69.61 | 0.00 | 0.00  | 42.27  |
| 極小值    | 4.92  | 2.89  | 8.15  | 4.25  | 6.36  | 0.47  | 1.83  | 0.23  | 1.28  | 0.00 | 20.67 | 69.33 | 0.00 | 0.00  | 14.87  |
| 平均值    | 5.11  | 3.84  | 11.42 | 7.79  | 12.86 | 0.63  | 2.05  | 0.40  | 1.65  | 0.00 | 20.79 | 69.48 | 0.00 | 0.00  | 27.75  |
| 標準差    | 0.13  | 0.92  | 2.84  | 3.1   | 6.95  | 0.12  | 0.22  | 0.1   | 0.31  | 0    | 0.09  | 0.13  | 0    | 0     | 6.82   |

屏東縣崁頂焚化爐空氣品質監  
測報表日報(小時數  
據)A003 溪北國小  
站

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫  | 站內溫   | RH    | WD   | WS    | PM10   |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|------|-------|--------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (oC) | (oC)  | (%)   | (o)  | (m/s) | (ug/m) |
| 000000 | 5.38  | 3.13  | 8.92  | 5.91  | 10.58 | 0.60  | 2.01  | 0.40  | 1.61  | 0.00 | 20.81 | 69.35 | 0.00 | 0.00  | 29.64  |
| 010000 | 5.36  | 3.29  | 10.09 | 7.01  | 10.89 | 0.60  | 2.37  | 0.42  | 1.95  | 0.00 | 20.77 | 69.33 | 0.00 | 0.00  | 32.98  |
| 020000 | 5.33  | 3.31  | 9.41  | 6.25  | 10.58 | 0.61  | 2.19  | 0.43  | 1.76  | 0.00 | 20.78 | 69.33 | 0.00 | 0.00  | 41.62  |
| 030000 | 5.28  | 3.32  | 8.93  | 5.74  | 10.65 | 0.61  | 2.11  | 0.44  | 1.67  | 0.00 | 20.79 | 69.34 | 0.00 | 0.00  | 35.25  |
| 040000 | 5.22  | 3.30  | 8.45  | 5.28  | 11.11 | 0.61  | 2.06  | 0.44  | 1.62  | 0.00 | 20.80 | 69.33 | 0.00 | 0.00  | 41.03  |
| 050000 | 5.29  | 4.01  | 10.65 | 6.85  | 11.04 | 0.63  | 2.26  | 0.46  | 1.80  | 0.00 | 20.82 | 69.33 | 0.00 | 0.00  | 33.97  |
| 060000 | 5.34  | 5.99  | 12.32 | 6.56  | 10.34 | 0.66  | 2.43  | 0.48  | 1.95  | 0.00 | 20.85 | 69.33 | 0.00 | 0.00  | 33.27  |
| 070000 | 5.35  | 5.89  | 11.54 | 5.88  | 7.06  | 0.63  | 2.21  | 0.44  | 1.77  | 0.00 | 20.79 | 69.33 | 0.00 | 0.00  | 41.03  |
| 080000 | 5.38  | 3.34  | 8.18  | 4.95  | 10.36 | 0.66  | 1.98  | 0.39  | 1.59  | 0.00 | 20.79 | 69.33 | 0.00 | 0.00  | 36.70  |
| 090000 | 5.17  | 2.98  | 7.36  | 4.46  | 13.10 | 0.64  | 1.84  | 0.39  | 1.45  | 0.00 | 20.79 | 69.33 | 0.00 | 0.00  | 38.24  |
| 100000 | 5.19  | 2.71  | 7.66  | 5.05  | 18.50 | 0.74  | 1.92  | 0.38  | 1.54  | 0.00 | 20.76 | 69.33 | 0.00 | 0.00  | 10.75  |
| 110000 | 5.16  | 2.95  | 12.08 | 9.31  | 29.45 | 0.95  | 1.98  | 0.46  | 1.52  | 0.00 | 20.77 | 69.37 | 0.00 | 0.00  | 22.71  |
| 120000 | 5.24  | 2.93  | 12.79 | 10.09 | 29.65 | 0.89  | 1.98  | 0.48  | 1.50  | 0.00 | 20.89 | 69.61 | 0.00 | 0.00  | 35.14  |
| 130000 | 5.29  | 3.40  | 13.05 | 9.91  | 23.88 | 0.82  | 1.94  | 0.38  | 1.56  | 0.00 | 20.91 | 69.61 | 0.00 | 0.00  | 41.13  |
| 140000 | 5.26  | 2.73  | 8.93  | 6.34  | 29.21 | 0.67  | 1.93  | 0.30  | 1.63  | 0.00 | 20.90 | 69.61 | 0.00 | 0.00  | 37.93  |
| 150000 | 5.22  | 2.88  | 10.91 | 8.23  | 21.22 | 0.68  | 1.92  | 0.30  | 1.62  | 0.00 | 20.85 | 69.61 | 0.00 | 0.00  | 32.69  |
| 160000 | 5.30  | 3.28  | 15.40 | 12.43 | 17.52 | 0.69  | 1.87  | 0.39  | 1.48  | 0.00 | 20.84 | 69.61 | 0.00 | 0.00  | 28.16  |
| 170000 | 5.28  | 2.96  | 11.91 | 9.16  | 15.71 | 0.70  | 1.88  | 0.36  | 1.52  | 0.00 | 20.83 | 69.61 | 0.00 | 0.00  | 25.79  |
| 180000 | 5.32  | 2.84  | 12.57 | 9.93  | 12.89 | 0.69  | 1.94  | 0.37  | 1.57  | 0.00 | 20.85 | 69.61 | 0.00 | 0.00  | 28.99  |
| 190000 | 5.22  | 2.76  | 10.11 | 7.50  | 11.28 | 0.65  | 1.99  | 0.37  | 1.62  | 0.00 | 20.81 | 69.60 | 0.00 | 0.00  | 30.38  |
| 200000 | 5.30  | 2.75  | 10.38 | 7.81  | 9.43  | 0.63  | 2.08  | 0.36  | 1.72  | 0.00 | 20.77 | 69.58 | 0.00 | 0.00  | 38.08  |
| 210000 | 5.54  | 2.93  | 10.50 | 7.72  | 8.77  | 0.63  | 2.10  | 0.37  | 1.73  | 0.00 | 20.79 | 69.53 | 0.00 | 0.00  | 33.17  |
| 220000 | 5.42  | 2.81  | 7.72  | 5.00  | 7.84  | 0.55  | 1.97  | 0.30  | 1.67  | 0.00 | 20.81 | 69.55 | 0.00 | 0.00  | 32.95  |
| 230000 | 5.29  | 2.86  | 5.54  | 2.75  | 8.57  | 0.49  | 1.87  | 0.25  | 1.62  | 0.00 | 20.81 | 69.49 | 0.00 | 0.00  | 13.73  |
| 極大值    | 5.54  | 5.99  | 15.40 | 12.43 | 29.65 | 0.95  | 2.43  | 0.48  | 1.95  | 0.00 | 20.91 | 69.61 | 0.00 | 0.00  | 41.62  |
| 極小值    | 5.16  | 2.71  | 5.54  | 2.75  | 7.06  | 0.49  | 1.84  | 0.25  | 1.45  | 0.00 | 20.76 | 69.33 | 0.00 | 0.00  | 10.75  |
| 平均值    | 5.30  | 3.31  | 10.22 | 7.09  | 14.57 | 0.67  | 2.03  | 0.39  | 1.64  | 0.00 | 20.82 | 69.46 | 0.00 | 0.00  | 32.31  |
| 標準差    | 0.09  | 0.86  | 2.25  | 2.22  | 7.08  | 0.1   | 0.16  | 0.06  | 0.13  | 0    | 0.04  | 0.13  | 0    | 0     | 7.92   |

屏東縣崁頂焚化爐空氣品質監  
測報表日報(小時數  
據)A003 溪北國小  
站

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫  | 站內溫   | RH    | WD   | WS    | PM10   |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|------|-------|--------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (oC) | (oC)  | (%)   | (o)  | (m/s) | (ug/m) |
| 000000 | 5.50  | 2.95  | 6.80  | 3.92  | 10.56 | 0.52  | 2.00  | 0.37  | 1.63  | 0.37 | 20.74 | 69.33 | 0.00 | 0.00  | 13.37  |
| 010000 | 5.34  | 3.07  | 8.59  | 5.62  | 11.20 | 0.57  | 2.16  | 0.37  | 1.79  | 0.37 | 20.72 | 69.33 | 0.00 | 0.00  | 21.32  |
| 020000 | 5.49  | 3.35  | 8.98  | 5.76  | 11.10 | 0.59  | 2.25  | 0.38  | 1.87  | 0.38 | 20.73 | 69.33 | 0.00 | 0.00  | 35.10  |
| 030000 | 5.42  | 3.39  | 8.91  | 5.66  | 11.29 | 0.61  | 2.22  | 0.39  | 1.83  | 0.39 | 20.75 | 69.33 | 0.00 | 0.00  | 36.54  |
| 040000 | 5.49  | 3.56  | 8.78  | 5.35  | 11.40 | 0.60  | 2.19  | 0.39  | 1.80  | 0.39 | 20.72 | 69.33 | 0.00 | 0.00  | 52.32  |
| 050000 | 5.37  | 4.05  | 9.89  | 6.01  | 10.84 | 0.60  | 2.23  | 0.44  | 1.79  | 0.44 | 20.69 | 69.33 | 0.00 | 0.00  | 48.60  |
| 060000 | 5.44  | 5.01  | 10.62 | 5.80  | 10.55 | 0.59  | 2.30  | 0.40  | 1.90  | 0.40 | 20.69 | 69.33 | 0.00 | 0.00  | 49.07  |
| 070000 | 5.34  | 4.39  | 9.35  | 5.11  | 10.22 | 0.59  | 2.17  | 0.39  | 1.78  | 0.39 | 20.69 | 69.33 | 0.00 | 0.00  | 49.09  |
| 080000 | 5.42  | 3.51  | 8.11  | 4.72  | 7.95  | 0.58  | 2.10  | 0.37  | 1.73  | 0.37 | 20.62 | 69.33 | 0.00 | 0.00  | 39.26  |
| 090000 | 5.42  | 3.73  | 9.14  | 5.57  | 8.94  | 0.61  | 2.08  | 0.37  | 1.71  | 0.37 | 20.60 | 69.33 | 0.00 | 0.00  | 40.40  |
| 100000 | 5.33  | 3.38  | 7.79  | 4.53  | 8.05  | 0.56  | 1.87  | 0.40  | 1.47  | 0.40 | 20.61 | 69.43 | 0.00 | 0.00  | 26.87  |
| 110000 | 5.21  | 3.33  | 7.06  | 3.83  | 7.91  | 0.53  | 1.87  | 0.33  | 1.54  | 0.33 | 20.57 | 69.51 | 0.00 | 0.00  | 19.77  |
| 120000 | 5.26  | 3.67  | 8.36  | 4.79  | 8.78  | 0.57  | 1.92  | 0.33  | 1.59  | 0.33 | 20.51 | 69.61 | 0.00 | 0.00  | 20.15  |
| 130000 | 5.25  | 3.35  | 7.77  | 4.55  | 8.65  | 0.57  | 1.89  | 0.33  | 1.56  | 0.33 | 20.54 | 69.52 | 0.00 | 0.00  | 18.81  |
| 140000 | 5.15  | 3.61  | 8.68  | 5.21  | 8.47  | 0.56  | 1.90  | 0.32  | 1.58  | 0.32 | 20.54 | 69.56 | 0.00 | 0.00  | 10.21  |
| 150000 | 5.20  | 3.48  | 8.32  | 4.98  | 8.85  | 0.59  | 1.93  | 0.33  | 1.60  | 0.33 | 20.61 | 69.52 | 0.00 | 0.00  | 14.14  |
| 160000 | 5.22  | 3.15  | 7.66  | 4.61  | 8.93  | 0.57  | 1.84  | 0.39  | 1.45  | 0.39 | 20.63 | 69.58 | 0.00 | 0.00  | 13.66  |
| 170000 | 5.32  | 2.91  | 8.33  | 5.52  | 9.47  | 0.59  | 1.88  | 0.33  | 1.55  | 0.33 | 20.62 | 69.61 | 0.00 | 0.00  | 18.70  |
| 180000 | 5.32  | 3.26  | 8.85  | 5.72  | 9.15  | 0.60  | 1.89  | 0.33  | 1.56  | 0.33 | 20.61 | 69.59 | 0.00 | 0.00  | 36.34  |
| 190000 | 5.24  | 2.95  | 7.50  | 4.65  | 7.62  | 0.57  | 1.89  | 0.31  | 1.58  | 0.31 | 20.62 | 69.60 | 0.00 | 0.00  | 33.45  |
| 200000 | 5.31  | 3.08  | 7.89  | 4.95  | 7.98  | 0.57  | 1.93  | 0.32  | 1.61  | 0.32 | 20.61 | 69.54 | 0.00 | 0.00  | 38.96  |
| 210000 | 5.28  | 2.74  | 5.22  | 2.53  | 9.25  | 0.53  | 1.88  | 0.30  | 1.58  | 0.30 | 20.60 | 69.47 | 0.00 | 0.00  | 26.94  |
| 220000 | 5.21  | 2.67  | 4.92  | 2.29  | 10.71 | 0.52  | 1.82  | 0.29  | 1.53  | 0.29 | 20.58 | 69.47 | 0.00 | 0.00  | 6.02   |
| 230000 | 5.28  | 2.61  | 5.18  | 2.63  | 10.59 | 0.54  | 1.86  | 0.29  | 1.57  | 0.29 | 20.57 | 69.47 | 0.00 | 0.00  | 6.60   |
| 極大值    | 5.50  | 5.01  | 10.62 | 6.01  | 11.40 | 0.61  | 2.30  | 0.44  | 1.90  | 0.44 | 20.75 | 69.61 | 0.00 | 0.00  | 52.32  |
| 極小值    | 5.15  | 2.61  | 4.92  | 2.29  | 7.62  | 0.52  | 1.82  | 0.29  | 1.45  | 0.29 | 20.51 | 69.33 | 0.00 | 0.00  | 6.02   |
| 平均值    | 5.33  | 3.38  | 8.03  | 4.76  | 9.52  | 0.57  | 2.00  | 0.35  | 1.65  | 0.35 | 20.63 | 69.45 | 0.00 | 0.00  | 28.15  |
| 標準差    | 0.1   | 0.54  | 1.41  | 1.05  | 1.25  | 0.03  | 0.16  | 0.04  | 0.13  | 0.04 | 0.07  | 0.11  | 0    | 0     | 14.36  |

屏東縣崁頂焚化爐空氣品質監  
測報表日報(小時數  
據)A003 溪北國小  
站

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫  | 站內溫   | RH    | WD   | WS    | PM10   |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|------|-------|--------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (oC) | (oC)  | (%)   | (o)  | (m/s) | (ug/m) |
| 000000 | 5.20  | 2.50  | 4.70  | 2.23  | 9.68  | 0.52  | 1.83  | 0.30  | 1.53  | 0.00 | 20.62 | 69.47 | 0.00 | 0.00  | 6.36   |
| 010000 | 5.25  | 2.64  | 5.63  | 3.05  | 8.46  | 0.52  | 1.86  | 0.31  | 1.55  | 0.00 | 20.64 | 69.47 | 0.00 | 0.00  | 4.99   |
| 020000 | 5.13  | 2.47  | 3.83  | 1.39  | 9.94  | 0.48  | 1.81  | 0.29  | 1.52  | 0.00 | 20.64 | 69.47 | 0.00 | 0.00  | 3.62   |
| 030000 | 5.09  | 2.51  | 3.83  | 1.35  | 10.87 | 0.48  | 1.80  | 0.29  | 1.51  | 0.00 | 20.69 | 69.47 | 0.00 | 0.00  | 2.96   |
| 040000 | 5.09  | 2.49  | 3.72  | 1.26  | 11.08 | 0.48  | 1.71  | 0.38  | 1.33  | 0.00 | 20.63 | 69.47 | 0.00 | 0.00  | 6.31   |
| 050000 | 5.15  | 2.45  | 3.76  | 1.34  | 11.73 | 0.48  | 1.80  | 0.28  | 1.52  | 0.00 | 20.54 | 69.47 | 0.00 | 0.00  | 5.40   |
| 060000 | 5.13  | 2.60  | 4.24  | 1.65  | 11.03 | 0.50  | 1.81  | 0.28  | 1.53  | 0.00 | 20.58 | 69.47 | 0.00 | 0.00  | 10.18  |
| 070000 | 5.08  | 2.94  | 6.13  | 3.24  | 9.13  | 0.52  | 1.87  | 0.29  | 1.58  | 0.00 | 20.53 | 69.47 | 0.00 | 0.00  | 23.97  |
| 080000 | 5.03  | 2.61  | 4.59  | 2.00  | 11.05 | 0.50  | 1.79  | 0.28  | 1.51  | 0.00 | 20.53 | 69.47 | 0.00 | 0.00  | 21.54  |
| 090000 | 5.07  | 2.61  | 4.32  | 1.75  | 12.03 | 0.50  | 1.78  | 0.28  | 1.50  | 0.00 | 20.54 | 69.47 | 0.00 | 0.00  | 20.03  |
| 100000 | 5.01  | 2.72  | 4.93  | 2.25  | 10.54 | 0.50  | 1.75  | 0.33  | 1.42  | 0.00 | 20.55 | 69.47 | 0.00 | 0.00  | 16.57  |
| 110000 | 4.97  | 2.85  | 5.50  | 2.71  | 10.02 | 0.51  | 1.77  | 0.32  | 1.45  | 0.00 | 20.57 | 69.47 | 0.00 | 0.00  | 13.53  |
| 120000 | 4.97  | 2.88  | 5.15  | 2.30  | 9.86  | 0.51  | 1.77  | 0.29  | 1.48  | 0.00 | 20.58 | 69.47 | 0.00 | 0.00  | 2.18   |
| 130000 | 4.94  | 2.61  | 4.31  | 1.74  | 11.04 | 0.50  | 1.77  | 0.28  | 1.49  | 0.00 | 20.59 | 69.47 | 0.00 | 0.00  | 8.95   |
| 140000 | 4.87  | 2.59  | 4.10  | 1.55  | 10.85 | 0.50  | 1.77  | 0.28  | 1.49  | 0.00 | 20.69 | 69.47 | 0.00 | 0.00  | 18.77  |
| 150000 | 4.98  | 2.89  | 5.64  | 2.78  | 10.65 | 0.53  | 1.77  | 0.29  | 1.48  | 0.00 | 20.52 | 69.47 | 0.00 | 0.00  | 18.50  |
| 160000 | 5.00  | 3.04  | 6.38  | 3.40  | 9.68  | 0.55  | 1.72  | 0.38  | 1.34  | 0.00 | 20.52 | 69.47 | 0.00 | 0.00  | 21.17  |
| 170000 | 4.92  | 2.87  | 5.58  | 2.78  | 9.17  | 0.53  | 1.81  | 0.33  | 1.48  | 0.00 | 20.49 | 69.47 | 0.00 | 0.00  | 13.89  |
| 180000 | 4.92  | 2.75  | 5.94  | 3.26  | 8.94  | 0.53  | 1.85  | 0.29  | 1.56  | 0.00 | 20.46 | 69.47 | 0.00 | 0.00  | 5.66   |
| 190000 | 5.00  | 2.77  | 6.43  | 3.71  | 9.39  | 0.53  | 1.90  | 0.30  | 1.60  | 0.00 | 20.44 | 69.47 | 0.00 | 0.00  | 5.85   |
| 200000 | 4.96  | 2.76  | 5.50  | 2.82  | 9.00  | 0.53  | 1.80  | 0.36  | 1.44  | 0.00 | 20.47 | 69.47 | 0.00 | 0.00  | 5.30   |
| 210000 | 5.05  | 2.85  | 5.32  | 2.49  | 10.54 | 0.52  | 1.92  | 0.30  | 1.62  | 0.00 | 20.44 | 69.47 | 0.00 | 0.00  | 4.02   |
| 220000 | 4.92  | 2.73  | 5.14  | 2.45  | 8.36  | 0.51  | 1.87  | 0.35  | 1.52  | 0.00 | 20.41 | 69.47 | 0.00 | 0.00  | 4.70   |
| 230000 | 4.98  | 2.80  | 4.94  | 2.15  | 7.94  | 0.50  | 2.05  | 0.31  | 1.74  | 0.00 | 20.41 | 69.47 | 0.00 | 0.00  | 7.15   |
| 極大值    | 5.25  | 3.04  | 6.43  | 3.71  | 12.03 | 0.55  | 2.05  | 0.38  | 1.74  | 0.00 | 20.69 | 69.47 | 0.00 | 0.00  | 23.97  |
| 極小值    | 4.87  | 2.45  | 3.72  | 1.26  | 7.94  | 0.48  | 1.71  | 0.28  | 1.33  | 0.00 | 20.41 | 69.47 | 0.00 | 0.00  | 2.18   |
| 平均值    | 5.03  | 2.71  | 4.98  | 2.32  | 10.04 | 0.51  | 1.82  | 0.31  | 1.51  | 0.00 | 20.54 | 69.47 | 0.00 | 0.00  | 10.48  |
| 標準差    | 0.1   | 0.16  | 0.84  | 0.72  | 1.09  | 0.02  | 0.07  | 0.03  | 0.08  | 0    | 0.08  | 0     | 0    | 0     | 6.99   |

## 測報表

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫  | 站內溫   | RH    | WD   | WS    | PM10   |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|------|-------|--------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (oC) | (oC)  | (%)   | (o)  | (m/s) | (ug/m) |
| 000000 | 4.96  | 2.80  | 5.05  | 2.29  | 8.24  | 0.50  | 1.91  | 0.31  | 1.60  | 0.00 | 20.31 | 69.47 | 0.00 | 0.00  | 15.96  |
| 010000 | 4.97  | 2.76  | 4.37  | 1.64  | 7.86  | 0.49  | 1.87  | 0.30  | 1.57  | 0.00 | 20.27 | 69.47 | 0.00 | 0.00  | 12.99  |
| 020000 | 4.96  | 2.67  | 4.15  | 1.52  | 8.79  | 0.49  | 1.83  | 0.31  | 1.52  | 0.00 | 20.31 | 69.47 | 0.00 | 0.00  | 5.84   |
| 030000 | 4.87  | 2.67  | 4.21  | 1.56  | 8.12  | 0.49  | 1.81  | 0.31  | 1.50  | 0.00 | 20.31 | 69.47 | 0.00 | 0.00  | 1.90   |
| 040000 | 4.93  | 2.63  | 4.41  | 1.78  | 8.53  | 0.49  | 1.85  | 0.31  | 1.54  | 0.00 | 20.34 | 69.47 | 0.00 | 0.00  | 2.29   |
| 050000 | 4.98  | 2.86  | 5.33  | 2.52  | 10.47 | 0.52  | 1.94  | 0.32  | 1.62  | 0.00 | 20.32 | 69.47 | 0.00 | 0.00  | 7.74   |
| 060000 | 5.05  | 3.16  | 6.02  | 2.93  | 9.73  | 0.53  | 2.02  | 0.33  | 1.69  | 0.00 | 20.33 | 69.47 | 0.00 | 0.00  | 23.12  |
| 070000 | 4.93  | 3.07  | 5.26  | 2.23  | 7.97  | 0.53  | 1.88  | 0.33  | 1.55  | 0.00 | 20.36 | 69.49 | 0.00 | 0.00  | 14.01  |
| 080000 | 4.88  | 3.00  | 5.38  | 2.43  | 8.81  | 0.58  | 1.79  | 0.42  | 1.37  | 0.00 | 20.32 | 69.52 | 0.00 | 0.00  | 6.79   |
| 090000 | 4.86  | 2.81  | 4.87  | 2.06  | 10.26 | 0.55  | 1.77  | 0.34  | 1.43  | 0.00 | 20.34 | 69.61 | 0.00 | 0.00  | 10.98  |
| 100000 | 4.85  | 2.70  | 4.62  | 1.91  | 10.63 | 0.57  | 1.76  | 0.34  | 1.42  | 0.00 | 20.30 | 69.55 | 0.00 | 0.00  | 11.30  |
| 110000 | 4.80  | 2.71  | 4.47  | 1.77  | 10.93 | 0.58  | 1.78  | 0.31  | 1.47  | 0.00 | 20.30 | 69.54 | 0.00 | 0.00  | 12.31  |
| 120000 | 4.80  | 2.71  | 4.39  | 1.69  | 11.46 | 0.60  | 1.79  | 0.32  | 1.47  | 0.00 | 20.30 | 69.53 | 0.00 | 0.00  | 17.08  |
| 130000 | 4.82  | 2.58  | 4.45  | 1.88  | 12.70 | 0.62  | 1.80  | 0.32  | 1.48  | 0.00 | 20.33 | 69.47 | 0.00 | 0.00  | 14.51  |
| 140000 | 4.77  | 2.62  | 4.58  | 1.97  | 13.02 | 0.63  | 1.80  | 0.33  | 1.47  | 0.00 | 20.26 | 69.47 | 0.00 | 0.00  | 18.39  |
| 150000 | 4.85  | 2.63  | 4.62  | 2.01  | 13.93 | 0.64  | 1.82  | 0.32  | 1.50  | 0.00 | 20.13 | 69.47 | 0.00 | 0.00  | 24.47  |
| 160000 | 4.81  | 2.74  | 4.93  | 2.21  | 11.99 | 0.62  | 1.79  | 0.32  | 1.47  | 0.00 | 20.16 | 69.47 | 0.00 | 0.00  | 24.54  |
| 170000 | 4.91  | 2.71  | 4.84  | 2.16  | 10.59 | 0.62  | 1.80  | 0.32  | 1.48  | 0.00 | 20.20 | 69.47 | 0.00 | 0.00  | 14.73  |
| 180000 | 4.93  | 2.77  | 5.73  | 3.01  | 10.30 | 0.61  | 1.78  | 0.39  | 1.39  | 0.00 | 20.16 | 69.48 | 0.00 | 0.00  | 24.40  |
| 190000 | 5.08  | 2.69  | 5.47  | 2.84  | 9.71  | 0.59  | 1.82  | 0.36  | 1.46  | 0.00 | 20.12 | 69.53 | 0.00 | 0.00  | 45.62  |
| 200000 | 5.02  | 2.80  | 6.82  | 4.09  | 8.39  | 0.59  | 1.92  | 0.35  | 1.57  | 0.00 | 20.16 | 69.52 | 0.00 | 0.00  | 62.86  |
| 210000 | 5.12  | 2.85  | 6.67  | 3.90  | 8.12  | 0.59  | 2.13  | 0.35  | 1.78  | 0.00 | 20.16 | 69.49 | 0.00 | 0.00  | 76.67  |
| 220000 | 5.11  | 2.92  | 6.65  | 3.80  | 7.69  | 0.58  | 2.17  | 0.33  | 1.84  | 0.00 | 20.16 | 69.49 | 0.00 | 0.00  | 44.91  |
| 230000 | 5.13  | 2.91  | 6.29  | 3.45  | 8.05  | 0.55  | 1.97  | 0.32  | 1.65  | 0.00 | 20.16 | 69.46 | 0.00 | 0.00  | 24.39  |
| 極大值    | 5.13  | 3.16  | 6.82  | 4.09  | 13.93 | 0.64  | 2.17  | 0.42  | 1.84  | 0.00 | 20.36 | 69.61 | 0.00 | 0.00  | 76.67  |
| 極小值    | 4.77  | 2.58  | 4.15  | 1.52  | 7.69  | 0.49  | 1.76  | 0.30  | 1.37  | 0.00 | 20.12 | 69.46 | 0.00 | 0.00  | 1.90   |
| 平均值    | 4.93  | 2.78  | 5.15  | 2.40  | 9.85  | 0.56  | 1.87  | 0.33  | 1.54  | 0.00 | 20.25 | 69.49 | 0.00 | 0.00  | 21.58  |
| 標準差    | 0.11  | 0.15  | 0.82  | 0.77  | 1.81  | 0.05  | 0.11  | 0.03  | 0.12  | 0    | 0.08  | 0.04  | 0    | 0     | 18.54  |

屏東縣崁頂焚化爐空氣品質監  
測報表日報(小時數  
據)A003 溪北國小  
站

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫  | 站內溫   | RH    | WD   | WS    | PM10   |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|------|-------|--------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (oC) | (oC)  | (%)   | (o)  | (m/s) | (ug/m) |
| 000000 | 5.19  | 2.88  | 6.17  | 3.34  | 11.29 | 0.51  | 1.97  | 0.32  | 1.65  | 0.00 | 20.09 | 69.33 | 0.00 | 0.00  | 21.67  |
| 010000 | 5.17  | 3.16  | 7.22  | 4.14  | 10.90 | 0.49  | 1.88  | 0.42  | 1.46  | 0.00 | 20.07 | 69.33 | 0.00 | 0.00  | 18.98  |
| 020000 | 5.15  | 3.37  | 6.81  | 3.55  | 8.81  | 0.49  | 1.93  | 0.35  | 1.58  | 0.00 | 20.04 | 69.33 | 0.00 | 0.00  | 32.24  |
| 030000 | 4.99  | 3.34  | 6.64  | 3.37  | 7.45  | 0.47  | 1.96  | 0.32  | 1.64  | 0.00 | 20.05 | 69.33 | 0.00 | 0.00  | 31.90  |
| 040000 | 5.05  | 3.44  | 6.24  | 2.88  | 6.32  | 0.46  | 2.00  | 0.32  | 1.68  | 0.00 | 19.95 | 69.33 | 0.00 | 0.00  | 22.05  |
| 050000 | 5.09  | 5.06  | 9.87  | 4.98  | 6.71  | 0.46  | 2.39  | 0.35  | 2.04  | 0.00 | 19.89 | 69.33 | 0.00 | 0.00  | 25.60  |
| 060000 | 5.08  | 4.43  | 8.29  | 4.03  | 6.77  | 0.48  | 2.38  | 0.37  | 2.01  | 0.00 | 19.88 | 69.33 | 0.00 | 0.00  | 17.23  |
| 070000 | 4.91  | 3.41  | 6.41  | 3.06  | 8.03  | 0.52  | 1.94  | 0.36  | 1.58  | 0.00 | 19.83 | 69.33 | 0.00 | 0.00  | 20.95  |
| 080000 | 4.86  | 2.97  | 5.27  | 2.33  | 9.31  | 0.51  | 1.82  | 0.33  | 1.49  | 0.00 | 19.87 | 69.33 | 0.00 | 0.00  | 23.53  |
| 090000 | 4.86  | 2.75  | 4.96  | 2.25  | 11.37 | 0.55  | 1.77  | 0.33  | 1.44  | 0.00 | 19.91 | 69.33 | 0.00 | 0.00  | 13.45  |
| 100000 | 4.78  | 2.68  | 4.65  | 1.99  | 12.05 | 0.58  | 1.74  | 0.37  | 1.37  | 0.00 | 19.92 | 69.33 | 0.00 | 0.00  | 17.23  |
| 110000 | 4.90  | 2.54  | 4.19  | 1.68  | 13.66 | 0.59  | 1.77  | 0.32  | 1.45  | 0.00 | 19.96 | 69.38 | 0.00 | 0.00  | 14.43  |
| 120000 | 5.00  | 2.70  | 4.60  | 1.91  | 12.72 | 0.58  | 1.78  | 0.30  | 1.48  | 0.00 | 20.06 | 69.61 | 0.00 | 0.00  | 11.55  |
| 130000 | 5.04  | 2.79  | 4.63  | 1.84  | 13.45 | 0.57  | 1.77  | 0.30  | 1.47  | 0.00 | 20.07 | 69.61 | 0.00 | 0.00  | 11.13  |
| 140000 | 4.95  | 2.69  | 4.66  | 1.98  | 13.42 | 0.58  | 1.77  | 0.30  | 1.47  | 0.00 | 20.08 | 69.61 | 0.00 | 0.00  | 10.57  |
| 150000 | 5.04  | 2.66  | 4.51  | 1.85  | 13.33 | 0.58  | 1.75  | 0.33  | 1.42  | 0.00 | 20.07 | 69.61 | 0.00 | 0.00  | 12.24  |
| 160000 | 5.01  | 2.65  | 4.61  | 1.95  | 14.48 | 0.58  | 1.75  | 0.36  | 1.39  | 0.00 | 20.01 | 69.61 | 0.00 | 0.00  | 14.88  |
| 170000 | 4.89  | 2.69  | 4.99  | 2.33  | 12.98 | 0.59  | 1.79  | 0.32  | 1.47  | 0.00 | 19.97 | 69.61 | 0.00 | 0.00  | 20.19  |
| 180000 | 4.94  | 2.63  | 5.10  | 2.50  | 10.54 | 0.57  | 1.80  | 0.31  | 1.49  | 0.00 | 19.96 | 69.61 | 0.00 | 0.00  | 23.60  |
| 190000 | 5.06  | 2.81  | 6.40  | 3.66  | 10.24 | 0.59  | 1.87  | 0.34  | 1.53  | 0.00 | 19.99 | 69.60 | 0.00 | 0.00  | 13.46  |
| 200000 | 5.08  | 2.67  | 5.76  | 3.16  | 9.25  | 0.55  | 1.86  | 0.32  | 1.54  | 0.00 | 20.00 | 69.59 | 0.00 | 0.00  | 31.72  |
| 210000 | 5.34  | 3.13  | 10.45 | 7.50  | 7.26  | 0.62  | 2.08  | 0.36  | 1.72  | 0.00 | 19.99 | 69.54 | 0.00 | 0.00  | 20.23  |
| 220000 | 5.10  | 3.17  | 8.50  | 5.43  | 6.53  | 0.58  | 1.97  | 0.36  | 1.61  | 0.00 | 20.00 | 69.50 | 0.00 | 0.00  | 36.26  |
| 230000 | 5.17  | 3.07  | 7.33  | 4.34  | 6.95  | 0.55  | 2.00  | 0.34  | 1.66  | 0.00 | 20.00 | 69.47 | 0.00 | 0.00  | 19.39  |
| 極大值    | 5.34  | 5.06  | 10.45 | 7.50  | 14.48 | 0.62  | 2.39  | 0.42  | 2.04  | 0.00 | 20.09 | 69.61 | 0.00 | 0.00  | 36.26  |
| 極小值    | 4.78  | 2.54  | 4.19  | 1.68  | 6.32  | 0.46  | 1.74  | 0.30  | 1.37  | 0.00 | 19.83 | 69.33 | 0.00 | 0.00  | 10.57  |
| 平均值    | 5.03  | 3.07  | 6.18  | 3.17  | 10.16 | 0.54  | 1.91  | 0.34  | 1.57  | 0.00 | 19.99 | 69.46 | 0.00 | 0.00  | 20.19  |
| 標準差    | 0.13  | 0.59  | 1.73  | 1.4   | 2.71  | 0.05  | 0.18  | 0.03  | 0.17  | 0    | 0.07  | 0.13  | 0    | 0     | 7.27   |

## 測報表

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫  | 站內溫   | RH    | WD   | WS    | PM10   |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|------|-------|--------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (oC) | (oC)  | (%)   | (o)  | (m/s) | (ug/m) |
| 000000 | 5.14  | 3.09  | 6.94  | 3.93  | 6.86  | 0.51  | 1.93  | 0.37  | 1.56  | 0.00 | 19.96 | 69.35 | 0.00 | 0.00  | 14.66  |
| 010000 | 5.18  | 2.96  | 6.12  | 3.22  | 7.18  | 0.48  | 1.94  | 0.34  | 1.60  | 0.00 | 19.92 | 69.33 | 0.00 | 0.00  | 14.01  |
| 020000 | 5.08  | 2.83  | 5.39  | 2.63  | 7.60  | 0.48  | 1.98  | 0.34  | 1.64  | 0.00 | 19.92 | 69.33 | 0.00 | 0.00  | 12.23  |
| 030000 | 5.06  | 3.00  | 6.23  | 3.30  | 6.67  | 0.48  | 2.26  | 0.36  | 1.90  | 0.00 | 19.90 | 69.33 | 0.00 | 0.00  | 17.01  |
| 040000 | 5.05  | 3.11  | 6.80  | 3.76  | 6.79  | 0.48  | 2.15  | 0.39  | 1.76  | 0.00 | 19.91 | 69.33 | 0.00 | 0.00  | 18.13  |
| 050000 | 4.98  | 3.44  | 7.25  | 3.88  | 6.75  | 0.48  | 1.94  | 0.35  | 1.59  | 0.00 | 19.90 | 69.33 | 0.00 | 0.00  | 16.10  |
| 060000 | 4.93  | 4.94  | 9.88  | 5.10  | 6.84  | 0.52  | 1.93  | 0.35  | 1.58  | 0.00 | 19.91 | 69.33 | 0.00 | 0.00  | 20.25  |
| 070000 | 4.91  | 6.61  | 12.76 | 6.39  | 7.40  | 0.58  | 2.07  | 0.36  | 1.71  | 0.00 | 19.92 | 69.33 | 0.00 | 0.00  | 21.33  |
| 080000 | 4.94  | 4.00  | 9.20  | 5.34  | 9.38  | 0.60  | 1.98  | 0.36  | 1.62  | 0.00 | 19.88 | 69.33 | 0.00 | 0.00  | 21.62  |
| 090000 | 5.05  | 3.25  | 7.40  | 4.25  | 11.07 | 0.59  | 1.90  | 0.36  | 1.54  | 0.00 | 19.89 | 69.33 | 0.00 | 0.00  | 24.32  |
| 100000 | 4.99  | 2.88  | 6.47  | 3.65  | 12.64 | 0.58  | 1.81  | 0.36  | 1.45  | 0.00 | 19.89 | 69.33 | 0.00 | 0.00  | 22.29  |
| 110000 | 4.96  | 2.69  | 5.10  | 2.44  | 13.19 | 0.56  | 1.77  | 0.34  | 1.43  | 0.00 | 19.92 | 69.38 | 0.00 | 0.00  | 22.94  |
| 120000 | 5.02  | 2.74  | 4.80  | 2.07  | 11.50 | 0.58  | 1.72  | 0.37  | 1.35  | 0.00 | 19.99 | 69.52 | 0.00 | 0.00  | 18.64  |
| 130000 | 4.99  | 2.78  | 4.85  | 2.07  | 12.52 | 0.60  | 1.74  | 0.32  | 1.42  | 0.00 | 19.99 | 69.47 | 0.00 | 0.00  | 15.82  |
| 140000 | 4.94  | 2.81  | 5.66  | 2.91  | 12.40 | 0.59  | 1.77  | 0.31  | 1.46  | 0.00 | 19.98 | 69.47 | 0.00 | 0.00  | 19.67  |
| 150000 | 5.02  | 4.31  | 10.61 | 6.48  | 9.06  | 0.69  | 1.80  | 0.58  | 1.22  | 0.00 | 19.97 | 69.49 | 0.00 | 0.00  | 10.10  |
| 160000 | 5.13  | 3.93  | 11.59 | 7.87  | 8.24  | 0.74  | 1.84  | 0.62  | 1.22  | 0.00 | 19.96 | 69.51 | 0.00 | 0.00  | 17.89  |
| 170000 | 5.22  | 3.80  | 11.78 | 8.19  | 7.34  | 0.74  | 1.78  | 0.60  | 1.18  | 0.00 | 19.98 | 69.49 | 0.00 | 0.00  | 19.27  |
| 180000 | 5.20  | 3.69  | 14.58 | 11.20 | 8.37  | 0.70  | 1.86  | 0.40  | 1.46  | 0.00 | 19.98 | 69.47 | 0.00 | 0.00  | 13.86  |
| 190000 | 5.09  | 3.33  | 11.60 | 8.48  | 8.04  | 0.66  | 1.92  | 0.37  | 1.55  | 0.00 | 19.98 | 69.47 | 0.00 | 0.00  | 24.01  |
| 200000 | 5.26  | 3.02  | 8.49  | 5.56  | 8.43  | 0.61  | 2.10  | 0.36  | 1.74  | 0.00 | 19.95 | 69.47 | 0.00 | 0.00  | 12.42  |
| 210000 | 5.26  | 2.81  | 6.98  | 4.26  | 8.58  | 0.59  | 2.06  | 0.41  | 1.65  | 0.00 | 19.98 | 69.47 | 0.00 | 0.00  | 12.14  |
| 220000 | 5.37  | 3.02  | 7.90  | 4.96  | 9.07  | 0.60  | 2.20  | 0.37  | 1.83  | 0.00 | 19.97 | 69.47 | 0.00 | 0.00  | 8.71   |
| 230000 | 5.30  | 3.06  | 7.34  | 4.33  | 9.13  | 0.59  | 2.17  | 0.36  | 1.81  | 0.00 | 19.97 | 69.46 | 0.00 | 0.00  | 13.19  |
| 極大值    | 5.37  | 6.61  | 14.58 | 11.20 | 13.19 | 0.74  | 2.26  | 0.62  | 1.90  | 0.00 | 19.99 | 69.52 | 0.00 | 0.00  | 24.32  |
| 極小值    | 4.91  | 2.69  | 4.80  | 2.07  | 6.67  | 0.48  | 1.72  | 0.31  | 1.18  | 0.00 | 19.88 | 69.33 | 0.00 | 0.00  | 8.71   |
| 平均值    | 5.09  | 3.42  | 8.16  | 4.84  | 8.96  | 0.58  | 1.94  | 0.39  | 1.55  | 0.00 | 19.94 | 69.41 | 0.00 | 0.00  | 17.11  |
| 標準差    | 0.13  | 0.88  | 2.74  | 2.28  | 2.12  | 0.08  | 0.16  | 0.08  | 0.19  | 0    | 0.04  | 0.08  | 0    | 0     | 4.46   |

屏東縣崁頂焚化爐空氣品質監  
測報表日報(小時數  
據)A003 溪北國小  
站

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫  | 站內溫   | RH    | WD   | WS    | PM10   |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|------|-------|--------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (oC) | (oC)  | (%)   | (o)  | (m/s) | (ug/m) |
| 000000 | 5.24  | 3.22  | 7.52  | 4.39  | 10.68 | 0.57  | 2.24  | 0.36  | 1.88  | 0.00 | 19.93 | 69.33 | 0.00 | 0.00  | 15.70  |
| 010000 | 5.32  | 3.65  | 8.35  | 4.85  | 8.95  | 0.55  | 2.21  | 0.44  | 1.77  | 0.00 | 19.94 | 69.33 | 0.00 | 0.00  | 14.35  |
| 020000 | 5.21  | 4.29  | 8.87  | 4.74  | 7.57  | 0.54  | 2.25  | 0.38  | 1.87  | 0.00 | 19.92 | 69.33 | 0.00 | 0.00  | 15.01  |
| 030000 | 5.28  | 4.15  | 8.73  | 4.76  | 7.57  | 0.55  | 2.45  | 0.38  | 2.07  | 0.00 | 19.93 | 69.33 | 0.00 | 0.00  | 16.89  |
| 040000 | 5.19  | 3.79  | 7.67  | 3.96  | 7.33  | 0.53  | 2.27  | 0.37  | 1.90  | 0.00 | 19.92 | 69.33 | 0.00 | 0.00  | 17.22  |
| 050000 | 5.19  | 4.38  | 7.79  | 3.51  | 7.39  | 0.52  | 2.33  | 0.38  | 1.95  | 0.00 | 19.91 | 69.33 | 0.00 | 0.00  | 21.40  |
| 060000 | 5.21  | 6.09  | 9.13  | 3.17  | 6.41  | 0.52  | 2.22  | 0.41  | 1.81  | 0.00 | 19.90 | 69.33 | 0.00 | 0.00  | 19.50  |
| 070000 | 5.31  | 5.48  | 8.72  | 3.40  | 6.29  | 0.57  | 2.18  | 0.37  | 1.81  | 0.00 | 19.91 | 69.33 | 0.00 | 0.00  | 17.65  |
| 080000 | 5.20  | 3.87  | 7.48  | 3.71  | 7.63  | 0.62  | 1.96  | 0.38  | 1.58  | 0.00 | 19.89 | 69.33 | 0.00 | 0.00  | 21.17  |
| 090000 | 5.03  | 3.09  | 7.36  | 4.36  | 11.94 | 0.65  | 1.89  | 0.39  | 1.50  | 0.00 | 19.89 | 69.33 | 0.00 | 0.00  | 22.33  |
| 100000 | 5.10  | 3.35  | 10.03 | 6.86  | 15.97 | 0.69  | 1.79  | 0.46  | 1.33  | 0.00 | 19.88 | 69.33 | 0.00 | 0.00  | 17.55  |
| 110000 | 5.01  | 3.40  | 8.55  | 5.29  | 15.42 | 0.68  | 1.78  | 0.43  | 1.35  | 0.00 | 19.91 | 69.38 | 0.00 | 0.00  | 20.06  |
| 120000 | 5.07  | 2.84  | 6.46  | 3.67  | 12.63 | 0.60  | 1.80  | 0.32  | 1.48  | 0.00 | 19.94 | 69.52 | 0.00 | 0.00  | 18.36  |
| 130000 | 5.08  | 2.91  | 6.19  | 3.33  | 14.91 | 0.61  | 1.80  | 0.31  | 1.49  | 0.00 | 19.91 | 69.50 | 0.00 | 0.00  | 8.85   |
| 140000 | 5.00  | 2.76  | 5.62  | 2.92  | 15.86 | 0.62  | 1.76  | 0.34  | 1.42  | 0.00 | 19.93 | 69.52 | 0.00 | 0.00  | 10.43  |
| 150000 | 5.10  | 3.10  | 6.28  | 3.25  | 15.27 | 0.60  | 1.76  | 0.33  | 1.43  | 0.00 | 19.92 | 69.54 | 0.00 | 0.00  | 9.60   |
| 160000 | 5.03  | 2.98  | 6.93  | 4.04  | 16.88 | 0.63  | 1.80  | 0.33  | 1.47  | 0.00 | 19.87 | 69.47 | 0.00 | 0.00  | 11.36  |
| 170000 | 4.96  | 2.85  | 9.02  | 6.30  | 15.08 | 0.65  | 1.82  | 0.35  | 1.47  | 0.00 | 19.86 | 69.47 | 0.00 | 0.00  | 20.97  |
| 180000 | 5.10  | 3.29  | 11.97 | 8.87  | 9.45  | 0.69  | 1.90  | 0.43  | 1.47  | 0.00 | 19.90 | 69.51 | 0.00 | 0.00  | 25.53  |
| 190000 | 5.18  | 3.54  | 13.90 | 10.63 | 7.05  | 0.70  | 2.10  | 0.40  | 1.70  | 0.00 | 19.91 | 69.52 | 0.00 | 0.00  | 24.33  |
| 200000 | 5.25  | 3.61  | 14.60 | 11.28 | 6.42  | 0.71  | 2.05  | 0.41  | 1.64  | 0.00 | 19.87 | 69.49 | 0.00 | 0.00  | 23.48  |
| 210000 | 5.35  | 4.28  | 16.33 | 12.39 | 6.63  | 0.74  | 2.12  | 0.46  | 1.66  | 0.00 | 19.88 | 69.47 | 0.00 | 0.00  | 27.69  |
| 220000 | 5.30  | 4.38  | 15.14 | 11.07 | 7.84  | 0.66  | 2.05  | 0.42  | 1.63  | 0.00 | 19.90 | 69.47 | 0.00 | 0.00  | 33.35  |
| 230000 | 5.08  | 4.01  | 12.03 | 8.25  | 7.85  | 0.60  | 2.00  | 0.36  | 1.64  | 0.00 | 19.89 | 69.45 | 0.00 | 0.00  | 49.49  |
| 極大值    | 5.35  | 6.09  | 16.33 | 12.39 | 16.88 | 0.74  | 2.45  | 0.46  | 2.07  | 0.00 | 19.94 | 69.54 | 0.00 | 0.00  | 49.49  |
| 極小值    | 4.96  | 2.76  | 5.62  | 2.92  | 6.29  | 0.52  | 1.76  | 0.31  | 1.33  | 0.00 | 19.86 | 69.33 | 0.00 | 0.00  | 8.85   |
| 平均值    | 5.16  | 3.72  | 9.36  | 5.79  | 10.38 | 0.62  | 2.02  | 0.38  | 1.64  | 0.00 | 19.90 | 69.41 | 0.00 | 0.00  | 20.09  |
| 標準差    | 0.11  | 0.83  | 3.03  | 2.97  | 3.81  | 0.06  | 0.21  | 0.04  | 0.21  | 0    | 0.02  | 0.08  | 0    | 0     | 8.56   |

## 測報表

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫  | 站內溫   | RH    | WD   | WS    | PM10   |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|------|-------|--------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (oC) | (oC)  | (%)   | (o)  | (m/s) | (ug/m) |
| 000000 | 5.20  | 3.58  | 9.93  | 6.52  | 8.17  | 0.56  | 2.10  | 0.46  | 1.64  | 0.00 | 19.87 | 69.33 | 0.00 | 0.00  | 30.19  |
| 010000 | 5.20  | 3.62  | 9.71  | 6.24  | 6.44  | 0.56  | 2.24  | 0.37  | 1.87  | 0.00 | 19.87 | 69.33 | 0.00 | 0.00  | 24.89  |
| 020000 | 5.14  | 3.30  | 8.08  | 4.90  | 6.71  | 0.55  | 2.20  | 0.37  | 1.83  | 0.00 | 19.87 | 69.33 | 0.00 | 0.00  | 15.60  |
| 030000 | 5.11  | 3.49  | 7.75  | 4.37  | 7.62  | 0.56  | 2.25  | 0.37  | 1.88  | 0.00 | 19.85 | 69.33 | 0.00 | 0.00  | 28.19  |
| 040000 | 5.21  | 3.69  | 8.67  | 5.11  | 7.71  | 0.55  | 2.34  | 0.39  | 1.95  | 0.00 | 19.86 | 69.33 | 0.00 | 0.00  | 21.67  |
| 050000 | 5.23  | 4.52  | 9.80  | 5.45  | 7.22  | 0.58  | 2.40  | 0.41  | 1.99  | 0.00 | 19.87 | 69.33 | 0.00 | 0.00  | 18.44  |
| 060000 | 5.29  | 5.17  | 9.49  | 4.50  | 7.44  | 0.59  | 2.22  | 0.39  | 1.83  | 0.00 | 19.89 | 69.33 | 0.00 | 0.00  | 20.74  |
| 070000 | 5.25  | 5.93  | 10.87 | 5.12  | 6.29  | 0.60  | 2.19  | 0.38  | 1.81  | 0.00 | 20.03 | 69.33 | 0.00 | 0.00  | 19.50  |
| 080000 | 5.17  | 4.93  | 10.89 | 6.18  | 7.93  | 0.63  | 1.95  | 0.41  | 1.54  | 0.00 | 20.00 | 69.33 | 0.00 | 0.00  | 20.21  |
| 090000 | 5.09  | 2.88  | 7.87  | 5.09  | 14.76 | 0.77  | 1.92  | 0.39  | 1.53  | 0.00 | 19.96 | 69.33 | 0.00 | 0.00  | 20.22  |
| 100000 | 5.12  | 2.66  | 6.68  | 4.12  | 21.53 | 0.74  | 1.79  | 0.45  | 1.34  | 0.00 | 19.96 | 69.33 | 0.00 | 0.00  | 23.64  |
| 110000 | 5.12  | 2.60  | 5.36  | 2.82  | 19.11 | 0.64  | 1.81  | 0.34  | 1.47  | 0.00 | 19.97 | 69.38 | 0.00 | 0.00  | 19.84  |
| 120000 | 5.21  | 2.69  | 4.69  | 2.01  | 12.63 | 0.59  | 1.78  | 0.32  | 1.46  | 0.00 | 20.07 | 69.61 | 0.00 | 0.00  | 20.28  |
| 130000 | 5.07  | 3.16  | 5.37  | 2.26  | 10.69 | 0.55  | 1.77  | 0.30  | 1.47  | 0.00 | 20.09 | 69.61 | 0.00 | 0.00  | 25.33  |
| 140000 | 5.03  | 2.87  | 4.72  | 1.88  | 8.89  | 0.57  | 1.76  | 0.30  | 1.46  | 0.00 | 20.04 | 69.61 | 0.00 | 0.00  | 17.60  |
| 150000 | 5.06  | 3.10  | 7.29  | 4.28  | 8.04  | 0.59  | 1.80  | 0.36  | 1.44  | 0.00 | 20.02 | 69.61 | 0.00 | 0.00  | 5.55   |
| 160000 | 5.25  | 3.00  | 10.28 | 7.44  | 9.65  | 0.64  | 1.87  | 0.39  | 1.48  | 0.00 | 19.99 | 69.56 | 0.00 | 0.00  | 14.62  |
| 170000 | 5.29  | 2.97  | 12.16 | 9.38  | 10.60 | 0.68  | 1.91  | 0.38  | 1.53  | 0.00 | 20.02 | 69.49 | 0.00 | 0.00  | 23.05  |
| 180000 | 5.37  | 3.07  | 12.25 | 9.39  | 8.40  | 0.69  | 1.97  | 0.37  | 1.60  | 0.00 | 20.01 | 69.48 | 0.00 | 0.00  | 25.93  |
| 190000 | 5.31  | 2.85  | 9.85  | 7.14  | 7.46  | 0.67  | 1.94  | 0.36  | 1.58  | 0.00 | 20.01 | 69.47 | 0.00 | 0.00  | 24.93  |
| 200000 | 5.36  | 3.19  | 11.42 | 8.40  | 6.98  | 0.68  | 2.00  | 0.37  | 1.63  | 0.00 | 19.99 | 69.47 | 0.00 | 0.00  | 23.15  |
| 210000 | 5.31  | 3.55  | 10.07 | 6.69  | 7.67  | 0.66  | 2.11  | 0.37  | 1.74  | 0.00 | 19.99 | 69.47 | 0.00 | 0.00  | 19.09  |
| 220000 | 5.43  | 4.06  | 10.69 | 6.82  | 6.58  | 0.65  | 2.19  | 0.44  | 1.75  | 0.00 | 20.00 | 69.47 | 0.00 | 0.00  | 21.71  |
| 230000 | 5.40  | 3.54  | 8.24  | 4.82  | 6.86  | 0.60  | 2.13  | 0.36  | 1.77  | 0.00 | 19.99 | 69.46 | 0.00 | 0.00  | 17.91  |
| 極大值    | 5.43  | 5.93  | 12.25 | 9.39  | 21.53 | 0.77  | 2.40  | 0.46  | 1.99  | 0.00 | 20.09 | 69.61 | 0.00 | 0.00  | 30.19  |
| 極小值    | 5.03  | 2.60  | 4.69  | 1.88  | 6.29  | 0.55  | 1.76  | 0.30  | 1.34  | 0.00 | 19.85 | 69.33 | 0.00 | 0.00  | 5.55   |
| 平均值    | 5.22  | 3.52  | 8.84  | 5.46  | 9.39  | 0.62  | 2.03  | 0.38  | 1.65  | 0.00 | 19.97 | 69.43 | 0.00 | 0.00  | 20.93  |
| 標準差    | 0.11  | 0.85  | 2.26  | 2.09  | 3.94  | 0.06  | 0.2   | 0.04  | 0.18  | 0    | 0.07  | 0.11  | 0    | 0     | 4.99   |

## 測報表

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫  | 站內溫   | RH    | WD   | WS    | PM10   |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|------|-------|--------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (oC) | (oC)  | (%)   | (o)  | (m/s) | (ug/m) |
| 000000 | 5.43  | 3.35  | 8.33  | 5.09  | 7.66  | 0.58  | 2.07  | 0.38  | 1.69  | 0.00 | 19.94 | 69.33 | 0.00 | 0.00  | 17.69  |
| 010000 | 5.31  | 3.50  | 7.89  | 4.50  | 8.10  | 0.57  | 2.17  | 0.37  | 1.80  | 0.00 | 19.90 | 69.33 | 0.00 | 0.00  | 20.16  |
| 020000 | 5.36  | 3.88  | 8.84  | 5.12  | 7.27  | 0.58  | 2.42  | 0.39  | 2.03  | 0.00 | 19.90 | 69.33 | 0.00 | 0.00  | 23.04  |
| 030000 | 5.25  | 3.58  | 8.21  | 4.77  | 7.29  | 0.55  | 2.34  | 0.38  | 1.96  | 0.00 | 19.93 | 69.45 | 0.00 | 0.00  | 24.68  |
| 040000 | 5.20  | 3.88  | 8.53  | 4.79  | 7.44  | 0.55  | 2.35  | 0.39  | 1.96  | 0.00 | 19.91 | 69.46 | 0.00 | 0.00  | 23.29  |
| 050000 | 5.23  | 4.44  | 8.56  | 4.28  | 6.99  | 0.54  | 2.38  | 0.38  | 2.00  | 0.00 | 19.90 | 69.33 | 0.00 | 0.00  | 18.52  |
| 060000 | 5.21  | 7.02  | 11.31 | 4.49  | 6.59  | 0.56  | 2.36  | 0.40  | 1.96  | 0.00 | 19.91 | 69.33 | 0.00 | 0.00  | 22.91  |
| 070000 | 5.27  | 8.16  | 13.38 | 5.51  | 6.13  | 0.61  | 2.40  | 0.42  | 1.98  | 0.00 | 19.93 | 69.33 | 0.00 | 0.00  | 25.06  |
| 080000 | 5.35  | 5.29  | 10.22 | 5.12  | 7.29  | 0.61  | 2.05  | 0.36  | 1.69  | 0.00 | 19.94 | 69.33 | 0.00 | 0.00  | 23.40  |
| 090000 | 5.21  | 3.23  | 6.97  | 3.83  | 10.65 | 0.62  | 1.90  | 0.33  | 1.57  | 0.00 | 19.91 | 69.33 | 0.00 | 0.00  | 21.67  |
| 100000 | 5.05  | 2.61  | 5.45  | 2.92  | 15.05 | 0.68  | 1.88  | 0.32  | 1.56  | 0.00 | 19.88 | 69.33 | 0.00 | 0.00  | 13.00  |
| 110000 | 5.00  | 2.50  | 5.32  | 2.88  | 18.88 | 0.72  | 1.87  | 0.32  | 1.55  | 0.00 | 19.89 | 69.37 | 0.00 | 0.00  | 13.51  |
| 120000 | 4.96  | 2.72  | 5.12  | 2.45  | 14.31 | 0.64  | 1.81  | 0.32  | 1.49  | 0.00 | 19.99 | 69.59 | 0.00 | 0.00  | 15.29  |
| 130000 | 5.01  | 2.61  | 4.98  | 2.40  | 15.85 | 0.63  | 1.80  | 0.32  | 1.48  | 0.00 | 19.99 | 69.61 | 0.00 | 0.00  | 11.45  |
| 140000 | 4.96  | 2.51  | 5.26  | 2.85  | 22.12 | 0.64  | 1.81  | 0.33  | 1.48  | 0.00 | 20.01 | 69.61 | 0.00 | 0.00  | 10.93  |
| 150000 | 5.20  | 2.74  | 5.85  | 3.17  | 15.29 | 0.62  | 1.80  | 0.34  | 1.46  | 0.00 | 20.01 | 69.61 | 0.00 | 0.00  | 15.06  |
| 160000 | 5.24  | 2.55  | 6.53  | 4.05  | 22.98 | 0.66  | 1.85  | 0.33  | 1.52  | 0.00 | 19.98 | 69.61 | 0.00 | 0.00  | 24.42  |
| 170000 | 5.28  | 2.59  | 7.22  | 4.74  | 19.87 | 0.66  | 1.85  | 0.32  | 1.53  | 0.00 | 19.95 | 69.53 | 0.00 | 0.00  | 14.19  |
| 180000 | 5.22  | 2.54  | 7.27  | 4.85  | 19.11 | 0.65  | 1.87  | 0.33  | 1.54  | 0.00 | 19.91 | 69.51 | 0.00 | 0.00  | 13.43  |
| 190000 | 5.25  | 2.53  | 7.67  | 5.26  | 18.13 | 0.66  | 1.91  | 0.36  | 1.55  | 0.00 | 19.90 | 69.48 | 0.00 | 0.00  | 12.33  |
| 200000 | 5.34  | 2.65  | 8.53  | 6.03  | 15.80 | 0.72  | 2.01  | 0.49  | 1.52  | 0.00 | 19.90 | 69.48 | 0.00 | 0.00  | 12.04  |
| 210000 | 5.44  | 2.64  | 9.36  | 6.87  | 12.28 | 0.73  | 2.17  | 0.40  | 1.77  | 0.00 | 19.88 | 69.47 | 0.00 | 0.00  | 20.83  |
| 220000 | 5.43  | 2.76  | 9.30  | 6.69  | 9.53  | 0.66  | 2.47  | 0.37  | 2.10  | 0.00 | 19.88 | 69.47 | 0.00 | 0.00  | 35.90  |
| 230000 | 5.31  | 2.74  | 8.33  | 5.69  | 7.71  | 0.64  | 2.28  | 0.34  | 1.94  | 0.00 | 19.85 | 69.47 | 0.00 | 0.00  | 22.89  |
| 極大值    | 5.44  | 8.16  | 13.38 | 6.87  | 22.98 | 0.73  | 2.47  | 0.49  | 2.10  | 0.00 | 20.01 | 69.61 | 0.00 | 0.00  | 35.90  |
| 極小值    | 4.96  | 2.50  | 4.98  | 2.40  | 6.13  | 0.54  | 1.80  | 0.32  | 1.46  | 0.00 | 19.85 | 69.33 | 0.00 | 0.00  | 10.93  |
| 平均值    | 5.23  | 3.46  | 7.85  | 4.51  | 12.60 | 0.63  | 2.08  | 0.36  | 1.71  | 0.00 | 19.92 | 69.45 | 0.00 | 0.00  | 18.99  |
| 標準差    | 0.14  | 1.47  | 2.06  | 1.25  | 5.53  | 0.05  | 0.24  | 0.04  | 0.22  | 0    | 0.04  | 0.11  | 0    | 0     | 6.07   |

屏東縣崁頂焚化爐空氣品質監  
測報表日報(小時數  
據)A003 溪北國小  
站

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫  | 站內溫   | RH    | WD   | WS    | PM10   |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|------|-------|--------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (oC) | (oC)  | (%)   | (o)  | (m/s) | (ug/m) |
| 000000 | 5.27  | 2.70  | 6.72  | 4.11  | 8.86  | 0.64  | 2.04  | 0.38  | 1.66  | 0.00 | 19.84 | 69.47 | 0.00 | 0.00  | 21.50  |
| 010000 | 5.36  | 2.75  | 7.32  | 4.64  | 8.21  | 0.64  | 2.20  | 0.38  | 1.82  | 0.00 | 19.85 | 69.47 | 0.00 | 0.00  | 26.24  |
| 020000 | 5.31  | 2.80  | 6.99  | 4.27  | 6.96  | 0.62  | 2.25  | 0.36  | 1.89  | 0.00 | 19.86 | 69.47 | 0.00 | 0.00  | 28.64  |
| 030000 | 5.40  | 2.87  | 7.24  | 4.44  | 7.40  | 0.62  | 2.25  | 0.35  | 1.90  | 0.00 | 19.89 | 69.47 | 0.00 | 0.00  | 20.60  |
| 040000 | 5.38  | 3.13  | 8.22  | 5.22  | 7.21  | 0.64  | 2.35  | 0.35  | 2.00  | 0.00 | 19.88 | 69.47 | 0.00 | 0.00  | 19.87  |
| 050000 | 5.33  | 4.00  | 9.57  | 5.76  | 8.77  | 0.66  | 2.38  | 0.37  | 2.01  | 0.00 | 19.87 | 69.47 | 0.00 | 0.00  | 23.63  |
| 060000 | 5.39  | 5.62  | 11.11 | 5.70  | 6.54  | 0.66  | 2.31  | 0.39  | 1.92  | 0.00 | 19.88 | 69.47 | 0.00 | 0.00  | 27.67  |
| 070000 | 5.35  | 4.32  | 9.51  | 5.35  | 8.62  | 0.69  | 2.10  | 0.45  | 1.65  | 0.00 | 19.88 | 69.48 | 0.00 | 0.00  | 18.70  |
| 080000 | 5.32  | 3.13  | 8.77  | 5.76  | 16.38 | 0.76  | 1.98  | 0.39  | 1.59  | 0.00 | 19.88 | 69.47 | 0.00 | 0.00  | 27.01  |
| 090000 | 5.14  | 2.69  | 7.31  | 4.69  | 22.42 | 0.78  | 1.85  | 0.47  | 1.38  | 0.00 | 19.83 | 69.47 | 0.00 | 0.00  | 27.53  |
| 100000 | 5.12  | 2.68  | 5.77  | 3.16  | 16.30 | 0.70  | 1.82  | 0.34  | 1.48  | 0.00 | 19.81 | 69.48 | 0.00 | 0.00  | 22.32  |
| 110000 | 5.10  | 2.73  | 4.88  | 2.16  | 10.28 | 0.66  | 1.79  | 0.31  | 1.48  | 0.00 | 19.85 | 69.60 | 0.00 | 0.00  | 16.31  |
| 120000 | 5.09  | 2.70  | 4.43  | 1.75  | 10.20 | 0.66  | 1.79  | 0.29  | 1.50  | 0.00 | 19.85 | 69.52 | 0.00 | 0.00  | 7.93   |
| 130000 | 5.14  | 2.66  | 4.21  | 1.57  | 9.97  | 0.66  | 1.76  | 0.32  | 1.44  | 0.00 | 19.86 | 69.50 | 0.00 | 0.00  | 12.57  |
| 140000 | 5.15  | 2.59  | 3.94  | 1.41  | 10.06 | 0.65  | 1.77  | 0.30  | 1.47  | 0.00 | 19.83 | 69.47 | 0.00 | 0.00  | 12.39  |
| 150000 | 5.10  | 2.67  | 4.04  | 1.39  | 10.50 | 0.65  | 1.78  | 0.29  | 1.49  | 0.00 | 19.84 | 69.47 | 0.00 | 0.00  | 19.53  |
| 160000 | 5.13  | 2.81  | 4.40  | 1.59  | 9.65  | 0.64  | 1.69  | 0.38  | 1.31  | 0.00 | 19.83 | 69.47 | 0.00 | 0.00  | 9.08   |
| 170000 | 5.06  | 2.84  | 4.79  | 1.98  | 9.64  | 0.63  | 1.77  | 0.29  | 1.48  | 0.00 | 19.85 | 69.47 | 0.00 | 0.00  | 17.70  |
| 180000 | 5.19  | 2.67  | 4.54  | 1.89  | 8.00  | 0.61  | 1.73  | 0.35  | 1.38  | 0.00 | 19.88 | 69.49 | 0.00 | 0.00  | 17.63  |
| 190000 | 5.16  | 2.81  | 4.94  | 2.15  | 7.69  | 0.61  | 1.79  | 0.30  | 1.49  | 0.00 | 19.87 | 69.53 | 0.00 | 0.00  | 16.96  |
| 200000 | 5.03  | 2.56  | 4.27  | 1.74  | 7.83  | 0.60  | 1.82  | 0.29  | 1.53  | 0.00 | 19.87 | 69.53 | 0.00 | 0.00  | 15.30  |
| 210000 | 5.15  | 2.63  | 4.88  | 2.32  | 8.11  | 0.60  | 1.86  | 0.30  | 1.56  | 0.00 | 19.88 | 69.53 | 0.00 | 0.00  | 13.59  |
| 220000 | 5.24  | 2.66  | 6.44  | 3.88  | 8.09  | 0.60  | 2.05  | 0.31  | 1.74  | 0.00 | 19.88 | 69.49 | 0.00 | 0.00  | 7.73   |
| 230000 | 5.22  | 2.70  | 6.18  | 3.56  | 8.44  | 0.60  | 1.92  | 0.39  | 1.53  | 0.00 | 19.88 | 69.48 | 0.00 | 0.00  | 15.71  |
| 極大值    | 5.40  | 5.62  | 11.11 | 5.76  | 22.42 | 0.78  | 2.38  | 0.47  | 2.01  | 0.00 | 19.89 | 69.60 | 0.00 | 0.00  | 28.64  |
| 極小值    | 5.03  | 2.56  | 3.94  | 1.39  | 6.54  | 0.60  | 1.69  | 0.29  | 1.31  | 0.00 | 19.81 | 69.47 | 0.00 | 0.00  | 7.73   |
| 平均值    | 5.21  | 2.99  | 6.27  | 3.35  | 9.84  | 0.65  | 1.96  | 0.35  | 1.61  | 0.00 | 19.86 | 69.49 | 0.00 | 0.00  | 18.59  |
| 標準差    | 0.12  | 0.7   | 2.04  | 1.59  | 3.62  | 0.05  | 0.22  | 0.05  | 0.21  | 0    | 0.02  | 0.03  | 0    | 0     | 6.25   |

屏東縣崁頂焚化爐空氣品質監  
測報表日報(小時數  
據)A003 溪北國小  
站

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫  | 站內溫   | RH    | WD   | WS    | PM10   |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|------|-------|--------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (oC) | (oC)  | (%)   | (o)  | (m/s) | (ug/m) |
| 000000 | 5.22  | 3.14  | 7.86  | 4.82  | 8.97  | 0.61  | 2.15  | 0.33  | 1.82  | 0.00 | 19.89 | 69.47 | 0.00 | 0.00  | 8.72   |
| 010000 | 5.12  | 3.69  | 7.98  | 4.44  | 9.28  | 0.61  | 2.13  | 0.33  | 1.80  | 0.00 | 19.87 | 69.47 | 0.00 | 0.00  | 12.05  |
| 020000 | 5.04  | 3.86  | 8.24  | 4.53  | 8.83  | 0.62  | 2.09  | 0.33  | 1.76  | 0.00 | 19.88 | 69.47 | 0.00 | 0.00  | 9.24   |
| 030000 | 5.14  | 4.05  | 8.10  | 4.18  | 8.76  | 0.60  | 2.14  | 0.33  | 1.81  | 0.00 | 19.86 | 69.47 | 0.00 | 0.00  | 7.95   |
| 040000 | 5.14  | 4.45  | 8.62  | 4.32  | 7.25  | 0.59  | 2.07  | 0.34  | 1.73  | 0.00 | 19.83 | 69.47 | 0.00 | 0.00  | 9.72   |
| 050000 | 5.16  | 6.34  | 10.22 | 4.05  | 6.64  | 0.59  | 2.22  | 0.36  | 1.86  | 0.00 | 19.85 | 69.47 | 0.00 | 0.00  | 9.81   |
| 060000 | 5.09  | 7.71  | 11.08 | 3.58  | 6.05  | 0.61  | 2.14  | 0.44  | 1.70  | 0.00 | 19.87 | 69.49 | 0.00 | 0.00  | 7.95   |
| 070000 | 5.10  | 5.10  | 8.19  | 3.21  | 6.28  | 0.63  | 2.02  | 0.34  | 1.68  | 0.00 | 19.87 | 69.55 | 0.00 | 0.00  | 13.28  |
| 080000 | 5.02  | 3.42  | 6.16  | 2.82  | 7.67  | 0.65  | 1.94  | 0.31  | 1.63  | 0.00 | 19.85 | 69.52 | 0.00 | 0.00  | 14.09  |
| 090000 | 5.04  | 2.75  | 5.02  | 2.32  | 9.75  | 0.68  | 1.86  | 0.31  | 1.55  | 0.00 | 19.83 | 69.47 | 0.00 | 0.00  | 10.84  |
| 100000 | 5.00  | 2.71  | 4.41  | 1.72  | 9.74  | 0.67  | 1.79  | 0.30  | 1.49  | 0.00 | 19.84 | 69.47 | 0.00 | 0.00  | 9.52   |
| 110000 | 5.01  | 2.63  | 4.00  | 1.39  | 10.34 | 0.67  | 1.76  | 0.30  | 1.46  | 0.00 | 19.83 | 69.47 | 0.00 | 0.00  | 13.83  |
| 120000 | 4.91  | 2.59  | 4.04  | 1.50  | 10.63 | 0.67  | 1.76  | 0.29  | 1.47  | 0.00 | 19.82 | 69.47 | 0.00 | 0.00  | 10.33  |
| 130000 | 4.95  | 2.50  | 3.93  | 1.44  | 10.87 | 0.67  | 1.73  | 0.32  | 1.41  | 0.00 | 19.79 | 69.47 | 0.00 | 0.00  | 4.67   |
| 140000 | 5.05  | 2.52  | 3.89  | 1.39  | 11.63 | 0.67  | 1.71  | 0.35  | 1.36  | 0.00 | 19.78 | 69.47 | 0.00 | 0.00  | 0.54   |
| 150000 | 4.96  | 2.62  | 4.04  | 1.46  | 9.87  | 0.67  | 1.76  | 0.29  | 1.47  | 0.00 | 19.75 | 69.47 | 0.00 | 0.00  | 2.15   |
| 160000 | 4.97  | 2.62  | 3.97  | 1.36  | 8.59  | 0.67  | 1.76  | 0.29  | 1.47  | 0.00 | 19.76 | 69.47 | 0.00 | 0.00  | 1.62   |
| 170000 | 4.89  | 2.83  | 4.19  | 1.39  | 7.87  | 0.67  | 1.76  | 0.29  | 1.47  | 0.00 | 19.76 | 69.47 | 0.00 | 0.00  | 0.20   |
| 180000 | 5.01  | 2.74  | 4.65  | 1.94  | 8.73  | 0.65  | 1.73  | 0.33  | 1.40  | 0.00 | 19.76 | 69.50 | 0.00 | 0.00  | 0.58   |
| 190000 | 4.97  | 2.53  | 4.29  | 1.80  | 8.71  | 0.63  | 1.76  | 0.29  | 1.47  | 0.00 | 19.76 | 69.55 | 0.00 | 0.00  | 3.92   |
| 200000 | 4.99  | 2.96  | 6.01  | 3.12  | 7.55  | 0.64  | 1.79  | 0.35  | 1.44  | 0.00 | 19.75 | 69.53 | 0.00 | 0.00  | 7.20   |
| 210000 | 5.13  | 2.72  | 6.92  | 4.28  | 8.12  | 0.64  | 1.87  | 0.39  | 1.48  | 0.00 | 19.71 | 69.52 | 0.00 | 0.00  | 7.41   |
| 220000 | 5.12  | 3.07  | 7.19  | 4.23  | 6.63  | 0.62  | 1.85  | 0.33  | 1.52  | 0.00 | 19.69 | 69.50 | 0.00 | 0.00  | 8.90   |
| 230000 | 5.15  | 3.29  | 7.79  | 4.61  | 5.96  | 0.60  | 1.90  | 0.33  | 1.57  | 0.00 | 19.66 | 69.45 | 0.00 | 0.00  | 8.20   |
| 極大值    | 5.22  | 7.71  | 11.08 | 4.82  | 11.63 | 0.68  | 2.22  | 0.44  | 1.86  | 0.00 | 19.89 | 69.55 | 0.00 | 0.00  | 14.09  |
| 極小值    | 4.89  | 2.50  | 3.89  | 1.36  | 5.96  | 0.59  | 1.71  | 0.29  | 1.36  | 0.00 | 19.66 | 69.45 | 0.00 | 0.00  | 0.20   |
| 平均值    | 5.05  | 3.45  | 6.28  | 2.91  | 8.53  | 0.64  | 1.90  | 0.33  | 1.58  | 0.00 | 19.80 | 69.49 | 0.00 | 0.00  | 7.61   |
| 標準差    | 0.09  | 1.31  | 2.2   | 1.32  | 1.58  | 0.03  | 0.17  | 0.04  | 0.15  | 0    | 0.06  | 0.03  | 0    | 0     | 4.23   |

屏東縣崁頂焚化爐空氣品質監  
測報表日報(小時數  
據)A003 溪北國小  
站

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫  | 站內溫   | RH    | WD   | WS    | PM10   |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|------|-------|--------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (oC) | (oC)  | (%)   | (o)  | (m/s) | (ug/m) |
| 000000 | 5.09  | 3.13  | 7.16  | 4.11  | 7.40  | 0.59  | 2.01  | 0.32  | 1.69  | 0.00 | 19.62 | 69.33 | 0.00 | 0.00  | 6.75   |
| 010000 | 5.05  | 3.18  | 7.40  | 4.30  | 7.08  | 0.59  | 2.00  | 0.34  | 1.66  | 0.00 | 19.61 | 69.33 | 0.00 | 0.00  | 15.54  |
| 020000 | 5.02  | 3.75  | 8.58  | 4.97  | 7.30  | 0.60  | 1.91  | 0.45  | 1.46  | 0.00 | 19.62 | 69.33 | 0.00 | 0.00  | 9.53   |
| 030000 | 5.04  | 4.04  | 9.15  | 5.25  | 7.16  | 0.61  | 2.16  | 0.39  | 1.77  | 0.00 | 19.64 | 69.33 | 0.00 | 0.00  | 11.93  |
| 040000 | 4.98  | 4.10  | 9.43  | 5.46  | 7.35  | 0.63  | 2.00  | 0.39  | 1.61  | 0.00 | 19.63 | 69.33 | 0.00 | 0.00  | 17.40  |
| 050000 | 5.07  | 5.95  | 10.68 | 4.92  | 7.66  | 0.64  | 2.19  | 0.41  | 1.78  | 0.00 | 19.62 | 69.33 | 0.00 | 0.00  | 19.16  |
| 060000 | 4.92  | 5.49  | 9.00  | 3.66  | 6.16  | 0.63  | 2.00  | 0.38  | 1.62  | 0.00 | 19.63 | 69.33 | 0.00 | 0.00  | 17.72  |
| 070000 | 4.96  | 3.94  | 7.17  | 3.33  | 7.13  | 0.63  | 1.87  | 0.35  | 1.52  | 0.00 | 19.63 | 69.33 | 0.00 | 0.00  | 15.75  |
| 080000 | 4.88  | 3.02  | 5.85  | 2.90  | 9.69  | 0.67  | 1.83  | 0.33  | 1.50  | 0.00 | 19.58 | 69.33 | 0.00 | 0.00  | 12.88  |
| 090000 | 4.80  | 2.61  | 5.07  | 2.51  | 13.32 | 0.72  | 1.82  | 0.38  | 1.44  | 0.00 | 19.61 | 69.33 | 0.00 | 0.00  | 11.56  |
| 100000 | 4.89  | 2.84  | 8.08  | 5.33  | 19.86 | 0.80  | 1.86  | 0.42  | 1.44  | 0.00 | 19.59 | 69.33 | 0.00 | 0.00  | 7.94   |
| 110000 | 4.86  | 3.74  | 9.51  | 5.96  | 17.86 | 0.92  | 1.81  | 0.41  | 1.40  | 0.00 | 19.60 | 69.38 | 0.00 | 0.00  | 11.23  |
| 120000 | 4.96  | 3.96  | 10.24 | 6.46  | 14.61 | 0.91  | 1.78  | 0.41  | 1.37  | 0.00 | 19.71 | 69.59 | 0.00 | 0.00  | 17.73  |
| 130000 | 5.20  | 4.55  | 11.09 | 6.76  | 12.45 | 0.93  | 1.78  | 0.43  | 1.35  | 0.00 | 19.74 | 69.61 | 0.00 | 0.00  | 14.74  |
| 140000 | 5.44  | 5.06  | 12.11 | 7.28  | 11.25 | 1.01  | 1.78  | 0.35  | 1.43  | 0.00 | 19.75 | 69.61 | 0.00 | 0.00  | 16.03  |
| 150000 | 5.67  | 5.28  | 12.67 | 7.61  | 10.91 | 1.01  | 1.77  | 0.38  | 1.39  | 0.00 | 19.75 | 69.61 | 0.00 | 0.00  | 20.55  |
| 160000 | 5.23  | 3.92  | 9.11  | 5.35  | 11.51 | 0.81  | 1.70  | 0.43  | 1.27  | 0.00 | 19.73 | 69.52 | 0.00 | 0.00  | 22.07  |
| 170000 | 5.01  | 2.88  | 6.28  | 3.46  | 11.90 | 0.70  | 1.76  | 0.33  | 1.43  | 0.00 | 19.75 | 69.48 | 0.00 | 0.00  | 10.25  |
| 180000 | 4.99  | 2.68  | 5.50  | 2.87  | 10.61 | 0.67  | 1.77  | 0.31  | 1.46  | 0.00 | 19.76 | 69.55 | 0.00 | 0.00  | 6.55   |
| 190000 | 5.15  | 2.69  | 6.40  | 3.80  | 8.97  | 0.66  | 1.85  | 0.32  | 1.53  | 0.00 | 19.75 | 69.58 | 0.00 | 0.00  | 4.80   |
| 200000 | 5.24  | 2.77  | 7.91  | 5.24  | 8.33  | 0.66  | 1.86  | 0.33  | 1.53  | 0.00 | 19.76 | 69.55 | 0.00 | 0.00  | 6.18   |
| 210000 | 5.26  | 2.86  | 8.02  | 5.27  | 8.46  | 0.65  | 1.92  | 0.34  | 1.58  | 0.00 | 19.75 | 69.55 | 0.00 | 0.00  | 7.89   |
| 220000 | 5.35  | 2.95  | 7.78  | 4.91  | 7.83  | 0.65  | 1.97  | 0.35  | 1.62  | 0.00 | 19.72 | 69.52 | 0.00 | 0.00  | 9.06   |
| 230000 | 5.36  | 3.10  | 7.98  | 4.99  | 8.26  | 0.64  | 1.88  | 0.42  | 1.46  | 0.00 | 19.70 | 69.48 | 0.00 | 0.00  | 8.63   |
| 極大值    | 5.67  | 5.95  | 12.67 | 7.61  | 19.86 | 1.01  | 2.19  | 0.45  | 1.78  | 0.00 | 19.76 | 69.61 | 0.00 | 0.00  | 22.07  |
| 極小值    | 4.80  | 2.61  | 5.07  | 2.51  | 6.16  | 0.59  | 1.70  | 0.31  | 1.27  | 0.00 | 19.58 | 69.33 | 0.00 | 0.00  | 4.80   |
| 平均值    | 5.10  | 3.69  | 8.42  | 4.86  | 10.13 | 0.72  | 1.89  | 0.37  | 1.51  | 0.00 | 19.68 | 69.44 | 0.00 | 0.00  | 12.58  |
| 標準差    | 0.21  | 0.98  | 1.99  | 1.37  | 3.52  | 0.14  | 0.12  | 0.04  | 0.13  | 0    | 0.07  | 0.12  | 0    | 0     | 4.98   |

屏東縣崁頂焚化爐空氣品質監  
測報表日報(小時數  
據)A003 溪北國小  
站

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫  | 站內溫   | RH    | WD   | WS    | PM10   |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|------|-------|--------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (oC) | (oC)  | (%)   | (o)  | (m/s) | (ug/m) |
| 000000 | 5.40  | 3.05  | 7.99  | 5.03  | 8.44  | 0.61  | 2.00  | 0.38  | 1.62  | 0.00 | 19.64 | 69.33 | 0.00 | 0.00  | 23.12  |
| 010000 | 5.24  | 3.24  | 9.30  | 6.20  | 7.90  | 0.61  | 2.09  | 0.37  | 1.72  | 0.00 | 19.64 | 69.33 | 0.00 | 0.00  | 22.87  |
| 020000 | 5.30  | 3.31  | 8.23  | 5.01  | 8.06  | 0.60  | 2.17  | 0.35  | 1.82  | 0.00 | 19.61 | 69.33 | 0.00 | 0.00  | 26.33  |
| 030000 | 5.24  | 3.44  | 8.32  | 5.01  | 8.41  | 0.59  | 2.33  | 0.36  | 1.97  | 0.00 | 19.60 | 69.33 | 0.00 | 0.00  | 28.93  |
| 040000 | 5.09  | 3.71  | 8.84  | 5.27  | 8.15  | 0.60  | 2.25  | 0.35  | 1.90  | 0.00 | 19.63 | 69.33 | 0.00 | 0.00  | 27.30  |
| 050000 | 5.10  | 5.68  | 10.96 | 5.47  | 8.54  | 0.61  | 2.24  | 0.36  | 1.88  | 0.00 | 19.61 | 69.33 | 0.00 | 0.00  | 28.93  |
| 060000 | 5.13  | 5.56  | 9.73  | 4.34  | 6.85  | 0.62  | 2.00  | 0.41  | 1.59  | 0.00 | 19.65 | 69.33 | 0.00 | 0.00  | 26.39  |
| 070000 | 4.93  | 3.88  | 7.14  | 3.39  | 7.00  | 0.62  | 1.81  | 0.33  | 1.48  | 0.00 | 19.68 | 69.33 | 0.00 | 0.00  | 23.42  |
| 080000 | 4.92  | 3.11  | 5.93  | 2.89  | 9.28  | 0.68  | 1.80  | 0.34  | 1.46  | 0.00 | 19.67 | 69.33 | 0.00 | 0.00  | 19.17  |
| 090000 | 4.94  | 3.19  | 8.09  | 5.03  | 10.86 | 0.73  | 1.83  | 0.35  | 1.48  | 0.00 | 19.67 | 69.33 | 0.00 | 0.00  | 15.42  |
| 100000 | 4.98  | 3.31  | 7.80  | 4.58  | 12.16 | 0.69  | 1.76  | 0.41  | 1.35  | 0.00 | 19.66 | 69.33 | 0.00 | 0.00  | 23.55  |
| 110000 | 4.88  | 2.89  | 6.11  | 3.29  | 13.70 | 0.69  | 1.77  | 0.39  | 1.38  | 0.00 | 19.68 | 69.38 | 0.00 | 0.00  | 25.44  |
| 120000 | 4.96  | 3.03  | 6.53  | 3.56  | 14.29 | 0.75  | 1.77  | 0.37  | 1.40  | 0.00 | 19.73 | 69.48 | 0.00 | 0.00  | 31.92  |
| 130000 | 4.89  | 3.42  | 7.93  | 4.62  | 15.55 | 0.79  | 1.77  | 0.42  | 1.35  | 0.00 | 19.72 | 69.47 | 0.00 | 0.00  | 35.50  |
| 140000 | 4.87  | 4.98  | 11.83 | 7.07  | 12.82 | 0.87  | 1.78  | 0.44  | 1.34  | 0.00 | 19.72 | 69.47 | 0.00 | 0.00  | 34.37  |
| 150000 | 5.05  | 6.46  | 14.47 | 8.27  | 10.06 | 0.96  | 1.71  | 0.44  | 1.27  | 0.00 | 19.74 | 69.47 | 0.00 | 0.00  | 32.39  |
| 160000 | 5.19  | 4.45  | 11.62 | 7.37  | 10.32 | 0.79  | 1.76  | 0.36  | 1.40  | 0.00 | 19.72 | 69.48 | 0.00 | 0.00  | 34.56  |
| 170000 | 5.09  | 4.02  | 10.97 | 7.15  | 9.00  | 0.75  | 1.70  | 0.43  | 1.27  | 0.00 | 19.70 | 69.48 | 0.00 | 0.00  | 25.89  |
| 180000 | 5.10  | 2.98  | 8.57  | 5.71  | 8.54  | 0.71  | 1.76  | 0.36  | 1.40  | 0.00 | 19.65 | 69.55 | 0.00 | 0.00  | 21.53  |
| 190000 | 5.06  | 2.88  | 7.98  | 5.22  | 7.48  | 0.70  | 1.83  | 0.32  | 1.51  | 0.00 | 19.60 | 69.57 | 0.00 | 0.00  | 19.55  |
| 200000 | 5.39  | 2.65  | 8.13  | 5.57  | 8.07  | 0.69  | 1.89  | 0.34  | 1.55  | 0.00 | 19.61 | 69.54 | 0.00 | 0.00  | 24.11  |
| 210000 | 5.32  | 2.66  | 8.56  | 6.03  | 7.75  | 0.69  | 1.93  | 0.34  | 1.59  | 0.00 | 19.63 | 69.54 | 0.00 | 0.00  | 29.36  |
| 220000 | 5.37  | 2.74  | 9.10  | 6.49  | 7.43  | 0.68  | 1.93  | 0.37  | 1.56  | 0.00 | 19.63 | 69.50 | 0.00 | 0.00  | 27.96  |
| 230000 | 5.31  | 2.79  | 9.47  | 6.83  | 8.64  | 0.67  | 1.95  | 0.40  | 1.55  | 0.00 | 19.62 | 69.46 | 0.00 | 0.00  | 27.91  |
| 極大值    | 5.40  | 6.46  | 14.47 | 8.27  | 15.55 | 0.96  | 2.33  | 0.44  | 1.97  | 0.00 | 19.74 | 69.57 | 0.00 | 0.00  | 35.50  |
| 極小值    | 4.87  | 2.65  | 5.93  | 2.89  | 6.85  | 0.59  | 1.70  | 0.32  | 1.27  | 0.00 | 19.60 | 69.33 | 0.00 | 0.00  | 15.42  |
| 平均值    | 5.11  | 3.64  | 8.90  | 5.39  | 9.55  | 0.70  | 1.91  | 0.37  | 1.54  | 0.00 | 19.66 | 69.42 | 0.00 | 0.00  | 26.50  |
| 標準差    | 0.17  | 1.05  | 1.96  | 1.38  | 2.44  | 0.09  | 0.18  | 0.04  | 0.2   | 0    | 0.04  | 0.09  | 0    | 0     | 5.09   |

屏東縣崁頂焚化爐空氣品質監  
測報表日報(小時數  
據)A003 溪北國小  
站

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫  | 站內溫   | RH    | WD   | WS    | PM10   |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|------|-------|--------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (oC) | (oC)  | (%)   | (o)  | (m/s) | (ug/m) |
| 000000 | 5.29  | 2.97  | 11.24 | 8.48  | 9.64  | 0.65  | 2.09  | 0.38  | 1.71  | 0.00 | 19.59 | 69.35 | 0.00 | 0.00  | 15.64  |
| 010000 | 5.28  | 2.97  | 8.68  | 5.81  | 9.38  | 0.61  | 2.11  | 0.46  | 1.65  | 0.00 | 19.61 | 69.33 | 0.00 | 0.00  | 13.75  |
| 020000 | 5.26  | 3.94  | 10.31 | 6.57  | 9.36  | 0.61  | 2.61  | 0.39  | 2.22  | 0.00 | 19.61 | 69.33 | 0.00 | 0.00  | 13.30  |
| 030000 | 5.20  | 4.32  | 9.94  | 5.79  | 9.09  | 0.61  | 2.41  | 0.37  | 2.04  | 0.00 | 19.61 | 69.33 | 0.00 | 0.00  | 12.90  |
| 040000 | 5.08  | 3.86  | 9.31  | 5.59  | 9.21  | 0.64  | 1.96  | 0.35  | 1.61  | 0.00 | 19.61 | 69.33 | 0.00 | 0.00  | 11.62  |
| 050000 | 5.18  | 5.24  | 10.90 | 5.86  | 8.49  | 0.61  | 2.05  | 0.34  | 1.71  | 0.00 | 19.62 | 69.33 | 0.00 | 0.00  | 9.84   |
| 060000 | 5.03  | 5.77  | 10.81 | 5.24  | 6.57  | 0.63  | 1.93  | 0.34  | 1.59  | 0.00 | 19.61 | 69.33 | 0.00 | 0.00  | 8.11   |
| 070000 | 5.05  | 4.25  | 8.55  | 4.46  | 7.60  | 0.68  | 1.86  | 0.34  | 1.52  | 0.00 | 19.61 | 69.33 | 0.00 | 0.00  | 8.94   |
| 080000 | 4.96  | 3.12  | 6.46  | 3.42  | 10.54 | 0.71  | 1.74  | 0.42  | 1.32  | 0.00 | 19.59 | 69.33 | 0.00 | 0.00  | 13.34  |
| 090000 | 4.92  | 2.62  | 5.33  | 2.76  | 13.39 | 0.73  | 1.80  | 0.35  | 1.45  | 0.00 | 19.59 | 69.33 | 0.00 | 0.00  | 22.34  |
| 100000 | 5.04  | 2.72  | 7.11  | 4.47  | 21.41 | 0.80  | 1.83  | 0.40  | 1.43  | 0.00 | 19.60 | 69.33 | 0.00 | 0.00  | 33.07  |
| 110000 | 5.01  | 2.62  | 5.42  | 2.86  | 19.45 | 0.72  | 1.80  | 0.37  | 1.43  | 0.00 | 19.61 | 69.37 | 0.00 | 0.00  | 43.86  |
| 120000 | 5.07  | 2.65  | 5.34  | 2.73  | 19.58 | 0.70  | 1.79  | 0.33  | 1.46  | 0.00 | 19.66 | 69.59 | 0.00 | 0.00  | 47.44  |
| 130000 | 5.04  | 2.61  | 4.95  | 2.38  | 14.09 | 0.67  | 1.76  | 0.32  | 1.44  | 0.00 | 19.69 | 69.61 | 0.00 | 0.00  | 47.49  |
| 140000 | 5.04  | 2.70  | 6.65  | 4.02  | 17.23 | 0.72  | 1.80  | 0.34  | 1.46  | 0.00 | 19.68 | 69.60 | 0.00 | 0.00  | 46.14  |
| 150000 | 4.97  | 2.93  | 6.37  | 3.50  | 13.82 | 0.73  | 1.68  | 0.46  | 1.22  | 0.00 | 19.67 | 69.49 | 0.00 | 0.00  | 49.67  |
| 160000 | 4.98  | 2.88  | 5.63  | 2.81  | 12.85 | 0.72  | 1.75  | 0.33  | 1.42  | 0.00 | 19.65 | 69.47 | 0.00 | 0.00  | 50.44  |
| 170000 | 5.07  | 2.63  | 5.11  | 2.54  | 12.58 | 0.71  | 1.71  | 0.36  | 1.35  | 0.00 | 19.64 | 69.47 | 0.00 | 0.00  | 46.07  |
| 180000 | 4.96  | 2.59  | 5.71  | 3.19  | 12.72 | 0.69  | 1.69  | 0.40  | 1.29  | 0.00 | 19.65 | 69.56 | 0.00 | 0.00  | 42.09  |
| 190000 | 5.04  | 2.43  | 5.00  | 2.61  | 11.15 | 0.67  | 1.76  | 0.32  | 1.44  | 0.00 | 19.62 | 69.58 | 0.00 | 0.00  | 35.28  |
| 200000 | 5.16  | 2.42  | 4.77  | 2.40  | 10.85 | 0.67  | 1.80  | 0.30  | 1.50  | 0.00 | 19.64 | 69.52 | 0.00 | 0.00  | 31.07  |
| 210000 | 5.10  | 2.48  | 6.94  | 4.58  | 9.50  | 0.67  | 1.89  | 0.32  | 1.57  | 0.00 | 19.64 | 69.54 | 0.00 | 0.00  | 25.34  |
| 220000 | 5.10  | 2.67  | 7.98  | 5.41  | 8.28  | 0.74  | 1.90  | 0.39  | 1.51  | 0.00 | 19.62 | 69.56 | 0.00 | 0.00  | 20.59  |
| 230000 | 4.90  | 2.67  | 6.78  | 4.21  | 9.10  | 0.67  | 1.86  | 0.34  | 1.52  | 0.00 | 19.59 | 69.51 | 0.00 | 0.00  | 15.77  |
| 極大值    | 5.29  | 5.77  | 11.24 | 8.48  | 21.41 | 0.80  | 2.61  | 0.46  | 2.22  | 0.00 | 19.69 | 69.61 | 0.00 | 0.00  | 50.44  |
| 極小值    | 4.90  | 2.42  | 4.77  | 2.38  | 6.57  | 0.61  | 1.68  | 0.30  | 1.22  | 0.00 | 19.59 | 69.33 | 0.00 | 0.00  | 8.11   |
| 平均值    | 5.07  | 3.17  | 7.30  | 4.24  | 11.91 | 0.68  | 1.90  | 0.36  | 1.54  | 0.00 | 19.63 | 69.44 | 0.00 | 0.00  | 27.67  |
| 標準差    | 0.11  | 0.91  | 2.14  | 1.59  | 4.01  | 0.05  | 0.22  | 0.04  | 0.22  | 0    | 0.03  | 0.11  | 0    | 0     | 15.52  |

屏東縣崁頂焚化爐空氣品質監  
測報表日報(小時數  
據)A003 溪北國小  
站

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫  | 站內溫   | RH    | WD   | WS    | PM10   |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|------|-------|--------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (oC) | (oC)  | (%)   | (o)  | (m/s) | (ug/m) |
| 000000 | 4.99  | 2.58  | 5.84  | 3.32  | 10.86 | 0.62  | 1.92  | 0.34  | 1.58  | 0.00 | 19.53 | 69.38 | 0.00 | 0.00  | 34.70  |
| 010000 | 5.10  | 2.66  | 6.46  | 3.89  | 11.01 | 0.62  | 2.03  | 0.34  | 1.69  | 0.00 | 19.51 | 69.34 | 0.00 | 0.00  | 36.79  |
| 020000 | 5.12  | 2.83  | 7.16  | 4.42  | 9.65  | 0.61  | 2.00  | 0.34  | 1.66  | 0.00 | 19.51 | 69.33 | 0.00 | 0.00  | 47.36  |
| 030000 | 5.08  | 2.79  | 6.23  | 3.51  | 10.50 | 0.60  | 2.03  | 0.33  | 1.70  | 0.00 | 19.50 | 69.33 | 0.00 | 0.00  | 23.79  |
| 040000 | 5.03  | 2.94  | 6.61  | 3.73  | 9.38  | 0.61  | 1.96  | 0.33  | 1.63  | 0.00 | 19.51 | 69.33 | 0.00 | 0.00  | 24.42  |
| 050000 | 5.04  | 3.53  | 7.82  | 4.39  | 9.81  | 0.63  | 1.93  | 0.40  | 1.53  | 0.00 | 19.50 | 69.33 | 0.00 | 0.00  | 27.23  |
| 060000 | 5.05  | 4.77  | 8.62  | 4.00  | 8.60  | 0.66  | 1.95  | 0.38  | 1.57  | 0.00 | 19.50 | 69.33 | 0.00 | 0.00  | 33.24  |
| 070000 | 4.97  | 3.38  | 6.36  | 3.04  | 7.85  | 0.73  | 1.81  | 0.45  | 1.36  | 0.00 | 19.48 | 69.33 | 0.00 | 0.00  | 14.65  |
| 080000 | 4.82  | 2.71  | 4.77  | 2.09  | 8.57  | 0.72  | 1.77  | 0.34  | 1.43  | 0.00 | 19.49 | 69.33 | 0.00 | 0.00  | 23.12  |
| 090000 | 4.77  | 2.74  | 4.38  | 1.66  | 8.73  | 0.72  | 1.71  | 0.37  | 1.34  | 0.00 | 19.51 | 69.33 | 0.00 | 0.00  | 25.50  |
| 100000 | 4.81  | 2.71  | 4.38  | 1.67  | 8.28  | 0.74  | 1.72  | 0.35  | 1.37  | 0.00 | 19.51 | 69.33 | 0.00 | 0.00  | 27.80  |
| 110000 | 4.88  | 2.77  | 4.38  | 1.66  | 9.89  | 0.71  | 1.74  | 0.33  | 1.41  | 0.00 | 19.50 | 69.38 | 0.00 | 0.00  | 32.16  |
| 120000 | 4.86  | 2.66  | 4.10  | 1.45  | 9.03  | 0.68  | 1.73  | 0.30  | 1.43  | 0.00 | 19.58 | 69.61 | 0.00 | 0.00  | 37.84  |
| 130000 | 4.90  | 2.65  | 4.02  | 1.39  | 9.15  | 0.66  | 1.73  | 0.30  | 1.43  | 0.00 | 19.58 | 69.61 | 0.00 | 0.00  | 41.99  |
| 140000 | 4.91  | 2.57  | 3.88  | 1.34  | 9.51  | 0.66  | 1.72  | 0.32  | 1.40  | 0.00 | 19.60 | 69.61 | 0.00 | 0.00  | 18.66  |
| 150000 | 4.95  | 2.62  | 3.96  | 1.37  | 8.82  | 0.66  | 1.62  | 0.43  | 1.19  | 0.00 | 19.58 | 69.61 | 0.00 | 0.00  | 22.87  |
| 160000 | 4.91  | 2.62  | 3.97  | 1.37  | 7.66  | 0.66  | 1.69  | 0.35  | 1.34  | 0.00 | 19.56 | 69.61 | 0.00 | 0.00  | 29.09  |
| 170000 | 4.91  | 2.58  | 4.09  | 1.54  | 8.28  | 0.68  | 1.73  | 0.31  | 1.42  | 0.00 | 19.56 | 69.56 | 0.00 | 0.00  | 18.46  |
| 180000 | 4.89  | 2.52  | 4.35  | 1.89  | 8.35  | 0.66  | 1.73  | 0.31  | 1.42  | 0.00 | 19.55 | 69.59 | 0.00 | 0.00  | 21.71  |
| 190000 | 4.97  | 2.52  | 6.89  | 4.46  | 8.94  | 0.70  | 1.78  | 0.34  | 1.44  | 0.00 | 19.55 | 69.54 | 0.00 | 0.00  | 24.89  |
| 200000 | 5.03  | 2.51  | 7.37  | 5.00  | 8.52  | 0.71  | 1.83  | 0.36  | 1.47  | 0.00 | 19.51 | 69.50 | 0.00 | 0.00  | 24.78  |
| 210000 | 5.04  | 2.66  | 8.68  | 6.15  | 9.13  | 0.73  | 1.86  | 0.44  | 1.42  | 0.00 | 19.51 | 69.47 | 0.00 | 0.00  | 20.02  |
| 220000 | 5.02  | 2.59  | 7.44  | 4.95  | 9.04  | 0.72  | 1.86  | 0.37  | 1.49  | 0.00 | 19.51 | 69.49 | 0.00 | 0.00  | 20.88  |
| 230000 | 4.98  | 2.62  | 7.54  | 5.02  | 9.07  | 0.71  | 1.87  | 0.36  | 1.51  | 0.00 | 19.47 | 69.46 | 0.00 | 0.00  | 24.98  |
| 極大值    | 5.12  | 4.77  | 8.68  | 6.15  | 11.01 | 0.74  | 2.03  | 0.45  | 1.70  | 0.00 | 19.60 | 69.61 | 0.00 | 0.00  | 47.36  |
| 極小值    | 4.77  | 2.51  | 3.88  | 1.34  | 7.66  | 0.60  | 1.62  | 0.30  | 1.19  | 0.00 | 19.47 | 69.33 | 0.00 | 0.00  | 14.65  |
| 平均值    | 4.96  | 2.81  | 5.80  | 3.05  | 9.11  | 0.68  | 1.82  | 0.35  | 1.47  | 0.00 | 19.53 | 69.45 | 0.00 | 0.00  | 27.37  |
| 標準差    | 0.09  | 0.48  | 1.64  | 1.52  | 0.86  | 0.04  | 0.12  | 0.04  | 0.12  | 0    | 0.04  | 0.12  | 0    | 0     | 7.95   |

屏東縣崁頂焚化爐空氣品質監  
測報表日報(小時數  
據)A003 溪北國小  
站

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫  | 站內溫   | RH    | WD   | WS    | PM10   |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|------|-------|--------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (oC) | (oC)  | (%)   | (o)  | (m/s) | (ug/m) |
| 000000 | 5.03  | 2.75  | 8.28  | 5.64  | 10.43 | 0.68  | 1.98  | 0.39  | 1.59  | 0.00 | 19.45 | 69.35 | 0.00 | 0.00  | 32.03  |
| 010000 | 5.19  | 4.47  | 10.38 | 6.11  | 9.21  | 0.67  | 2.20  | 0.52  | 1.68  | 0.00 | 19.42 | 69.33 | 0.00 | 0.00  | 43.57  |
| 020000 | 5.25  | 4.04  | 8.95  | 5.08  | 10.17 | 0.64  | 2.31  | 0.42  | 1.89  | 0.00 | 19.40 | 69.33 | 0.00 | 0.00  | 32.20  |
| 030000 | 5.33  | 4.13  | 8.53  | 4.58  | 9.93  | 0.63  | 2.28  | 0.38  | 1.90  | 0.00 | 19.41 | 69.33 | 0.00 | 0.00  | 33.05  |
| 040000 | 5.18  | 3.84  | 8.24  | 4.52  | 9.28  | 0.63  | 2.10  | 0.37  | 1.73  | 0.00 | 19.40 | 69.33 | 0.00 | 0.00  | 19.93  |
| 050000 | 5.15  | 7.56  | 12.09 | 4.75  | 9.66  | 0.65  | 2.10  | 0.39  | 1.71  | 0.00 | 19.39 | 69.33 | 0.00 | 0.00  | 17.19  |
| 060000 | 5.23  | 9.43  | 13.75 | 4.60  | 8.99  | 0.71  | 2.35  | 0.42  | 1.93  | 0.00 | 19.37 | 69.33 | 0.00 | 0.00  | 14.25  |
| 070000 | 5.19  | 6.62  | 11.81 | 5.40  | 6.30  | 0.75  | 2.11  | 0.47  | 1.64  | 0.00 | 19.36 | 69.33 | 0.00 | 0.00  | 25.73  |
| 080000 | 4.94  | 3.86  | 8.16  | 4.45  | 7.81  | 0.77  | 1.91  | 0.39  | 1.52  | 0.00 | 19.34 | 69.33 | 0.00 | 0.00  | 26.92  |
| 090000 | 4.90  | 2.94  | 6.77  | 3.92  | 12.32 | 0.81  | 1.86  | 0.36  | 1.50  | 0.00 | 19.33 | 69.33 | 0.00 | 0.00  | 20.54  |
| 100000 | 4.85  | 2.58  | 5.76  | 3.27  | 16.83 | 0.82  | 1.85  | 0.35  | 1.50  | 0.00 | 19.33 | 69.33 | 0.00 | 0.00  | 18.56  |
| 110000 | 4.95  | 2.59  | 6.25  | 3.76  | 21.60 | 0.83  | 1.83  | 0.37  | 1.46  | 0.00 | 19.35 | 69.37 | 0.00 | 0.00  | 13.81  |
| 120000 | 5.02  | 2.64  | 5.68  | 3.11  | 17.89 | 0.76  | 1.70  | 0.45  | 1.25  | 0.00 | 19.41 | 69.59 | 0.00 | 0.00  | 20.22  |
| 130000 | 4.99  | 2.76  | 5.07  | 2.38  | 13.55 | 0.74  | 1.75  | 0.33  | 1.42  | 0.00 | 19.36 | 69.48 | 0.00 | 0.00  | 37.32  |
| 140000 | 4.95  | 2.86  | 5.05  | 2.24  | 11.51 | 0.72  | 1.74  | 0.31  | 1.43  | 0.00 | 19.36 | 69.51 | 0.00 | 0.00  | 40.43  |
| 150000 | 5.06  | 2.80  | 7.58  | 4.87  | 11.39 | 0.73  | 1.77  | 0.33  | 1.44  | 0.00 | 19.33 | 69.51 | 0.00 | 0.00  | 17.02  |
| 160000 | 5.17  | 2.66  | 8.85  | 6.34  | 14.38 | 0.76  | 1.81  | 0.35  | 1.46  | 0.00 | 19.33 | 69.48 | 0.00 | 0.00  | 27.20  |
| 170000 | 5.20  | 2.62  | 10.34 | 7.88  | 13.86 | 0.78  | 1.84  | 0.43  | 1.41  | 0.00 | 19.30 | 69.47 | 0.00 | 0.00  | 34.60  |
| 180000 | 5.34  | 2.70  | 11.21 | 8.71  | 12.19 | 0.79  | 1.91  | 0.44  | 1.47  | 0.00 | 19.34 | 69.47 | 0.00 | 0.00  | 19.02  |
| 190000 | 5.21  | 2.63  | 9.85  | 7.38  | 11.01 | 0.76  | 1.96  | 0.36  | 1.60  | 0.00 | 19.33 | 69.47 | 0.00 | 0.00  | 15.51  |
| 200000 | 5.28  | 2.65  | 9.46  | 6.97  | 9.75  | 0.76  | 2.02  | 0.36  | 1.66  | 0.00 | 19.31 | 69.47 | 0.00 | 0.00  | 17.73  |
| 210000 | 5.18  | 2.65  | 8.39  | 5.85  | 10.41 | 0.74  | 2.03  | 0.35  | 1.68  | 0.00 | 19.30 | 69.47 | 0.00 | 0.00  | 23.84  |
| 220000 | 5.13  | 2.75  | 9.09  | 6.48  | 9.23  | 0.74  | 2.09  | 0.36  | 1.73  | 0.00 | 19.31 | 69.47 | 0.00 | 0.00  | 16.39  |
| 230000 | 5.37  | 2.84  | 8.21  | 5.45  | 9.53  | 0.73  | 2.05  | 0.43  | 1.62  | 0.00 | 19.33 | 69.47 | 0.00 | 0.00  | 24.97  |
| 極大值    | 5.37  | 9.43  | 13.75 | 8.71  | 21.60 | 0.83  | 2.35  | 0.52  | 1.93  | 0.00 | 19.45 | 69.59 | 0.00 | 0.00  | 43.57  |
| 極小值    | 4.85  | 2.58  | 5.05  | 2.24  | 6.30  | 0.63  | 1.70  | 0.31  | 1.25  | 0.00 | 19.30 | 69.33 | 0.00 | 0.00  | 13.81  |
| 平均值    | 5.13  | 3.64  | 8.66  | 5.16  | 11.55 | 0.73  | 1.98  | 0.39  | 1.59  | 0.00 | 19.36 | 69.41 | 0.00 | 0.00  | 24.67  |
| 標準差    | 0.15  | 1.78  | 2.25  | 1.65  | 3.43  | 0.06  | 0.19  | 0.05  | 0.17  | 0    | 0.04  | 0.08  | 0    | 0     | 8.67   |

屏東縣崁頂焚化爐空氣品質監  
測報表日報(小時數  
據)A003 溪北國小  
站

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫  | 站內溫   | RH    | WD   | WS    | PM10   |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|------|-------|--------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (oC) | (oC)  | (%)   | (o)  | (m/s) | (ug/m) |
| 000000 | 5.33  | 3.02  | 11.05 | 8.22  | 9.89  | 0.76  | 2.20  | 0.45  | 1.75  | 0.00 | 19.33 | 69.47 | 0.00 | 0.00  | 22.52  |
| 010000 | 5.31  | 3.12  | 10.27 | 7.32  | 9.22  | 0.76  | 2.26  | 0.40  | 1.86  | 0.00 | 19.34 | 69.47 | 0.00 | 0.00  | 23.57  |
| 020000 | 5.24  | 3.28  | 10.04 | 6.92  | 9.46  | 0.77  | 2.46  | 0.41  | 2.05  | 0.00 | 19.32 | 69.47 | 0.00 | 0.00  | 31.99  |
| 030000 | 5.05  | 3.27  | 8.73  | 5.59  | 9.30  | 0.76  | 2.23  | 0.42  | 1.81  | 0.00 | 19.32 | 69.47 | 0.00 | 0.00  | 41.32  |
| 040000 | 5.10  | 3.39  | 9.01  | 5.76  | 8.95  | 0.77  | 2.28  | 0.51  | 1.77  | 0.00 | 19.33 | 69.47 | 0.00 | 0.00  | 39.86  |
| 050000 | 5.26  | 4.49  | 9.69  | 5.39  | 8.94  | 0.76  | 2.70  | 0.43  | 2.27  | 0.00 | 19.33 | 69.47 | 0.00 | 0.00  | 40.54  |
| 060000 | 5.28  | 6.61  | 11.33 | 4.92  | 7.96  | 0.79  | 2.56  | 0.42  | 2.14  | 0.00 | 19.33 | 69.47 | 0.00 | 0.00  | 43.91  |
| 070000 | 5.26  | 5.55  | 10.52 | 5.15  | 6.66  | 0.80  | 2.30  | 0.40  | 1.90  | 0.00 | 19.34 | 69.52 | 0.00 | 0.00  | 42.31  |
| 080000 | 5.11  | 3.38  | 7.05  | 3.76  | 8.72  | 0.78  | 1.99  | 0.36  | 1.63  | 0.00 | 19.30 | 69.47 | 0.00 | 0.00  | 40.02  |
| 090000 | 5.09  | 2.86  | 6.27  | 3.50  | 13.39 | 0.79  | 1.83  | 0.46  | 1.37  | 0.00 | 19.25 | 69.47 | 0.00 | 0.00  | 41.19  |
| 100000 | 5.10  | 2.63  | 7.31  | 4.80  | 24.02 | 0.85  | 1.83  | 0.43  | 1.40  | 0.00 | 19.26 | 69.47 | 0.00 | 0.00  | 51.11  |
| 110000 | 4.99  | 2.53  | 7.72  | 5.28  | 32.00 | 0.88  | 1.79  | 0.41  | 1.38  | 0.00 | 19.25 | 69.47 | 0.00 | 0.00  | 51.62  |
| 120000 | 5.05  | 2.61  | 6.15  | 3.64  | 27.25 | 0.85  | 1.77  | 0.37  | 1.40  | 0.00 | 19.24 | 69.47 | 0.00 | 0.00  | 42.14  |
| 130000 | 5.00  | 2.72  | 5.77  | 3.11  | 20.88 | 0.78  | 1.72  | 0.37  | 1.35  | 0.00 | 19.23 | 69.47 | 0.00 | 0.00  | 36.04  |
| 140000 | 5.05  | 2.56  | 5.20  | 2.70  | 22.16 | 0.78  | 1.68  | 0.43  | 1.25  | 0.00 | 19.23 | 69.47 | 0.00 | 0.00  | 32.56  |
| 150000 | 5.06  | 2.56  | 6.35  | 3.86  | 20.29 | 0.77  | 1.76  | 0.35  | 1.41  | 0.00 | 19.22 | 69.51 | 0.00 | 0.00  | 42.22  |
| 160000 | 5.06  | 2.34  | 5.54  | 3.23  | 21.04 | 0.70  | 1.75  | 0.33  | 1.42  | 0.00 | 19.20 | 69.51 | 0.00 | 0.00  | 41.31  |
| 170000 | 5.05  | 2.39  | 6.18  | 3.87  | 16.16 | 0.69  | 1.76  | 0.33  | 1.43  | 0.00 | 19.19 | 69.47 | 0.00 | 0.00  | 36.05  |
| 180000 | 5.01  | 2.62  | 9.34  | 6.88  | 12.61 | 0.72  | 1.79  | 0.39  | 1.40  | 0.00 | 19.20 | 69.47 | 0.00 | 0.00  | 36.52  |
| 190000 | 5.18  | 2.91  | 10.95 | 8.22  | 10.06 | 0.75  | 1.84  | 0.40  | 1.44  | 0.00 | 19.20 | 69.47 | 0.00 | 0.00  | 33.86  |
| 200000 | 5.09  | 3.10  | 10.42 | 7.48  | 9.91  | 0.74  | 1.87  | 0.36  | 1.51  | 0.00 | 19.18 | 69.47 | 0.00 | 0.00  | 36.30  |
| 210000 | 5.04  | 3.29  | 11.67 | 8.58  | 9.74  | 0.78  | 2.01  | 0.39  | 1.62  | 0.00 | 19.17 | 69.47 | 0.00 | 0.00  | 33.92  |
| 220000 | 5.19  | 3.22  | 11.46 | 8.42  | 9.05  | 0.78  | 2.19  | 0.46  | 1.73  | 0.00 | 19.14 | 69.47 | 0.00 | 0.00  | 40.88  |
| 230000 | 5.24  | 3.51  | 11.48 | 8.19  | 8.05  | 0.77  | 2.18  | 0.46  | 1.72  | 0.00 | 19.16 | 69.47 | 0.00 | 0.00  | 30.00  |
| 極大值    | 5.33  | 6.61  | 11.67 | 8.58  | 32.00 | 0.88  | 2.70  | 0.51  | 2.27  | 0.00 | 19.34 | 69.52 | 0.00 | 0.00  | 51.62  |
| 極小值    | 4.99  | 2.34  | 5.20  | 2.70  | 6.66  | 0.69  | 1.68  | 0.33  | 1.25  | 0.00 | 19.14 | 69.47 | 0.00 | 0.00  | 22.52  |
| 平均值    | 5.13  | 3.25  | 8.73  | 5.62  | 13.99 | 0.77  | 2.03  | 0.41  | 1.63  | 0.00 | 19.25 | 69.48 | 0.00 | 0.00  | 37.99  |
| 標準差    | 0.11  | 1     | 2.23  | 1.94  | 7.14  | 0.04  | 0.29  | 0.04  | 0.28  | 0    | 0.07  | 0.01  | 0    | 0     | 6.990  |

屏東縣崁頂焚化爐空氣品質監  
測報表日報(小時數  
據)A003 溪北國小  
站

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫  | 站內溫   | RH    | WD   | WS    | PM10   |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|------|-------|--------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (oC) | (oC)  | (%)   | (o)  | (m/s) | (ug/m) |
| 000000 | 5.34  | 3.29  | 9.54  | 6.41  | 8.95  | 0.74  | 2.20  | 0.39  | 1.81  | 0.00 | 19.19 | 69.47 | 0.00 | 0.00  | 11.43  |
| 010000 | 5.28  | 3.26  | 7.80  | 4.65  | 8.24  | 0.71  | 2.22  | 0.39  | 1.83  | 0.00 | 19.23 | 69.47 | 0.00 | 0.00  | 17.92  |
| 020000 | 5.27  | 3.18  | 8.06  | 4.97  | 8.28  | 0.72  | 2.25  | 0.39  | 1.86  | 0.00 | 19.17 | 69.47 | 0.00 | 0.00  | 53.86  |
| 030000 | 5.33  | 3.35  | 8.57  | 5.34  | 8.18  | 0.73  | 2.30  | 0.43  | 1.87  | 0.00 | 19.16 | 69.47 | 0.00 | 0.00  | 57.55  |
| 040000 | 5.24  | 3.85  | 9.62  | 5.96  | 7.73  | 0.74  | 2.39  | 0.44  | 1.95  | 0.00 | 19.18 | 69.47 | 0.00 | 0.00  | 43.66  |
| 050000 | 5.36  | 4.56  | 9.79  | 5.41  | 7.78  | 0.72  | 2.30  | 0.46  | 1.84  | 0.00 | 19.19 | 69.47 | 0.00 | 0.00  | 23.19  |
| 060000 | 5.28  | 6.59  | 11.55 | 5.17  | 7.40  | 0.73  | 2.33  | 0.43  | 1.90  | 0.00 | 19.18 | 69.47 | 0.00 | 0.00  | 26.28  |
| 070000 | 5.33  | 5.29  | 10.63 | 5.53  | 7.10  | 0.76  | 2.22  | 0.41  | 1.81  | 0.00 | 19.17 | 69.48 | 0.00 | 0.00  | 38.32  |
| 080000 | 5.22  | 4.48  | 10.09 | 5.78  | 9.80  | 0.77  | 2.11  | 0.38  | 1.73  | 0.00 | 19.16 | 69.49 | 0.00 | 0.00  | 28.81  |
| 090000 | 5.03  | 2.95  | 6.59  | 3.70  | 15.05 | 0.77  | 1.93  | 0.35  | 1.58  | 0.00 | 19.14 | 69.47 | 0.00 | 0.00  | 38.83  |
| 100000 | 5.01  | 2.54  | 5.40  | 2.95  | 20.21 | 0.80  | 1.85  | 0.34  | 1.51  | 0.00 | 19.14 | 69.47 | 0.00 | 0.00  | 43.28  |
| 110000 | 4.90  | 2.43  | 4.90  | 2.50  | 23.49 | 0.82  | 1.85  | 0.35  | 1.50  | 0.00 | 19.16 | 69.47 | 0.00 | 0.00  | 37.89  |
| 120000 | 5.07  | 2.42  | 5.14  | 2.74  | 28.35 | 0.82  | 1.85  | 0.34  | 1.51  | 0.00 | 19.13 | 69.47 | 0.00 | 0.00  | 21.34  |
| 130000 | 5.04  | 2.38  | 5.86  | 3.55  | 34.67 | 0.86  | 1.82  | 0.36  | 1.46  | 0.00 | 19.13 | 69.47 | 0.00 | 0.00  | 20.44  |
| 140000 | 5.06  | 2.49  | 6.28  | 3.86  | 37.34 | 0.93  | 1.80  | 0.36  | 1.44  | 0.00 | 19.13 | 69.47 | 0.00 | 0.00  | 16.27  |
| 150000 | 5.00  | 2.40  | 5.45  | 3.09  | 35.38 | 0.88  | 1.78  | 0.34  | 1.44  | 0.00 | 19.13 | 69.47 | 0.00 | 0.00  | 16.51  |
| 160000 | 5.02  | 2.45  | 5.83  | 3.45  | 28.11 | 0.85  | 1.77  | 0.34  | 1.43  | 0.00 | 19.19 | 69.47 | 0.00 | 0.00  | 25.31  |
| 170000 | 5.11  | 2.45  | 7.51  | 5.14  | 21.29 | 0.83  | 1.72  | 0.48  | 1.24  | 0.00 | 19.14 | 69.47 | 0.00 | 0.00  | 36.53  |
| 180000 | 5.07  | 2.62  | 14.62 | 12.27 | 15.71 | 0.94  | 1.79  | 0.70  | 1.09  | 0.00 | 19.12 | 69.49 | 0.00 | 0.00  | 24.64  |
| 190000 | 5.34  | 2.48  | 11.62 | 9.33  | 14.89 | 0.89  | 1.85  | 0.54  | 1.31  | 0.00 | 19.13 | 69.50 | 0.00 | 0.00  | 26.25  |
| 200000 | 5.27  | 2.49  | 8.17  | 5.80  | 16.63 | 0.81  | 1.85  | 0.41  | 1.44  | 0.00 | 19.13 | 69.48 | 0.00 | 0.00  | 16.26  |
| 210000 | 5.12  | 2.39  | 8.27  | 5.99  | 15.28 | 0.80  | 1.95  | 0.37  | 1.58  | 0.00 | 19.12 | 69.48 | 0.00 | 0.00  | 8.91   |
| 220000 | 5.18  | 2.47  | 7.91  | 5.54  | 13.46 | 0.79  | 2.01  | 0.37  | 1.64  | 0.00 | 19.14 | 69.47 | 0.00 | 0.00  | 26.27  |
| 230000 | 5.18  | 2.53  | 8.08  | 5.68  | 12.10 | 0.79  | 2.00  | 0.37  | 1.63  | 0.00 | 19.12 | 69.46 | 0.00 | 0.00  | 22.25  |
| 極大值    | 5.36  | 6.59  | 14.62 | 12.27 | 37.34 | 0.94  | 2.39  | 0.70  | 1.95  | 0.00 | 19.23 | 69.50 | 0.00 | 0.00  | 57.55  |
| 極小值    | 4.90  | 2.38  | 4.90  | 2.50  | 7.10  | 0.71  | 1.72  | 0.34  | 1.09  | 0.00 | 19.12 | 69.46 | 0.00 | 0.00  | 11.43  |
| 平均值    | 5.17  | 3.14  | 8.22  | 5.20  | 16.89 | 0.80  | 2.01  | 0.41  | 1.60  | 0.00 | 19.15 | 69.47 | 0.00 | 0.00  | 28.42  |
| 標準差    | 0.14  | 1.09  | 2.41  | 2.13  | 9.66  | 0.07  | 0.22  | 0.08  | 0.23  | 0    | 0.03  | 0.01  | 0    | 0     | 12.76  |

## 測報表

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫  | 站內溫   | RH    | WD   | WS    | PM10   |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|------|-------|--------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (oC) | (oC)  | (%)   | (o)  | (m/s) | (ug/m) |
| 000000 | 5.19  | 2.57  | 7.48  | 5.02  | 11.37 | 0.75  | 2.03  | 0.36  | 1.67  | 0.00 | 19.07 | 69.33 | 0.00 | 0.00  | 26.46  |
| 010000 | 5.20  | 2.60  | 8.06  | 5.55  | 10.53 | 0.74  | 2.11  | 0.37  | 1.74  | 0.00 | 19.05 | 69.33 | 0.00 | 0.00  | 25.18  |
| 020000 | 5.25  | 2.63  | 7.43  | 4.88  | 10.80 | 0.72  | 2.08  | 0.39  | 1.69  | 0.00 | 19.05 | 69.33 | 0.00 | 0.00  | 25.21  |
| 030000 | 5.24  | 2.74  | 7.23  | 4.60  | 9.95  | 0.71  | 2.03  | 0.38  | 1.65  | 0.00 | 19.05 | 69.33 | 0.00 | 0.00  | 25.72  |
| 040000 | 5.36  | 2.90  | 7.76  | 4.96  | 9.90  | 0.71  | 2.37  | 0.43  | 1.94  | 0.00 | 19.07 | 69.33 | 0.00 | 0.00  | 29.01  |
| 050000 | 5.26  | 3.67  | 9.24  | 5.72  | 9.44  | 0.70  | 2.38  | 0.43  | 1.95  | 0.00 | 19.07 | 69.33 | 0.00 | 0.00  | 29.07  |
| 060000 | 5.20  | 4.04  | 8.37  | 4.49  | 9.09  | 0.69  | 2.32  | 0.44  | 1.88  | 0.00 | 19.06 | 69.33 | 0.00 | 0.00  | 27.74  |
| 070000 | 5.11  | 3.24  | 6.85  | 3.71  | 9.00  | 0.73  | 2.05  | 0.38  | 1.67  | 0.00 | 19.04 | 69.33 | 0.00 | 0.00  | 27.55  |
| 080000 | 5.18  | 2.63  | 5.84  | 3.28  | 13.20 | 0.76  | 1.96  | 0.36  | 1.60  | 0.00 | 19.05 | 69.33 | 0.00 | 0.00  | 28.60  |
| 090000 | 5.14  | 2.55  | 6.29  | 3.83  | 18.65 | 0.84  | 1.91  | 0.37  | 1.54  | 0.00 | 19.03 | 69.33 | 0.00 | 0.00  | 29.97  |
| 100000 | 5.13  | 2.55  | 7.67  | 5.22  | 28.46 | 0.97  | 1.86  | 0.45  | 1.41  | 0.00 | 19.02 | 69.33 | 0.00 | 0.00  | 28.45  |
| 110000 | 5.11  | 2.57  | 9.14  | 6.71  | 37.03 | 1.01  | 1.80  | 0.54  | 1.26  | 0.00 | 19.05 | 69.37 | 0.00 | 0.00  | 26.44  |
| 120000 | 5.11  | 2.69  | 8.42  | 5.84  | 31.52 | 0.86  | 1.80  | 0.40  | 1.40  | 0.00 | 19.12 | 69.58 | 0.00 | 0.00  | 29.49  |
| 130000 | 5.13  | 2.47  | 5.84  | 3.45  | 30.88 | 0.80  | 1.80  | 0.33  | 1.47  | 0.00 | 19.13 | 69.54 | 0.00 | 0.00  | 29.46  |
| 140000 | 5.01  | 2.47  | 5.68  | 3.25  | 25.54 | 0.79  | 1.81  | 0.33  | 1.48  | 0.00 | 19.11 | 69.47 | 0.00 | 0.00  | 33.42  |
| 150000 | 5.06  | 2.45  | 6.24  | 3.87  | 20.39 | 0.79  | 1.85  | 0.35  | 1.50  | 0.00 | 19.11 | 69.47 | 0.00 | 0.00  | 39.70  |
| 160000 | 5.22  | 2.49  | 7.18  | 4.79  | 16.98 | 0.79  | 1.89  | 0.39  | 1.50  | 0.00 | 19.11 | 69.47 | 0.00 | 0.00  | 39.08  |
| 170000 | 5.23  | 2.50  | 8.11  | 5.74  | 15.96 | 0.84  | 1.84  | 0.48  | 1.36  | 0.00 | 19.10 | 69.47 | 0.00 | 0.00  | 32.45  |
| 180000 | 5.38  | 2.43  | 7.83  | 5.50  | 14.67 | 0.84  | 1.98  | 0.39  | 1.59  | 0.00 | 19.12 | 69.47 | 0.00 | 0.00  | 33.07  |
| 190000 | 5.48  | 2.51  | 7.54  | 5.14  | 12.98 | 0.82  | 2.10  | 0.37  | 1.73  | 0.00 | 19.13 | 69.47 | 0.00 | 0.00  | 34.20  |
| 200000 | 5.50  | 2.47  | 7.46  | 5.10  | 11.00 | 0.82  | 2.11  | 0.38  | 1.73  | 0.00 | 19.12 | 69.47 | 0.00 | 0.00  | 34.74  |
| 210000 | 5.44  | 2.61  | 9.40  | 6.94  | 10.01 | 0.87  | 2.27  | 0.43  | 1.84  | 0.00 | 19.10 | 69.47 | 0.00 | 0.00  | 34.12  |
| 220000 | 5.47  | 2.60  | 9.15  | 6.69  | 9.72  | 0.88  | 2.24  | 0.42  | 1.82  | 0.00 | 19.10 | 69.47 | 0.00 | 0.00  | 32.51  |
| 230000 | 5.33  | 2.86  | 10.46 | 7.78  | 10.33 | 0.90  | 2.32  | 0.44  | 1.88  | 0.00 | 19.09 | 69.45 | 0.00 | 0.00  | 29.56  |
| 極大值    | 5.50  | 4.04  | 10.46 | 7.78  | 37.03 | 1.01  | 2.38  | 0.54  | 1.95  | 0.00 | 19.13 | 69.58 | 0.00 | 0.00  | 39.70  |
| 極小值    | 5.01  | 2.43  | 5.68  | 3.25  | 9.00  | 0.69  | 1.80  | 0.33  | 1.26  | 0.00 | 19.02 | 69.33 | 0.00 | 0.00  | 25.18  |
| 平均值    | 5.24  | 2.72  | 7.69  | 5.09  | 16.14 | 0.81  | 2.04  | 0.40  | 1.64  | 0.00 | 19.08 | 69.41 | 0.00 | 0.00  | 30.47  |
| 標準差    | 0.14  | 0.4   | 1.23  | 1.19  | 8.39  | 0.08  | 0.19  | 0.05  | 0.19  | 0    | 0.03  | 0.08  | 0    | 0     | 4.01   |

屏東縣崁頂焚化爐空氣品質監  
測報表日報(小時數  
據)A003 溪北國小  
站

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫  | 站內溫   | RH    | WD   | WS    | PM10   |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|------|-------|--------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (oC) | (oC)  | (%)   | (o)  | (m/s) | (ug/m) |
| 000000 | 5.36  | 2.82  | 8.81  | 6.12  | 11.21 | 0.81  | 2.25  | 0.43  | 1.82  | 0.00 | 19.05 | 69.33 | 0.00 | 0.00  | 18.45  |
| 010000 | 5.34  | 2.83  | 7.60  | 4.85  | 10.73 | 0.78  | 2.20  | 0.50  | 1.70  | 0.00 | 19.03 | 69.33 | 0.00 | 0.00  | 18.51  |
| 020000 | 5.29  | 2.93  | 7.66  | 4.82  | 10.33 | 0.80  | 2.28  | 0.43  | 1.85  | 0.00 | 19.03 | 69.33 | 0.00 | 0.00  | 24.40  |
| 030000 | 5.33  | 2.85  | 6.90  | 4.10  | 10.12 | 0.77  | 2.11  | 0.39  | 1.72  | 0.00 | 19.05 | 69.33 | 0.00 | 0.00  | 21.97  |
| 040000 | 5.25  | 2.88  | 7.40  | 4.61  | 10.12 | 0.76  | 2.06  | 0.43  | 1.63  | 0.00 | 19.05 | 69.33 | 0.00 | 0.00  | 20.99  |
| 050000 | 5.34  | 3.72  | 8.49  | 4.89  | 10.02 | 0.74  | 2.23  | 0.39  | 1.84  | 0.00 | 19.04 | 69.33 | 0.00 | 0.00  | 20.37  |
| 060000 | 5.25  | 5.23  | 10.14 | 5.08  | 9.70  | 0.76  | 2.21  | 0.44  | 1.77  | 0.00 | 19.03 | 69.33 | 0.00 | 0.00  | 17.70  |
| 070000 | 5.11  | 4.66  | 10.11 | 5.64  | 7.72  | 0.80  | 2.11  | 0.40  | 1.71  | 0.00 | 19.04 | 69.33 | 0.00 | 0.00  | 28.63  |
| 080000 | 5.10  | 4.00  | 11.88 | 8.10  | 12.20 | 1.02  | 1.96  | 0.41  | 1.55  | 0.00 | 19.03 | 69.33 | 0.00 | 0.00  | 27.03  |
| 090000 | 5.40  | 3.67  | 15.90 | 12.51 | 16.33 | 1.34  | 1.97  | 0.47  | 1.50  | 0.00 | 19.04 | 69.33 | 0.00 | 0.00  | 30.01  |
| 100000 | 5.53  | 3.17  | 16.00 | 13.13 | 21.48 | 1.25  | 1.99  | 0.53  | 1.46  | 0.00 | 19.05 | 69.33 | 0.00 | 0.00  | 26.48  |
| 110000 | 5.61  | 3.31  | 15.05 | 12.02 | 27.77 | 1.18  | 1.85  | 0.69  | 1.16  | 0.00 | 19.09 | 69.39 | 0.00 | 0.00  | 20.24  |
| 120000 | 5.29  | 3.03  | 12.43 | 9.61  | 33.20 | 1.08  | 1.81  | 0.52  | 1.29  | 0.00 | 19.11 | 69.48 | 0.00 | 0.00  | 13.61  |
| 130000 | 5.17  | 2.84  | 10.96 | 8.29  | 35.31 | 1.07  | 1.82  | 0.44  | 1.38  | 0.00 | 19.08 | 69.47 | 0.00 | 0.00  | 22.38  |
| 140000 | 5.16  | 2.64  | 9.43  | 6.94  | 35.36 | 0.97  | 1.82  | 0.44  | 1.38  | 0.00 | 19.08 | 69.47 | 0.00 | 0.00  | 21.80  |
| 150000 | 5.17  | 2.73  | 9.36  | 6.77  | 34.58 | 0.90  | 1.81  | 0.42  | 1.39  | 0.00 | 19.07 | 69.47 | 0.00 | 0.00  | 16.22  |
| 160000 | 5.22  | 2.65  | 9.79  | 7.28  | 29.54 | 0.89  | 1.80  | 0.39  | 1.41  | 0.00 | 19.08 | 69.47 | 0.00 | 0.00  | 21.46  |
| 170000 | 5.23  | 2.59  | 11.06 | 8.65  | 28.50 | 0.90  | 1.82  | 0.44  | 1.38  | 0.00 | 19.07 | 69.47 | 0.00 | 0.00  | 25.60  |
| 180000 | 5.24  | 2.45  | 9.10  | 6.81  | 24.57 | 0.85  | 1.80  | 0.38  | 1.42  | 0.00 | 19.08 | 69.47 | 0.00 | 0.00  | 29.48  |
| 190000 | 5.25  | 2.39  | 8.96  | 6.71  | 19.72 | 0.84  | 1.72  | 0.48  | 1.24  | 0.00 | 19.10 | 69.47 | 0.00 | 0.00  | 43.77  |
| 200000 | 5.32  | 2.53  | 13.32 | 11.07 | 13.65 | 0.93  | 1.80  | 0.57  | 1.23  | 0.00 | 19.09 | 69.48 | 0.00 | 0.00  | 35.79  |
| 210000 | 5.44  | 2.55  | 11.66 | 9.31  | 10.51 | 0.84  | 2.25  | 0.51  | 1.74  | 0.00 | 19.08 | 69.47 | 0.00 | 0.00  | 33.19  |
| 220000 | 5.40  | 2.46  | 9.18  | 6.87  | 10.79 | 0.83  | 2.32  | 0.40  | 1.92  | 0.00 | 19.07 | 69.47 | 0.00 | 0.00  | 30.41  |
| 230000 | 5.13  | 2.43  | 8.83  | 6.54  | 11.32 | 0.85  | 1.97  | 0.39  | 1.58  | 0.00 | 19.05 | 69.44 | 0.00 | 0.00  | 30.37  |
| 極大值    | 5.61  | 5.23  | 16.00 | 13.13 | 35.36 | 1.34  | 2.32  | 0.69  | 1.92  | 0.00 | 19.11 | 69.48 | 0.00 | 0.00  | 43.77  |
| 極小值    | 5.10  | 2.39  | 6.90  | 4.10  | 7.72  | 0.74  | 1.72  | 0.38  | 1.16  | 0.00 | 19.03 | 69.33 | 0.00 | 0.00  | 13.61  |
| 平均值    | 5.29  | 3.06  | 10.42 | 7.53  | 18.53 | 0.92  | 2.00  | 0.45  | 1.54  | 0.00 | 19.06 | 69.40 | 0.00 | 0.00  | 24.95  |
| 標準差    | 0.13  | 0.72  | 2.58  | 2.6   | 9.84  | 0.16  | 0.19  | 0.07  | 0.22  | 0    | 0.02  | 0.07  | 0    | 0     | 6.93   |

屏東縣崁頂焚化爐空氣品質監  
測報表

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫   | 站內溫   | RH     | WD     | WS    | PM10   |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|-------|--------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (o C) | (o C) | (%)    | (o)    | (m/s) | (ug/m) |
| 000000 | 6.71  | 3.25  | 5.20  | 1.73  | 22.63 | 0.85  | 2.40  | 0.19  | 2.21  | 31.99 | 48.15 | 134.25 | 90.28  | 4.64  | 52.27  |
| 010000 | 6.80  | 3.17  | 5.21  | 1.81  | 19.15 | 0.85  | 2.29  | 0.17  | 2.12  | 31.73 | 48.16 | 134.33 | 167.05 | 0.72  | 931.28 |
| 020000 | 6.68  | 3.24  | 5.15  | 1.69  | 17.89 | 0.83  | 2.66  | 0.18  | 2.48  | 31.60 | 48.15 | 134.29 | 117.25 | 3.33  | 3.38   |
| 030000 | 6.78  | 3.17  | 5.12  | 1.76  | 19.07 | 0.85  | 2.67  | 0.20  | 2.47  | 31.67 | 48.14 | 134.23 | 35.79  | 8.87  | 1.99   |
| 040000 | 6.74  | 3.17  | 5.14  | 1.74  | 20.11 | 0.83  | 2.51  | 0.20  | 2.31  | 31.56 | 48.14 | 134.23 | 27.67  | 10.14 | 2.46   |
| 050000 | 6.77  | 3.14  | 5.16  | 1.83  | 16.68 | 0.83  | 2.56  | 0.20  | 2.36  | 31.60 | 48.14 | 134.22 | 36.73  | 5.93  | 8.99   |
| 060000 | 6.76  | 3.19  | 5.19  | 1.77  | 16.54 | 0.84  | 2.71  | 0.22  | 2.49  | 32.24 | 48.15 | 134.26 | 78.15  | 3.39  | 12.27  |
| 070000 | 6.78  | 3.24  | 5.27  | 1.81  | 22.42 | 0.84  | 2.43  | 0.17  | 2.26  | 33.28 | 48.14 | 134.22 | 66.46  | 4.68  | 22.23  |
| 080000 | 6.73  | 3.26  | 5.23  | 1.77  | 35.81 | 0.83  | 2.31  | 0.16  | 2.15  | 34.93 | 48.16 | 134.38 | 232.23 | 3.60  | 19.84  |
| 090000 | 6.76  | 3.17  | 5.18  | 1.81  | 44.78 | 0.83  | 2.62  | 0.22  | 2.40  | 34.89 | 48.17 | 134.43 | 265.59 | 9.10  | 26.54  |
| 100000 | 6.82  | 3.22  | 5.19  | 1.77  | 44.50 | 0.80  | 2.55  | 0.23  | 2.32  | 34.99 | 48.17 | 134.45 | 276.08 | 11.91 | 19.03  |
| 110000 | 6.76  | 3.19  | 5.22  | 1.83  | 33.45 | 0.70  | 2.48  | 0.21  | 2.27  | 34.95 | 48.17 | 134.42 | 266.34 | 15.41 | 22.23  |
| 120000 | 6.78  | 3.27  | 5.19  | 1.74  | 31.14 | 0.70  | 2.29  | 0.22  | 2.07  | 34.70 | 48.17 | 134.42 | 261.43 | 16.56 | 27.81  |
| 130000 | 6.74  | 3.27  | 5.25  | 1.79  | 30.04 | 0.69  | 2.17  | 0.18  | 1.99  | 34.48 | 48.17 | 134.45 | 272.85 | 16.76 | 22.08  |
| 140000 | 6.85  | 3.22  | 5.22  | 1.80  | 28.02 | 0.70  | 2.20  | 0.21  | 1.99  | 33.63 | 48.16 | 134.43 | 270.63 | 13.21 | 25.77  |
| 150000 | 6.72  | 3.22  | 5.21  | 1.79  | 26.18 | 0.70  | 2.27  | 0.24  | 2.03  | 33.67 | 48.17 | 134.44 | 283.89 | 10.93 | 20.18  |
| 160000 | 6.80  | 3.22  | 5.21  | 1.77  | 27.76 | 0.70  | 2.32  | 0.18  | 2.14  | 33.49 | 48.17 | 134.43 | 273.22 | 11.58 | 18.15  |
| 170000 | 6.80  | 3.22  | 5.20  | 1.77  | 25.14 | 0.70  | 2.27  | 0.20  | 2.07  | 32.97 | 48.17 | 134.44 | 278.85 | 9.40  | 12.23  |
| 180000 | 6.76  | 3.21  | 5.15  | 1.73  | 21.28 | 0.70  | 2.33  | 0.23  | 2.10  | 32.39 | 48.16 | 134.40 | 240.42 | 4.11  | 16.88  |
| 190000 | 6.85  | 3.14  | 5.15  | 1.79  | 18.64 | 0.70  | 2.37  | 0.20  | 2.17  | 32.38 | 48.16 | 134.38 | 227.79 | 4.07  | 33.99  |
| 200000 | 6.69  | 3.24  | 5.24  | 1.78  | 18.48 | 0.70  | 2.22  | 0.17  | 2.05  | 32.32 | 48.16 | 134.35 | 201.20 | 1.02  | 30.56  |
| 210000 | 6.74  | 3.19  | 5.19  | 1.81  | 19.11 | 0.69  | 2.20  | 0.15  | 2.05  | 32.27 | 48.16 | 134.42 | 265.77 | 1.90  | 23.76  |
| 220000 | 6.87  | 3.19  | 5.17  | 1.80  | 22.30 | 0.69  | 2.15  | 0.14  | 2.01  | 32.56 | 48.16 | 134.41 | 264.95 | 6.69  | 14.82  |
| 230000 | 6.85  | 3.19  | 5.18  | 1.80  | 20.18 | 0.69  | 2.25  | 0.16  | 2.09  | 32.54 | 48.17 | 134.42 | 260.47 | 4.78  | 3.34   |
| 極大值    | 6.87  | 3.27  | 5.27  | 1.83  | 44.78 | 0.85  | 2.71  | 0.24  | 2.49  | 34.99 | 48.17 | 134.45 | 283.89 | 16.76 | 931.28 |
| 極小值    | 6.68  | 3.14  | 5.12  | 1.69  | 16.54 | 0.69  | 2.15  | 0.14  | 1.99  | 31.56 | 48.14 | 134.22 | 27.67  | 0.72  | 1.99   |
| 平均值    | 6.77  | 3.21  | 5.19  | 1.78  | 25.05 | 0.76  | 2.38  | 0.19  | 2.19  | 33.03 | 48.16 | 134.36 | 198.38 | 7.61  | 57.17  |
| 標準差    | 0.05  | 0.04  | 0.04  | 0.03  | 8.08  | 0.07  | 0.17  | 0.03  | 0.16  | 1.22  | 0.01  | 0.08   | 92.95  | 4.86  | 186.53 |

屏東縣崁頂焚化爐空氣品質監測報表

日報(小時數據)  
A001 廠內站

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫   | 站內溫   | RH     | WD     | WS     | PM10     |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|--------|----------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (o C) | (o C) | (%)    | (o)    | (m /s) | (ug / m) |
| 000000 | 6.69  | 3.18  | 5.21  | 1.80  | 22.89 | 0.68  | 2.31  | 0.23  | 2.08  | 32.63 | 48.17 | 134.43 | 279.16 | 7.97   | 44.71    |
| 010000 | 6.69  | 3.23  | 5.19  | 1.78  | 22.07 | 0.69  | 2.30  | 0.21  | 2.09  | 32.71 | 48.17 | 134.42 | 274.76 | 6.38   | 44.72    |
| 020000 | 6.66  | 3.24  | 5.22  | 1.76  | 22.70 | 0.70  | 2.44  | 0.22  | 2.22  | 32.38 | 48.17 | 134.43 | 278.72 | 7.42   | 46.97    |
| 030000 | 6.84  | 3.20  | 5.13  | 1.73  | 20.02 | 0.72  | 2.46  | 0.22  | 2.24  | 32.00 | 48.15 | 134.27 | 131.77 | 2.89   | 45.87    |
| 040000 | 6.69  | 3.22  | 5.14  | 1.71  | 17.45 | 0.72  | 2.48  | 0.22  | 2.26  | 32.04 | 48.14 | 134.26 | 118.74 | 2.24   | 43.28    |
| 050000 | 6.79  | 3.21  | 5.17  | 1.75  | 14.96 | 0.78  | 2.39  | 0.35  | 2.04  | 32.18 | 48.14 | 134.21 | 67.86  | 1.74   | 38.57    |
| 060000 | 6.79  | 3.23  | 5.17  | 1.76  | 15.34 | 0.80  | 2.45  | 0.23  | 2.22  | 32.35 | 48.13 | 134.19 | 46.86  | 9.94   | 35.86    |
| 070000 | 6.77  | 3.22  | 5.21  | 1.78  | 16.27 | 0.81  | 2.46  | 0.22  | 2.24  | 32.37 | 48.14 | 134.21 | 102.17 | 6.95   | 29.70    |
| 080000 | 6.76  | 3.22  | 5.19  | 1.76  | 17.85 | 0.76  | 2.48  | 0.23  | 2.25  | 32.25 | 48.14 | 134.24 | 92.00  | 8.45   | 27.92    |
| 090000 | 6.71  | 3.27  | 5.18  | 1.71  | 17.96 | 0.74  | 2.50  | 0.23  | 2.27  | 32.18 | 48.14 | 134.27 | 123.19 | 6.58   | 32.36    |
| 100000 | 6.84  | 3.16  | 5.16  | 1.78  | 20.38 | 0.74  | 2.41  | 0.23  | 2.18  | 32.40 | 48.14 | 134.23 | 78.91  | 7.08   | 44.95    |
| 110000 | 6.81  | 3.21  | 5.20  | 1.77  | 19.38 | 0.73  | 2.44  | 0.26  | 2.18  | 32.17 | 48.15 | 134.31 | 105.80 | 9.88   | 57.06    |
| 120000 | 6.84  | 3.28  | 5.23  | 1.76  | 19.46 | 0.72  | 2.35  | 0.26  | 2.09  | 32.12 | 25.67 | 76.31  | 171.73 | 4.93   | 62.99    |
| 130000 | 6.77  | 3.23  | 5.25  | 1.83  | 17.67 | 0.74  | 2.12  | 0.18  | 1.94  | 32.22 | 24.00 | 72.00  | 208.96 | 2.35   | 73.75    |
| 140000 | 6.82  | 3.21  | 5.21  | 1.80  | 17.55 | 0.74  | 2.19  | 0.20  | 1.99  | 32.44 | 24.00 | 72.00  | 56.81  | 8.34   | 72.02    |
| 150000 | 6.75  | 3.20  | 5.15  | 1.74  | 18.26 | 0.74  | 2.22  | 0.19  | 2.03  | 32.41 | 24.00 | 72.00  | 138.89 | 6.98   | 71.46    |
| 160000 | 6.74  | 3.26  | 5.23  | 1.77  | 17.21 | 0.79  | 2.26  | 0.21  | 2.05  | 32.30 | 24.00 | 72.00  | 66.28  | 7.78   | 70.72    |
| 170000 | 6.81  | 3.24  | 5.19  | 1.73  | 17.32 | 0.82  | 2.34  | 0.23  | 2.11  | 32.37 | 24.00 | 72.00  | 33.11  | 6.56   | 63.73    |
| 180000 | 6.75  | 3.23  | 5.23  | 1.78  | 16.29 | 0.78  | 2.37  | 0.24  | 2.13  | 32.46 | 24.00 | 72.00  | 148.03 | 5.46   | 66.10    |
| 190000 | 6.80  | 3.19  | 5.20  | 1.79  | 15.96 | 0.79  | 2.28  | 0.24  | 2.04  | 32.06 | 24.00 | 72.00  | 62.92  | 3.73   | 57.11    |
| 200000 | 6.85  | 3.28  | 5.26  | 1.77  | 16.48 | 0.77  | 2.46  | 0.27  | 2.19  | 32.02 | 24.00 | 72.00  | 80.75  | 6.78   | 57.75    |
| 210000 | 6.88  | 3.29  | 5.19  | 1.69  | 17.15 | 0.76  | 2.41  | 0.22  | 2.19  | 32.08 | 24.00 | 72.00  | 55.84  | 9.18   | 56.54    |
| 220000 | 6.80  | 3.23  | 5.13  | 1.70  | 17.23 | 0.73  | 2.41  | 0.21  | 2.20  | 31.90 | 24.00 | 72.00  | 74.64  | 8.01   | 43.36    |
| 230000 | 6.85  | 3.17  | 5.18  | 1.78  | 15.99 | 0.71  | 2.39  | 0.21  | 2.18  | 31.84 | 24.00 | 72.00  | 32.75  | 6.88   | 38.77    |
| 極大值    | 6.88  | 3.29  | 5.26  | 1.83  | 22.89 | 0.82  | 2.50  | 0.35  | 2.27  | 32.71 | 48.17 | 134.43 | 279.16 | 9.94   | 73.75    |
| 極小值    | 6.66  | 3.16  | 5.13  | 1.69  | 14.96 | 0.68  | 2.12  | 0.18  | 1.94  | 31.84 | 24.00 | 72.00  | 32.75  | 1.74   | 27.92    |
| 平均值    | 6.78  | 3.22  | 5.19  | 1.76  | 18.08 | 0.75  | 2.37  | 0.23  | 2.14  | 32.24 | 36.14 | 103.32 | 117.94 | 6.44   | 51.09    |
| 標準差    | 0.06  | 0.03  | 0.04  | 0.03  | 2.21  | 0.04  | 0.1   | 0.03  | 0.09  | 0.22  | 12.27 | 31.64  | 75.28  | 2.36   | 14.13    |

屏東縣崁頂焚化爐空氣品質監測報表

日報(小時數據)  
A001 廠內站

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫   | 站內溫   | RH     | WD     | WS    | PM10    |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|-------|---------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (o C) | (o C) | (%)    | (o)    | (m/s) | (ug/m)  |
| 000000 | 6.78  | 3.26  | 5.20  | 1.74  | 15.43 | 0.71  | 2.34  | 0.19  | 2.15  | 31.75 | 24.00 | 72.00  | 132.06 | 2.35  | 9.58    |
| 010000 | 6.80  | 3.19  | 5.21  | 1.80  | 15.14 | 0.72  | 2.47  | 0.19  | 2.28  | 31.72 | 46.47 | 130.00 | 91.14  | 6.65  | 930.52  |
| 020000 | 6.82  | 3.21  | 5.24  | 1.80  | 15.63 | 0.71  | 2.46  | 0.18  | 2.28  | 31.61 | 25.67 | 76.31  | 98.68  | 6.19  | 78.56   |
| 030000 | 6.80  | 3.20  | 5.19  | 1.79  | 15.99 | 0.72  | 2.60  | 0.20  | 2.40  | 31.50 | 24.00 | 72.00  | 69.25  | 9.55  | 5.55    |
| 040000 | 6.75  | 3.23  | 5.18  | 1.75  | 17.57 | 0.72  | 3.14  | 0.20  | 2.94  | 31.47 | 24.00 | 72.00  | 76.63  | 11.38 | 0.81    |
| 050000 | 6.79  | 3.25  | 5.21  | 1.73  | 16.77 | 0.72  | 3.55  | 0.21  | 3.34  | 31.57 | 24.00 | 72.00  | 88.55  | 6.80  | 2.60    |
| 060000 | 6.74  | 3.16  | 5.12  | 1.75  | 16.45 | 0.73  | 3.37  | 0.22  | 3.15  | 31.92 | 24.00 | 72.00  | 115.79 | 5.80  | 6.62    |
| 070000 | 6.77  | 3.22  | 5.17  | 1.74  | 16.10 | 0.74  | 3.08  | 0.23  | 2.85  | 32.64 | 24.00 | 72.00  | 34.15  | 8.70  | 8.68    |
| 080000 | 6.79  | 3.29  | 5.28  | 1.79  | 19.34 | 0.74  | 2.77  | 0.23  | 2.54  | 33.49 | 24.00 | 72.00  | 34.67  | 8.95  | 10.41   |
| 090000 | 6.88  | 3.24  | 5.20  | 1.74  | 17.75 | 0.79  | 2.26  | 0.21  | 2.05  | 33.62 | 24.00 | 72.00  | 128.49 | 3.61  | 12.83   |
| 100000 | 6.81  | 3.22  | 5.17  | 1.76  | 19.67 | 0.78  | 2.05  | 0.20  | 1.85  | 32.62 | 24.00 | 72.00  | 60.11  | 6.39  | 15.98   |
| 110000 | 6.79  | 3.24  | 5.17  | 1.72  | 22.19 | 0.74  | 2.28  | 0.24  | 2.04  | 32.81 | 24.00 | 72.00  | 27.10  | 7.61  | 6.71    |
| 120000 | 6.81  | 3.24  | 5.20  | 1.75  | 21.87 | 0.73  | 2.26  | 0.23  | 2.03  | 31.95 | 24.00 | 72.00  | 96.13  | 10.78 | 7.95    |
| 130000 | 6.71  | 3.24  | 5.24  | 1.78  | 22.76 | 0.72  | 2.23  | 0.21  | 2.02  | 31.87 | 24.00 | 72.00  | 39.90  | 13.11 | 10.19   |
| 140000 | 6.87  | 3.24  | 5.25  | 1.80  | 20.24 | 0.72  | 1.89  | 0.20  | 1.69  | 32.50 | 24.00 | 72.00  | 50.40  | 6.97  | 5.77    |
| 150000 | 6.77  | 3.22  | 5.21  | 1.77  | 18.84 | 0.72  | 2.17  | 0.19  | 1.98  | 33.42 | 24.00 | 72.00  | 217.72 | 1.81  | 5.03    |
| 160000 | 6.82  | 3.21  | 5.18  | 1.76  | 19.72 | 0.77  | 2.22  | 0.24  | 1.98  | 32.55 | 24.00 | 72.00  | 299.02 | 6.59  | 6.57    |
| 170000 | 6.78  | 3.22  | 5.21  | 1.79  | 24.78 | 0.72  | 2.18  | 0.24  | 1.94  | 31.67 | 24.00 | 72.00  | 278.69 | 8.18  | 9.39    |
| 180000 | 6.80  | 3.23  | 5.18  | 1.75  | 19.67 | 0.71  | 2.32  | 0.26  | 2.06  | 31.35 | 24.00 | 72.00  | 182.81 | 3.15  | 5.73    |
| 190000 | 6.82  | 3.20  | 5.17  | 1.78  | 17.43 | 0.72  | 2.54  | 0.29  | 2.25  | 31.53 | 24.00 | 72.00  | 144.74 | 1.98  | 3.86    |
| 200000 | 6.68  | 3.18  | 5.22  | 1.80  | 19.28 | 0.71  | 2.66  | 0.29  | 2.37  | 31.58 | 24.00 | 72.00  | 226.72 | 5.02  | 1.46    |
| 210000 | 6.77  | 3.26  | 5.23  | 1.75  | 18.00 | 0.75  | 2.71  | 0.27  | 2.44  | 31.64 | 46.49 | 130.18 | 266.80 | 4.39  | 929.92  |
| 220000 | 6.78  | 3.23  | 5.17  | 1.75  | 18.27 | 0.71  | 2.55  | 0.25  | 2.30  | 31.84 | 48.19 | 134.58 | 305.84 | 3.57  | 1000.00 |
| 230000 | 6.74  | 3.18  | 5.21  | 1.82  | 17.33 | 0.71  | 2.84  | 0.32  | 2.52  | 31.95 | 48.18 | 134.51 | 249.49 | 3.21  | 1000.00 |
| 極大值    | 6.88  | 3.29  | 5.28  | 1.82  | 24.78 | 0.79  | 3.55  | 0.32  | 3.34  | 33.62 | 48.19 | 134.58 | 305.84 | 13.11 | 1000.00 |
| 極小值    | 6.68  | 3.16  | 5.12  | 1.72  | 15.14 | 0.71  | 1.89  | 0.18  | 1.69  | 31.35 | 24.00 | 72.00  | 27.10  | 1.81  | 0.81    |
| 平均值    | 6.79  | 3.22  | 5.20  | 1.77  | 18.59 | 0.73  | 2.54  | 0.23  | 2.31  | 32.11 | 27.96 | 82.23  | 138.12 | 6.36  | 169.78  |
| 標準差    | 0.04  | 0.03  | 0.03  | 0.03  | 2.5   | 0.02  | 0.42  | 0.04  | 0.41  | 0.68  | 8.86  | 22.92  | 91.69  | 3.06  | 363.93  |

屏東縣崁頂焚化爐空氣品質監  
測報表

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫   | 站內溫   | RH     | WD     | WS    | PM10   |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|-------|--------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (oC)  | (oC)  | (%)    | (o)    | (m/s) | (ug/m) |
| 000000 | 6.73  | 3.17  | 5.21  | 1.81  | 15.66 | 0.71  | 2.34  | 0.19  | 2.15  | 31.85 | 48.18 | 134.52 | 270.45 | 0.07  | 95.14  |
| 010000 | 6.64  | 3.25  | 5.24  | 1.78  | 17.93 | 0.71  | 2.38  | 0.19  | 2.19  | 32.05 | 48.18 | 134.52 | 270.31 | 6.16  | 931.34 |
| 020000 | 6.68  | 3.22  | 5.21  | 1.79  | 23.80 | 0.69  | 2.52  | 0.20  | 2.32  | 31.83 | 48.18 | 134.52 | 282.34 | 8.09  | 38.23  |
| 030000 | 6.76  | 3.21  | 5.21  | 1.81  | 20.11 | 0.69  | 2.41  | 0.19  | 2.22  | 31.59 | 48.17 | 134.46 | 249.99 | 1.01  | 32.37  |
| 040000 | 6.73  | 3.21  | 5.18  | 1.76  | 18.76 | 0.70  | 2.43  | 0.18  | 2.25  | 31.58 | 48.17 | 134.44 | 211.64 | 0.49  | 30.65  |
| 050000 | 6.73  | 3.23  | 5.22  | 1.78  | 18.17 | 0.71  | 2.55  | 0.18  | 2.37  | 31.54 | 48.18 | 134.50 | 268.36 | 6.29  | 32.69  |
| 060000 | 6.72  | 3.22  | 5.23  | 1.79  | 20.25 | 0.71  | 2.72  | 0.19  | 2.53  | 31.58 | 48.18 | 134.48 | 250.18 | 7.60  | 37.51  |
| 070000 | 6.74  | 3.22  | 5.20  | 1.79  | 17.76 | 0.74  | 2.78  | 0.21  | 2.57  | 31.75 | 48.18 | 134.46 | 241.34 | 5.09  | 30.69  |
| 080000 | 6.79  | 3.22  | 5.20  | 1.78  | 17.72 | 0.74  | 2.55  | 0.23  | 2.32  | 32.56 | 48.17 | 134.44 | 247.43 | 5.78  | 48.72  |
| 090000 | 6.68  | 3.26  | 5.26  | 1.81  | 20.34 | 0.72  | 2.20  | 0.22  | 1.98  | 33.06 | 48.17 | 134.46 | 268.00 | 12.03 | 44.38  |
| 100000 | 6.75  | 3.26  | 5.22  | 1.76  | 23.13 | 0.70  | 2.06  | 0.22  | 1.84  | 33.86 | 48.17 | 134.45 | 257.58 | 12.69 | 52.61  |
| 110000 | 6.81  | 3.21  | 5.24  | 1.84  | 25.72 | 0.70  | 2.02  | 0.20  | 1.82  | 33.92 | 48.17 | 134.45 | 256.22 | 13.74 | 63.15  |
| 120000 | 6.75  | 3.22  | 5.16  | 1.78  | 22.33 | 0.70  | 2.03  | 0.23  | 1.80  | 32.96 | 48.17 | 134.43 | 250.14 | 9.69  | 71.86  |
| 130000 | 6.82  | 3.25  | 5.27  | 1.86  | 22.30 | 0.70  | 2.03  | 0.24  | 1.79  | 33.07 | 48.17 | 134.44 | 251.57 | 9.44  | 56.53  |
| 140000 | 6.75  | 3.20  | 5.17  | 1.80  | 23.57 | 0.70  | 2.05  | 0.29  | 1.76  | 32.98 | 48.17 | 134.45 | 269.69 | 13.76 | 52.25  |
| 150000 | 6.69  | 3.16  | 5.16  | 1.83  | 25.34 | 0.70  | 2.03  | 0.24  | 1.79  | 33.36 | 48.17 | 134.44 | 266.65 | 13.94 | 40.53  |
| 160000 | 6.77  | 3.25  | 5.22  | 1.79  | 24.83 | 0.70  | 2.02  | 0.22  | 1.80  | 33.32 | 48.17 | 134.44 | 271.11 | 12.09 | 37.72  |
| 170000 | 6.79  | 3.27  | 5.22  | 1.78  | 25.51 | 0.71  | 2.04  | 0.21  | 1.83  | 32.87 | 48.17 | 134.46 | 277.49 | 11.25 | 38.08  |
| 180000 | 6.73  | 3.18  | 5.17  | 1.82  | 23.21 | 0.71  | 2.07  | 0.20  | 1.87  | 32.90 | 48.17 | 134.46 | 282.32 | 8.81  | 40.87  |
| 190000 | 6.71  | 3.24  | 5.23  | 1.79  | 23.95 | 0.70  | 2.10  | 0.19  | 1.91  | 32.52 | 48.17 | 134.47 | 285.20 | 9.04  | 48.43  |
| 200000 | 6.71  | 3.21  | 5.19  | 1.79  | 21.16 | 0.72  | 2.12  | 0.20  | 1.92  | 31.82 | 48.16 | 134.40 | 237.27 | 3.36  | 63.27  |
| 210000 | 6.80  | 3.26  | 5.21  | 1.78  | 17.75 | 0.73  | 2.12  | 0.19  | 1.93  | 31.81 | 48.15 | 134.29 | 120.77 | 2.07  | 54.34  |
| 220000 | 6.72  | 3.26  | 5.26  | 1.84  | 16.34 | 0.74  | 2.14  | 0.20  | 1.94  | 31.72 | 48.14 | 134.27 | 99.22  | 3.51  | 48.25  |
| 230000 | 6.73  | 3.25  | 5.20  | 1.76  | 17.39 | 0.75  | 2.13  | 0.22  | 1.91  | 31.70 | 48.14 | 134.23 | 47.76  | 8.58  | 47.38  |
| 極大值    | 6.82  | 3.27  | 5.27  | 1.86  | 25.72 | 0.75  | 2.78  | 0.29  | 2.57  | 33.92 | 48.18 | 134.52 | 285.20 | 13.94 | 931.34 |
| 極小值    | 6.64  | 3.16  | 5.16  | 1.76  | 15.66 | 0.69  | 2.02  | 0.18  | 1.76  | 31.54 | 48.14 | 134.23 | 47.76  | 0.07  | 30.65  |
| 平均值    | 6.74  | 3.23  | 5.21  | 1.80  | 20.96 | 0.71  | 2.24  | 0.21  | 2.03  | 32.42 | 48.17 | 134.44 | 238.88 | 7.69  | 84.87  |
| 標準差    | 0.04  | 0.03  | 0.03  | 0.03  | 3.17  | 0.02  | 0.24  | 0.02  | 0.25  | 0.77  | 0.01  | 0.07   | 61.1   | 4.36  | 180.9  |

屏東縣崁頂焚化爐空氣品質監  
測報表

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫   | 站內溫   | RH     | WD     | WS    | PM10    |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|-------|---------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (o C) | (o C) | (%)    | (o)    | (m/s) | (ug/m)  |
| 000000 | 6.68  | 3.21  | 5.17  | 1.77  | 16.38 | 0.76  | 0.12  | 0.12  | 0.00  | 31.71 | 48.13 | 134.20 | 28.78  | 9.63  | 1000.00 |
| 010000 | 6.80  | 3.22  | 5.21  | 1.80  | 13.61 | 0.78  | 0.12  | 0.12  | 0.00  | 31.76 | 48.14 | 134.23 | 31.34  | 8.05  | 1000.00 |
| 020000 | 6.70  | 3.27  | 5.30  | 1.82  | 13.26 | 0.81  | 0.12  | 0.12  | 0.00  | 31.78 | 48.14 | 134.25 | 50.50  | 7.22  | 1000.00 |
| 030000 | 6.65  | 3.21  | 5.22  | 1.81  | 13.34 | 0.76  | 0.12  | 0.12  | 0.00  | 31.72 | 48.16 | 134.36 | 157.85 | 2.85  | 1000.00 |
| 040000 | 6.64  | 3.16  | 5.15  | 1.79  | 12.53 | 0.77  | 0.12  | 0.12  | 0.00  | 31.70 | 48.14 | 134.25 | 37.82  | 6.62  | 1000.00 |
| 050000 | 6.66  | 3.16  | 5.12  | 1.76  | 11.01 | 0.79  | 0.12  | 0.12  | 0.00  | 31.65 | 48.14 | 134.23 | 32.86  | 8.03  | 1000.00 |
| 060000 | 6.67  | 3.17  | 5.20  | 1.83  | 11.35 | 0.77  | 0.12  | 0.12  | 0.00  | 32.00 | 48.15 | 134.26 | 65.79  | 5.26  | 1000.00 |
| 070000 | 6.68  | 3.23  | 5.20  | 1.78  | 12.46 | 0.79  | 0.12  | 0.12  | 0.00  | 32.94 | 48.15 | 134.26 | 63.51  | 5.00  | 1000.00 |
| 080000 | 6.74  | 3.21  | 5.25  | 1.86  | 14.71 | 0.91  | 0.12  | 0.12  | 0.00  | 33.84 | 48.14 | 134.24 | 46.39  | 6.21  | 1000.00 |
| 090000 | 6.71  | 3.25  | 5.29  | 1.84  | 22.16 | 0.82  | 0.12  | 0.12  | 0.00  | 35.11 | 48.17 | 134.39 | 207.04 | 1.63  | 1000.00 |
| 100000 | 6.79  | 3.24  | 5.21  | 1.82  | 29.44 | 0.80  | 0.12  | 0.12  | 0.00  | 34.42 | 48.18 | 134.48 | 277.06 | 8.08  | 1000.00 |
| 110000 | 6.74  | 3.24  | 5.22  | 1.80  | 36.51 | 0.81  | 0.12  | 0.12  | 0.00  | 34.77 | 48.18 | 134.47 | 263.97 | 7.22  | 1000.00 |
| 120000 | 6.72  | 3.25  | 5.22  | 1.79  | 35.37 | 0.77  | 0.12  | 0.12  | 0.00  | 35.23 | 48.18 | 134.49 | 283.59 | 7.61  | 1000.00 |
| 130000 | 6.67  | 3.26  | 5.20  | 1.76  | 37.61 | 0.79  | 0.12  | 0.12  | 0.00  | 35.04 | 48.18 | 134.50 | 293.71 | 8.37  | 1000.00 |
| 140000 | 6.77  | 3.26  | 5.21  | 1.78  | 38.60 | 0.78  | 0.12  | 0.12  | 0.00  | 35.00 | 48.18 | 134.49 | 287.66 | 9.07  | 1000.00 |
| 150000 | 6.70  | 3.21  | 5.17  | 1.80  | 36.52 | 0.76  | 0.12  | 0.12  | 0.00  | 34.78 | 48.17 | 134.47 | 288.50 | 7.77  | 1000.00 |
| 160000 | 6.71  | 3.23  | 5.21  | 1.81  | 32.58 | 0.78  | 0.12  | 0.12  | 0.00  | 34.16 | 48.17 | 134.45 | 288.60 | 8.01  | 1000.00 |
| 170000 | 6.72  | 3.25  | 5.19  | 1.78  | 28.27 | 0.76  | 0.12  | 0.12  | 0.00  | 34.03 | 48.17 | 134.44 | 272.82 | 7.57  | 1000.00 |
| 180000 | 6.73  | 3.23  | 5.19  | 1.79  | 26.01 | 0.77  | 0.12  | 0.12  | 0.00  | 33.85 | 48.17 | 134.44 | 283.84 | 4.69  | 1000.00 |
| 190000 | 6.81  | 3.30  | 5.22  | 1.75  | 20.67 | 0.78  | 0.12  | 0.12  | 0.00  | 33.68 | 48.16 | 134.41 | 235.44 | 1.80  | 1000.00 |
| 200000 | 6.78  | 3.23  | 5.23  | 1.84  | 16.56 | 0.84  | 0.12  | 0.12  | 0.00  | 32.76 | 48.14 | 134.22 | 35.85  | 6.72  | 1000.00 |
| 210000 | 6.80  | 3.25  | 5.16  | 1.75  | 15.59 | 0.81  | 0.12  | 0.12  | 0.00  | 32.36 | 48.14 | 134.22 | 41.51  | 6.29  | 1000.00 |
| 220000 | 6.75  | 3.30  | 5.24  | 1.77  | 15.26 | 0.80  | 0.12  | 0.12  | 0.00  | 32.15 | 48.14 | 134.21 | 34.35  | 6.91  | 1000.00 |
| 230000 | 6.63  | 3.32  | 5.22  | 1.73  | 13.40 | 0.81  | 0.12  | 0.12  | 0.00  | 32.06 | 48.14 | 134.20 | 20.79  | 5.35  | 1000.00 |
| 極大值    | 6.81  | 3.32  | 5.30  | 1.86  | 38.60 | 0.91  | 0.12  | 0.12  | 0.00  | 35.23 | 48.18 | 134.50 | 293.71 | 9.63  | 1000.00 |
| 極小值    | 6.63  | 3.16  | 5.12  | 1.73  | 11.01 | 0.76  | 0.12  | 0.12  | 0.00  | 31.65 | 48.13 | 134.20 | 20.79  | 1.63  | 1000.00 |
| 平均值    | 6.72  | 3.24  | 5.21  | 1.79  | 21.80 | 0.79  | 0.12  | 0.12  | 0.00  | 33.27 | 48.16 | 134.34 | 151.23 | 6.50  | 1000.00 |
| 標準差    | 0.05  | 0.04  | 0.04  | 0.03  | 9.9   | 0.03  | 0     | 0     | 0     | 1.34  | 0.02  | 0.12   | 116.79 | 2.11  | 0       |

屏東縣崁頂焚化爐空氣品質監  
測報表

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫   | 站內溫   | RH     | WD     | WS    | PM10    |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|-------|---------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (o C) | (o C) | (%)    | (o)    | (m/s) | (ug/m)  |
| 000000 | 6.75  | 3.20  | 5.21  | 1.84  | 13.81 | 0.80  | 2.60  | 0.27  | 2.33  | 31.92 | 48.14 | 134.21 | 32.87  | 5.44  | 1000.00 |
| 010000 | 6.68  | 3.28  | 5.21  | 1.76  | 13.67 | 0.80  | 2.64  | 0.26  | 2.38  | 31.92 | 48.14 | 134.22 | 40.87  | 7.04  | 1000.00 |
| 020000 | 6.66  | 3.21  | 5.19  | 1.79  | 12.10 | 0.80  | 2.51  | 0.23  | 2.28  | 31.95 | 48.13 | 134.18 | 36.26  | 3.91  | 1000.00 |
| 030000 | 6.61  | 3.22  | 5.21  | 1.79  | 11.76 | 0.82  | 2.46  | 0.21  | 2.25  | 31.94 | 48.17 | 134.44 | 293.28 | 0.14  | 1000.00 |
| 040000 | 6.67  | 3.24  | 5.14  | 1.73  | 11.87 | 0.80  | 2.50  | 0.21  | 2.29  | 31.88 | 48.14 | 134.22 | 45.15  | 2.90  | 1000.00 |
| 050000 | 6.80  | 3.24  | 5.22  | 1.80  | 11.42 | 0.81  | 2.53  | 0.22  | 2.31  | 31.82 | 48.14 | 134.21 | 39.76  | 4.19  | 1000.00 |
| 060000 | 6.74  | 3.25  | 5.18  | 1.73  | 11.73 | 0.82  | 2.57  | 0.23  | 2.34  | 32.46 | 48.14 | 134.23 | 58.89  | 1.33  | 1000.00 |
| 070000 | 6.67  | 3.29  | 5.26  | 1.77  | 12.32 | 0.83  | 2.55  | 0.22  | 2.33  | 33.31 | 48.15 | 134.25 | 89.24  | 1.11  | 1000.00 |
| 080000 | 6.70  | 3.28  | 5.20  | 1.75  | 17.29 | 0.77  | 2.37  | 0.25  | 2.12  | 34.85 | 48.17 | 134.40 | 224.16 | 4.72  | 1000.00 |
| 090000 | 6.72  | 3.27  | 5.20  | 1.75  | 25.00 | 0.70  | 2.34  | 0.28  | 2.06  | 34.84 | 48.19 | 134.59 | 264.95 | 12.71 | 1000.00 |
| 100000 | 6.72  | 3.27  | 5.26  | 1.82  | 26.83 | 0.70  | 2.33  | 0.27  | 2.06  | 35.21 | 25.70 | 76.39  | 262.16 | 13.19 | 95.33   |
| 110000 | 6.74  | 3.26  | 5.29  | 1.88  | 27.20 | 0.71  | 2.22  | 0.27  | 1.95  | 35.22 | 24.00 | 72.00  | 275.27 | 13.44 | 15.08   |
| 120000 | 6.69  | 3.28  | 5.21  | 1.73  | 28.49 | 0.71  | 2.14  | 0.25  | 1.89  | 35.20 | 24.00 | 72.00  | 273.56 | 14.28 | 9.81    |
| 130000 | 6.67  | 3.27  | 5.23  | 1.80  | 27.97 | 0.71  | 2.09  | 0.22  | 1.87  | 35.13 | 24.00 | 72.00  | 275.29 | 14.03 | 7.53    |
| 140000 | 6.65  | 3.28  | 5.23  | 1.75  | 25.78 | 0.72  | 2.10  | 0.27  | 1.83  | 35.09 | 24.00 | 72.00  | 281.76 | 12.29 | 9.91    |
| 150000 | 6.76  | 3.30  | 5.30  | 1.82  | 28.78 | 0.72  | 2.11  | 0.26  | 1.85  | 34.60 | 24.00 | 72.00  | 279.06 | 10.23 | 12.85   |
| 160000 | 6.71  | 3.24  | 5.23  | 1.81  | 25.61 | 0.73  | 2.10  | 0.24  | 1.86  | 34.35 | 24.00 | 72.00  | 261.29 | 7.73  | 7.13    |
| 170000 | 6.72  | 3.25  | 5.22  | 1.78  | 24.10 | 0.73  | 2.10  | 0.23  | 1.87  | 34.06 | 24.00 | 72.00  | 262.53 | 7.38  | 2.16    |
| 180000 | 6.80  | 3.28  | 5.26  | 1.79  | 20.82 | 0.72  | 2.12  | 0.23  | 1.89  | 33.72 | 24.00 | 72.00  | 260.39 | 5.87  | 5.17    |
| 190000 | 6.65  | 3.20  | 5.21  | 1.82  | 20.22 | 0.72  | 2.12  | 0.19  | 1.93  | 33.44 | 24.00 | 72.00  | 261.52 | 4.95  | 7.47    |
| 200000 | 6.74  | 3.23  | 5.23  | 1.83  | 18.42 | 0.71  | 2.09  | 0.18  | 1.91  | 33.28 | 24.00 | 72.00  | 265.61 | 4.82  | 10.13   |
| 210000 | 6.78  | 3.24  | 5.23  | 1.82  | 18.25 | 0.70  | 2.11  | 0.17  | 1.94  | 33.13 | 24.00 | 72.00  | 258.34 | 5.37  | 4.24    |
| 220000 | 6.68  | 3.22  | 5.18  | 1.79  | 19.80 | 0.70  | 2.26  | 0.20  | 2.06  | 33.15 | 24.00 | 72.00  | 268.09 | 7.81  | 0.00    |
| 230000 | 6.65  | 3.24  | 5.20  | 1.77  | 19.91 | 0.69  | 2.37  | 0.23  | 2.14  | 33.13 | 24.00 | 72.00  | 275.20 | 7.04  | 0.75    |
| 極大值    | 6.80  | 3.30  | 5.30  | 1.88  | 28.78 | 0.83  | 2.64  | 0.28  | 2.38  | 35.22 | 48.19 | 134.59 | 293.28 | 14.28 | 1000.00 |
| 極小值    | 6.61  | 3.20  | 5.14  | 1.73  | 11.42 | 0.69  | 2.09  | 0.17  | 1.83  | 31.82 | 24.00 | 72.00  | 32.87  | 0.14  | 0.00    |
| 平均值    | 6.71  | 3.25  | 5.22  | 1.79  | 19.71 | 0.75  | 2.31  | 0.23  | 2.07  | 33.57 | 34.13 | 98.14  | 203.56 | 7.16  | 424.48  |
| 標準差    | 0.05  | 0.03  | 0.04  | 0.04  | 6.27  | 0.05  | 0.2   | 0.03  | 0.19  | 1.26  | 12.11 | 31.23  | 102.52 | 4.29  | 497.19  |

屏東縣崁頂焚化爐空氣品質監  
測報表

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫   | 站內溫   | RH     | WD     | WS    | PM10   |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|-------|--------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (o C) | (o C) | (%)    | (o)    | (m/s) | (ug/m) |
| 000000 | 6.65  | 3.31  | 5.19  | 1.72  | 20.11 | 0.69  | 2.18  | 0.19  | 1.99  | 33.07 | 24.00 | 72.00  | 276.44 | 7.08  | 28.03  |
| 010000 | 6.63  | 3.27  | 5.26  | 1.82  | 20.12 | 0.69  | 2.18  | 0.19  | 1.99  | 33.09 | 46.59 | 130.46 | 278.14 | 7.53  | 933.15 |
| 020000 | 6.63  | 3.22  | 5.17  | 1.77  | 15.97 | 0.69  | 2.39  | 0.19  | 2.20  | 32.49 | 25.61 | 76.18  | 142.46 | 1.51  | 14.27  |
| 030000 | 6.68  | 3.18  | 5.16  | 1.80  | 12.35 | 0.69  | 2.56  | 0.20  | 2.36  | 32.11 | 24.00 | 72.00  | 96.26  | 1.01  | 17.99  |
| 040000 | 6.78  | 3.32  | 5.28  | 1.80  | 11.92 | 0.70  | 2.62  | 0.21  | 2.41  | 31.99 | 46.58 | 130.38 | 170.68 | 0.84  | 19.21  |
| 050000 | 6.69  | 3.20  | 5.19  | 1.80  | 11.32 | 0.70  | 2.49  | 0.21  | 2.28  | 31.91 | 48.18 | 134.50 | 153.04 | 1.61  | 21.17  |
| 060000 | 6.69  | 3.23  | 5.19  | 1.77  | 13.05 | 0.72  | 2.35  | 0.22  | 2.13  | 33.51 | 48.19 | 134.53 | 212.88 | 1.54  | 28.19  |
| 070000 | 6.67  | 3.32  | 5.25  | 1.77  | 18.17 | 0.71  | 2.30  | 0.21  | 2.09  | 34.45 | 48.19 | 134.59 | 253.18 | 9.01  | 21.98  |
| 080000 | 6.74  | 3.25  | 5.24  | 1.84  | 21.15 | 0.69  | 2.17  | 0.20  | 1.97  | 34.67 | 48.19 | 134.59 | 263.45 | 11.01 | 18.01  |
| 090000 | 6.70  | 3.26  | 5.27  | 1.83  | 21.31 | 0.69  | 2.17  | 0.20  | 1.97  | 34.60 | 48.19 | 134.59 | 264.36 | 11.62 | 16.59  |
| 100000 | 6.54  | 3.28  | 5.21  | 1.75  | 23.95 | 0.69  | 2.16  | 0.20  | 1.96  | 35.03 | 48.20 | 134.61 | 271.76 | 12.98 | 15.06  |
| 110000 | 6.68  | 3.28  | 5.24  | 1.82  | 23.51 | 0.70  | 2.17  | 0.20  | 1.97  | 35.31 | 48.20 | 134.60 | 277.06 | 13.30 | 12.95  |
| 120000 | 6.61  | 3.28  | 5.24  | 1.81  | 24.54 | 0.70  | 2.16  | 0.20  | 1.96  | 35.28 | 48.20 | 134.61 | 278.29 | 13.54 | 12.14  |
| 130000 | 6.64  | 3.30  | 5.24  | 1.77  | 23.15 | 0.71  | 2.17  | 0.20  | 1.97  | 35.37 | 48.19 | 134.60 | 274.19 | 12.77 | 19.25  |
| 140000 | 6.64  | 3.26  | 5.22  | 1.81  | 22.77 | 0.70  | 2.17  | 0.20  | 1.97  | 35.31 | 48.19 | 134.60 | 285.90 | 12.13 | 18.60  |
| 150000 | 6.65  | 3.25  | 5.24  | 1.83  | 21.92 | 0.71  | 2.17  | 0.20  | 1.97  | 35.25 | 48.20 | 134.60 | 275.09 | 10.14 | 18.54  |
| 160000 | 6.60  | 3.31  | 5.24  | 1.76  | 21.89 | 0.72  | 2.17  | 0.19  | 1.98  | 34.60 | 48.19 | 134.59 | 274.30 | 8.88  | 17.71  |
| 170000 | 6.62  | 3.22  | 5.20  | 1.83  | 18.40 | 0.73  | 2.19  | 0.21  | 1.98  | 34.47 | 48.19 | 134.60 | 284.16 | 6.85  | 16.04  |
| 180000 | 6.56  | 3.27  | 5.21  | 1.78  | 20.02 | 0.72  | 2.20  | 0.20  | 2.00  | 33.99 | 48.19 | 134.59 | 274.22 | 7.05  | 15.34  |
| 190000 | 6.64  | 3.29  | 5.20  | 1.73  | 18.37 | 0.71  | 2.23  | 0.19  | 2.04  | 33.61 | 48.19 | 134.59 | 268.56 | 5.27  | 10.03  |
| 200000 | 6.56  | 3.27  | 5.23  | 1.77  | 16.80 | 0.72  | 2.29  | 0.20  | 2.09  | 33.41 | 48.18 | 134.51 | 195.63 | 0.08  | 19.24  |
| 210000 | 6.58  | 3.20  | 5.16  | 1.79  | 15.08 | 0.72  | 2.32  | 0.20  | 2.12  | 33.18 | 48.19 | 134.54 | 232.74 | 0.45  | 10.88  |
| 220000 | 6.67  | 3.25  | 5.20  | 1.79  | 14.78 | 0.71  | 2.39  | 0.21  | 2.18  | 32.97 | 48.19 | 134.58 | 259.37 | 1.48  | 18.00  |
| 230000 | 6.56  | 3.32  | 5.23  | 1.73  | 13.16 | 0.72  | 2.48  | 0.23  | 2.25  | 32.91 | 48.20 | 134.62 | 291.90 | 3.04  | 15.57  |
| 極大值    | 6.78  | 3.32  | 5.28  | 1.84  | 24.54 | 0.73  | 2.62  | 0.23  | 2.41  | 35.37 | 48.20 | 134.62 | 291.90 | 13.54 | 933.15 |
| 極小值    | 6.54  | 3.18  | 5.16  | 1.72  | 11.32 | 0.69  | 2.16  | 0.19  | 1.96  | 31.91 | 24.00 | 72.00  | 96.26  | 0.08  | 10.03  |
| 平均值    | 6.64  | 3.26  | 5.22  | 1.79  | 18.49 | 0.71  | 2.28  | 0.20  | 2.08  | 33.86 | 45.10 | 126.59 | 243.92 | 6.70  | 55.75  |
| 標準差    | 0.06  | 0.04  | 0.03  | 0.03  | 4.18  | 0.01  | 0.14  | 0.01  | 0.14  | 1.15  | 7.96  | 20.58  | 53.39  | 4.82  | 186.94 |

屏東縣崁頂焚化爐空氣品質監測報表

日報(小時數據)  
A001 廠內站

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫   | 站內溫   | RH     | WD     | WS      | PM10     |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|---------|----------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (o C) | (o C) | (%)    | (o)    | (m / s) | (ug / m) |
| 000000 | 6.51  | 3.23  | 5.20  | 1.78  | 15.66 | 0.70  | 2.34  | 0.20  | 2.14  | 33.03 | 48.20 | 134.61 | 293.45 | 6.56    | 21.03    |
| 010000 | 6.47  | 3.23  | 5.22  | 1.82  | 17.47 | 0.69  | 2.20  | 0.18  | 2.02  | 33.13 | 48.19 | 134.57 | 274.90 | 4.88    | 928.75   |
| 020000 | 6.55  | 3.23  | 5.20  | 1.78  | 12.66 | 0.71  | 2.38  | 0.21  | 2.17  | 32.47 | 48.16 | 134.34 | 29.73  | 4.12    | 19.96    |
| 030000 | 6.57  | 3.23  | 5.15  | 1.72  | 10.76 | 0.74  | 2.60  | 0.22  | 2.38  | 32.09 | 48.17 | 134.38 | 67.19  | 1.21    | 23.47    |
| 040000 | 6.65  | 3.28  | 5.24  | 1.75  | 11.98 | 0.72  | 2.65  | 0.21  | 2.44  | 31.88 | 48.17 | 134.37 | 53.65  | 2.54    | 26.93    |
| 050000 | 6.57  | 3.16  | 5.13  | 1.78  | 10.89 | 0.71  | 2.69  | 0.21  | 2.48  | 32.07 | 48.17 | 134.41 | 96.86  | 3.81    | 26.77    |
| 060000 | 6.64  | 3.24  | 5.19  | 1.77  | 11.74 | 0.74  | 2.64  | 0.24  | 2.40  | 32.95 | 48.16 | 134.35 | 52.20  | 3.46    | 26.37    |
| 070000 | 6.54  | 3.28  | 5.24  | 1.80  | 13.75 | 0.73  | 2.43  | 0.25  | 2.18  | 34.13 | 48.17 | 134.38 | 99.25  | 3.51    | 26.58    |
| 080000 | 6.61  | 3.23  | 5.22  | 1.81  | 18.05 | 0.71  | 2.27  | 0.22  | 2.05  | 35.14 | 48.19 | 134.55 | 256.61 | 3.96    | 27.96    |
| 090000 | 6.48  | 3.30  | 5.27  | 1.80  | 20.24 | 0.69  | 2.21  | 0.22  | 1.99  | 35.46 | 48.19 | 134.57 | 268.67 | 9.12    | 27.72    |
| 100000 | 6.56  | 3.29  | 5.26  | 1.81  | 19.04 | 0.69  | 2.18  | 0.21  | 1.97  | 35.48 | 48.20 | 134.59 | 275.98 | 10.75   | 30.47    |
| 110000 | 6.53  | 3.26  | 5.24  | 1.82  | 21.74 | 0.69  | 2.17  | 0.20  | 1.97  | 35.50 | 48.20 | 134.60 | 291.48 | 11.22   | 30.13    |
| 120000 | 6.58  | 3.23  | 5.20  | 1.81  | 21.05 | 0.69  | 2.17  | 0.20  | 1.97  | 35.57 | 48.19 | 134.58 | 285.58 | 14.11   | 28.78    |
| 130000 | 6.54  | 3.24  | 5.20  | 1.78  | 21.15 | 0.69  | 2.15  | 0.19  | 1.96  | 35.11 | 48.19 | 134.58 | 280.69 | 13.57   | 27.04    |
| 140000 | 6.56  | 3.29  | 5.25  | 1.79  | 19.26 | 0.70  | 2.16  | 0.18  | 1.98  | 34.32 | 48.19 | 134.58 | 274.70 | 8.92    | 21.14    |
| 150000 | 6.49  | 3.21  | 5.20  | 1.78  | 17.12 | 0.70  | 2.17  | 0.19  | 1.98  | 34.26 | 48.20 | 134.59 | 259.99 | 7.52    | 33.56    |
| 160000 | 6.50  | 3.19  | 5.16  | 1.77  | 18.67 | 0.70  | 2.17  | 0.19  | 1.98  | 34.23 | 48.20 | 134.60 | 267.98 | 6.67    | 26.62    |
| 170000 | 6.58  | 3.20  | 5.17  | 1.77  | 17.89 | 0.71  | 2.19  | 0.20  | 1.99  | 34.13 | 48.20 | 134.60 | 265.26 | 4.99    | 27.14    |
| 180000 | 6.58  | 3.26  | 5.27  | 1.78  | 16.19 | 0.70  | 2.22  | 0.20  | 2.02  | 33.81 | 48.20 | 134.58 | 264.98 | 1.42    | 25.83    |
| 190000 | 6.58  | 3.29  | 5.25  | 1.76  | 14.45 | 0.72  | 2.34  | 0.20  | 2.14  | 33.44 | 48.19 | 134.56 | 250.43 | 0.08    | 25.33    |
| 200000 | 6.68  | 3.26  | 5.24  | 1.80  | 12.53 | 0.73  | 2.47  | 0.22  | 2.25  | 33.01 | 48.19 | 134.54 | 226.92 | 0.08    | 23.07    |
| 210000 | 6.54  | 3.21  | 5.16  | 1.74  | 12.19 | 0.72  | 2.41  | 0.22  | 2.19  | 32.88 | 48.19 | 134.57 | 269.42 | 1.76    | 24.75    |
| 220000 | 6.63  | 3.23  | 5.19  | 1.79  | 10.93 | 0.73  | 2.46  | 0.22  | 2.24  | 32.55 | 48.17 | 134.39 | 83.45  | 1.29    | 28.44    |
| 230000 | 6.52  | 3.31  | 5.23  | 1.71  | 11.11 | 0.75  | 2.76  | 0.21  | 2.55  | 32.59 | 48.16 | 134.35 | 41.03  | 4.93    | 19.18    |
| 極大值    | 6.68  | 3.31  | 5.27  | 1.82  | 21.74 | 0.75  | 2.76  | 0.25  | 2.55  | 35.57 | 48.20 | 134.61 | 293.45 | 14.11   | 928.75   |
| 極小值    | 6.47  | 3.16  | 5.13  | 1.71  | 10.76 | 0.69  | 2.15  | 0.18  | 1.96  | 31.88 | 48.16 | 134.34 | 29.73  | 0.08    | 19.18    |
| 平均值    | 6.56  | 3.24  | 5.21  | 1.78  | 15.69 | 0.71  | 2.35  | 0.21  | 2.14  | 33.72 | 48.18 | 134.51 | 201.27 | 5.44    | 63.63    |
| 標準差    | 0.05  | 0.04  | 0.04  | 0.03  | 3.74  | 0.02  | 0.2   | 0.02  | 0.19  | 1.21  | 0.01  | 0.1    | 100.02 | 4.07    | 184.30   |

屏東縣崁頂焚化爐空氣品質監  
測報表

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫   | 站內溫   | RH     | WD     | WS    | PM10   |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|-------|--------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (o C) | (o C) | (%)    | (o)    | (m/s) | (ug/m) |
| 000000 | 6.56  | 3.19  | 5.20  | 1.81  | 10.65 | 0.75  | 2.62  | 0.22  | 2.40  | 32.44 | 48.16 | 134.34 | 40.06  | 6.76  | 20.35  |
| 010000 | 6.51  | 3.22  | 5.19  | 1.77  | 11.71 | 0.73  | 2.35  | 0.21  | 2.14  | 32.27 | 48.16 | 134.31 | 26.75  | 9.89  | 910.74 |
| 020000 | 6.49  | 3.23  | 5.18  | 1.75  | 10.97 | 0.72  | 2.58  | 0.22  | 2.36  | 32.07 | 48.16 | 134.33 | 19.86  | 7.52  | 31.84  |
| 030000 | 6.56  | 3.21  | 5.16  | 1.75  | 11.15 | 0.71  | 2.62  | 0.21  | 2.41  | 32.15 | 48.17 | 134.36 | 68.96  | 7.61  | 32.91  |
| 040000 | 6.47  | 3.24  | 5.27  | 1.85  | 12.07 | 0.70  | 2.71  | 0.21  | 2.50  | 31.87 | 48.19 | 134.56 | 255.53 | 0.40  | 32.30  |
| 050000 | 6.53  | 3.23  | 5.20  | 1.75  | 11.69 | 0.72  | 2.74  | 0.21  | 2.53  | 31.90 | 48.17 | 134.42 | 112.65 | 0.78  | 21.55  |
| 060000 | 6.45  | 3.20  | 5.17  | 1.78  | 11.05 | 0.72  | 2.50  | 0.22  | 2.28  | 32.82 | 48.19 | 134.53 | 237.43 | 0.12  | 23.42  |
| 070000 | 6.44  | 3.22  | 5.17  | 1.75  | 13.04 | 0.75  | 2.46  | 0.25  | 2.21  | 34.55 | 48.17 | 134.40 | 126.85 | 0.41  | 34.73  |
| 080000 | 6.55  | 3.22  | 5.21  | 1.81  | 16.58 | 0.80  | 2.42  | 0.32  | 2.10  | 35.15 | 48.16 | 134.37 | 94.87  | 3.22  | 32.38  |
| 090000 | 6.56  | 3.17  | 5.21  | 1.85  | 20.22 | 0.92  | 2.52  | 0.45  | 2.07  | 35.80 | 48.18 | 134.47 | 171.15 | 1.53  | 30.65  |
| 100000 | 6.66  | 3.28  | 5.25  | 1.76  | 24.82 | 0.74  | 2.39  | 0.29  | 2.10  | 36.62 | 48.18 | 134.49 | 198.21 | 3.01  | 29.87  |
| 110000 | 6.56  | 3.30  | 5.28  | 1.79  | 41.70 | 0.82  | 2.46  | 0.34  | 2.12  | 36.76 | 48.19 | 134.56 | 256.24 | 5.87  | 29.96  |
| 120000 | 6.54  | 3.23  | 5.18  | 1.76  | 47.67 | 0.90  | 2.43  | 0.37  | 2.06  | 36.32 | 48.20 | 134.61 | 289.63 | 9.79  | 29.99  |
| 130000 | 6.48  | 3.19  | 5.19  | 1.81  | 42.35 | 0.95  | 2.45  | 0.41  | 2.04  | 36.36 | 48.20 | 134.61 | 284.40 | 8.83  | 29.16  |
| 140000 | 6.52  | 3.26  | 5.23  | 1.78  | 35.86 | 0.82  | 2.41  | 0.34  | 2.07  | 35.42 | 48.19 | 134.58 | 266.16 | 7.35  | 18.31  |
| 150000 | 6.53  | 3.28  | 5.23  | 1.76  | 35.10 | 0.80  | 2.32  | 0.25  | 2.07  | 33.69 | 48.17 | 134.39 | 74.60  | 10.59 | 28.18  |
| 160000 | 6.65  | 3.22  | 5.21  | 1.80  | 31.19 | 0.82  | 2.31  | 0.26  | 2.05  | 33.82 | 48.16 | 134.32 | 42.27  | 8.25  | 29.01  |
| 170000 | 6.59  | 3.23  | 5.21  | 1.80  | 31.08 | 0.84  | 2.41  | 0.26  | 2.15  | 33.99 | 48.16 | 134.31 | 28.22  | 7.33  | 29.67  |
| 180000 | 6.57  | 3.19  | 5.15  | 1.75  | 26.65 | 0.83  | 2.39  | 0.25  | 2.14  | 33.84 | 48.16 | 134.31 | 45.30  | 5.69  | 30.11  |
| 190000 | 6.59  | 3.21  | 5.23  | 1.79  | 23.32 | 0.83  | 2.34  | 0.24  | 2.10  | 33.84 | 48.16 | 134.32 | 38.28  | 6.83  | 31.26  |
| 200000 | 6.63  | 3.26  | 5.28  | 1.80  | 16.96 | 0.82  | 2.36  | 0.25  | 2.11  | 33.53 | 48.17 | 134.42 | 161.46 | 0.08  | 33.23  |
| 210000 | 6.58  | 3.24  | 5.21  | 1.76  | 13.94 | 0.82  | 2.63  | 0.25  | 2.38  | 33.47 | 48.18 | 134.45 | 172.21 | 1.75  | 33.15  |
| 220000 | 6.57  | 3.25  | 5.20  | 1.73  | 14.04 | 0.77  | 2.77  | 0.25  | 2.52  | 33.34 | 48.16 | 134.34 | 52.40  | 4.52  | 33.22  |
| 230000 | 6.54  | 3.22  | 5.17  | 1.74  | 12.47 | 0.75  | 2.96  | 0.23  | 2.73  | 32.82 | 48.18 | 134.50 | 186.57 | 0.32  | 33.83  |
| 極大值    | 6.66  | 3.30  | 5.28  | 1.85  | 47.67 | 0.95  | 2.96  | 0.45  | 2.73  | 36.76 | 48.20 | 134.61 | 289.63 | 10.59 | 910.74 |
| 極小值    | 6.44  | 3.17  | 5.15  | 1.73  | 10.65 | 0.70  | 2.31  | 0.21  | 2.04  | 31.87 | 48.16 | 134.31 | 19.86  | 0.08  | 18.31  |
| 平均值    | 6.55  | 3.23  | 5.21  | 1.78  | 21.93 | 0.79  | 2.51  | 0.27  | 2.24  | 33.95 | 48.17 | 134.43 | 135.42 | 4.94  | 66.24  |
| 標準差    | 0.06  | 0.03  | 0.04  | 0.03  | 11.76 | 0.07  | 0.17  | 0.07  | 0.19  | 1.58  | 0.01  | 0.1    | 93.62  | 3.58  | 179.93 |

屏東縣崁頂焚化爐空氣品質監測報表

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫   | 站內溫   | RH     | WD     | WS    | PM10   |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|-------|--------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (o C) | (o C) | (%)    | (o)    | (m/s) | (ug/m) |
| 000000 | 6.43  | 3.23  | 5.21  | 1.78  | 12.09 | 0.76  | 2.97  | 0.23  | 2.74  | 32.73 | 48.17 | 134.40 | 92.39  | 1.53  | 27.49  |
| 010000 | 6.56  | 3.20  | 5.16  | 1.77  | 11.52 | 0.77  | 3.41  | 0.24  | 3.17  | 32.65 | 48.17 | 134.37 | 49.11  | 1.31  | 935.44 |
| 020000 | 6.50  | 3.26  | 5.23  | 1.78  | 11.60 | 0.77  | 3.09  | 0.24  | 2.85  | 32.45 | 48.17 | 134.41 | 105.55 | 3.23  | 27.44  |
| 030000 | 6.45  | 3.25  | 5.16  | 1.70  | 11.52 | 0.75  | 2.94  | 0.23  | 2.71  | 32.34 | 48.17 | 134.38 | 88.67  | 4.36  | 15.30  |
| 040000 | 6.53  | 3.24  | 5.19  | 1.76  | 11.46 | 0.76  | 2.94  | 0.23  | 2.71  | 32.22 | 48.20 | 134.60 | 294.34 | 0.08  | 28.47  |
| 050000 | 6.60  | 3.21  | 5.21  | 1.80  | 11.13 | 0.79  | 2.74  | 0.26  | 2.48  | 32.16 | 48.18 | 134.44 | 145.12 | 0.08  | 25.97  |
| 060000 | 6.53  | 3.25  | 5.17  | 1.73  | 11.59 | 0.77  | 2.63  | 0.23  | 2.40  | 33.32 | 48.17 | 134.42 | 143.06 | 1.36  | 39.26  |
| 070000 | 6.60  | 3.27  | 5.19  | 1.76  | 16.83 | 0.80  | 2.50  | 0.25  | 2.25  | 34.54 | 48.19 | 134.56 | 271.93 | 2.48  | 26.20  |
| 080000 | 6.57  | 3.25  | 5.23  | 1.81  | 21.61 | 0.84  | 2.38  | 0.31  | 2.07  | 34.70 | 48.19 | 134.57 | 284.29 | 5.62  | 25.34  |
| 090000 | 6.56  | 3.21  | 5.26  | 1.84  | 28.38 | 0.80  | 2.35  | 0.29  | 2.06  | 35.19 | 48.20 | 134.60 | 284.14 | 7.24  | 27.43  |
| 100000 | 6.47  | 3.25  | 5.25  | 1.81  | 35.85 | 0.83  | 2.37  | 0.28  | 2.09  | 35.35 | 48.20 | 134.62 | 282.09 | 8.54  | 28.65  |
| 110000 | 6.60  | 3.27  | 5.19  | 1.74  | 43.12 | 0.78  | 2.32  | 0.27  | 2.05  | 35.79 | 48.20 | 134.64 | 296.41 | 8.12  | 27.17  |
| 120000 | 6.54  | 3.28  | 5.23  | 1.76  | 47.18 | 0.93  | 2.47  | 0.39  | 2.08  | 35.71 | 48.21 | 134.63 | 283.59 | 8.32  | 28.62  |
| 130000 | 6.49  | 3.22  | 5.24  | 1.84  | 59.33 | 1.07  | 2.68  | 0.55  | 2.13  | 36.03 | 48.21 | 134.64 | 277.90 | 8.27  | 27.44  |
| 140000 | 6.53  | 3.21  | 5.15  | 1.78  | 51.93 | 1.25  | 2.58  | 0.44  | 2.14  | 36.15 | 48.21 | 134.64 | 286.09 | 6.97  | 27.31  |
| 150000 | 6.52  | 3.29  | 5.26  | 1.77  | 48.99 | 1.08  | 2.57  | 0.46  | 2.11  | 35.99 | 48.21 | 134.63 | 282.32 | 6.71  | 27.12  |
| 160000 | 6.53  | 3.21  | 5.18  | 1.77  | 42.07 | 0.93  | 2.47  | 0.39  | 2.08  | 35.32 | 48.21 | 134.63 | 285.68 | 8.56  | 28.90  |
| 170000 | 6.52  | 3.22  | 5.22  | 1.79  | 22.30 | 0.84  | 2.47  | 0.42  | 2.05  | 34.87 | 48.20 | 134.63 | 287.73 | 6.47  | 22.88  |
| 180000 | 6.49  | 3.21  | 5.23  | 1.79  | 13.23 | 0.87  | 2.58  | 0.45  | 2.13  | 34.41 | 48.21 | 134.63 | 279.76 | 4.41  | 18.90  |
| 190000 | 6.52  | 3.24  | 5.28  | 1.81  | 11.45 | 0.96  | 2.95  | 0.60  | 2.35  | 34.16 | 48.21 | 134.65 | 282.87 | 2.77  | 18.13  |
| 200000 | 6.53  | 3.23  | 5.23  | 1.78  | 11.45 | 0.95  | 2.82  | 0.51  | 2.31  | 33.69 | 48.19 | 134.53 | 174.55 | 0.51  | 21.32  |
| 210000 | 6.56  | 3.22  | 5.15  | 1.71  | 11.91 | 0.88  | 2.68  | 0.32  | 2.36  | 33.26 | 48.18 | 134.46 | 120.75 | 1.11  | 23.79  |
| 220000 | 6.57  | 3.22  | 5.18  | 1.76  | 14.52 | 0.82  | 2.88  | 0.25  | 2.63  | 32.98 | 48.18 | 134.46 | 102.10 | 1.81  | 23.32  |
| 230000 | 6.52  | 3.19  | 5.20  | 1.80  | 16.86 | 0.81  | 2.54  | 0.25  | 2.29  | 32.93 | 48.19 | 134.53 | 205.26 | 0.34  | 38.69  |
| 極大值    | 6.60  | 3.29  | 5.28  | 1.84  | 59.33 | 1.25  | 3.41  | 0.60  | 3.17  | 36.15 | 48.21 | 134.65 | 296.41 | 8.56  | 935.44 |
| 極小值    | 6.43  | 3.19  | 5.15  | 1.70  | 11.13 | 0.75  | 2.32  | 0.23  | 2.05  | 32.16 | 48.17 | 134.37 | 49.11  | 0.08  | 15.30  |
| 平均值    | 6.53  | 3.23  | 5.21  | 1.78  | 24.08 | 0.87  | 2.68  | 0.34  | 2.34  | 34.12 | 48.19 | 134.54 | 216.90 | 4.18  | 64.19  |
| 標準差    | 0.04  | 0.03  | 0.04  | 0.03  | 16.02 | 0.12  | 0.27  | 0.11  | 0.31  | 1.38  | 0.02  | 0.1    | 86.33  | 3.12  | 185.65 |

屏東縣崁頂焚化爐空氣品質監測報表

日報(小時數據)  
A001 廠內站

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫   | 站內溫   | RH     | WD     | WS    | PM10    |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|-------|---------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (o C) | (o C) | (%)    | (o)    | (m/s) | (ug/m)  |
| 000000 | 6.51  | 3.19  | 5.19  | 1.79  | 15.29 | 0.83  | 2.73  | 0.26  | 2.47  | 32.81 | 48.19 | 134.51 | 175.82 | 0.68  | 1000.00 |
| 010000 | 6.48  | 3.21  | 5.19  | 1.76  | 13.89 | 0.83  | 3.13  | 0.26  | 2.87  | 32.74 | 48.19 | 134.48 | 109.99 | 3.04  | 1000.00 |
| 020000 | 6.58  | 3.21  | 5.19  | 1.76  | 13.02 | 0.85  | 3.02  | 0.28  | 2.74  | 32.51 | 48.20 | 134.56 | 210.35 | 0.45  | 1000.00 |
| 030000 | 6.51  | 3.18  | 5.15  | 1.78  | 14.05 | 0.87  | 2.96  | 0.29  | 2.67  | 32.52 | 48.19 | 134.52 | 173.14 | 1.57  | 1000.00 |
| 040000 | 6.50  | 3.21  | 5.19  | 1.77  | 14.45 | 0.88  | 2.77  | 0.30  | 2.47  | 32.56 | 48.19 | 134.50 | 176.51 | 3.93  | 1000.00 |
| 050000 | 6.46  | 3.22  | 5.22  | 1.79  | 12.43 | 0.94  | 3.03  | 0.37  | 2.66  | 32.57 | 48.18 | 134.40 | 49.78  | 5.92  | 1000.00 |
| 060000 | 6.54  | 3.18  | 5.17  | 1.80  | 12.12 | 0.88  | 2.99  | 0.30  | 2.69  | 32.91 | 48.18 | 134.42 | 79.87  | 2.82  | 1000.00 |
| 070000 | 6.56  | 3.21  | 5.14  | 1.73  | 14.26 | 0.89  | 2.87  | 0.31  | 2.56  | 35.10 | 48.19 | 134.48 | 149.05 | 1.73  | 1000.00 |
| 080000 | 6.50  | 3.22  | 5.14  | 1.74  | 27.32 | 0.83  | 2.53  | 0.28  | 2.25  | 35.81 | 48.20 | 134.61 | 278.60 | 5.48  | 1000.00 |
| 090000 | 6.50  | 3.27  | 5.26  | 1.78  | 36.65 | 0.80  | 2.35  | 0.27  | 2.08  | 35.79 | 48.20 | 134.61 | 276.41 | 6.78  | 1000.00 |
| 100000 | 6.47  | 3.24  | 5.18  | 1.76  | 44.81 | 0.87  | 2.41  | 0.35  | 2.06  | 36.39 | 48.20 | 134.61 | 280.76 | 5.85  | 1000.00 |
| 110000 | 6.41  | 3.29  | 5.18  | 1.70  | 57.34 | 1.04  | 2.56  | 0.46  | 2.10  | 36.75 | 48.21 | 134.62 | 273.36 | 6.72  | 1000.00 |
| 120000 | 6.56  | 3.22  | 5.22  | 1.83  | 61.13 | 1.07  | 2.62  | 0.49  | 2.13  | 36.26 | 48.21 | 134.64 | 294.24 | 7.72  | 1000.00 |
| 130000 | 6.59  | 3.23  | 5.23  | 1.79  | 43.13 | 1.05  | 2.55  | 0.43  | 2.12  | 37.08 | 48.19 | 134.50 | 161.86 | 4.30  | 1000.00 |
| 140000 | 6.59  | 3.24  | 5.21  | 1.79  | 52.86 | 0.86  | 2.40  | 0.32  | 2.08  | 37.01 | 48.18 | 134.40 | 95.55  | 9.01  | 1000.00 |
| 150000 | 6.59  | 3.21  | 5.25  | 1.83  | 42.85 | 0.84  | 2.36  | 0.28  | 2.08  | 35.63 | 48.19 | 134.50 | 186.70 | 7.60  | 1000.00 |
| 160000 | 6.58  | 3.23  | 5.23  | 1.76  | 33.12 | 0.93  | 2.45  | 0.39  | 2.06  | 35.09 | 48.20 | 134.61 | 288.00 | 4.75  | 1000.00 |
| 170000 | 6.61  | 3.21  | 5.25  | 1.81  | 32.10 | 0.92  | 2.43  | 0.36  | 2.07  | 34.84 | 48.20 | 134.61 | 280.49 | 4.85  | 1000.00 |
| 180000 | 6.44  | 3.24  | 5.18  | 1.71  | 28.42 | 0.85  | 2.41  | 0.29  | 2.12  | 33.90 | 48.18 | 134.42 | 107.37 | 3.56  | 1000.00 |
| 190000 | 6.53  | 3.25  | 5.23  | 1.78  | 23.66 | 0.87  | 2.44  | 0.30  | 2.14  | 33.11 | 48.16 | 134.33 | 56.66  | 5.71  | 1000.00 |
| 200000 | 6.55  | 3.19  | 5.26  | 1.89  | 23.41 | 0.83  | 2.46  | 0.28  | 2.18  | 33.05 | 48.17 | 134.36 | 103.31 | 3.65  | 1000.00 |
| 210000 | 6.48  | 3.19  | 5.21  | 1.86  | 19.90 | 0.84  | 2.63  | 0.29  | 2.34  | 33.12 | 48.19 | 134.53 | 240.91 | 2.60  | 1000.00 |
| 220000 | 6.65  | 3.25  | 5.25  | 1.83  | 18.71 | 0.77  | 2.39  | 0.23  | 2.16  | 32.02 | 48.19 | 134.56 | 273.41 | 8.51  | 1000.00 |
| 230000 | 6.53  | 3.25  | 5.20  | 1.76  | 17.66 | 0.71  | 2.18  | 0.19  | 1.99  | 32.12 | 48.17 | 134.39 | 106.21 | 10.45 | 1000.00 |
| 極大值    | 6.65  | 3.29  | 5.26  | 1.89  | 61.13 | 1.07  | 3.13  | 0.49  | 2.87  | 37.08 | 48.21 | 134.64 | 294.24 | 10.45 | 1000.00 |
| 極小值    | 6.41  | 3.18  | 5.14  | 1.70  | 12.12 | 0.71  | 2.18  | 0.19  | 1.99  | 32.02 | 48.16 | 134.33 | 49.78  | 0.45  | 1000.00 |
| 平均值    | 6.53  | 3.22  | 5.20  | 1.78  | 28.02 | 0.88  | 2.61  | 0.32  | 2.30  | 34.24 | 48.19 | 134.51 | 184.51 | 4.90  | 1000.00 |
| 標準差    | 0.06  | 0.03  | 0.04  | 0.04  | 15.28 | 0.08  | 0.26  | 0.07  | 0.27  | 1.75  | 0.01  | 0.09   | 82.83  | 2.66  | 0       |

屏東縣崁頂焚化爐空氣品質監  
測報表

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫   | 站內溫   | RH     | WD     | WS    | PM10   |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|-------|--------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (o C) | (o C) | (%)    | (o)    | (m/s) | (ug/m) |
| 000000 | 6.51  | 3.19  | 5.19  | 1.79  | 15.29 | 0.83  | 2.73  | 0.26  | 2.47  | 32.81 | 48.19 | 134.51 | 175.82 | 0.68  | 32.21  |
| 010000 | 6.48  | 3.21  | 5.19  | 1.76  | 13.89 | 0.83  | 3.13  | 0.26  | 2.87  | 32.74 | 48.19 | 134.48 | 109.99 | 3.04  | 926.27 |
| 020000 | 6.58  | 3.21  | 5.19  | 1.76  | 13.02 | 0.85  | 3.02  | 0.28  | 2.74  | 32.51 | 48.20 | 134.56 | 210.35 | 0.45  | 24.49  |
| 030000 | 6.51  | 3.18  | 5.15  | 1.78  | 14.05 | 0.87  | 2.96  | 0.29  | 2.67  | 32.52 | 48.19 | 134.52 | 173.14 | 1.57  | 38.83  |
| 040000 | 6.50  | 3.21  | 5.19  | 1.77  | 14.45 | 0.88  | 2.77  | 0.30  | 2.47  | 32.56 | 48.19 | 134.50 | 176.51 | 3.93  | 32.77  |
| 050000 | 6.46  | 3.22  | 5.22  | 1.79  | 12.43 | 0.94  | 3.03  | 0.37  | 2.66  | 32.57 | 48.18 | 134.40 | 49.78  | 5.92  | 33.47  |
| 060000 | 6.54  | 3.18  | 5.17  | 1.80  | 12.12 | 0.88  | 2.99  | 0.30  | 2.69  | 32.91 | 48.18 | 134.42 | 79.87  | 2.82  | 32.97  |
| 070000 | 6.56  | 3.21  | 5.14  | 1.73  | 14.26 | 0.89  | 2.87  | 0.31  | 2.56  | 35.10 | 48.19 | 134.48 | 149.05 | 1.73  | 37.35  |
| 080000 | 6.50  | 3.22  | 5.14  | 1.74  | 27.32 | 0.83  | 2.53  | 0.28  | 2.25  | 35.81 | 48.20 | 134.61 | 278.60 | 5.48  | 40.31  |
| 090000 | 6.50  | 3.27  | 5.26  | 1.78  | 36.65 | 0.80  | 2.35  | 0.27  | 2.08  | 35.79 | 48.20 | 134.61 | 276.41 | 6.78  | 39.44  |
| 100000 | 6.47  | 3.24  | 5.18  | 1.76  | 44.81 | 0.87  | 2.41  | 0.35  | 2.06  | 36.39 | 48.20 | 134.61 | 280.76 | 5.85  | 35.63  |
| 110000 | 6.41  | 3.29  | 5.18  | 1.70  | 57.34 | 1.04  | 2.56  | 0.46  | 2.10  | 36.75 | 48.21 | 134.62 | 273.36 | 6.72  | 34.54  |
| 120000 | 6.56  | 3.22  | 5.22  | 1.83  | 61.13 | 1.07  | 2.62  | 0.49  | 2.13  | 36.26 | 48.21 | 134.64 | 294.24 | 7.72  | 31.18  |
| 130000 | 6.59  | 3.23  | 5.23  | 1.79  | 43.13 | 1.05  | 2.55  | 0.43  | 2.12  | 37.08 | 48.19 | 134.50 | 161.86 | 4.30  | 35.71  |
| 140000 | 6.59  | 3.24  | 5.21  | 1.79  | 52.86 | 0.86  | 2.40  | 0.32  | 2.08  | 37.01 | 48.18 | 134.40 | 95.55  | 9.01  | 40.26  |
| 150000 | 6.59  | 3.21  | 5.25  | 1.83  | 42.85 | 0.84  | 2.36  | 0.28  | 2.08  | 35.63 | 48.19 | 134.50 | 186.70 | 7.60  | 37.73  |
| 160000 | 6.58  | 3.23  | 5.23  | 1.76  | 33.12 | 0.93  | 2.45  | 0.39  | 2.06  | 35.09 | 48.20 | 134.61 | 288.00 | 4.75  | 35.66  |
| 170000 | 6.61  | 3.21  | 5.25  | 1.81  | 32.10 | 0.92  | 2.43  | 0.36  | 2.07  | 34.84 | 48.20 | 134.61 | 280.49 | 4.85  | 34.47  |
| 180000 | 6.44  | 3.24  | 5.18  | 1.71  | 28.42 | 0.85  | 2.41  | 0.29  | 2.12  | 33.90 | 48.18 | 134.42 | 107.37 | 3.56  | 39.73  |
| 190000 | 6.53  | 3.25  | 5.23  | 1.78  | 23.66 | 0.87  | 2.44  | 0.30  | 2.14  | 33.11 | 48.16 | 134.33 | 56.66  | 5.71  | 45.79  |
| 200000 | 6.55  | 3.19  | 5.26  | 1.89  | 23.41 | 0.83  | 2.46  | 0.28  | 2.18  | 33.05 | 48.17 | 134.36 | 103.31 | 3.65  | 40.61  |
| 210000 | 6.48  | 3.19  | 5.21  | 1.86  | 19.90 | 0.84  | 2.63  | 0.29  | 2.34  | 33.12 | 48.19 | 134.53 | 240.91 | 2.60  | 43.52  |
| 220000 | 6.65  | 3.25  | 5.25  | 1.83  | 18.71 | 0.77  | 2.39  | 0.23  | 2.16  | 32.02 | 48.19 | 134.56 | 273.41 | 8.51  | 42.94  |
| 230000 | 6.53  | 3.25  | 5.20  | 1.76  | 17.66 | 0.71  | 2.18  | 0.19  | 1.99  | 32.12 | 48.17 | 134.39 | 106.21 | 10.45 | 46.00  |
| 極大值    | 6.65  | 3.29  | 5.26  | 1.89  | 61.13 | 1.07  | 3.13  | 0.49  | 2.87  | 37.08 | 48.21 | 134.64 | 294.24 | 10.45 | 926.27 |
| 極小值    | 6.41  | 3.18  | 5.14  | 1.70  | 12.12 | 0.71  | 2.18  | 0.19  | 1.99  | 32.02 | 48.16 | 134.33 | 49.78  | 0.45  | 31.18  |
| 平均值    | 6.53  | 3.22  | 5.20  | 1.78  | 28.02 | 0.88  | 2.61  | 0.32  | 2.30  | 34.24 | 48.19 | 134.51 | 184.51 | 4.90  | 74.25  |
| 標準差    | 0.06  | 0.03  | 0.04  | 0.04  | 15.28 | 0.08  | 0.26  | 0.07  | 0.27  | 1.75  | 0.01  | 0.09   | 82.83  | 2.66  | 181.55 |

屏東縣崁頂焚化爐空氣品質監  
測報表

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫   | 站內溫   | RH     | WD     | WS    | PM10   |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|-------|--------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (o C) | (o C) | (%)    | (o)    | (m/s) | (ug/m) |
| 000000 | 6.48  | 3.22  | 5.21  | 1.79  | 22.28 | 0.73  | 2.21  | 0.20  | 2.01  | 30.92 | 48.18 | 134.46 | 208.50 | 1.03  | 21.76  |
| 010000 | 6.42  | 3.23  | 5.18  | 1.76  | 19.60 | 0.74  | 2.24  | 0.21  | 2.03  | 31.03 | 48.18 | 134.50 | 240.11 | 1.56  | 923.01 |
| 020000 | 6.45  | 3.18  | 5.17  | 1.79  | 26.07 | 0.70  | 2.16  | 0.18  | 1.98  | 31.37 | 48.19 | 134.54 | 278.88 | 11.01 | 22.83  |
| 030000 | 6.41  | 3.20  | 5.18  | 1.81  | 27.80 | 0.70  | 2.15  | 0.17  | 1.98  | 31.26 | 48.19 | 134.55 | 283.47 | 11.40 | 21.08  |
| 040000 | 6.44  | 3.20  | 5.24  | 1.83  | 27.73 | 0.70  | 2.16  | 0.17  | 1.99  | 31.23 | 48.19 | 134.56 | 262.63 | 14.55 | 21.24  |
| 050000 | 6.37  | 3.25  | 5.21  | 1.75  | 27.95 | 0.70  | 2.14  | 0.17  | 1.97  | 31.30 | 48.20 | 134.59 | 278.86 | 14.06 | 21.37  |
| 060000 | 6.42  | 3.25  | 5.22  | 1.78  | 25.99 | 0.70  | 2.12  | 0.17  | 1.95  | 31.32 | 48.20 | 134.57 | 264.97 | 13.67 | 19.76  |
| 070000 | 6.35  | 3.27  | 5.21  | 1.75  | 19.37 | 0.73  | 2.20  | 0.19  | 2.01  | 31.41 | 48.19 | 134.51 | 224.12 | 2.79  | 18.04  |
| 080000 | 6.52  | 3.25  | 5.22  | 1.78  | 26.17 | 0.70  | 2.13  | 0.17  | 1.96  | 30.66 | 48.19 | 134.55 | 244.82 | 11.54 | 27.77  |
| 090000 | 6.45  | 3.28  | 5.25  | 1.77  | 28.61 | 0.70  | 2.12  | 0.17  | 1.95  | 30.92 | 48.20 | 134.57 | 262.09 | 17.04 | 17.25  |
| 100000 | 6.43  | 3.29  | 5.19  | 1.71  | 21.83 | 0.71  | 2.14  | 0.18  | 1.96  | 30.90 | 48.19 | 134.51 | 221.33 | 3.53  | 23.21  |
| 110000 | 6.42  | 3.27  | 5.15  | 1.70  | 21.59 | 0.70  | 2.19  | 0.19  | 2.00  | 30.88 | 48.20 | 134.55 | 246.80 | 4.32  | 27.12  |
| 120000 | 6.40  | 3.23  | 5.18  | 1.77  | 26.96 | 0.70  | 2.14  | 0.17  | 1.97  | 31.46 | 48.20 | 134.57 | 269.06 | 15.88 | 29.16  |
| 130000 | 6.33  | 3.28  | 5.25  | 1.77  | 28.24 | 0.70  | 2.12  | 0.17  | 1.95  | 31.87 | 48.20 | 134.59 | 273.31 | 18.75 | 45.52  |
| 140000 | 6.33  | 3.30  | 5.25  | 1.76  | 28.77 | 0.72  | 2.12  | 0.16  | 1.96  | 32.03 | 48.20 | 134.62 | 277.12 | 17.08 | 42.60  |
| 150000 | 6.42  | 3.30  | 5.24  | 1.76  | 23.71 | 0.72  | 2.14  | 0.18  | 1.96  | 31.72 | 48.19 | 134.54 | 228.87 | 7.56  | 42.85  |
| 160000 | 6.42  | 3.25  | 5.16  | 1.74  | 21.19 | 0.74  | 2.17  | 0.20  | 1.97  | 31.69 | 48.19 | 134.53 | 229.87 | 4.61  | 42.16  |
| 170000 | 6.50  | 3.20  | 5.18  | 1.77  | 18.64 | 0.74  | 2.20  | 0.21  | 1.99  | 31.60 | 48.19 | 134.52 | 212.16 | 0.53  | 41.15  |
| 180000 | 6.44  | 3.13  | 5.10  | 1.79  | 18.77 | 0.73  | 2.25  | 0.20  | 2.05  | 31.55 | 48.19 | 134.48 | 180.16 | 0.15  | 42.55  |
| 190000 | 6.37  | 3.28  | 5.20  | 1.73  | 16.92 | 0.73  | 2.24  | 0.20  | 2.04  | 31.59 | 48.18 | 134.47 | 174.49 | 0.50  | 38.23  |
| 200000 | 6.48  | 3.29  | 5.22  | 1.72  | 16.99 | 0.72  | 2.26  | 0.19  | 2.07  | 31.50 | 48.18 | 134.43 | 130.10 | 2.76  | 33.70  |
| 210000 | 6.43  | 3.19  | 5.17  | 1.79  | 17.41 | 0.72  | 2.27  | 0.20  | 2.07  | 31.60 | 48.19 | 134.54 | 233.70 | 0.38  | 31.78  |
| 220000 | 6.40  | 3.22  | 5.19  | 1.77  | 17.08 | 0.73  | 2.30  | 0.20  | 2.10  | 31.76 | 48.20 | 134.57 | 266.44 | 1.02  | 38.51  |
| 230000 | 6.43  | 3.17  | 5.17  | 1.78  | 17.78 | 0.71  | 2.34  | 0.19  | 2.15  | 31.80 | 48.19 | 134.48 | 163.23 | 0.14  | 36.77  |
| 極大值    | 6.52  | 3.30  | 5.25  | 1.83  | 28.77 | 0.74  | 2.34  | 0.21  | 2.15  | 32.03 | 48.20 | 134.62 | 283.47 | 18.75 | 923.01 |
| 極小值    | 6.33  | 3.13  | 5.10  | 1.70  | 16.92 | 0.70  | 2.12  | 0.16  | 1.95  | 30.66 | 48.18 | 134.43 | 130.10 | 0.14  | 17.25  |
| 平均值    | 6.42  | 3.24  | 5.20  | 1.77  | 22.81 | 0.72  | 2.19  | 0.18  | 2.00  | 31.39 | 48.19 | 134.53 | 235.63 | 7.33  | 67.89  |
| 標準差    | 0.05  | 0.05  | 0.04  | 0.03  | 4.38  | 0.02  | 0.06  | 0.02  | 0.05  | 0.36  | 0.01  | 0.05   | 41     | 6.62  | 182.38 |

屏東縣崁頂焚化爐空氣品質監  
測報表

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫   | 站內溫   | RH     | WD     | WS    | PM10   |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|-------|--------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (o C) | (o C) | (%)    | (o)    | (m/s) | (ug/m) |
| 000000 | 6.41  | 3.22  | 5.16  | 1.77  | 15.86 | 0.71  | 2.34  | 0.20  | 2.14  | 31.80 | 48.19 | 134.54 | 227.55 | 0.07  | 21.62  |
| 010000 | 6.34  | 3.20  | 5.20  | 1.79  | 18.92 | 0.70  | 2.27  | 0.19  | 2.08  | 31.44 | 48.18 | 134.46 | 136.12 | 4.43  | 919.68 |
| 020000 | 6.42  | 3.22  | 5.17  | 1.78  | 19.13 | 0.70  | 2.23  | 0.19  | 2.04  | 31.35 | 48.17 | 134.38 | 66.10  | 6.42  | 20.94  |
| 030000 | 6.37  | 3.19  | 5.18  | 1.79  | 19.48 | 0.70  | 2.21  | 0.19  | 2.02  | 31.35 | 48.18 | 134.40 | 101.93 | 6.12  | 20.95  |
| 040000 | 6.40  | 3.23  | 5.17  | 1.75  | 19.01 | 0.70  | 2.20  | 0.19  | 2.01  | 31.40 | 48.18 | 134.41 | 145.15 | 3.22  | 18.62  |
| 050000 | 6.39  | 3.25  | 5.22  | 1.79  | 18.08 | 0.71  | 2.29  | 0.19  | 2.10  | 31.59 | 48.17 | 134.45 | 175.30 | 3.24  | 17.64  |
| 060000 | 6.40  | 3.27  | 5.26  | 1.79  | 17.29 | 0.73  | 2.42  | 0.20  | 2.22  | 31.98 | 48.17 | 134.40 | 124.65 | 2.48  | 16.51  |
| 070000 | 6.45  | 3.29  | 5.31  | 1.84  | 17.48 | 0.73  | 2.35  | 0.21  | 2.14  | 33.35 | 48.17 | 134.42 | 164.91 | 1.02  | 14.98  |
| 080000 | 6.48  | 3.23  | 5.22  | 1.79  | 17.42 | 0.73  | 2.25  | 0.22  | 2.03  | 34.35 | 48.17 | 134.42 | 154.49 | 0.61  | 14.93  |
| 090000 | 6.41  | 3.22  | 5.19  | 1.78  | 23.24 | 0.72  | 2.20  | 0.21  | 1.99  | 35.10 | 48.19 | 134.53 | 230.67 | 4.75  | 16.57  |
| 100000 | 6.45  | 3.30  | 5.23  | 1.72  | 24.65 | 0.71  | 2.17  | 0.21  | 1.96  | 35.29 | 48.20 | 134.56 | 256.71 | 5.71  | 24.19  |
| 110000 | 6.43  | 3.25  | 5.21  | 1.76  | 25.49 | 0.70  | 2.15  | 0.20  | 1.95  | 35.41 | 48.20 | 134.59 | 270.10 | 9.49  | 30.75  |
| 120000 | 6.53  | 3.30  | 5.31  | 1.81  | 26.32 | 0.71  | 2.16  | 0.20  | 1.96  | 35.49 | 48.20 | 134.59 | 272.28 | 10.42 | 33.98  |
| 130000 | 6.47  | 3.26  | 5.24  | 1.79  | 27.92 | 0.72  | 2.19  | 0.21  | 1.98  | 35.45 | 48.20 | 134.58 | 265.51 | 7.20  | 36.17  |
| 140000 | 6.47  | 3.14  | 5.15  | 1.80  | 28.90 | 0.73  | 2.19  | 0.21  | 1.98  | 35.44 | 48.20 | 134.59 | 280.07 | 5.78  | 34.81  |
| 150000 | 6.47  | 3.24  | 5.19  | 1.77  | 27.52 | 0.74  | 2.21  | 0.22  | 1.99  | 35.64 | 48.20 | 134.57 | 259.54 | 4.35  | 37.59  |
| 160000 | 6.50  | 3.28  | 5.18  | 1.73  | 26.30 | 0.73  | 2.18  | 0.21  | 1.97  | 35.33 | 48.19 | 134.55 | 266.42 | 5.26  | 39.06  |
| 170000 | 6.48  | 3.30  | 5.29  | 1.81  | 23.76 | 0.74  | 2.19  | 0.21  | 1.98  | 35.02 | 48.19 | 134.54 | 259.29 | 3.31  | 32.25  |
| 180000 | 6.47  | 3.28  | 5.23  | 1.78  | 22.28 | 0.73  | 2.24  | 0.21  | 2.03  | 34.52 | 48.19 | 134.56 | 279.53 | 4.22  | 31.03  |
| 190000 | 6.48  | 3.29  | 5.27  | 1.80  | 22.59 | 0.75  | 2.25  | 0.20  | 2.05  | 33.89 | 48.19 | 134.56 | 269.03 | 4.40  | 26.40  |
| 200000 | 6.43  | 3.27  | 5.24  | 1.82  | 17.76 | 0.77  | 2.30  | 0.22  | 2.08  | 33.25 | 48.18 | 134.50 | 225.57 | 0.13  | 24.90  |
| 210000 | 6.51  | 3.18  | 5.17  | 1.83  | 17.51 | 0.77  | 2.48  | 0.23  | 2.25  | 33.08 | 48.19 | 134.55 | 266.55 | 0.26  | 26.22  |
| 220000 | 6.50  | 3.25  | 5.20  | 1.75  | 15.49 | 0.78  | 2.51  | 0.22  | 2.29  | 32.76 | 48.19 | 134.58 | 287.25 | 1.85  | 23.18  |
| 230000 | 6.41  | 3.29  | 5.22  | 1.75  | 14.79 | 0.75  | 2.37  | 0.23  | 2.14  | 32.67 | 48.19 | 134.56 | 280.88 | 0.95  | 19.75  |
| 極大值    | 6.53  | 3.30  | 5.31  | 1.84  | 28.90 | 0.78  | 2.51  | 0.23  | 2.29  | 35.64 | 48.20 | 134.59 | 287.25 | 10.42 | 919.68 |
| 極小值    | 6.34  | 3.14  | 5.15  | 1.72  | 14.79 | 0.70  | 2.15  | 0.19  | 1.95  | 31.35 | 48.17 | 134.38 | 66.10  | 0.07  | 14.93  |
| 平均值    | 6.44  | 3.25  | 5.22  | 1.78  | 21.13 | 0.73  | 2.26  | 0.21  | 2.06  | 33.62 | 48.19 | 134.51 | 219.40 | 3.99  | 62.61  |
| 標準差    | 0.05  | 0.04  | 0.05  | 0.03  | 4.37  | 0.02  | 0.1   | 0.01  | 0.1   | 1.63  | 0.01  | 0.07   | 66.84  | 2.82  | 182.71 |

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫   | 站內溫   | RH     | WD     | WS    | PM10   |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|-------|--------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (o C) | (o C) | (%)    | (o)    | (m/s) | (ug/m) |
| 000000 | 6.45  | 3.22  | 5.20  | 1.79  | 14.36 | 0.74  | 2.47  | 0.27  | 2.20  | 32.56 | 48.19 | 134.57 | 280.07 | 3.40  | 37.19  |
| 010000 | 6.37  | 3.19  | 5.18  | 1.80  | 15.59 | 0.73  | 2.72  | 0.26  | 2.46  | 32.40 | 48.18 | 134.50 | 277.44 | 4.45  | 918.23 |
| 020000 | 6.37  | 3.26  | 5.18  | 1.76  | 16.66 | 0.72  | 2.80  | 0.25  | 2.55  | 32.46 | 48.17 | 134.43 | 295.07 | 3.29  | 38.42  |
| 030000 | 6.37  | 3.19  | 5.18  | 1.79  | 15.23 | 0.72  | 2.76  | 0.25  | 2.51  | 32.26 | 48.16 | 134.41 | 276.97 | 3.47  | 31.94  |
| 040000 | 6.40  | 3.23  | 5.21  | 1.81  | 13.73 | 0.73  | 2.72  | 0.24  | 2.48  | 32.02 | 48.16 | 134.37 | 230.21 | 0.40  | 33.07  |
| 050000 | 6.40  | 3.19  | 5.18  | 1.81  | 14.06 | 0.74  | 2.84  | 0.23  | 2.61  | 31.82 | 48.16 | 134.34 | 203.30 | 0.15  | 30.51  |
| 060000 | 6.42  | 3.23  | 5.23  | 1.79  | 12.90 | 0.74  | 3.07  | 0.24  | 2.83  | 32.47 | 48.15 | 134.28 | 143.35 | 0.08  | 30.86  |
| 070000 | 6.35  | 3.24  | 5.20  | 1.78  | 15.10 | 0.80  | 3.11  | 0.26  | 2.85  | 34.12 | 48.15 | 134.33 | 208.21 | 0.18  | 36.56  |
| 080000 | 6.43  | 3.27  | 5.23  | 1.78  | 19.07 | 0.75  | 2.60  | 0.25  | 2.35  | 35.25 | 48.16 | 134.35 | 222.28 | 1.99  | 41.74  |
| 090000 | 6.43  | 3.24  | 5.26  | 1.85  | 24.25 | 0.71  | 2.31  | 0.24  | 2.07  | 35.37 | 48.16 | 134.40 | 256.39 | 7.03  | 45.13  |
| 100000 | 6.54  | 3.28  | 5.24  | 1.80  | 25.46 | 0.72  | 2.17  | 0.24  | 1.93  | 35.49 | 48.16 | 134.40 | 265.96 | 8.03  | 47.96  |
| 110000 | 6.49  | 3.32  | 5.24  | 1.76  | 25.62 | 0.71  | 2.11  | 0.23  | 1.88  | 35.73 | 48.16 | 134.40 | 259.95 | 9.17  | 54.46  |
| 120000 | 6.45  | 3.25  | 5.21  | 1.77  | 27.61 | 0.72  | 2.09  | 0.24  | 1.85  | 35.37 | 48.17 | 134.40 | 267.72 | 9.29  | 54.33  |
| 130000 | 6.47  | 3.26  | 5.18  | 1.75  | 27.41 | 0.73  | 2.07  | 0.22  | 1.85  | 35.58 | 48.16 | 134.41 | 273.38 | 7.96  | 47.14  |
| 140000 | 6.37  | 3.28  | 5.25  | 1.81  | 26.88 | 0.73  | 2.08  | 0.23  | 1.85  | 35.53 | 48.17 | 134.42 | 281.42 | 4.42  | 44.93  |
| 150000 | 6.34  | 3.25  | 5.23  | 1.81  | 27.01 | 0.73  | 2.09  | 0.23  | 1.86  | 35.77 | 48.17 | 134.42 | 273.49 | 4.36  | 44.74  |
| 160000 | 6.48  | 3.28  | 5.19  | 1.76  | 24.17 | 0.75  | 2.09  | 0.22  | 1.87  | 34.98 | 48.16 | 134.41 | 271.70 | 5.00  | 58.31  |
| 170000 | 6.57  | 3.24  | 5.25  | 1.84  | 24.58 | 0.76  | 2.08  | 0.21  | 1.87  | 34.82 | 48.16 | 134.41 | 276.17 | 3.90  | 62.15  |
| 180000 | 6.43  | 3.21  | 5.14  | 1.75  | 18.42 | 0.76  | 2.12  | 0.21  | 1.91  | 34.48 | 48.16 | 134.39 | 259.69 | 1.05  | 68.28  |
| 190000 | 6.47  | 3.21  | 5.21  | 1.81  | 17.75 | 0.76  | 2.21  | 0.18  | 2.03  | 34.18 | 48.18 | 134.46 | 290.85 | 0.28  | 58.82  |
| 200000 | 6.44  | 3.28  | 5.20  | 1.73  | 16.72 | 0.77  | 2.14  | 0.18  | 1.96  | 34.10 | 48.18 | 134.46 | 281.80 | 0.36  | 59.88  |
| 210000 | 6.46  | 3.25  | 5.21  | 1.77  | 12.70 | 0.85  | 2.15  | 0.18  | 1.97  | 33.18 | 48.15 | 134.26 | 103.11 | 0.30  | 63.07  |
| 220000 | 6.34  | 3.26  | 5.23  | 1.79  | 12.79 | 0.80  | 2.14  | 0.18  | 1.96  | 32.68 | 48.15 | 134.27 | 103.56 | 0.57  | 61.62  |
| 230000 | 6.34  | 3.23  | 5.25  | 1.83  | 12.58 | 0.78  | 2.20  | 0.19  | 2.01  | 32.50 | 48.16 | 134.33 | 171.48 | 0.10  | 67.71  |
| 極大值    | 6.57  | 3.32  | 5.26  | 1.85  | 27.61 | 0.85  | 3.11  | 0.27  | 2.85  | 35.77 | 48.19 | 134.57 | 295.07 | 9.29  | 918.23 |
| 極小值    | 6.34  | 3.19  | 5.14  | 1.73  | 12.58 | 0.71  | 2.07  | 0.18  | 1.85  | 31.82 | 48.15 | 134.26 | 103.11 | 0.08  | 30.51  |
| 平均值    | 6.42  | 3.24  | 5.21  | 1.79  | 19.19 | 0.75  | 2.38  | 0.23  | 2.15  | 33.96 | 48.16 | 134.39 | 240.57 | 3.30  | 84.88  |
| 標準差    | 0.06  | 0.03  | 0.03  | 0.03  | 5.62  | 0.03  | 0.35  | 0.03  | 0.33  | 1.42  | 0.01  | 0.07   | 56.97  | 3.13  | 177.91 |

屏東縣崁頂焚化爐空氣品質監測報表

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫   | 站內溫   | RH     | WD     | WS    | PM10   |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|-------|--------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (o C) | (o C) | (%)    | (o)    | (m/s) | (ug/m) |
| 000000 | 6.47  | 3.22  | 5.19  | 1.78  | 13.17 | 0.75  | 2.47  | 0.27  | 2.20  | 32.21 | 48.15 | 134.31 | 161.29 | 0.72  | 23.58  |
| 010000 | 6.43  | 3.23  | 5.23  | 1.79  | 13.39 | 0.73  | 2.72  | 0.26  | 2.46  | 32.04 | 48.17 | 134.38 | 221.00 | 0.63  | 915.74 |
| 020000 | 6.41  | 3.25  | 5.22  | 1.76  | 15.31 | 0.71  | 2.80  | 0.25  | 2.55  | 32.13 | 48.16 | 134.34 | 176.82 | 0.35  | 21.79  |
| 030000 | 6.45  | 3.25  | 5.18  | 1.74  | 13.72 | 0.72  | 2.76  | 0.25  | 2.51  | 31.79 | 48.15 | 134.25 | 85.62  | 0.07  | 23.74  |
| 040000 | 6.38  | 3.29  | 5.18  | 1.70  | 12.90 | 0.72  | 2.72  | 0.24  | 2.48  | 31.79 | 48.15 | 134.30 | 145.49 | 0.54  | 27.44  |
| 050000 | 6.43  | 3.26  | 5.18  | 1.73  | 13.47 | 0.73  | 2.84  | 0.23  | 2.61  | 31.86 | 48.15 | 134.25 | 82.56  | 2.28  | 29.48  |
| 060000 | 6.32  | 3.21  | 5.21  | 1.80  | 13.27 | 0.75  | 3.07  | 0.24  | 2.83  | 32.64 | 48.14 | 134.22 | 63.58  | 2.54  | 31.93  |
| 070000 | 6.39  | 3.23  | 5.25  | 1.82  | 13.65 | 0.77  | 3.11  | 0.26  | 2.85  | 33.89 | 48.15 | 134.24 | 95.81  | 4.47  | 33.95  |
| 080000 | 6.39  | 3.26  | 5.25  | 1.78  | 18.74 | 0.77  | 2.60  | 0.25  | 2.35  | 34.38 | 48.14 | 134.22 | 74.61  | 5.45  | 38.27  |
| 090000 | 6.42  | 3.30  | 5.19  | 1.71  | 20.41 | 1.13  | 2.31  | 0.24  | 2.07  | 34.42 | 48.14 | 134.21 | 73.88  | 4.55  | 40.69  |
| 100000 | 6.51  | 3.29  | 5.23  | 1.76  | 21.89 | 0.84  | 2.17  | 0.24  | 1.93  | 34.61 | 48.17 | 134.42 | 275.37 | 4.25  | 41.08  |
| 110000 | 6.43  | 3.29  | 5.23  | 1.75  | 23.37 | 0.73  | 2.11  | 0.23  | 1.88  | 34.78 | 48.18 | 134.45 | 289.95 | 5.80  | 38.96  |
| 120000 | 6.45  | 3.27  | 5.25  | 1.80  | 24.04 | 0.73  | 2.09  | 0.24  | 1.85  | 34.84 | 48.17 | 134.44 | 294.35 | 7.55  | 34.94  |
| 130000 | 6.39  | 3.25  | 5.18  | 1.78  | 25.74 | 0.74  | 2.07  | 0.22  | 1.85  | 34.87 | 48.17 | 134.41 | 292.10 | 7.26  | 36.17  |
| 140000 | 6.41  | 3.28  | 5.24  | 1.80  | 22.07 | 0.75  | 2.08  | 0.23  | 1.85  | 33.69 | 48.17 | 134.41 | 285.23 | 6.86  | 33.04  |
| 150000 | 6.40  | 3.23  | 5.15  | 1.75  | 15.28 | 0.87  | 2.09  | 0.23  | 1.86  | 33.04 | 48.16 | 134.36 | 232.32 | 4.39  | 35.37  |
| 160000 | 6.33  | 3.28  | 5.23  | 1.80  | 14.61 | 0.88  | 2.09  | 0.22  | 1.87  | 33.61 | 48.16 | 134.35 | 225.04 | 1.87  | 31.70  |
| 170000 | 6.39  | 3.25  | 5.26  | 1.83  | 14.59 | 0.92  | 2.08  | 0.21  | 1.87  | 33.00 | 48.15 | 134.33 | 210.59 | 4.51  | 28.90  |
| 180000 | 6.40  | 3.25  | 5.18  | 1.76  | 13.32 | 0.90  | 2.12  | 0.21  | 1.91  | 32.81 | 48.13 | 134.18 | 31.69  | 8.94  | 30.14  |
| 190000 | 6.46  | 3.24  | 5.17  | 1.76  | 15.53 | 0.81  | 2.21  | 0.18  | 2.03  | 32.68 | 48.14 | 134.19 | 40.18  | 10.50 | 24.86  |
| 200000 | 6.45  | 3.28  | 5.23  | 1.76  | 15.11 | 0.78  | 2.14  | 0.18  | 1.96  | 32.55 | 48.14 | 134.20 | 41.76  | 12.06 | 26.57  |
| 210000 | 6.38  | 3.25  | 5.21  | 1.73  | 15.44 | 0.75  | 2.15  | 0.18  | 1.97  | 32.56 | 48.14 | 134.20 | 32.78  | 8.95  | 27.59  |
| 220000 | 6.37  | 3.27  | 5.18  | 1.73  | 14.27 | 0.78  | 2.14  | 0.18  | 1.96  | 32.56 | 48.14 | 134.21 | 70.75  | 7.22  | 31.40  |
| 230000 | 6.39  | 3.21  | 5.17  | 1.78  | 13.35 | 0.80  | 2.20  | 0.19  | 2.01  | 32.37 | 48.14 | 134.19 | 43.03  | 7.40  | 37.13  |
| 極大值    | 6.51  | 3.30  | 5.26  | 1.83  | 25.74 | 1.13  | 3.11  | 0.27  | 2.85  | 34.87 | 48.18 | 134.45 | 294.35 | 12.06 | 915.74 |
| 極小值    | 6.32  | 3.21  | 5.15  | 1.70  | 12.90 | 0.71  | 2.07  | 0.18  | 1.85  | 31.79 | 48.13 | 134.18 | 31.69  | 0.07  | 21.79  |
| 平均值    | 6.41  | 3.26  | 5.21  | 1.77  | 16.53 | 0.79  | 2.38  | 0.23  | 2.15  | 33.13 | 48.15 | 134.29 | 147.74 | 4.96  | 68.52  |
| 標準差    | 0.04  | 0.03  | 0.03  | 0.03  | 4.05  | 0.09  | 0.35  | 0.03  | 0.33  | 1.05  | 0.01  | 0.09   | 96.98  | 3.4   | 180.54 |

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫   | 站內溫   | RH     | WD     | WS    | PM10   |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|-------|--------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (o C) | (o C) | (%)    | (o)    | (m/s) | (ug/m) |
| 000000 | 6.39  | 3.25  | 5.22  | 1.78  | 12.49 | 0.79  | 2.32  | 0.11  | 2.21  | 32.03 | 48.15 | 134.23 | 68.61  | 4.44  | 32.50  |
| 010000 | 6.38  | 3.20  | 5.13  | 1.74  | 12.17 | 0.77  | 2.31  | 0.12  | 2.19  | 31.89 | 48.14 | 134.21 | 55.61  | 12.27 | 932.99 |
| 020000 | 6.29  | 3.21  | 5.20  | 1.81  | 12.18 | 0.77  | 2.28  | 0.10  | 2.18  | 31.75 | 48.15 | 134.24 | 68.97  | 9.76  | 23.25  |
| 030000 | 6.31  | 3.23  | 5.21  | 1.79  | 11.58 | 0.76  | 2.45  | 0.09  | 2.36  | 31.62 | 48.14 | 134.20 | 40.54  | 10.72 | 23.08  |
| 040000 | 6.38  | 3.24  | 5.22  | 1.80  | 12.11 | 0.74  | 2.43  | 0.09  | 2.34  | 31.58 | 48.15 | 134.25 | 77.21  | 9.30  | 35.22  |
| 050000 | 6.35  | 3.21  | 5.18  | 1.79  | 12.13 | 0.74  | 2.52  | 0.10  | 2.42  | 31.54 | 48.15 | 134.24 | 95.19  | 5.19  | 34.16  |
| 060000 | 6.44  | 3.25  | 5.19  | 1.75  | 11.71 | 0.75  | 2.45  | 0.09  | 2.36  | 32.65 | 48.16 | 134.31 | 146.40 | 2.24  | 31.49  |
| 070000 | 6.33  | 3.25  | 5.21  | 1.77  | 13.29 | 0.76  | 2.24  | 0.10  | 2.14  | 33.72 | 48.14 | 134.20 | 54.72  | 5.47  | 31.83  |
| 080000 | 6.42  | 3.24  | 5.20  | 1.79  | 16.05 | 0.78  | 2.21  | 0.09  | 2.12  | 35.01 | 48.16 | 134.31 | 165.99 | 1.38  | 31.63  |
| 090000 | 6.43  | 3.22  | 5.27  | 1.84  | 23.85 | 0.77  | 2.23  | 0.12  | 2.11  | 35.24 | 48.17 | 134.43 | 279.09 | 3.19  | 29.76  |
| 100000 | 6.42  | 3.33  | 5.24  | 1.73  | 29.79 | 0.81  | 2.25  | 0.17  | 2.08  | 35.06 | 48.18 | 134.45 | 284.86 | 5.36  | 28.44  |
| 110000 | 6.34  | 3.24  | 5.22  | 1.80  | 27.48 | 0.80  | 2.24  | 0.17  | 2.07  | 35.11 | 48.17 | 134.42 | 260.99 | 9.51  | 29.68  |
| 120000 | 6.36  | 3.26  | 5.25  | 1.83  | 25.76 | 0.77  | 2.19  | 0.13  | 2.06  | 33.18 | 48.14 | 134.20 | 42.85  | 12.83 | 29.92  |
| 130000 | 6.41  | 3.22  | 5.17  | 1.78  | 27.69 | 0.75  | 2.18  | 0.12  | 2.06  | 34.07 | 48.14 | 134.21 | 49.30  | 9.22  | 27.20  |
| 140000 | 6.35  | 3.27  | 5.26  | 1.80  | 30.01 | 0.75  | 2.18  | 0.11  | 2.07  | 34.52 | 48.15 | 134.25 | 63.08  | 16.67 | 27.74  |
| 150000 | 6.35  | 3.23  | 5.19  | 1.76  | 27.98 | 0.74  | 2.19  | 0.11  | 2.08  | 34.97 | 48.14 | 134.22 | 71.31  | 14.29 | 25.51  |
| 160000 | 6.30  | 3.24  | 5.21  | 1.80  | 28.41 | 0.76  | 2.19  | 0.09  | 2.10  | 35.09 | 48.15 | 134.25 | 106.86 | 6.53  | 25.16  |
| 170000 | 6.33  | 3.29  | 5.24  | 1.75  | 25.41 | 0.80  | 2.20  | 0.09  | 2.11  | 34.88 | 48.15 | 134.28 | 140.20 | 2.36  | 25.10  |
| 180000 | 6.45  | 3.30  | 5.20  | 1.71  | 16.81 | 0.84  | 2.22  | 0.11  | 2.11  | 34.22 | 48.15 | 134.29 | 151.07 | 2.95  | 24.18  |
| 190000 | 6.38  | 3.24  | 5.23  | 1.79  | 12.91 | 0.89  | 2.24  | 0.09  | 2.15  | 33.72 | 48.15 | 134.25 | 125.95 | 2.03  | 23.00  |
| 200000 | 6.31  | 3.25  | 5.23  | 1.79  | 11.16 | 0.90  | 2.25  | 0.09  | 2.16  | 33.05 | 48.16 | 134.32 | 189.99 | 0.07  | 17.93  |
| 210000 | 6.39  | 3.23  | 5.22  | 1.79  | 11.18 | 0.90  | 2.31  | 0.07  | 2.24  | 33.22 | 48.17 | 134.41 | 266.64 | 0.66  | 21.42  |
| 220000 | 6.30  | 3.21  | 5.19  | 1.79  | 10.81 | 0.87  | 2.62  | 0.09  | 2.53  | 33.00 | 48.17 | 134.43 | 279.87 | 0.35  | 22.91  |
| 230000 | 6.41  | 3.26  | 5.26  | 1.81  | 10.73 | 0.80  | 2.66  | 0.14  | 2.52  | 32.77 | 48.15 | 134.27 | 115.17 | 0.07  | 20.80  |
| 極大值    | 6.45  | 3.33  | 5.27  | 1.84  | 30.01 | 0.90  | 2.66  | 0.17  | 2.53  | 35.24 | 48.18 | 134.45 | 284.86 | 16.67 | 932.99 |
| 極小值    | 6.29  | 3.20  | 5.13  | 1.71  | 10.73 | 0.74  | 2.18  | 0.07  | 2.06  | 31.54 | 48.14 | 134.20 | 40.54  | 0.07  | 17.93  |
| 平均值    | 6.37  | 3.24  | 5.21  | 1.78  | 18.07 | 0.79  | 2.31  | 0.11  | 2.20  | 33.50 | 48.15 | 134.29 | 133.35 | 6.12  | 64.79  |
| 標準差    | 0.05  | 0.03  | 0.03  | 0.03  | 7.59  | 0.05  | 0.14  | 0.02  | 0.14  | 1.31  | 0.01  | 0.08   | 84.3   | 4.91  | 184.98 |

屏東縣崁頂焚化爐空氣品質監  
測報表

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫   | 站內溫   | RH     | WD     | WS    | PM10   |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|-------|--------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (o C) | (o C) | (%)    | (o)    | (m/s) | (ug/m) |
| 000000 | 6.35  | 3.26  | 5.23  | 1.78  | 11.02 | 0.80  | 2.45  | 0.11  | 2.34  | 32.66 | 48.15 | 134.24 | 108.08 | 1.60  | 23.56  |
| 010000 | 6.41  | 3.24  | 5.21  | 1.78  | 11.65 | 0.78  | 2.44  | 0.09  | 2.35  | 32.50 | 48.14 | 134.19 | 27.20  | 10.55 | 913.06 |
| 020000 | 6.37  | 3.29  | 5.25  | 1.77  | 12.86 | 0.78  | 2.56  | 0.10  | 2.46  | 32.33 | 48.14 | 134.19 | 28.02  | 7.11  | 21.98  |
| 030000 | 6.34  | 3.24  | 5.19  | 1.77  | 11.71 | 0.78  | 2.98  | 0.11  | 2.87  | 31.91 | 48.15 | 134.29 | 169.01 | 0.63  | 18.46  |
| 040000 | 6.36  | 3.23  | 5.19  | 1.77  | 11.49 | 0.79  | 3.08  | 0.14  | 2.94  | 31.91 | 48.15 | 134.24 | 93.95  | 2.13  | 16.83  |
| 050000 | 6.33  | 3.20  | 5.16  | 1.76  | 10.92 | 0.85  | 3.06  | 0.13  | 2.93  | 31.98 | 48.16 | 134.31 | 172.72 | 1.09  | 11.91  |
| 060000 | 6.29  | 3.23  | 5.22  | 1.79  | 11.53 | 0.81  | 2.74  | 0.12  | 2.62  | 32.60 | 48.16 | 134.35 | 213.64 | 0.07  | 11.03  |
| 070000 | 6.26  | 3.23  | 5.26  | 1.81  | 13.23 | 0.81  | 2.56  | 0.13  | 2.43  | 33.27 | 48.14 | 134.20 | 54.46  | 5.64  | 11.18  |
| 080000 | 6.40  | 3.26  | 5.25  | 1.80  | 17.45 | 0.81  | 2.41  | 0.14  | 2.27  | 34.59 | 48.14 | 134.23 | 96.71  | 2.83  | 12.10  |
| 090000 | 6.31  | 3.26  | 5.21  | 1.75  | 27.61 | 0.84  | 2.28  | 0.14  | 2.14  | 35.90 | 48.17 | 134.39 | 244.23 | 1.74  | 19.29  |
| 100000 | 6.36  | 3.25  | 5.24  | 1.80  | 40.31 | 0.87  | 2.26  | 0.20  | 2.06  | 35.16 | 48.17 | 134.42 | 272.75 | 9.59  | 29.01  |
| 110000 | 6.45  | 3.23  | 5.19  | 1.78  | 36.88 | 0.76  | 2.14  | 0.09  | 2.05  | 35.05 | 48.18 | 134.44 | 280.59 | 11.61 | 37.55  |
| 120000 | 6.34  | 3.26  | 5.21  | 1.75  | 27.75 | 0.73  | 2.14  | 0.09  | 2.05  | 35.55 | 48.18 | 134.45 | 263.12 | 22.58 | 42.71  |
| 130000 | 6.43  | 3.33  | 5.27  | 1.74  | 21.76 | 0.71  | 2.11  | 0.07  | 2.04  | 35.03 | 48.17 | 134.39 | 248.82 | 14.21 | 43.41  |
| 140000 | 6.40  | 3.24  | 5.26  | 1.86  | 18.34 | 0.72  | 2.11  | 0.09  | 2.02  | 34.01 | 48.16 | 134.40 | 265.74 | 15.36 | 38.73  |
| 150000 | 6.44  | 3.32  | 5.29  | 1.79  | 17.35 | 0.75  | 2.11  | 0.09  | 2.02  | 33.79 | 48.14 | 134.26 | 134.30 | 9.84  | 41.39  |
| 160000 | 6.29  | 3.32  | 5.25  | 1.76  | 18.22 | 0.82  | 2.10  | 0.08  | 2.02  | 32.92 | 48.13 | 134.17 | 50.63  | 11.56 | 36.74  |
| 170000 | 6.37  | 3.21  | 5.20  | 1.82  | 20.41 | 0.83  | 2.08  | 0.07  | 2.01  | 32.53 | 48.13 | 134.16 | 42.50  | 10.75 | 29.45  |
| 180000 | 6.33  | 3.21  | 5.23  | 1.83  | 16.47 | 0.83  | 2.08  | 0.06  | 2.02  | 32.47 | 48.13 | 134.15 | 46.09  | 8.73  | 30.54  |
| 190000 | 6.41  | 3.19  | 5.21  | 1.85  | 13.76 | 0.83  | 2.15  | 0.08  | 2.07  | 32.14 | 48.14 | 134.24 | 134.93 | 1.44  | 28.28  |
| 200000 | 6.39  | 3.24  | 5.19  | 1.75  | 13.04 | 0.83  | 2.30  | 0.06  | 2.24  | 31.88 | 48.13 | 134.18 | 73.53  | 2.36  | 27.76  |
| 210000 | 6.34  | 3.25  | 5.24  | 1.81  | 12.26 | 0.84  | 2.48  | 0.05  | 2.43  | 31.66 | 48.15 | 134.31 | 215.17 | 0.08  | 25.07  |
| 220000 | 6.40  | 3.26  | 5.20  | 1.78  | 12.20 | 0.82  | 2.91  | 0.06  | 2.85  | 31.67 | 48.14 | 134.18 | 72.78  | 4.16  | 22.91  |
| 230000 | 6.43  | 3.29  | 5.23  | 1.74  | 11.21 | 0.80  | 2.94  | 0.14  | 2.80  | 31.43 | 48.13 | 134.16 | 52.13  | 4.85  | 23.86  |
| 極大值    | 6.45  | 3.33  | 5.29  | 1.86  | 40.31 | 0.87  | 3.08  | 0.20  | 2.94  | 35.90 | 48.18 | 134.45 | 280.59 | 22.58 | 913.06 |
| 極小值    | 6.26  | 3.19  | 5.16  | 1.74  | 10.92 | 0.71  | 2.08  | 0.05  | 2.01  | 31.43 | 48.13 | 134.15 | 27.20  | 0.07  | 11.03  |
| 平均值    | 6.37  | 3.25  | 5.22  | 1.78  | 17.48 | 0.80  | 2.44  | 0.10  | 2.33  | 33.12 | 48.15 | 134.27 | 140.05 | 6.69  | 63.20  |
| 標準差    | 0.05  | 0.04  | 0.03  | 0.03  | 8.14  | 0.04  | 0.34  | 0.04  | 0.33  | 1.39  | 0.02  | 0.1    | 89.61  | 5.84  | 181.30 |

屏東縣崁頂焚化爐空氣品質監  
測報表

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫   | 站內溫   | RH     | WD     | WS    | PM10   |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|-------|--------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (o C) | (o C) | (%)    | (o)    | (m/s) | (ug/m) |
| 000000 | 6.35  | 3.23  | 5.22  | 1.81  | 11.56 | 0.79  | 2.75  | 0.30  | 2.45  | 31.36 | 48.14 | 134.20 | 54.74  | 5.31  | 28.56  |
| 010000 | 6.39  | 3.25  | 5.23  | 1.81  | 11.70 | 0.81  | 2.83  | 0.32  | 2.51  | 31.24 | 48.15 | 134.22 | 85.50  | 5.15  | 919.46 |
| 020000 | 6.36  | 3.25  | 5.18  | 1.76  | 12.17 | 0.79  | 2.96  | 0.32  | 2.64  | 31.14 | 48.14 | 134.19 | 30.17  | 7.45  | 29.08  |
| 030000 | 6.35  | 3.27  | 5.14  | 1.68  | 11.57 | 0.75  | 3.17  | 0.30  | 2.87  | 31.02 | 48.14 | 134.19 | 56.34  | 6.00  | 27.15  |
| 040000 | 6.36  | 3.24  | 5.16  | 1.74  | 11.18 | 0.75  | 2.88  | 0.28  | 2.60  | 30.96 | 48.15 | 134.30 | 154.24 | 1.24  | 14.59  |
| 050000 | 6.41  | 3.23  | 5.18  | 1.75  | 11.59 | 0.75  | 2.99  | 0.29  | 2.70  | 31.01 | 48.14 | 134.19 | 42.38  | 9.68  | 14.33  |
| 060000 | 6.40  | 3.24  | 5.21  | 1.78  | 11.59 | 0.75  | 2.86  | 0.30  | 2.56  | 31.32 | 48.14 | 134.20 | 31.04  | 7.85  | 13.75  |
| 070000 | 6.37  | 3.21  | 5.18  | 1.78  | 11.56 | 0.80  | 2.67  | 0.25  | 2.42  | 32.35 | 48.14 | 134.20 | 68.00  | 2.78  | 11.96  |
| 080000 | 6.29  | 3.28  | 5.21  | 1.73  | 14.36 | 0.80  | 2.45  | 0.19  | 2.26  | 33.92 | 48.14 | 134.20 | 59.38  | 5.94  | 22.49  |
| 090000 | 6.30  | 3.23  | 5.21  | 1.81  | 19.22 | 0.77  | 2.42  | 0.24  | 2.18  | 35.22 | 48.15 | 134.27 | 130.52 | 3.27  | 14.01  |
| 100000 | 6.38  | 3.32  | 5.29  | 1.79  | 23.11 | 0.73  | 2.50  | 0.31  | 2.19  | 36.11 | 48.17 | 134.37 | 226.72 | 1.79  | 18.28  |
| 110000 | 6.35  | 3.30  | 5.23  | 1.75  | 27.73 | 0.75  | 2.54  | 0.33  | 2.21  | 36.62 | 48.15 | 134.23 | 82.28  | 4.20  | 25.61  |
| 120000 | 6.40  | 3.26  | 5.21  | 1.77  | 24.07 | 0.73  | 2.38  | 0.23  | 2.15  | 37.16 | 48.16 | 134.33 | 163.79 | 8.61  | 34.33  |
| 130000 | 6.35  | 3.26  | 5.17  | 1.73  | 21.72 | 0.71  | 2.29  | 0.18  | 2.11  | 37.23 | 48.17 | 134.44 | 272.84 | 9.30  | 44.29  |
| 140000 | 6.38  | 3.26  | 5.21  | 1.78  | 33.14 | 0.77  | 2.27  | 0.18  | 2.09  | 37.32 | 48.15 | 134.26 | 97.99  | 4.97  | 50.98  |
| 150000 | 6.37  | 3.27  | 5.22  | 1.77  | 25.85 | 0.76  | 2.25  | 0.17  | 2.08  | 36.20 | 48.16 | 134.32 | 178.63 | 8.52  | 53.80  |
| 160000 | 6.39  | 3.24  | 5.23  | 1.80  | 37.90 | 0.81  | 2.28  | 0.19  | 2.09  | 33.16 | 48.14 | 134.21 | 39.48  | 15.33 | 46.66  |
| 170000 | 6.38  | 3.27  | 5.25  | 1.78  | 30.50 | 0.82  | 2.30  | 0.19  | 2.11  | 32.98 | 48.14 | 134.23 | 96.05  | 3.78  | 46.74  |
| 180000 | 6.46  | 3.18  | 5.17  | 1.76  | 26.40 | 0.82  | 2.40  | 0.19  | 2.21  | 33.08 | 48.15 | 134.24 | 108.92 | 0.46  | 34.79  |
| 190000 | 6.34  | 3.19  | 5.22  | 1.83  | 26.15 | 0.83  | 2.49  | 0.23  | 2.26  | 32.99 | 48.16 | 134.31 | 182.85 | 0.31  | 28.40  |
| 200000 | 6.37  | 3.21  | 5.24  | 1.85  | 23.22 | 0.85  | 2.48  | 0.26  | 2.22  | 33.12 | 48.17 | 134.43 | 281.32 | 0.13  | 18.84  |
| 210000 | 6.32  | 3.25  | 5.22  | 1.77  | 22.45 | 0.85  | 2.55  | 0.26  | 2.29  | 32.87 | 48.15 | 134.28 | 143.97 | 2.02  | 18.60  |
| 220000 | 6.40  | 3.22  | 5.22  | 1.81  | 17.70 | 0.85  | 2.51  | 0.25  | 2.26  | 32.46 | 48.14 | 134.22 | 79.06  | 2.84  | 19.05  |
| 230000 | 6.40  | 3.27  | 5.23  | 1.74  | 18.56 | 0.80  | 2.44  | 0.20  | 2.24  | 32.28 | 48.14 | 134.17 | 35.58  | 7.21  | 19.00  |
| 極大值    | 6.46  | 3.32  | 5.29  | 1.85  | 37.90 | 0.85  | 3.17  | 0.33  | 2.87  | 37.32 | 48.17 | 134.44 | 281.32 | 15.33 | 919.46 |
| 極小值    | 6.29  | 3.18  | 5.14  | 1.68  | 11.18 | 0.71  | 2.25  | 0.17  | 2.08  | 30.96 | 48.14 | 134.17 | 30.17  | 0.13  | 11.96  |
| 平均值    | 6.37  | 3.25  | 5.21  | 1.77  | 20.21 | 0.78  | 2.57  | 0.25  | 2.32  | 33.46 | 48.15 | 134.26 | 112.57 | 5.17  | 64.78  |
| 標準差    | 0.04  | 0.03  | 0.03  | 0.04  | 7.87  | 0.04  | 0.26  | 0.05  | 0.22  | 2.22  | 0.01  | 0.08   | 74.13  | 3.65  | 182.49 |

屏東縣崁頂焚化爐空氣品質監  
測報表

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫   | 站內溫   | RH     | WD     | WS    | PM10   |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|-------|--------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (o C) | (o C) | (%)    | (o)    | (m/s) | (ug/m) |
| 000000 | 6.32  | 3.25  | 5.21  | 1.78  | 17.45 | 0.80  | 2.43  | 0.17  | 2.26  | 32.27 | 48.14 | 134.19 | 44.85  | 4.85  | 62.57  |
| 010000 | 6.33  | 3.24  | 5.17  | 1.76  | 16.08 | 0.80  | 2.53  | 0.18  | 2.35  | 32.09 | 48.15 | 134.23 | 89.29  | 4.60  | 909.96 |
| 020000 | 6.27  | 3.21  | 5.17  | 1.79  | 13.27 | 0.80  | 2.61  | 0.18  | 2.43  | 31.65 | 48.15 | 134.26 | 137.10 | 0.12  | 31.49  |
| 030000 | 6.26  | 3.22  | 5.20  | 1.79  | 12.23 | 0.79  | 2.58  | 0.18  | 2.40  | 31.53 | 48.16 | 134.30 | 166.79 | 0.07  | 59.68  |
| 040000 | 6.27  | 3.27  | 5.26  | 1.79  | 12.04 | 0.80  | 2.36  | 0.18  | 2.18  | 31.46 | 48.14 | 134.20 | 61.46  | 0.96  | 53.43  |
| 050000 | 6.31  | 3.19  | 5.16  | 1.79  | 11.74 | 0.88  | 2.40  | 0.17  | 2.23  | 31.34 | 48.15 | 134.22 | 100.82 | 1.12  | 43.41  |
| 060000 | 6.38  | 3.28  | 5.22  | 1.76  | 12.79 | 0.82  | 2.47  | 0.18  | 2.29  | 32.34 | 48.14 | 134.19 | 57.90  | 5.38  | 34.46  |
| 070000 | 6.34  | 3.28  | 5.27  | 1.80  | 17.10 | 0.83  | 2.54  | 0.19  | 2.35  | 33.57 | 48.14 | 134.20 | 72.44  | 2.82  | 36.49  |
| 080000 | 6.31  | 3.21  | 5.22  | 1.81  | 26.94 | 0.85  | 2.46  | 0.18  | 2.28  | 34.88 | 48.15 | 134.27 | 142.98 | 1.50  | 38.39  |
| 090000 | 6.33  | 3.27  | 5.28  | 1.83  | 34.08 | 0.83  | 2.26  | 0.17  | 2.09  | 35.73 | 48.16 | 134.33 | 188.64 | 1.55  | 31.23  |
| 100000 | 6.36  | 3.28  | 5.24  | 1.77  | 23.14 | 0.75  | 2.14  | 0.15  | 1.99  | 36.52 | 48.17 | 134.40 | 247.16 | 5.68  | 31.06  |
| 110000 | 6.32  | 3.22  | 5.21  | 1.79  | 20.82 | 0.71  | 2.14  | 0.17  | 1.97  | 36.28 | 48.17 | 134.44 | 274.90 | 17.44 | 30.82  |
| 120000 | 6.28  | 3.23  | 5.23  | 1.81  | 21.61 | 0.71  | 2.17  | 0.19  | 1.98  | 35.96 | 48.18 | 134.46 | 274.11 | 20.64 | 21.53  |
| 130000 | 6.25  | 3.21  | 5.18  | 1.79  | 22.64 | 0.70  | 2.25  | 0.22  | 2.03  | 35.65 | 48.18 | 134.47 | 287.13 | 20.03 | 29.70  |
| 140000 | 6.32  | 3.25  | 5.23  | 1.80  | 22.49 | 0.70  | 2.22  | 0.18  | 2.04  | 35.34 | 48.18 | 134.48 | 285.23 | 21.56 | 31.73  |
| 150000 | 6.33  | 3.26  | 5.28  | 1.83  | 22.64 | 0.70  | 2.24  | 0.19  | 2.05  | 35.07 | 48.18 | 134.46 | 286.74 | 16.84 | 31.76  |
| 160000 | 6.38  | 3.24  | 5.25  | 1.83  | 19.81 | 0.73  | 2.25  | 0.20  | 2.05  | 34.32 | 48.18 | 134.49 | 296.45 | 10.51 | 34.27  |
| 170000 | 6.35  | 3.32  | 5.26  | 1.75  | 19.86 | 0.74  | 2.31  | 0.23  | 2.08  | 33.91 | 48.17 | 134.47 | 290.06 | 6.92  | 30.67  |
| 180000 | 6.31  | 3.24  | 5.23  | 1.79  | 15.25 | 0.73  | 2.26  | 0.20  | 2.06  | 33.69 | 48.17 | 134.44 | 270.60 | 4.03  | 28.00  |
| 190000 | 6.37  | 3.32  | 5.31  | 1.79  | 14.64 | 0.73  | 2.17  | 0.16  | 2.01  | 33.54 | 48.17 | 134.43 | 275.66 | 3.34  | 40.39  |
| 200000 | 6.34  | 3.23  | 5.25  | 1.83  | 14.08 | 0.73  | 2.16  | 0.15  | 2.01  | 33.40 | 48.17 | 134.43 | 295.12 | 3.29  | 39.00  |
| 210000 | 6.34  | 3.27  | 5.23  | 1.77  | 15.15 | 0.72  | 2.18  | 0.14  | 2.04  | 33.23 | 48.17 | 134.43 | 281.70 | 3.39  | 41.16  |
| 220000 | 6.30  | 3.24  | 5.22  | 1.81  | 14.65 | 0.73  | 2.20  | 0.15  | 2.05  | 32.86 | 48.16 | 134.36 | 232.86 | 1.07  | 38.01  |
| 230000 | 6.37  | 3.27  | 5.24  | 1.78  | 12.88 | 0.74  | 2.17  | 0.14  | 2.03  | 32.53 | 48.14 | 134.24 | 113.28 | 0.22  | 36.47  |
| 極大值    | 6.38  | 3.32  | 5.31  | 1.83  | 34.08 | 0.88  | 2.61  | 0.23  | 2.43  | 36.52 | 48.18 | 134.49 | 296.45 | 21.56 | 909.96 |
| 極小值    | 6.25  | 3.19  | 5.16  | 1.75  | 11.74 | 0.70  | 2.14  | 0.14  | 1.97  | 31.34 | 48.14 | 134.19 | 44.85  | 0.07  | 21.53  |
| 平均值    | 6.32  | 3.25  | 5.23  | 1.79  | 18.06 | 0.76  | 2.31  | 0.18  | 2.14  | 33.72 | 48.16 | 134.35 | 198.89 | 6.58  | 73.57  |
| 標準差    | 0.04  | 0.03  | 0.04  | 0.02  | 5.51  | 0.05  | 0.15  | 0.02  | 0.15  | 1.65  | 0.01  | 0.11   | 92.87  | 7.13  | 178.41 |

屏東縣崁頂焚化爐空氣品質監測報表

日報(小時數據)  
A001 廠內站

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫   | 站內溫   | RH     | WD     | WS    | PM10   |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|-------|--------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (o C) | (o C) | (%)    | (o)    | (m/s) | (ug/m) |
| 000000 | 6.27  | 3.23  | 5.25  | 1.84  | 11.76 | 0.75  | 2.45  | 0.08  | 2.37  | 32.33 | 48.13 | 134.16 | 49.70  | 0.96  | 36.57  |
| 010000 | 6.28  | 3.27  | 5.22  | 1.77  | 11.45 | 0.76  | 2.62  | 0.08  | 2.54  | 32.11 | 48.14 | 134.19 | 62.95  | 3.54  | 928.50 |
| 020000 | 6.24  | 3.28  | 5.25  | 1.80  | 11.47 | 0.75  | 2.77  | 0.17  | 2.60  | 32.01 | 48.13 | 134.16 | 40.01  | 5.65  | 21.00  |
| 030000 | 6.19  | 3.24  | 5.23  | 1.80  | 11.37 | 0.74  | 2.84  | 0.13  | 2.71  | 31.63 | 48.14 | 134.20 | 91.67  | 0.08  | 17.53  |
| 040000 | 6.30  | 3.25  | 5.18  | 1.76  | 11.28 | 0.73  | 2.79  | 0.13  | 2.66  | 31.39 | 48.14 | 134.16 | 37.11  | 0.08  | 16.68  |
| 050000 | 6.26  | 3.22  | 5.16  | 1.77  | 11.52 | 0.85  | 2.74  | 0.11  | 2.63  | 31.45 | 48.14 | 134.18 | 46.03  | 2.01  | 16.44  |
| 060000 | 6.20  | 3.24  | 5.19  | 1.79  | 11.23 | 0.77  | 2.59  | 0.10  | 2.49  | 32.61 | 48.14 | 134.18 | 54.09  | 3.35  | 15.65  |
| 070000 | 6.16  | 3.29  | 5.28  | 1.79  | 12.73 | 0.76  | 2.38  | 0.07  | 2.31  | 33.87 | 48.15 | 134.26 | 140.76 | 2.56  | 18.67  |
| 080000 | 6.32  | 3.30  | 5.26  | 1.78  | 16.01 | 0.74  | 2.38  | 0.08  | 2.30  | 34.99 | 48.16 | 134.34 | 200.80 | 1.22  | 26.50  |
| 090000 | 6.14  | 3.26  | 5.21  | 1.76  | 18.74 | 0.74  | 2.52  | 0.18  | 2.34  | 35.72 | 48.16 | 134.34 | 198.83 | 1.50  | 41.87  |
| 100000 | 6.25  | 3.25  | 5.20  | 1.76  | 20.36 | 0.72  | 2.41  | 0.17  | 2.24  | 35.47 | 48.17 | 134.44 | 286.71 | 8.66  | 54.66  |
| 110000 | 6.23  | 3.29  | 5.20  | 1.74  | 20.53 | 0.72  | 2.40  | 0.18  | 2.22  | 35.40 | 48.18 | 134.45 | 284.71 | 9.92  | 56.32  |
| 120000 | 6.21  | 3.25  | 5.21  | 1.81  | 21.79 | 0.73  | 2.32  | 0.14  | 2.18  | 35.39 | 48.18 | 134.45 | 291.73 | 10.45 | 62.39  |
| 130000 | 6.21  | 3.30  | 5.16  | 1.69  | 23.15 | 0.74  | 2.30  | 0.12  | 2.18  | 35.33 | 48.18 | 134.45 | 285.15 | 10.99 | 68.06  |
| 140000 | 6.12  | 3.23  | 5.16  | 1.74  | 23.70 | 0.74  | 2.33  | 0.15  | 2.18  | 35.21 | 48.18 | 134.46 | 286.44 | 10.32 | 67.97  |
| 150000 | 6.25  | 3.26  | 5.20  | 1.74  | 18.78 | 0.74  | 2.34  | 0.14  | 2.20  | 35.02 | 48.17 | 134.45 | 277.47 | 8.49  | 63.12  |
| 160000 | 6.24  | 3.21  | 5.18  | 1.81  | 17.93 | 0.75  | 2.41  | 0.19  | 2.22  | 34.73 | 48.17 | 134.43 | 271.79 | 8.23  | 61.19  |
| 170000 | 6.21  | 3.21  | 5.21  | 1.83  | 14.42 | 0.75  | 2.42  | 0.20  | 2.22  | 34.48 | 48.18 | 134.44 | 276.52 | 7.50  | 55.56  |
| 180000 | 6.20  | 3.28  | 5.22  | 1.74  | 16.91 | 0.74  | 2.38  | 0.20  | 2.18  | 34.14 | 48.17 | 134.43 | 275.72 | 6.52  | 48.73  |
| 190000 | 6.26  | 3.17  | 5.23  | 1.88  | 16.32 | 0.75  | 2.39  | 0.21  | 2.18  | 33.70 | 48.17 | 134.42 | 268.33 | 3.85  | 44.27  |
| 200000 | 6.34  | 3.24  | 5.24  | 1.79  | 16.00 | 0.74  | 2.30  | 0.14  | 2.16  | 33.48 | 48.17 | 134.42 | 256.69 | 2.44  | 29.28  |
| 210000 | 6.24  | 3.25  | 5.21  | 1.76  | 12.47 | 0.76  | 2.30  | 0.15  | 2.15  | 33.11 | 48.14 | 134.23 | 82.47  | 0.56  | 29.67  |
| 220000 | 6.23  | 3.23  | 5.18  | 1.75  | 11.69 | 0.76  | 2.29  | 0.09  | 2.20  | 32.71 | 48.15 | 134.27 | 119.90 | 0.44  | 30.54  |
| 230000 | 6.20  | 3.22  | 5.19  | 1.78  | 11.19 | 0.76  | 2.63  | 0.08  | 2.55  | 32.40 | 48.14 | 134.20 | 57.85  | 1.87  | 27.12  |
| 極大值    | 6.34  | 3.30  | 5.28  | 1.88  | 23.70 | 0.85  | 2.84  | 0.21  | 2.71  | 35.72 | 48.18 | 134.46 | 291.73 | 10.99 | 928.50 |
| 極小值    | 6.12  | 3.17  | 5.16  | 1.69  | 11.19 | 0.72  | 2.29  | 0.07  | 2.15  | 31.39 | 48.13 | 134.16 | 37.11  | 0.08  | 15.65  |
| 平均值    | 6.23  | 3.25  | 5.21  | 1.78  | 15.53 | 0.75  | 2.47  | 0.14  | 2.33  | 33.70 | 48.16 | 134.32 | 176.81 | 4.63  | 76.60  |
| 標準差    | 0.05  | 0.03  | 0.03  | 0.04  | 4.23  | 0.02  | 0.17  | 0.04  | 0.19  | 1.47  | 0.02  | 0.12   | 104.2  | 3.78  | 182.36 |

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫   | 站內溫   | RH     | WD     | WS    | PM10   |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|-------|--------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (o C) | (o C) | (%)    | (o)    | (m/s) | (ug/m) |
| 000000 | 6.18  | 3.24  | 5.25  | 1.82  | 11.43 | 0.75  | 2.27  | 0.23  | 2.04  | 32.05 | 48.16 | 134.29 | 153.49 | 1.43  | 70.38  |
| 010000 | 6.23  | 3.24  | 5.25  | 1.82  | 11.60 | 0.75  | 2.53  | 0.17  | 2.36  | 31.93 | 48.15 | 134.26 | 118.98 | 0.60  | 951.48 |
| 020000 | 6.21  | 3.26  | 5.24  | 1.79  | 11.05 | 0.77  | 2.69  | 0.15  | 2.54  | 31.63 | 48.14 | 134.22 | 90.14  | 0.93  | 38.05  |
| 030000 | 6.22  | 3.28  | 5.27  | 1.80  | 11.86 | 0.78  | 2.59  | 0.13  | 2.46  | 31.38 | 48.15 | 134.24 | 100.69 | 0.17  | 58.58  |
| 040000 | 6.23  | 3.21  | 5.19  | 1.81  | 11.35 | 0.81  | 2.46  | 0.14  | 2.32  | 31.37 | 48.14 | 134.20 | 60.36  | 2.28  | 56.98  |
| 050000 | 6.28  | 3.25  | 5.20  | 1.75  | 10.99 | 0.83  | 2.41  | 0.12  | 2.29  | 31.52 | 48.14 | 134.19 | 48.41  | 4.06  | 58.15  |
| 060000 | 6.18  | 3.22  | 5.18  | 1.79  | 11.75 | 0.83  | 2.71  | 0.13  | 2.58  | 32.44 | 48.14 | 134.18 | 47.91  | 6.66  | 60.13  |
| 070000 | 6.25  | 3.23  | 5.18  | 1.74  | 14.76 | 0.80  | 2.81  | 0.13  | 2.68  | 33.69 | 48.14 | 134.18 | 40.93  | 7.10  | 57.95  |
| 080000 | 6.28  | 3.25  | 5.19  | 1.75  | 19.13 | 0.78  | 2.28  | 0.16  | 2.12  | 34.70 | 48.14 | 134.20 | 54.23  | 6.95  | 71.97  |
| 090000 | 6.22  | 3.26  | 5.26  | 1.81  | 24.79 | 0.76  | 2.16  | 0.20  | 1.96  | 35.43 | 48.16 | 134.33 | 193.80 | 3.11  | 81.49  |
| 100000 | 6.24  | 3.28  | 5.24  | 1.79  | 36.63 | 0.81  | 2.24  | 0.22  | 2.02  | 35.24 | 48.17 | 134.43 | 290.23 | 6.81  | 75.45  |
| 110000 | 6.15  | 3.28  | 5.22  | 1.77  | 31.02 | 0.92  | 2.17  | 0.23  | 1.94  | 35.45 | 48.18 | 134.45 | 289.42 | 7.27  | 61.09  |
| 120000 | 6.26  | 3.26  | 5.25  | 1.80  | 28.40 | 1.03  | 1.96  | 0.18  | 1.78  | 35.60 | 48.18 | 134.45 | 276.23 | 8.35  | 65.11  |
| 130000 | 6.19  | 3.27  | 5.22  | 1.80  | 24.84 | 1.05  | 1.93  | 0.16  | 1.77  | 35.85 | 48.17 | 134.44 | 261.38 | 9.34  | 71.72  |
| 140000 | 6.14  | 3.32  | 5.25  | 1.78  | 22.81 | 1.17  | 1.93  | 0.25  | 1.68  | 35.55 | 48.18 | 134.46 | 293.71 | 8.36  | 66.51  |
| 150000 | 6.11  | 3.27  | 5.21  | 1.79  | 21.91 | 1.14  | 1.92  | 0.26  | 1.66  | 35.38 | 48.18 | 134.45 | 288.65 | 8.71  | 62.08  |
| 160000 | 6.12  | 3.22  | 5.18  | 1.77  | 22.54 | 0.95  | 1.94  | 0.32  | 1.62  | 35.22 | 48.17 | 134.41 | 251.76 | 7.21  | 59.40  |
| 170000 | 6.20  | 3.23  | 5.16  | 1.76  | 21.73 | 0.80  | 1.94  | 0.35  | 1.59  | 35.02 | 48.16 | 134.36 | 217.39 | 5.01  | 58.09  |
| 180000 | 6.15  | 3.22  | 5.21  | 1.80  | 19.35 | 0.78  | 1.97  | 0.35  | 1.62  | 34.43 | 48.14 | 134.21 | 74.92  | 7.67  | 58.48  |
| 190000 | 6.20  | 3.23  | 5.19  | 1.81  | 17.67 | 0.79  | 2.03  | 0.26  | 1.77  | 33.91 | 48.14 | 134.17 | 55.98  | 8.65  | 49.71  |
| 200000 | 6.21  | 3.23  | 5.26  | 1.84  | 16.26 | 0.79  | 2.05  | 0.23  | 1.82  | 33.55 | 48.13 | 134.17 | 55.23  | 8.91  | 46.42  |
| 210000 | 6.09  | 3.21  | 5.23  | 1.86  | 13.80 | 0.77  | 2.13  | 0.23  | 1.90  | 33.24 | 48.13 | 134.16 | 41.01  | 8.44  | 39.61  |
| 220000 | 6.23  | 3.28  | 5.20  | 1.75  | 12.72 | 0.79  | 2.15  | 0.24  | 1.91  | 32.92 | 48.13 | 134.16 | 84.03  | 4.62  | 27.61  |
| 230000 | 6.24  | 3.23  | 5.25  | 1.83  | 13.26 | 0.79  | 2.18  | 0.24  | 1.94  | 32.62 | 48.14 | 134.21 | 119.02 | 3.81  | 22.63  |
| 極大值    | 6.28  | 3.32  | 5.27  | 1.86  | 36.63 | 1.17  | 2.81  | 0.35  | 2.68  | 35.85 | 48.18 | 134.46 | 293.71 | 9.34  | 951.48 |
| 極小值    | 6.09  | 3.21  | 5.16  | 1.74  | 10.99 | 0.75  | 1.92  | 0.12  | 1.59  | 31.37 | 48.13 | 134.16 | 40.93  | 0.17  | 22.63  |
| 平均值    | 6.20  | 3.25  | 5.22  | 1.79  | 18.40 | 0.85  | 2.23  | 0.21  | 2.02  | 33.76 | 48.15 | 134.28 | 146.16 | 5.69  | 94.54  |
| 標準差    | 0.05  | 0.03  | 0.03  | 0.03  | 7.14  | 0.12  | 0.28  | 0.07  | 0.33  | 1.58  | 0.02  | 0.11   | 98.08  | 2.96  | 183.08 |

屏東縣崁頂焚化爐空氣品質監測報表

日報(小時數據)  
A001 廠內站

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫   | 站內溫   | RH     | WD     | WS    | PM10   |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|-------|--------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (o C) | (o C) | (%)    | (o)    | (m/s) | (ug/m) |
| 000000 | 6.14  | 3.26  | 5.14  | 1.72  | 12.13 | 0.78  | 2.21  | 0.17  | 2.04  | 32.21 | 48.14 | 134.20 | 119.44 | 1.68  | 144.15 |
| 010000 | 6.17  | 3.23  | 5.21  | 1.79  | 12.08 | 0.78  | 2.46  | 0.21  | 2.25  | 32.06 | 48.14 | 134.20 | 112.63 | 1.07  | 918.97 |
| 020000 | 6.11  | 3.22  | 5.20  | 1.80  | 11.42 | 0.77  | 2.57  | 0.23  | 2.34  | 31.80 | 48.13 | 134.14 | 55.82  | 0.42  | 16.35  |
| 030000 | 6.12  | 3.24  | 5.15  | 1.72  | 11.61 | 0.77  | 2.69  | 0.24  | 2.45  | 31.80 | 48.14 | 134.18 | 82.63  | 3.78  | 17.79  |
| 040000 | 6.17  | 3.29  | 5.28  | 1.80  | 11.75 | 0.77  | 3.07  | 0.29  | 2.78  | 31.54 | 48.16 | 134.39 | 292.18 | 0.80  | 17.61  |
| 050000 | 6.21  | 3.19  | 5.18  | 1.81  | 11.54 | 0.84  | 2.83  | 0.24  | 2.59  | 31.71 | 48.13 | 134.18 | 86.19  | 4.70  | 16.41  |
| 060000 | 6.26  | 3.26  | 5.27  | 1.82  | 12.18 | 0.80  | 2.68  | 0.19  | 2.49  | 32.78 | 48.13 | 134.17 | 72.58  | 4.25  | 15.23  |
| 070000 | 6.09  | 3.28  | 5.21  | 1.73  | 15.03 | 0.77  | 2.54  | 0.18  | 2.36  | 33.84 | 48.13 | 134.15 | 53.47  | 6.75  | 18.50  |
| 080000 | 6.17  | 3.31  | 5.28  | 1.81  | 18.65 | 0.75  | 2.37  | 0.18  | 2.19  | 34.59 | 48.14 | 134.20 | 111.06 | 5.64  | 23.40  |
| 090000 | 6.17  | 3.25  | 5.24  | 1.84  | 18.73 | 0.80  | 2.16  | 0.15  | 2.01  | 33.88 | 48.15 | 134.34 | 239.77 | 4.57  | 36.11  |
| 100000 | 6.18  | 3.24  | 5.23  | 1.82  | 23.42 | 0.80  | 2.13  | 0.14  | 1.99  | 34.46 | 48.16 | 134.40 | 289.08 | 5.29  | 53.02  |
| 110000 | 6.17  | 3.25  | 5.22  | 1.81  | 24.70 | 0.76  | 2.05  | 0.13  | 1.92  | 35.15 | 48.16 | 134.41 | 296.57 | 6.46  | 61.90  |
| 120000 | 6.18  | 3.25  | 5.24  | 1.84  | 26.76 | 0.81  | 1.96  | 0.11  | 1.85  | 35.36 | 48.16 | 134.42 | 297.11 | 6.72  | 62.65  |
| 130000 | 6.16  | 3.29  | 5.26  | 1.79  | 24.69 | 0.85  | 1.93  | 0.13  | 1.80  | 35.66 | 48.16 | 134.42 | 289.29 | 8.52  | 66.29  |
| 140000 | 6.08  | 3.24  | 5.20  | 1.80  | 21.23 | 0.95  | 1.93  | 0.19  | 1.74  | 35.64 | 48.17 | 134.42 | 282.38 | 8.67  | 71.47  |
| 150000 | 6.15  | 3.26  | 5.21  | 1.77  | 16.87 | 1.04  | 1.93  | 0.22  | 1.71  | 35.83 | 48.16 | 134.40 | 267.01 | 7.82  | 77.94  |
| 160000 | 6.13  | 3.30  | 5.20  | 1.73  | 18.72 | 0.91  | 1.93  | 0.24  | 1.69  | 35.28 | 48.16 | 134.38 | 261.07 | 8.95  | 72.87  |
| 170000 | 6.10  | 3.28  | 5.25  | 1.78  | 15.84 | 0.86  | 1.94  | 0.25  | 1.69  | 34.74 | 48.16 | 134.36 | 240.09 | 5.32  | 57.69  |
| 180000 | 6.22  | 3.23  | 5.24  | 1.82  | 14.42 | 0.80  | 1.99  | 0.29  | 1.70  | 34.27 | 48.15 | 134.28 | 169.74 | 3.06  | 39.32  |
| 190000 | 6.19  | 3.24  | 5.24  | 1.80  | 14.50 | 0.81  | 2.05  | 0.27  | 1.78  | 33.94 | 48.14 | 134.21 | 80.66  | 4.73  | 25.25  |
| 200000 | 6.25  | 3.25  | 5.25  | 1.82  | 15.01 | 0.80  | 2.20  | 0.26  | 1.94  | 33.79 | 48.14 | 134.22 | 87.81  | 4.10  | 20.73  |
| 210000 | 6.30  | 3.23  | 5.20  | 1.79  | 14.11 | 0.80  | 2.27  | 0.27  | 2.00  | 33.42 | 48.15 | 134.26 | 147.02 | 1.95  | 19.01  |
| 220000 | 6.17  | 3.27  | 5.26  | 1.79  | 13.73 | 0.79  | 2.25  | 0.26  | 1.99  | 32.97 | 48.15 | 134.30 | 178.53 | 0.64  | 16.60  |
| 230000 | 6.17  | 3.27  | 5.20  | 1.73  | 11.66 | 0.82  | 2.13  | 0.21  | 1.92  | 32.57 | 48.16 | 134.32 | 198.88 | 0.11  | 15.22  |
| 極大值    | 6.30  | 3.31  | 5.28  | 1.84  | 26.76 | 1.04  | 3.07  | 0.29  | 2.78  | 35.83 | 48.17 | 134.42 | 297.11 | 8.95  | 918.97 |
| 極小值    | 6.08  | 3.19  | 5.14  | 1.72  | 11.42 | 0.75  | 1.93  | 0.11  | 1.69  | 31.54 | 48.13 | 134.14 | 53.47  | 0.11  | 15.22  |
| 平均值    | 6.17  | 3.26  | 5.22  | 1.79  | 16.28 | 0.82  | 2.26  | 0.21  | 2.05  | 33.72 | 48.15 | 134.29 | 179.63 | 4.42  | 78.52  |
| 標準差    | 0.05  | 0.03  | 0.04  | 0.04  | 4.79  | 0.07  | 0.32  | 0.05  | 0.31  | 1.41  | 0.01  | 0.1    | 90.81  | 2.75  | 181.68 |

屏東縣崁頂焚化爐空氣品質監  
測報表

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫   | 站內溫   | RH     | WD     | WS    | PM10   |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|-------|--------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (o C) | (o C) | (%)    | (o)    | (m/s) | (ug/m) |
| 000000 | 6.29  | 3.22  | 5.18  | 1.76  | 12.92 | 0.81  | 2.38  | 0.25  | 2.13  | 32.46 | 48.15 | 134.29 | 163.20 | 0.07  | 120.36 |
| 010000 | 6.13  | 3.24  | 5.19  | 1.76  | 12.46 | 0.78  | 2.47  | 0.21  | 2.26  | 32.35 | 48.17 | 134.37 | 247.27 | 0.07  | 918.15 |
| 020000 | 6.15  | 3.20  | 5.22  | 1.81  | 11.80 | 0.76  | 2.83  | 0.19  | 2.64  | 31.92 | 48.14 | 134.20 | 70.16  | 1.89  | 14.30  |
| 030000 | 6.05  | 3.20  | 5.20  | 1.82  | 11.39 | 0.76  | 2.99  | 0.18  | 2.81  | 31.93 | 48.14 | 134.21 | 71.72  | 1.70  | 12.79  |
| 040000 | 6.12  | 3.19  | 5.19  | 1.80  | 11.54 | 0.75  | 3.07  | 0.17  | 2.90  | 31.90 | 48.15 | 134.23 | 100.38 | 1.87  | 12.29  |
| 050000 | 6.08  | 3.24  | 5.25  | 1.82  | 11.33 | 0.80  | 2.69  | 0.16  | 2.53  | 32.22 | 48.14 | 134.18 | 46.69  | 4.41  | 11.76  |
| 060000 | 6.12  | 3.23  | 5.23  | 1.80  | 11.95 | 0.79  | 2.68  | 0.17  | 2.51  | 33.03 | 48.14 | 134.17 | 44.63  | 5.90  | 11.27  |
| 070000 | 6.16  | 3.23  | 5.22  | 1.79  | 15.43 | 0.80  | 2.58  | 0.17  | 2.41  | 34.09 | 48.14 | 134.18 | 65.18  | 6.70  | 10.94  |
| 080000 | 6.13  | 3.22  | 5.20  | 1.79  | 21.19 | 0.78  | 2.41  | 0.18  | 2.23  | 34.80 | 48.14 | 134.19 | 68.92  | 6.79  | 11.46  |
| 090000 | 6.20  | 3.27  | 5.19  | 1.75  | 24.22 | 0.76  | 2.20  | 0.20  | 2.00  | 35.78 | 48.15 | 134.24 | 109.72 | 3.82  | 12.30  |
| 100000 | 6.17  | 3.30  | 5.25  | 1.77  | 34.45 | 0.81  | 2.14  | 0.21  | 1.93  | 35.54 | 48.17 | 134.43 | 285.70 | 7.71  | 12.90  |
| 110000 | 6.21  | 3.27  | 5.23  | 1.78  | 31.37 | 0.77  | 2.10  | 0.22  | 1.88  | 35.50 | 48.18 | 134.44 | 299.77 | 7.50  | 14.20  |
| 120000 | 6.15  | 3.27  | 5.30  | 1.86  | 35.15 | 0.77  | 2.09  | 0.21  | 1.88  | 35.60 | 48.17 | 134.44 | 292.13 | 8.01  | 14.27  |
| 130000 | 6.09  | 3.31  | 5.25  | 1.77  | 24.46 | 0.76  | 2.07  | 0.18  | 1.89  | 35.18 | 48.17 | 134.42 | 278.90 | 8.89  | 20.49  |
| 140000 | 6.12  | 3.18  | 5.18  | 1.80  | 27.25 | 0.79  | 2.05  | 0.17  | 1.88  | 34.07 | 48.16 | 134.33 | 191.61 | 4.02  | 22.85  |
| 150000 | 6.09  | 3.23  | 5.19  | 1.78  | 22.62 | 0.78  | 2.05  | 0.17  | 1.88  | 35.46 | 48.17 | 134.43 | 283.97 | 5.88  | 20.14  |
| 160000 | 6.03  | 3.28  | 5.28  | 1.84  | 19.82 | 0.77  | 2.03  | 0.16  | 1.87  | 34.95 | 48.18 | 134.44 | 288.75 | 6.83  | 18.36  |
| 170000 | 6.09  | 3.19  | 5.18  | 1.81  | 21.45 | 0.77  | 2.02  | 0.17  | 1.85  | 34.54 | 48.17 | 134.44 | 290.13 | 5.40  | 13.77  |
| 180000 | 6.09  | 3.28  | 5.23  | 1.77  | 21.92 | 0.76  | 2.03  | 0.19  | 1.84  | 33.99 | 48.17 | 134.43 | 284.23 | 4.41  | 12.26  |
| 190000 | 6.07  | 3.17  | 5.17  | 1.79  | 19.78 | 0.76  | 2.05  | 0.21  | 1.84  | 33.56 | 48.17 | 134.41 | 262.69 | 1.42  | 16.26  |
| 200000 | 6.13  | 3.22  | 5.16  | 1.75  | 19.35 | 0.78  | 2.07  | 0.19  | 1.88  | 33.56 | 48.17 | 134.43 | 274.09 | 2.79  | 15.55  |
| 210000 | 6.17  | 3.27  | 5.25  | 1.80  | 18.04 | 0.76  | 2.16  | 0.18  | 1.98  | 33.44 | 48.17 | 134.42 | 269.28 | 2.48  | 12.54  |
| 220000 | 6.17  | 3.24  | 5.27  | 1.82  | 14.35 | 0.79  | 2.16  | 0.17  | 1.99  | 33.22 | 48.16 | 134.33 | 191.12 | 0.07  | 13.68  |
| 230000 | 6.17  | 3.25  | 5.20  | 1.78  | 14.57 | 0.79  | 2.08  | 0.17  | 1.91  | 33.05 | 48.16 | 134.32 | 185.13 | 0.20  | 12.03  |
| 極大值    | 6.29  | 3.31  | 5.30  | 1.86  | 35.15 | 0.81  | 3.07  | 0.25  | 2.90  | 35.78 | 48.18 | 134.44 | 299.77 | 8.89  | 918.15 |
| 極小值    | 6.03  | 3.17  | 5.16  | 1.75  | 11.33 | 0.75  | 2.02  | 0.16  | 1.84  | 31.90 | 48.14 | 134.17 | 44.63  | 0.07  | 10.94  |
| 平均值    | 6.13  | 3.24  | 5.22  | 1.79  | 19.53 | 0.78  | 2.31  | 0.19  | 2.12  | 33.84 | 48.16 | 134.33 | 194.39 | 4.12  | 56.46  |
| 標準差    | 0.06  | 0.04  | 0.04  | 0.03  | 7.26  | 0.02  | 0.33  | 0.02  | 0.33  | 1.31  | 0.01  | 0.11   | 96.45  | 2.83  | 184.84 |

屏東縣崁頂焚化爐空氣品質監  
測報表

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫   | 站內溫   | RH     | WD     | WS    | PM10   |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|-------|--------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (o C) | (o C) | (%)    | (o)    | (m/s) | (ug/m) |
| 000000 | 6.12  | 3.19  | 5.20  | 1.83  | 16.43 | 0.74  | 2.39  | 0.07  | 2.32  | 33.20 | 48.18 | 134.44 | 300.17 | 1.38  | 81.69  |
| 010000 | 6.16  | 3.25  | 5.21  | 1.76  | 16.73 | 0.74  | 2.51  | 0.08  | 2.43  | 32.82 | 48.17 | 134.39 | 242.18 | 0.28  | 947.86 |
| 020000 | 5.99  | 3.23  | 5.25  | 1.83  | 12.03 | 0.75  | 2.56  | 0.12  | 2.44  | 32.20 | 48.14 | 134.18 | 39.36  | 4.04  | 28.62  |
| 030000 | 6.13  | 3.31  | 5.22  | 1.71  | 12.25 | 0.75  | 2.66  | 0.13  | 2.53  | 32.07 | 48.14 | 134.18 | 41.19  | 6.35  | 59.55  |
| 040000 | 6.05  | 3.23  | 5.20  | 1.77  | 12.26 | 0.75  | 2.68  | 0.13  | 2.55  | 32.13 | 48.15 | 134.24 | 100.78 | 4.78  | 62.48  |
| 050000 | 6.07  | 3.26  | 5.18  | 1.74  | 12.37 | 0.77  | 2.44  | 0.10  | 2.34  | 32.22 | 48.14 | 134.20 | 69.96  | 5.07  | 50.63  |
| 060000 | 6.16  | 3.23  | 5.21  | 1.80  | 12.03 | 0.81  | 2.25  | 0.07  | 2.18  | 33.43 | 48.16 | 134.30 | 173.95 | 1.21  | 58.59  |
| 070000 | 6.16  | 3.20  | 5.22  | 1.84  | 16.02 | 0.81  | 2.26  | 0.07  | 2.19  | 34.44 | 48.17 | 134.37 | 243.44 | 1.51  | 52.95  |
| 080000 | 6.09  | 3.20  | 5.17  | 1.78  | 18.31 | 0.74  | 2.30  | 0.13  | 2.17  | 35.09 | 48.17 | 134.41 | 263.93 | 6.12  | 47.96  |
| 090000 | 6.16  | 3.27  | 5.22  | 1.77  | 17.11 | 0.73  | 2.29  | 0.12  | 2.17  | 35.61 | 48.17 | 134.39 | 248.98 | 8.30  | 50.45  |
| 100000 | 6.09  | 3.35  | 5.27  | 1.75  | 20.20 | 0.72  | 2.36  | 0.13  | 2.23  | 35.77 | 48.17 | 134.43 | 277.05 | 14.45 | 55.32  |
| 110000 | 6.08  | 3.30  | 5.28  | 1.81  | 21.68 | 0.74  | 2.33  | 0.15  | 2.18  | 35.95 | 48.17 | 134.43 | 265.46 | 16.29 | 60.69  |
| 120000 | 6.18  | 3.24  | 5.22  | 1.79  | 21.11 | 0.74  | 2.32  | 0.14  | 2.18  | 35.82 | 48.18 | 134.45 | 274.25 | 18.23 | 38.07  |
| 130000 | 6.08  | 3.22  | 5.17  | 1.76  | 20.74 | 0.72  | 2.28  | 0.12  | 2.16  | 35.86 | 48.18 | 134.47 | 276.03 | 19.40 | 33.49  |
| 140000 | 6.11  | 3.25  | 5.16  | 1.71  | 20.83 | 0.72  | 2.24  | 0.10  | 2.14  | 35.64 | 48.18 | 134.49 | 274.31 | 18.63 | 30.99  |
| 150000 | 6.16  | 3.28  | 5.28  | 1.81  | 20.52 | 0.71  | 2.29  | 0.09  | 2.20  | 35.41 | 48.18 | 134.47 | 280.84 | 21.97 | 43.27  |
| 160000 | 6.13  | 3.27  | 5.21  | 1.78  | 18.71 | 0.72  | 2.35  | 0.09  | 2.26  | 34.87 | 48.17 | 134.44 | 279.88 | 18.85 | 48.28  |
| 170000 | 6.19  | 3.28  | 5.29  | 1.83  | 19.04 | 0.75  | 2.39  | 0.11  | 2.28  | 34.49 | 48.17 | 134.47 | 278.43 | 15.72 | 31.44  |
| 180000 | 6.14  | 3.31  | 5.23  | 1.74  | 18.41 | 0.76  | 2.45  | 0.10  | 2.35  | 34.27 | 48.17 | 134.44 | 277.65 | 7.45  | 48.31  |
| 190000 | 6.06  | 3.30  | 5.21  | 1.74  | 17.43 | 0.81  | 2.43  | 0.11  | 2.32  | 33.59 | 48.14 | 134.24 | 79.93  | 15.59 | 45.71  |
| 200000 | 6.04  | 3.26  | 5.23  | 1.80  | 16.41 | 0.81  | 2.46  | 0.12  | 2.34  | 33.43 | 48.14 | 134.19 | 33.98  | 11.06 | 47.92  |
| 210000 | 6.10  | 3.24  | 5.26  | 1.82  | 14.89 | 0.83  | 2.45  | 0.17  | 2.28  | 33.11 | 48.13 | 134.16 | 59.35  | 1.33  | 48.61  |
| 220000 | 6.09  | 3.27  | 5.28  | 1.84  | 13.24 | 0.82  | 2.52  | 0.24  | 2.28  | 32.73 | 48.14 | 134.19 | 69.95  | 2.72  | 37.03  |
| 230000 | 6.15  | 3.29  | 5.19  | 1.73  | 13.80 | 0.81  | 2.42  | 0.15  | 2.27  | 32.83 | 48.15 | 134.34 | 228.09 | 2.51  | 45.94  |
| 極大值    | 6.19  | 3.35  | 5.29  | 1.84  | 21.68 | 0.83  | 2.68  | 0.24  | 2.55  | 35.95 | 48.18 | 134.49 | 300.17 | 21.97 | 947.86 |
| 極小值    | 5.99  | 3.19  | 5.16  | 1.71  | 12.03 | 0.71  | 2.24  | 0.07  | 2.14  | 32.07 | 48.13 | 134.16 | 33.98  | 0.28  | 28.62  |
| 平均值    | 6.11  | 3.26  | 5.22  | 1.78  | 16.77 | 0.76  | 2.40  | 0.12  | 2.28  | 34.04 | 48.16 | 134.35 | 194.96 | 9.30  | 85.66  |
| 標準差    | 0.05  | 0.04  | 0.04  | 0.04  | 3.27  | 0.04  | 0.12  | 0.04  | 0.12  | 1.38  | 0.02  | 0.12   | 99.92  | 7.2   | 184.03 |

屏東縣崁頂焚化爐空氣品質監  
測報表

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫   | 站內溫   | RH     | WD     | WS    | PM10   |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|-------|--------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (o C) | (o C) | (%)    | (o)    | (m/s) | (ug/m) |
| 000000 | 6.09  | 3.28  | 5.21  | 1.75  | 11.28 | 0.83  | 2.71  | 0.11  | 2.60  | 32.25 | 48.14 | 134.25 | 160.49 | 0.08  | 133.61 |
| 010000 | 6.00  | 3.23  | 5.23  | 1.82  | 11.73 | 0.80  | 2.77  | 0.11  | 2.66  | 32.00 | 48.13 | 134.19 | 96.40  | 1.19  | 929.84 |
| 020000 | 6.02  | 3.22  | 5.16  | 1.78  | 11.32 | 0.79  | 2.77  | 0.13  | 2.64  | 31.97 | 48.13 | 134.13 | 34.74  | 2.43  | 52.58  |
| 030000 | 5.95  | 3.25  | 5.23  | 1.80  | 11.43 | 0.76  | 2.83  | 0.12  | 2.71  | 31.77 | 48.13 | 134.16 | 64.66  | 3.21  | 48.16  |
| 040000 | 6.05  | 3.27  | 5.24  | 1.82  | 11.61 | 0.77  | 2.89  | 0.12  | 2.77  | 31.59 | 48.13 | 134.17 | 72.07  | 4.98  | 46.03  |
| 050000 | 5.99  | 3.29  | 5.22  | 1.75  | 11.91 | 0.82  | 2.75  | 0.15  | 2.60  | 31.87 | 48.14 | 134.21 | 100.88 | 2.97  | 42.43  |
| 060000 | 6.09  | 3.22  | 5.24  | 1.84  | 11.29 | 0.84  | 2.58  | 0.11  | 2.47  | 32.80 | 48.13 | 134.14 | 35.73  | 5.54  | 42.37  |
| 070000 | 6.00  | 3.26  | 5.29  | 1.86  | 12.78 | 0.83  | 2.49  | 0.19  | 2.30  | 34.05 | 48.13 | 134.16 | 61.74  | 5.22  | 35.69  |
| 080000 | 6.09  | 3.28  | 5.26  | 1.80  | 17.58 | 0.87  | 2.29  | 0.15  | 2.14  | 35.06 | 48.13 | 134.18 | 93.78  | 3.67  | 41.56  |
| 090000 | 6.09  | 3.24  | 5.23  | 1.82  | 23.04 | 0.79  | 2.31  | 0.12  | 2.19  | 36.19 | 48.14 | 134.22 | 117.69 | 2.00  | 49.55  |
| 100000 | 6.11  | 3.27  | 5.22  | 1.78  | 27.36 | 0.79  | 2.29  | 0.15  | 2.14  | 36.92 | 48.14 | 134.25 | 148.68 | 2.68  | 124.64 |
| 110000 | 6.14  | 3.25  | 5.26  | 1.85  | 33.30 | 0.81  | 2.22  | 0.15  | 2.07  | 36.65 | 48.16 | 134.36 | 245.89 | 5.70  | 54.80  |
| 120000 | 6.06  | 3.28  | 5.26  | 1.80  | 31.69 | 0.80  | 2.22  | 0.14  | 2.08  | 35.92 | 48.17 | 134.42 | 290.87 | 8.31  | 63.81  |
| 130000 | 5.98  | 3.28  | 5.27  | 1.83  | 22.16 | 0.77  | 2.21  | 0.14  | 2.07  | 35.86 | 48.17 | 134.43 | 302.40 | 7.51  | 46.56  |
| 140000 | 6.12  | 3.25  | 5.17  | 1.75  | 21.24 | 0.75  | 2.19  | 0.14  | 2.05  | 35.04 | 48.17 | 134.42 | 304.88 | 7.64  | 82.74  |
| 150000 | 6.11  | 3.21  | 5.20  | 1.83  | 22.07 | 0.79  | 2.18  | 0.13  | 2.05  | 32.77 | 48.15 | 134.31 | 163.23 | 9.59  | 87.48  |
| 160000 | 6.11  | 3.33  | 5.30  | 1.79  | 27.65 | 0.84  | 2.18  | 0.13  | 2.05  | 31.75 | 48.14 | 134.20 | 59.26  | 13.17 | 93.77  |
| 170000 | 6.05  | 3.23  | 5.23  | 1.81  | 26.10 | 0.85  | 2.17  | 0.12  | 2.05  | 31.73 | 48.13 | 134.18 | 68.45  | 12.82 | 65.62  |
| 180000 | 6.08  | 3.31  | 5.22  | 1.72  | 23.04 | 0.86  | 2.23  | 0.16  | 2.07  | 31.58 | 48.14 | 134.18 | 27.34  | 12.60 | 77.00  |
| 190000 | 6.08  | 3.22  | 5.21  | 1.79  | 19.74 | 0.83  | 2.32  | 0.17  | 2.15  | 31.58 | 48.14 | 134.18 | 51.41  | 8.84  | 77.99  |
| 200000 | 6.02  | 3.19  | 5.17  | 1.77  | 18.35 | 0.82  | 2.23  | 0.11  | 2.12  | 31.71 | 48.14 | 134.16 | 28.55  | 7.13  | 56.88  |
| 210000 | 6.02  | 3.19  | 5.18  | 1.79  | 16.69 | 0.81  | 2.20  | 0.09  | 2.11  | 31.75 | 48.14 | 134.17 | 38.27  | 7.27  | 58.78  |
| 220000 | 6.08  | 3.29  | 5.23  | 1.76  | 16.00 | 0.80  | 2.27  | 0.11  | 2.16  | 31.65 | 48.15 | 134.23 | 98.44  | 3.68  | 63.08  |
| 230000 | 6.03  | 3.22  | 5.25  | 1.83  | 14.20 | 0.80  | 2.38  | 0.12  | 2.26  | 31.67 | 48.15 | 134.26 | 138.72 | 0.73  | 67.49  |
| 極大值    | 6.14  | 3.33  | 5.30  | 1.86  | 33.30 | 0.87  | 2.89  | 0.19  | 2.77  | 36.92 | 48.17 | 134.43 | 304.88 | 13.17 | 929.84 |
| 極小值    | 5.95  | 3.19  | 5.16  | 1.72  | 11.28 | 0.75  | 2.17  | 0.09  | 2.05  | 31.58 | 48.13 | 134.13 | 27.34  | 0.08  | 35.69  |
| 平均值    | 6.06  | 3.25  | 5.23  | 1.80  | 18.90 | 0.81  | 2.40  | 0.13  | 2.27  | 33.17 | 48.14 | 134.23 | 116.86 | 5.79  | 101.77 |
| 標準差    | 0.05  | 0.04  | 0.04  | 0.04  | 6.88  | 0.03  | 0.25  | 0.02  | 0.25  | 1.93  | 0.01  | 0.09   | 87.68  | 3.79  | 178.12 |

屏東縣崁頂焚化爐空氣品質監  
測報表

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫   | 站內溫   | RH     | WD     | WS    | PM10   |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|-------|--------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (o C) | (o C) | (%)    | (o)    | (m/s) | (ug/m) |
| 000000 | 5.97  | 3.28  | 5.29  | 1.81  | 13.31 | 0.82  | 2.08  | 0.05  | 2.03  | 31.55 | 48.14 | 134.16 | 35.16  | 5.08  | 120.64 |
| 010000 | 6.09  | 3.25  | 5.22  | 1.75  | 13.47 | 0.82  | 2.07  | 0.04  | 2.03  | 31.51 | 48.14 | 134.20 | 82.74  | 5.15  | 920.35 |
| 020000 | 5.98  | 3.21  | 5.16  | 1.76  | 12.18 | 0.83  | 2.07  | 0.06  | 2.01  | 31.34 | 48.14 | 134.22 | 74.31  | 5.01  | 18.24  |
| 030000 | 6.01  | 3.24  | 5.19  | 1.74  | 11.40 | 0.85  | 2.36  | 0.08  | 2.28  | 31.13 | 48.14 | 134.20 | 70.38  | 2.70  | 16.55  |
| 040000 | 6.07  | 3.29  | 5.17  | 1.67  | 12.48 | 0.85  | 2.42  | 0.09  | 2.33  | 31.16 | 48.14 | 134.21 | 55.83  | 6.37  | 16.54  |
| 050000 | 6.02  | 3.20  | 5.18  | 1.77  | 12.35 | 0.87  | 2.40  | 0.09  | 2.31  | 31.18 | 48.14 | 134.18 | 47.62  | 6.67  | 13.74  |
| 060000 | 6.04  | 3.18  | 5.16  | 1.77  | 12.14 | 0.82  | 2.61  | 0.10  | 2.51  | 32.12 | 48.14 | 134.20 | 67.94  | 5.84  | 13.62  |
| 070000 | 5.99  | 3.29  | 5.18  | 1.70  | 14.17 | 0.83  | 2.25  | 0.08  | 2.17  | 33.51 | 48.14 | 134.23 | 104.52 | 2.81  | 12.33  |
| 080000 | 6.07  | 3.20  | 5.16  | 1.79  | 18.36 | 0.81  | 2.07  | 0.06  | 2.01  | 34.88 | 48.16 | 134.29 | 161.71 | 1.17  | 12.49  |
| 090000 | 6.01  | 3.26  | 5.25  | 1.80  | 25.05 | 0.80  | 2.07  | 0.07  | 2.00  | 35.62 | 48.16 | 134.36 | 222.55 | 1.02  | 12.43  |
| 100000 | 6.02  | 3.21  | 5.21  | 1.81  | 41.34 | 0.84  | 2.08  | 0.08  | 2.00  | 35.70 | 48.17 | 134.43 | 283.65 | 7.40  | 15.83  |
| 110000 | 6.02  | 3.28  | 5.26  | 1.79  | 52.18 | 0.87  | 2.09  | 0.10  | 1.99  | 35.82 | 48.17 | 134.44 | 289.06 | 6.35  | 31.21  |
| 120000 | 6.01  | 3.21  | 5.15  | 1.76  | 43.74 | 0.85  | 2.09  | 0.10  | 1.99  | 36.05 | 48.18 | 134.45 | 292.59 | 7.27  | 34.68  |
| 130000 | 5.96  | 3.19  | 5.20  | 1.85  | 31.92 | 0.79  | 2.10  | 0.11  | 1.99  | 36.20 | 48.17 | 134.44 | 285.93 | 9.23  | 64.43  |
| 140000 | 5.98  | 3.29  | 5.26  | 1.79  | 34.64 | 0.78  | 2.10  | 0.12  | 1.98  | 35.57 | 48.18 | 134.45 | 294.53 | 7.03  | 74.93  |
| 150000 | 5.99  | 3.25  | 5.24  | 1.83  | 35.30 | 0.82  | 2.10  | 0.11  | 1.99  | 34.42 | 48.17 | 134.39 | 236.55 | 8.59  | 59.90  |
| 160000 | 6.06  | 3.21  | 5.23  | 1.82  | 34.91 | 0.80  | 2.10  | 0.12  | 1.98  | 30.00 | 48.15 | 134.28 | 148.68 | 17.05 | 62.24  |
| 170000 | 5.94  | 3.19  | 5.15  | 1.76  | 25.88 | 0.77  | 2.10  | 0.11  | 1.99  | 29.36 | 48.16 | 134.32 | 167.29 | 6.92  | 45.15  |
| 180000 | 5.95  | 3.22  | 5.20  | 1.79  | 20.82 | 0.79  | 2.09  | 0.08  | 2.01  | 29.84 | 48.15 | 134.26 | 95.25  | 6.41  | 36.87  |
| 190000 | 6.03  | 3.23  | 5.15  | 1.72  | 18.16 | 0.83  | 2.12  | 0.06  | 2.06  | 30.13 | 48.15 | 134.26 | 105.87 | 5.93  | 24.37  |
| 200000 | 5.95  | 3.26  | 5.26  | 1.81  | 15.48 | 0.85  | 2.12  | 0.07  | 2.05  | 30.21 | 48.15 | 134.27 | 125.41 | 4.95  | 21.72  |
| 210000 | 6.04  | 3.24  | 5.22  | 1.80  | 15.63 | 0.87  | 2.13  | 0.08  | 2.05  | 30.48 | 48.14 | 134.17 | 21.13  | 10.42 | 22.34  |
| 220000 | 5.98  | 3.25  | 5.21  | 1.77  | 15.98 | 0.86  | 2.21  | 0.09  | 2.12  | 30.53 | 48.14 | 134.21 | 49.98  | 13.72 | 18.70  |
| 230000 | 5.98  | 3.19  | 5.18  | 1.80  | 15.37 | 0.84  | 2.43  | 0.08  | 2.35  | 30.54 | 48.14 | 134.20 | 49.42  | 10.30 | 16.22  |
| 極大值    | 6.09  | 3.29  | 5.29  | 1.85  | 52.18 | 0.87  | 2.61  | 0.12  | 2.51  | 36.20 | 48.18 | 134.45 | 294.53 | 17.05 | 920.35 |
| 極小值    | 5.94  | 3.18  | 5.15  | 1.67  | 11.40 | 0.77  | 2.07  | 0.04  | 1.98  | 29.36 | 48.14 | 134.16 | 21.13  | 1.02  | 12.33  |
| 平均值    | 6.01  | 3.23  | 5.20  | 1.78  | 22.76 | 0.83  | 2.18  | 0.08  | 2.09  | 32.45 | 48.15 | 134.28 | 140.34 | 6.81  | 70.23  |
| 標準差    | 0.04  | 0.04  | 0.04  | 0.04  | 11.91 | 0.03  | 0.15  | 0.02  | 0.15  | 2.39  | 0.01  | 0.1    | 95.11  | 3.61  | 182.99 |

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫   | 站內溫   | RH     | WD     | WS    | PM10   |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|-------|--------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (o C) | (o C) | (%)    | (o)    | (m/s) | (ug/m) |
| 000000 | 6.08  | 3.24  | 5.23  | 1.83  | 13.34 | 0.82  | 2.27  | 0.16  | 2.11  | 30.58 | 48.14 | 134.20 | 72.22  | 4.74  | 131.83 |
| 010000 | 6.05  | 3.21  | 5.18  | 1.78  | 13.31 | 0.81  | 2.72  | 0.19  | 2.53  | 30.64 | 48.14 | 134.19 | 39.12  | 5.43  | 935.41 |
| 020000 | 5.97  | 3.27  | 5.19  | 1.75  | 13.56 | 0.80  | 2.88  | 0.19  | 2.69  | 30.50 | 48.14 | 134.19 | 44.80  | 6.61  | 63.32  |
| 030000 | 5.99  | 3.21  | 5.24  | 1.81  | 12.65 | 0.79  | 3.03  | 0.19  | 2.84  | 30.31 | 48.14 | 134.20 | 63.83  | 2.88  | 62.06  |
| 040000 | 5.90  | 3.20  | 5.18  | 1.76  | 12.60 | 0.80  | 2.63  | 0.18  | 2.45  | 30.28 | 48.15 | 134.27 | 113.16 | 4.54  | 59.79  |
| 050000 | 6.04  | 3.20  | 5.18  | 1.78  | 12.47 | 0.79  | 2.55  | 0.17  | 2.38  | 30.47 | 48.14 | 134.20 | 60.90  | 6.09  | 54.24  |
| 060000 | 5.92  | 3.26  | 5.21  | 1.73  | 12.01 | 0.80  | 2.68  | 0.19  | 2.49  | 31.29 | 48.14 | 134.18 | 42.87  | 5.51  | 56.77  |
| 070000 | 5.97  | 3.20  | 5.15  | 1.75  | 14.21 | 0.82  | 2.38  | 0.17  | 2.21  | 32.40 | 48.14 | 134.17 | 32.46  | 7.05  | 62.25  |
| 080000 | 6.04  | 3.22  | 5.24  | 1.83  | 17.35 | 0.81  | 2.12  | 0.14  | 1.98  | 33.90 | 48.14 | 134.20 | 63.35  | 4.07  | 54.74  |
| 090000 | 5.99  | 3.24  | 5.24  | 1.81  | 23.39 | 0.78  | 2.14  | 0.14  | 2.00  | 35.12 | 48.14 | 134.22 | 100.50 | 1.67  | 54.55  |
| 100000 | 5.92  | 3.27  | 5.20  | 1.73  | 19.35 | 0.81  | 2.14  | 0.13  | 2.01  | 35.75 | 48.17 | 134.37 | 237.47 | 3.09  | 51.83  |
| 110000 | 6.08  | 3.27  | 5.31  | 1.85  | 33.07 | 0.80  | 2.12  | 0.13  | 1.99  | 35.44 | 48.17 | 134.43 | 278.46 | 10.75 | 63.47  |
| 120000 | 6.08  | 3.27  | 5.17  | 1.74  | 50.90 | 0.82  | 2.09  | 0.12  | 1.97  | 35.48 | 48.18 | 134.44 | 288.61 | 8.18  | 56.35  |
| 130000 | 6.10  | 3.25  | 5.21  | 1.79  | 58.54 | 0.88  | 2.10  | 0.12  | 1.98  | 35.54 | 48.18 | 134.45 | 307.75 | 5.35  | 55.97  |
| 140000 | 6.04  | 3.18  | 5.17  | 1.79  | 55.85 | 0.91  | 2.11  | 0.13  | 1.98  | 35.68 | 48.17 | 134.45 | 304.51 | 5.60  | 41.68  |
| 150000 | 6.02  | 3.27  | 5.19  | 1.76  | 52.35 | 0.87  | 2.09  | 0.13  | 1.96  | 35.61 | 48.17 | 134.44 | 290.38 | 6.90  | 45.82  |
| 160000 | 6.03  | 3.26  | 5.20  | 1.75  | 43.56 | 0.86  | 2.09  | 0.13  | 1.96  | 35.17 | 48.17 | 134.44 | 288.90 | 6.36  | 49.42  |
| 170000 | 5.99  | 3.27  | 5.23  | 1.77  | 34.03 | 0.85  | 2.10  | 0.13  | 1.97  | 34.91 | 48.17 | 134.44 | 290.19 | 4.04  | 43.99  |
| 180000 | 5.99  | 3.23  | 5.25  | 1.79  | 25.25 | 0.94  | 2.14  | 0.16  | 1.98  | 34.42 | 48.17 | 134.39 | 251.80 | 3.09  | 42.37  |
| 190000 | 5.97  | 3.20  | 5.19  | 1.78  | 20.75 | 0.97  | 2.21  | 0.20  | 2.01  | 33.86 | 48.15 | 134.25 | 112.05 | 1.84  | 39.49  |
| 200000 | 6.02  | 3.24  | 5.17  | 1.72  | 25.25 | 0.86  | 2.23  | 0.17  | 2.06  | 33.69 | 48.14 | 134.17 | 21.79  | 6.29  | 40.22  |
| 210000 | 6.07  | 3.30  | 5.18  | 1.70  | 24.94 | 0.85  | 2.28  | 0.19  | 2.09  | 33.42 | 48.14 | 134.18 | 51.40  | 5.26  | 34.69  |
| 220000 | 5.94  | 3.27  | 5.19  | 1.72  | 23.08 | 0.85  | 2.35  | 0.19  | 2.16  | 33.16 | 48.14 | 134.18 | 58.95  | 5.86  | 37.19  |
| 230000 | 5.97  | 3.21  | 5.16  | 1.76  | 22.68 | 0.86  | 2.36  | 0.17  | 2.19  | 32.98 | 48.14 | 134.16 | 24.41  | 8.16  | 36.94  |
| 極大值    | 6.10  | 3.30  | 5.31  | 1.85  | 58.54 | 0.97  | 3.03  | 0.20  | 2.84  | 35.75 | 48.18 | 134.45 | 307.75 | 10.75 | 935.41 |
| 極小值    | 5.90  | 3.18  | 5.15  | 1.70  | 12.01 | 0.78  | 2.09  | 0.12  | 1.96  | 30.28 | 48.14 | 134.16 | 21.79  | 1.67  | 34.69  |
| 平均值    | 6.01  | 3.24  | 5.20  | 1.77  | 26.44 | 0.84  | 2.33  | 0.16  | 2.17  | 33.36 | 48.15 | 134.28 | 143.33 | 5.39  | 90.60  |
| 標準差    | 0.06  | 0.03  | 0.04  | 0.04  | 15.05 | 0.05  | 0.28  | 0.03  | 0.26  | 2.04  | 0.02  | 0.12   | 112.89 | 2.1   | 180.94 |

屏東縣崁頂焚化爐空氣品質監  
測報表

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫   | 站內溫   | RH     | WD     | WS    | PM10   |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|-------|--------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (o C) | (o C) | (%)    | (o)    | (m/s) | (ug/m) |
| 000000 | 6.00  | 3.23  | 5.21  | 1.78  | 20.61 | 0.85  | 2.12  | 0.08  | 2.04  | 32.78 | 48.14 | 134.21 | 95.64  | 6.43  | 29.26  |
| 010000 | 5.96  | 3.21  | 5.20  | 1.76  | 17.36 | 0.84  | 2.08  | 0.08  | 2.00  | 32.35 | 48.15 | 134.27 | 149.73 | 1.81  | 699.84 |
| 020000 | 5.94  | 3.20  | 5.16  | 1.74  | 14.87 | 0.83  | 2.07  | 0.08  | 1.99  | 31.92 | 48.15 | 134.30 | 186.34 | 0.07  | 321.39 |
| 030000 | 5.97  | 3.20  | 5.18  | 1.80  | 14.05 | 0.82  | 2.08  | 0.08  | 2.00  | 31.76 | 48.15 | 134.26 | 159.97 | 0.07  | 30.55  |
| 040000 | 5.98  | 3.21  | 5.18  | 1.75  | 13.96 | 0.83  | 2.14  | 0.08  | 2.06  | 31.44 | 48.15 | 134.26 | 143.47 | 0.28  | 27.10  |
| 050000 | 5.93  | 3.17  | 5.14  | 1.76  | 12.58 | 0.88  | 2.14  | 0.08  | 2.06  | 31.34 | 48.15 | 134.22 | 111.29 | 0.26  | 34.15  |
| 060000 | 5.93  | 3.26  | 5.24  | 1.78  | 13.75 | 0.82  | 2.17  | 0.09  | 2.08  | 31.93 | 48.14 | 134.20 | 90.05  | 1.47  | 47.08  |
| 070000 | 6.00  | 3.32  | 5.21  | 1.68  | 18.32 | 0.82  | 2.31  | 0.11  | 2.20  | 33.58 | 48.16 | 134.34 | 226.93 | 0.20  | 48.14  |
| 080000 | 5.90  | 3.25  | 5.28  | 1.83  | 23.44 | 0.82  | 2.16  | 0.10  | 2.06  | 34.26 | 48.15 | 134.23 | 106.70 | 2.52  | 45.42  |
| 090000 | 5.88  | 3.20  | 5.22  | 1.82  | 33.35 | 0.87  | 2.14  | 0.13  | 2.01  | 34.73 | 48.16 | 134.35 | 220.92 | 3.60  | 35.99  |
| 100000 | 6.00  | 3.19  | 5.15  | 1.78  | 46.48 | 0.97  | 2.13  | 0.14  | 1.99  | 35.10 | 48.17 | 134.42 | 280.14 | 4.42  | 34.26  |
| 110000 | 5.93  | 3.25  | 5.21  | 1.76  | 54.71 | 0.97  | 2.12  | 0.13  | 1.99  | 35.52 | 48.17 | 134.44 | 288.23 | 5.92  | 34.95  |
| 120000 | 5.93  | 3.29  | 5.23  | 1.78  | 50.12 | 0.87  | 2.11  | 0.12  | 1.99  | 35.61 | 48.17 | 134.44 | 291.17 | 9.39  | 55.98  |
| 130000 | 5.94  | 3.24  | 5.20  | 1.79  | 52.85 | 0.84  | 2.12  | 0.10  | 2.02  | 34.99 | 48.17 | 134.45 | 296.11 | 10.74 | 62.21  |
| 140000 | 5.98  | 3.24  | 5.19  | 1.75  | 38.66 | 0.83  | 2.11  | 0.11  | 2.00  | 33.95 | 48.16 | 134.35 | 198.11 | 6.83  | 63.84  |
| 150000 | 6.20  | 3.25  | 5.21  | 1.75  | 30.89 | 0.85  | 2.09  | 0.10  | 1.99  | 32.19 | 48.14 | 134.21 | 74.83  | 6.03  | 70.69  |
| 160000 | 6.02  | 3.19  | 5.19  | 1.79  | 28.31 | 0.84  | 2.08  | 0.10  | 1.98  | 32.05 | 48.14 | 134.16 | 32.14  | 9.49  | 63.13  |
| 170000 | 6.10  | 3.19  | 5.14  | 1.76  | 27.01 | 0.87  | 2.08  | 0.09  | 1.99  | 32.20 | 48.14 | 134.14 | 29.50  | 8.49  | 59.87  |
| 180000 | 6.01  | 3.19  | 5.22  | 1.79  | 24.45 | 0.88  | 2.10  | 0.09  | 2.01  | 32.12 | 48.13 | 134.15 | 31.00  | 7.06  | 60.98  |
| 190000 | 6.04  | 3.24  | 5.20  | 1.76  | 22.76 | 0.86  | 2.08  | 0.08  | 2.00  | 32.06 | 48.14 | 134.18 | 71.73  | 6.08  | 55.82  |
| 200000 | 6.00  | 3.26  | 5.21  | 1.76  | 19.30 | 0.87  | 2.06  | 0.07  | 1.99  | 31.87 | 48.13 | 134.16 | 57.62  | 4.63  | 42.07  |
| 210000 | 6.14  | 3.23  | 5.20  | 1.76  | 19.33 | 0.87  | 2.06  | 0.07  | 1.99  | 31.74 | 48.13 | 134.16 | 70.05  | 1.26  | 34.40  |
| 220000 | 6.01  | 3.20  | 5.19  | 1.80  | 16.34 | 0.90  | 2.09  | 0.07  | 2.02  | 31.67 | 48.13 | 134.17 | 83.49  | 0.12  | 34.93  |
| 230000 | 5.95  | 3.19  | 5.19  | 1.79  | 13.95 | 0.92  | 2.27  | 0.11  | 2.16  | 31.67 | 48.13 | 134.12 | 31.25  | 2.31  | 34.96  |
| 極大值    | 6.20  | 3.32  | 5.28  | 1.83  | 54.71 | 0.97  | 2.31  | 0.14  | 2.20  | 35.61 | 48.17 | 134.45 | 296.11 | 10.74 | 699.84 |
| 極小值    | 5.88  | 3.17  | 5.14  | 1.68  | 12.58 | 0.82  | 2.06  | 0.07  | 1.98  | 31.34 | 48.13 | 134.12 | 29.50  | 0.07  | 27.10  |
| 平均值    | 5.99  | 3.22  | 5.20  | 1.77  | 26.14 | 0.86  | 2.12  | 0.10  | 2.03  | 32.87 | 48.15 | 134.26 | 138.60 | 4.14  | 84.46  |
| 標準差    | 0.07  | 0.04  | 0.03  | 0.03  | 13.26 | 0.04  | 0.06  | 0.02  | 0.06  | 1.42  | 0.01  | 0.1    | 90.08  | 3.44  | 143.21 |

屏東縣崁頂焚化爐空氣品質監  
測報表

|        | SO2   | NO    | NOX   | NO2   | O3    | CO    | THC   | NMHC  | CH4   | 站外溫   | 站內溫   | RH     | WD     | WS    | PM10   |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|-------|--------|
| 時間/單位  | (ppb) | (ppb) | (ppb) | (ppb) | (ppb) | (ppm) | (ppm) | (ppm) | (ppm) | (o C) | (o C) | (%)    | (o)    | (m/s) | (ug/m) |
| 000000 | 5.99  | 3.19  | 5.20  | 1.81  | 13.46 | 0.91  | 2.32  | 0.11  | 2.21  | 31.56 | 48.13 | 134.13 | 39.07  | 3.52  | 12.09  |
| 010000 | 6.01  | 3.24  | 5.19  | 1.74  | 12.93 | 0.90  | 2.31  | 0.12  | 2.19  | 31.41 | 48.13 | 134.13 | 31.26  | 4.69  | 722.72 |
| 020000 | 6.10  | 3.29  | 5.22  | 1.73  | 13.95 | 0.88  | 2.28  | 0.10  | 2.18  | 31.36 | 48.13 | 134.15 | 45.49  | 10.36 | 282.93 |
| 030000 | 6.00  | 3.18  | 5.18  | 1.78  | 13.59 | 0.84  | 2.45  | 0.09  | 2.36  | 31.24 | 48.14 | 134.23 | 114.74 | 4.07  | 15.82  |
| 040000 | 6.03  | 3.17  | 5.17  | 1.79  | 12.92 | 0.85  | 2.43  | 0.09  | 2.34  | 31.10 | 48.15 | 134.25 | 146.36 | 1.82  | 17.06  |
| 050000 | 5.88  | 3.17  | 5.18  | 1.81  | 12.79 | 0.87  | 2.52  | 0.10  | 2.42  | 31.14 | 48.13 | 134.15 | 33.80  | 5.61  | 21.98  |
| 060000 | 5.90  | 3.25  | 5.25  | 1.77  | 13.19 | 0.86  | 2.45  | 0.09  | 2.36  | 32.14 | 48.13 | 134.16 | 55.52  | 6.86  | 24.41  |
| 070000 | 6.00  | 3.23  | 5.21  | 1.78  | 16.60 | 0.85  | 2.24  | 0.10  | 2.14  | 33.33 | 48.13 | 134.16 | 69.83  | 5.19  | 24.48  |
| 080000 | 5.94  | 3.31  | 5.23  | 1.75  | 23.06 | 0.94  | 2.21  | 0.09  | 2.12  | 34.76 | 48.14 | 134.24 | 145.99 | 2.15  | 27.35  |
| 090000 | 5.96  | 3.27  | 5.23  | 1.78  | 28.24 | 1.34  | 2.23  | 0.12  | 2.11  | 34.61 | 48.16 | 134.38 | 281.28 | 1.81  | 23.26  |
| 100000 | 5.96  | 3.24  | 5.20  | 1.79  | 34.79 | 1.26  | 2.25  | 0.17  | 2.08  | 33.86 | 48.16 | 134.38 | 269.15 | 5.22  | 24.36  |
| 110000 | 6.00  | 3.18  | 5.16  | 1.81  | 43.03 | 1.24  | 2.24  | 0.17  | 2.07  | 34.49 | 48.16 | 134.40 | 286.58 | 4.23  | 24.47  |
| 120000 | 5.98  | 3.20  | 5.18  | 1.82  | 49.43 | 1.03  | 2.19  | 0.13  | 2.06  | 35.79 | 48.17 | 134.41 | 286.15 | 7.17  | 15.72  |
| 130000 | 5.95  | 3.26  | 5.22  | 1.80  | 50.61 | 0.96  | 2.18  | 0.12  | 2.06  | 35.76 | 48.17 | 134.42 | 298.24 | 6.94  | 13.07  |
| 140000 | 6.07  | 3.24  | 5.26  | 1.85  | 50.42 | 0.92  | 2.18  | 0.11  | 2.07  | 35.75 | 48.16 | 134.42 | 287.74 | 7.47  | 17.08  |
| 150000 | 6.04  | 3.29  | 5.21  | 1.75  | 49.45 | 0.89  | 2.19  | 0.11  | 2.08  | 35.78 | 48.17 | 134.44 | 285.47 | 7.63  | 22.95  |
| 160000 | 5.98  | 3.27  | 5.22  | 1.76  | 44.07 | 0.90  | 2.19  | 0.09  | 2.10  | 35.41 | 48.17 | 134.44 | 293.03 | 4.78  | 21.93  |
| 170000 | 6.00  | 3.18  | 5.14  | 1.77  | 40.22 | 0.96  | 2.20  | 0.09  | 2.11  | 35.08 | 48.17 | 134.43 | 280.77 | 4.41  | 17.57  |
| 180000 | 6.06  | 3.15  | 5.18  | 1.83  | 33.26 | 0.90  | 2.22  | 0.11  | 2.11  | 34.37 | 48.17 | 134.43 | 289.84 | 4.51  | 25.37  |
| 190000 | 6.01  | 3.21  | 5.16  | 1.74  | 26.46 | 0.88  | 2.24  | 0.09  | 2.15  | 33.91 | 48.17 | 134.42 | 283.76 | 3.07  | 28.05  |
| 200000 | 6.06  | 3.24  | 5.18  | 1.76  | 17.54 | 0.93  | 2.25  | 0.09  | 2.16  | 33.39 | 48.16 | 134.36 | 235.98 | 0.51  | 21.09  |
| 210000 | 5.96  | 3.24  | 5.21  | 1.77  | 17.44 | 0.93  | 2.31  | 0.07  | 2.24  | 32.92 | 48.14 | 134.22 | 103.76 | 1.11  | 22.27  |
| 220000 | 6.02  | 3.20  | 5.14  | 1.74  | 18.73 | 0.86  | 2.62  | 0.09  | 2.53  | 32.51 | 48.14 | 134.18 | 69.63  | 0.65  | 23.28  |
| 230000 | 5.98  | 3.28  | 5.27  | 1.80  | 19.57 | 0.88  | 2.66  | 0.14  | 2.52  | 32.38 | 48.15 | 134.23 | 101.55 | 2.30  | 24.73  |
| 極大值    | 6.10  | 3.31  | 5.27  | 1.85  | 50.61 | 1.34  | 2.66  | 0.17  | 2.53  | 35.79 | 48.17 | 134.44 | 298.24 | 10.36 | 722.72 |
| 極小值    | 5.88  | 3.15  | 5.14  | 1.73  | 12.79 | 0.84  | 2.18  | 0.07  | 2.06  | 31.10 | 48.13 | 134.13 | 31.26  | 0.51  | 12.09  |
| 平均值    | 6.00  | 3.23  | 5.20  | 1.78  | 27.32 | 0.95  | 2.31  | 0.11  | 2.20  | 33.50 | 48.15 | 134.30 | 180.62 | 4.42  | 61.42  |
| 標準差    | 0.05  | 0.04  | 0.03  | 0.03  | 14.27 | 0.14  | 0.14  | 0.02  | 0.14  | 1.68  | 0.02  | 0.12   | 107.58 | 2.5   | 150.69 |