

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	5.98	3.21	5.16	1.77	21.43	0.89	0.12	0.12	0.00	32.56	48.16	134.32	219.15	0.46	1000.00
010000	6.03	3.26	5.19	1.71	19.26	0.89	0.12	0.12	0.00	32.54	48.15	134.30	186.24	0.20	1000.00
020000	6.05	3.31	5.23	1.73	14.96	0.89	0.12	0.12	0.00	32.22	48.14	134.23	137.14	0.23	1000.00
030000	6.02	3.18	5.18	1.82	15.23	0.88	0.12	0.12	0.00	32.13	48.15	134.28	168.69	3.46	1000.00
040000	5.86	3.21	5.16	1.76	14.65	0.88	0.12	0.12	0.00	32.01	48.14	134.21	84.57	4.48	1000.00
050000	6.03	3.23	5.19	1.77	13.65	0.93	0.12	0.12	0.00	32.10	48.14	134.22	129.67	4.13	1000.00
060000	5.99	3.24	5.21	1.80	13.39	0.92	0.12	0.12	0.00	32.71	48.13	134.13	43.42	6.15	1000.00
070000	5.98	3.20	5.15	1.78	20.67	0.90	0.12	0.12	0.00	34.21	48.13	134.16	74.48	5.46	1000.00
080000	5.99	3.19	5.14	1.73	33.88	0.68	1.09	1.09	0.00	35.20	48.15	134.24	60.93	8.51	1000.00
090000	6.09	3.15	5.13	1.74	32.10	0.43	2.47	0.34	2.13	35.22	48.18	134.42	69.08	8.95	1000.00
100000	6.18	3.17	5.19	1.77	34.24	0.28	2.38	0.27	2.11	36.34	25.70	76.38	126.26	5.97	85.66
110000	6.31	3.08	5.16	1.85	69.49	0.38	2.56	0.37	2.19	36.35	24.00	72.00	281.02	8.32	16.23
120000	6.37	3.08	5.15	1.80	73.64	0.35	2.45	0.34	2.11	36.01	24.00	72.00	292.11	7.62	41.73
130000	6.42	3.10	5.16	1.80	59.38	0.38	2.53	0.45	2.08	35.91	24.00	72.00	299.41	6.97	31.89
140000	6.45	3.09	5.16	1.83	42.03	0.51	2.55	0.52	2.03	35.81	24.00	72.00	285.64	7.71	37.41
150000	6.59	3.16	5.17	1.77	29.57	0.40	2.35	0.32	2.03	36.02	24.00	72.00	263.42	4.84	39.13
160000	6.66	3.16	5.16	1.79	30.21	0.29	2.26	0.27	1.99	34.87	24.00	72.00	297.80	6.29	51.48
170000	6.69	3.11	5.17	1.80	28.83	0.39	2.42	0.42	2.00	34.89	24.00	72.00	288.71	4.32	15.08
180000	6.63	3.10	5.17	1.84	25.21	0.43	2.64	0.60	2.04	34.67	24.00	72.00	284.05	4.02	17.50
190000	6.57	3.12	5.12	1.78	22.36	0.43	2.60	0.53	2.07	34.34	24.00	72.00	277.56	2.37	15.81
200000	6.55	3.09	5.12	1.81	17.49	0.37	2.48	0.39	2.09	33.69	24.00	72.00	175.01	0.20	11.13
210000	6.69	3.12	5.17	1.79	17.34	0.29	2.39	0.26	2.13	33.19	24.00	72.00	91.36	0.10	10.52
220000	6.78	3.11	5.19	1.82	16.00	0.27	2.45	0.24	2.21	32.84	24.00	72.00	94.70	0.31	14.88
230000	6.74	3.11	5.11	1.77	16.06	0.27	2.81	0.23	2.58	32.63	24.00	72.00	94.37	0.07	18.56
極大值	6.78	3.31	5.23	1.85	73.64	0.93	2.81	1.09	2.58	36.35	48.18	134.42	299.41	8.95	1000.00
極小值	5.86	3.08	5.11	1.71	13.39	0.27	0.12	0.12	0.00	32.01	24.00	72.00	43.42	0.07	10.52
平均值	6.32	3.16	5.16	1.78	28.38	0.56	1.64	0.32	1.32	34.10	34.13	98.12	180.20	4.21	433.63
標準差	0.31	0.06	0.03	0.04	17.11	0.26	1.14	0.22	1.05	1.55	12.1	31.21	92.79	3.08	489.22

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m / s)	(ug / m)
000000	6.67	3.11	5.14	1.79	17.12	0.25	2.64	0.23	2.41	32.52	24.00	72.00	112.58	0.24	13.52
010000	6.67	3.18	5.11	1.71	17.10	0.24	2.57	0.22	2.35	32.34	46.53	130.29	178.69	0.49	931.95
020000	6.76	3.10	5.14	1.80	14.99	0.26	2.54	0.23	2.31	32.13	25.27	75.30	105.12	0.18	59.37
030000	6.71	3.11	5.11	1.74	13.78	0.28	2.59	0.24	2.35	31.86	24.00	72.00	112.32	0.11	6.46
040000	6.76	3.13	5.18	1.83	12.93	0.28	2.93	0.25	2.68	31.83	24.00	72.00	100.61	1.80	11.43
050000	6.75	3.15	5.15	1.78	12.27	0.37	3.01	0.35	2.66	31.95	24.00	72.00	75.81	0.07	19.74
060000	6.82	3.07	5.12	1.82	13.47	0.31	2.68	0.29	2.39	32.64	24.00	72.00	172.92	0.10	26.45
070000	6.80	3.14	5.17	1.81	17.53	0.30	2.55	0.27	2.28	34.59	24.00	72.00	223.75	1.70	22.62
080000	6.80	3.15	5.16	1.78	25.68	0.22	2.21	0.22	1.99	34.78	24.00	72.00	277.46	5.24	17.73
090000	6.87	3.10	5.07	1.75	23.35	0.22	2.19	0.22	1.97	35.03	24.00	72.00	271.85	5.38	13.31
100000	6.82	3.14	5.16	1.81	32.66	0.26	2.28	0.28	2.00	35.14	24.00	72.00	266.56	5.69	16.17
110000	6.87	3.13	5.18	1.81	33.80	0.29	2.24	0.26	1.98	34.69	24.00	72.00	298.36	4.86	18.65
120000	6.90	3.11	5.17	1.84	35.17	0.26	2.23	0.26	1.97	35.61	24.00	72.00	293.00	7.35	20.42
130000	6.85	3.13	5.20	1.81	29.47	0.21	2.20	0.23	1.97	35.62	24.00	72.00	298.36	8.23	20.32
140000	6.86	3.11	5.11	1.75	23.67	0.23	2.20	0.23	1.97	34.58	24.00	72.00	298.86	4.91	22.35
150000	6.95	3.09	5.13	1.82	20.40	0.26	2.28	0.26	2.02	34.54	24.00	72.00	187.49	3.96	12.73
160000	6.92	3.14	5.19	1.79	19.53	0.25	2.29	0.26	2.03	34.67	24.00	72.00	93.87	3.36	19.36
170000	6.94	3.13	5.14	1.77	22.05	0.27	2.27	0.27	2.00	34.51	24.00	72.00	255.57	3.43	18.48
180000	6.89	3.12	5.14	1.78	25.29	0.23	2.20	0.22	1.98	33.91	24.00	72.00	287.44	6.16	19.51
190000	7.01	3.16	5.14	1.74	23.40	0.23	2.24	0.24	2.00	33.77	24.00	72.00	284.78	4.99	14.11
200000	6.98	3.16	5.14	1.76	23.60	0.26	2.26	0.23	2.03	33.77	24.00	72.00	282.70	4.50	16.04
210000	7.01	3.12	5.18	1.83	25.91	0.21	2.23	0.21	2.02	33.65	24.00	72.00	289.21	4.45	21.88
220000	6.95	3.11	5.15	1.80	26.58	0.21	2.17	0.19	1.98	33.62	24.00	72.00	292.97	3.35	20.45
230000	7.03	3.16	5.12	1.71	27.89	0.21	2.20	0.20	2.00	33.56	24.00	72.00	242.59	2.17	20.79
極大值	7.03	3.18	5.20	1.84	35.17	0.37	3.01	0.35	2.68	35.62	46.53	130.29	298.86	8.23	931.95
極小值	6.67	3.07	5.07	1.71	12.27	0.21	2.17	0.19	1.97	31.83	24.00	72.00	75.81	0.07	6.46
平均值	6.86	3.13	5.15	1.78	22.40	0.25	2.38	0.24	2.14	33.80	24.99	74.57	220.95	3.45	57.66
標準差	0.11	0.03	0.03	0.04	6.68	0.04	0.24	0.03	0.23	1.21	4.59	11.89	80.44	2.44	186.47

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	6.90	3.10	5.18	1.86	19.04	0.22	2.34	0.21	2.13	32.99	24.00	72.00	58.47	2.96	14.67
010000	6.86	3.13	5.13	1.78	17.72	0.21	2.33	0.20	2.13	32.62	46.51	130.23	120.16	1.37	932.02
020000	6.99	3.13	5.14	1.78	17.31	0.21	2.31	0.21	2.10	32.56	25.67	76.31	67.45	4.36	83.82
030000	6.84	3.16	5.18	1.77	15.34	0.22	2.40	0.22	2.18	32.34	24.00	72.00	73.70	4.32	15.26
040000	6.89	3.16	5.17	1.77	15.29	0.23	2.61	0.24	2.37	32.38	24.00	72.00	103.94	8.00	17.07
050000	7.03	3.09	5.12	1.81	14.03	0.31	2.65	0.32	2.33	32.27	24.00	72.00	60.79	5.07	17.38
060000	7.06	3.12	5.12	1.77	14.83	0.31	2.88	0.30	2.58	33.14	24.00	72.00	33.78	7.92	20.38
070000	7.00	3.13	5.15	1.80	18.25	0.36	2.63	0.31	2.32	33.94	24.00	72.00	46.31	7.29	20.59
080000	7.08	3.19	5.20	1.77	23.39	0.29	2.34	0.26	2.08	34.66	24.00	72.00	35.88	9.06	19.68
090000	6.98	3.11	5.17	1.83	32.85	0.22	2.24	0.22	2.02	35.56	24.00	72.00	51.64	8.29	15.73
100000	7.13	3.11	5.19	1.83	33.21	0.21	2.26	0.24	2.02	36.30	24.00	72.00	55.81	8.72	13.64
110000	7.08	3.16	5.21	1.80	39.84	0.33	2.43	0.39	2.04	36.30	24.00	72.00	254.71	4.79	23.44
120000	7.15	3.14	5.17	1.78	35.88	0.25	2.27	0.30	1.97	36.05	24.00	72.00	288.81	7.04	27.46
130000	7.00	3.12	5.21	1.85	33.24	0.24	2.30	0.32	1.98	36.15	24.00	72.00	297.39	7.53	17.68
140000	7.02	3.08	5.17	1.85	28.52	0.19	2.23	0.23	2.00	33.65	24.00	72.00	295.47	5.83	19.69
150000	7.03	3.13	5.23	1.83	21.24	0.36	2.39	0.33	2.06	32.88	24.00	72.00	217.94	4.62	7.14
160000	7.08	3.13	5.11	1.75	18.08	0.74	2.63	0.55	2.08	33.18	24.00	72.00	225.73	4.34	5.75
170000	7.06	3.11	5.16	1.79	20.10	0.58	2.39	0.35	2.04	33.67	24.00	72.00	178.16	0.51	9.10
180000	7.10	3.12	5.15	1.78	22.50	0.35	2.29	0.26	2.03	32.69	24.00	72.00	248.53	0.98	6.62
190000	7.08	3.13	5.10	1.76	17.10	0.37	2.34	0.27	2.07	32.43	24.00	72.00	128.59	0.66	12.32
200000	7.06	3.11	5.05	1.70	15.69	0.44	2.39	0.31	2.08	32.80	24.00	72.00	139.96	4.41	11.40
210000	7.11	3.09	5.12	1.79	15.68	0.40	2.50	0.33	2.17	32.78	24.00	72.00	129.85	2.91	8.14
220000	7.03	3.12	5.18	1.79	14.99	0.36	2.51	0.30	2.21	32.39	24.00	72.00	111.43	3.10	9.94
230000	7.03	3.14	5.18	1.77	14.21	0.34	2.49	0.28	2.21	32.30	24.00	72.00	73.99	1.60	15.59
極大值	7.15	3.19	5.23	1.86	39.84	0.74	2.88	0.55	2.58	36.30	46.51	130.23	297.39	9.06	932.02
極小值	6.84	3.08	5.05	1.70	14.03	0.19	2.23	0.20	1.97	32.27	24.00	72.00	33.78	0.51	5.75
平均值	7.02	3.13	5.16	1.79	21.60	0.32	2.42	0.29	2.13	33.58	25.01	74.61	137.44	4.82	56.02
標準差	0.08	0.03	0.04	0.04	7.86	0.13	0.16	0.07	0.15	1.43	4.59	11.88	89.98	2.7	187.2

屏東縣崁頂焚化爐空氣品質監測報表

日報(小時數據)
A001 廠內站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	6.99	3.11	5.16	1.78	13.87	0.30	2.54	0.26	2.28	32.27	24.00	72.00	118.38	1.72	13.64
010000	6.96	3.10	5.10	1.74	12.11	0.30	2.65	0.26	2.39	32.05	46.48	130.10	61.41	5.17	930.77
020000	6.96	3.11	5.14	1.79	12.47	0.31	2.60	0.29	2.31	32.16	25.64	76.25	79.68	3.50	77.41
030000	7.01	3.10	5.17	1.80	11.52	0.28	2.67	0.27	2.40	31.98	24.00	72.00	73.39	0.99	13.97
040000	7.06	3.09	5.12	1.78	12.31	0.28	2.56	0.25	2.31	31.78	24.00	72.00	190.31	0.11	15.84
050000	6.98	3.12	5.15	1.79	11.61	0.31	2.82	0.29	2.53	31.97	24.00	72.00	107.79	1.91	11.85
060000	6.99	3.16	5.16	1.74	12.62	0.30	2.77	0.26	2.51	32.77	24.00	72.00	39.92	4.22	10.39
070000	6.97	3.10	5.14	1.81	15.11	0.33	2.49	0.26	2.23	33.84	24.00	72.00	63.89	4.03	16.79
080000	7.00	3.09	5.14	1.78	20.41	0.30	2.36	0.27	2.09	34.85	24.00	72.00	94.50	4.38	16.27
090000	6.98	3.13	5.18	1.82	27.38	0.33	2.33	0.30	2.03	35.55	24.00	72.00	183.97	2.39	16.00
100000	7.01	3.09	5.13	1.81	36.52	0.29	2.31	0.27	2.04	36.49	24.00	72.00	241.79	1.25	13.21
110000	7.02	3.08	5.12	1.81	41.08	0.31	2.37	0.33	2.04	36.29	24.00	72.00	282.28	6.86	14.66
120000	7.06	3.10	5.17	1.82	29.70	0.22	2.21	0.23	1.98	35.34	24.00	72.00	263.90	15.09	28.88
130000	6.94	3.08	5.14	1.80	26.72	0.18	2.14	0.19	1.95	34.29	24.00	72.00	268.82	26.12	31.95
140000	7.06	3.09	5.11	1.77	26.18	0.17	2.14	0.18	1.96	33.58	24.00	72.00	264.00	21.63	59.60
150000	7.09	3.14	5.14	1.77	25.09	0.18	2.13	0.18	1.95	34.14	24.00	72.00	271.10	19.14	17.70
160000	7.14	3.12	5.14	1.79	24.28	0.21	2.16	0.21	1.95	34.23	24.00	72.00	259.35	18.45	7.81
170000	7.12	3.16	5.15	1.77	25.40	0.21	2.13	0.18	1.95	34.04	24.00	72.00	257.41	18.98	2.84
180000	7.10	3.11	5.06	1.72	23.47	0.21	2.16	0.21	1.95	33.80	24.00	72.00	258.21	14.35	2.05
190000	7.09	3.13	5.15	1.79	21.86	0.23	2.16	0.19	1.97	33.32	24.00	72.00	203.71	6.83	0.00
200000	7.11	3.04	5.08	1.78	18.21	0.27	2.30	0.22	2.08	32.66	24.00	72.00	92.79	7.23	2.22
210000	7.11	3.11	5.14	1.78	14.79	0.27	2.38	0.23	2.15	32.22	24.00	72.00	72.77	2.63	15.47
220000	7.09	3.09	5.12	1.80	15.42	0.28	2.47	0.23	2.24	32.10	24.00	72.00	122.22	2.45	19.19
230000	7.06	3.07	5.10	1.79	12.97	0.28	2.60	0.23	2.37	31.94	24.00	72.00	71.29	1.67	16.43
極大值	7.14	3.16	5.18	1.82	41.08	0.33	2.82	0.33	2.53	36.49	46.48	130.10	282.28	26.12	930.77
極小值	6.94	3.04	5.06	1.72	11.52	0.17	2.13	0.18	1.95	31.78	24.00	72.00	39.92	0.11	0.00
平均值	7.04	3.10	5.13	1.78	20.46	0.26	2.39	0.24	2.15	33.49	25.00	74.60	164.29	7.96	56.46
標準差	0.06	0.03	0.03	0.02	8.26	0.05	0.22	0.04	0.19	1.45	4.59	11.85	87.7	7.8	187.03

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	7.12	3.08	5.13	1.81	12.17	0.31	2.74	0.25	2.49	31.71	24.00	72.00	130.11	2.88	21.89
010000	7.14	3.07	5.10	1.76	12.18	0.33	2.90	0.26	2.64	31.60	46.49	130.14	52.07	5.86	931.39
020000	7.06	3.08	5.16	1.85	12.33	0.32	3.07	0.25	2.82	31.56	25.32	75.41	56.69	5.49	72.12
030000	7.05	3.07	5.12	1.81	11.86	0.31	2.87	0.24	2.63	31.54	24.00	72.00	71.24	7.41	19.11
040000	7.01	3.12	5.14	1.74	11.93	0.30	2.98	0.24	2.74	31.44	24.00	72.00	269.73	1.02	15.28
050000	7.01	3.09	5.14	1.77	22.27	0.23	2.34	0.20	2.14	31.88	24.00	72.00	274.49	12.68	17.89
060000	6.99	3.08	5.11	1.77	19.48	0.21	2.17	0.19	1.98	32.03	24.00	72.00	238.63	5.73	4.71
070000	6.99	3.11	5.13	1.75	14.27	0.27	2.47	0.22	2.25	32.29	24.00	72.00	147.89	1.76	2.59
080000	7.01	3.12	5.15	1.79	14.39	0.25	2.42	0.23	2.19	32.79	24.00	72.00	144.46	3.96	11.82
090000	7.07	3.11	5.23	1.83	18.58	0.22	2.30	0.22	2.08	33.69	24.00	72.00	62.01	8.32	10.46
100000	6.99	3.12	5.18	1.79	20.01	0.21	2.27	0.23	2.04	34.29	24.00	72.00	172.02	2.91	8.25
110000	7.05	3.09	5.10	1.76	23.55	0.18	2.18	0.20	1.98	34.12	24.00	72.00	256.48	14.90	3.62
120000	7.09	3.07	5.13	1.81	27.31	0.17	2.12	0.18	1.94	33.75	24.00	72.00	243.96	19.62	23.38
130000	7.04	3.02	5.06	1.78	21.41	0.20	2.14	0.19	1.95	32.14	24.00	72.00	231.75	4.62	21.99
140000	7.05	3.13	5.14	1.75	23.90	0.20	2.14	0.18	1.96	31.83	24.00	72.00	257.30	15.32	0.00
150000	7.06	3.11	5.11	1.75	24.58	0.20	2.12	0.17	1.95	30.90	24.00	72.00	236.94	12.11	2.80
160000	7.08	3.11	5.11	1.77	19.79	0.21	2.17	0.21	1.96	30.86	24.00	72.00	251.09	2.61	2.33
170000	7.06	3.06	5.13	1.82	17.95	0.22	2.20	0.21	1.99	31.42	24.00	72.00	148.66	2.30	0.00
180000	7.02	3.08	5.10	1.75	17.84	0.22	2.25	0.22	2.03	31.84	24.00	72.00	288.73	5.73	0.00
190000	7.04	3.12	5.13	1.78	19.63	0.20	2.18	0.21	1.97	32.59	24.00	72.00	232.93	6.33	1.25
200000	7.08	3.10	5.07	1.73	21.90	0.19	2.14	0.19	1.95	33.00	24.00	72.00	253.71	9.14	0.00
210000	7.05	3.06	5.10	1.77	18.70	0.20	2.23	0.20	2.03	32.43	24.00	72.00	176.90	5.36	0.00
220000	7.14	3.07	5.09	1.76	19.78	0.20	2.20	0.19	2.01	32.09	24.00	72.00	249.46	7.16	0.75
230000	7.02	3.10	5.08	1.72	20.35	0.19	2.13	0.18	1.95	31.20	24.00	72.00	248.83	9.00	6.10
極大值	7.14	3.13	5.23	1.85	27.31	0.33	3.07	0.26	2.82	34.29	46.49	130.14	288.73	19.62	931.39
極小值	6.99	3.02	5.06	1.72	11.86	0.17	2.12	0.17	1.94	30.86	24.00	72.00	52.07	1.02	0.00
平均值	7.05	3.09	5.12	1.78	18.59	0.23	2.36	0.21	2.15	32.21	24.99	74.56	195.67	7.18	49.07
標準差	0.04	0.03	0.04	0.03	4.45	0.05	0.31	0.03	0.28	0.96	4.59	11.86	76.38	4.76	188.56

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	7.03	3.11	5.09	1.74	16.53	0.20	2.21	0.19	2.02	31.30	24.00	72.00	172.89	1.83	4.40
010000	7.06	3.10	5.05	1.69	20.13	0.19	2.17	0.18	1.99	31.75	46.57	130.46	277.91	7.86	932.49
020000	6.96	3.15	5.17	1.77	17.91	0.20	2.21	0.19	2.02	31.15	25.64	76.25	197.91	2.86	69.00
030000	7.09	3.08	5.15	1.82	19.14	0.19	2.17	0.19	1.98	30.86	24.00	72.00	151.45	6.95	3.82
040000	6.98	3.07	5.10	1.74	15.55	0.20	2.27	0.19	2.08	30.48	24.00	72.00	69.18	7.52	0.57
050000	7.09	3.10	5.14	1.79	15.44	0.21	2.29	0.20	2.09	30.37	24.00	72.00	51.09	9.48	2.13
060000	7.12	3.15	5.17	1.78	15.26	0.22	2.35	0.20	2.15	30.33	24.00	72.00	77.26	8.27	1.33
070000	7.09	3.11	5.07	1.71	14.56	0.22	2.36	0.20	2.16	30.28	24.00	72.00	39.21	12.12	0.00
080000	7.06	3.08	5.10	1.75	14.77	0.22	2.38	0.20	2.18	30.32	24.00	72.00	156.47	3.13	0.50
090000	7.00	3.08	5.12	1.79	15.62	0.21	2.32	0.20	2.12	30.30	24.00	72.00	118.20	5.59	18.92
100000	7.05	3.13	5.15	1.75	15.11	0.22	2.30	0.20	2.10	30.26	24.00	72.00	61.17	6.76	0.00
110000	6.94	3.09	5.12	1.78	15.80	0.21	2.29	0.20	2.09	30.53	24.00	72.00	122.23	4.16	0.00
120000	6.98	3.08	5.09	1.75	18.46	0.20	2.22	0.20	2.02	31.71	24.00	72.00	181.30	5.75	0.00
130000	7.03	3.09	5.08	1.75	25.93	0.19	2.13	0.17	1.96	32.21	24.00	72.00	235.83	12.10	0.00
140000	7.09	3.08	5.13	1.80	27.99	0.19	2.12	0.17	1.95	31.47	24.00	72.00	223.87	15.22	0.00
150000	7.07	3.05	5.07	1.77	26.28	0.19	2.15	0.17	1.98	31.43	24.00	72.00	224.61	11.16	0.00
160000	7.02	3.13	5.16	1.75	28.19	0.19	2.13	0.17	1.96	32.37	24.00	72.00	230.14	15.56	0.00
170000	7.11	3.10	5.10	1.76	28.02	0.19	2.13	0.17	1.96	31.92	24.00	72.00	225.81	15.61	0.00
180000	7.08	3.10	5.10	1.73	31.76	0.19	2.13	0.17	1.96	32.15	24.00	72.00	227.03	19.57	0.70
190000	7.10	3.10	5.11	1.78	35.64	0.20	2.13	0.17	1.96	32.11	24.00	72.00	243.36	23.73	4.19
200000	7.13	3.15	5.14	1.74	39.35	0.21	2.13	0.17	1.96	32.49	24.00	72.00	258.01	30.27	15.38
210000	7.18	3.13	5.16	1.77	40.90	0.22	2.12	0.16	1.96	32.15	24.00	72.00	263.84	36.19	16.39
220000	7.27	3.08	5.07	1.74	40.04	0.22	2.13	0.17	1.96	31.68	24.00	72.00	277.95	26.32	14.83
230000	7.31	3.09	5.14	1.77	39.18	0.21	2.14	0.17	1.97	31.06	24.00	72.00	298.37	22.64	25.89
極大值	7.31	3.15	5.17	1.82	40.90	0.22	2.38	0.20	2.18	32.49	46.57	130.46	298.37	36.19	932.49
極小值	6.94	3.05	5.05	1.69	14.56	0.19	2.12	0.16	1.95	30.26	24.00	72.00	39.21	1.83	0.00
平均值	7.08	3.10	5.12	1.76	24.06	0.20	2.21	0.18	2.02	31.28	25.01	74.61	182.71	12.94	46.27
標準差	0.09	0.03	0.04	0.03	9.41	0.01	0.09	0.01	0.08	0.78	4.6	11.93	79.75	9.24	189.36

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	7.24	3.14	5.14	1.76	37.03	0.21	2.14	0.17	1.97	31.08	24.00	72.00	302.45	13.65	18.07
010000	7.18	3.06	5.12	1.82	34.05	0.21	2.17	0.19	1.98	31.15	46.52	130.35	308.04	12.85	931.05
020000	7.19	3.08	5.09	1.75	34.70	0.21	2.13	0.17	1.96	31.17	25.70	76.40	256.70	11.81	79.95
030000	7.21	3.06	5.09	1.76	26.45	0.21	2.21	0.20	2.01	30.70	24.00	72.00	199.08	3.48	9.85
040000	7.20	3.12	5.11	1.73	28.18	0.22	2.21	0.18	2.03	30.83	24.00	72.00	206.28	4.03	6.42
050000	7.18	3.06	5.10	1.79	24.12	0.20	2.25	0.20	2.05	30.46	24.00	72.00	116.74	6.41	0.80
060000	7.23	3.06	5.14	1.83	24.26	0.20	2.23	0.20	2.03	30.47	24.00	72.00	70.46	12.17	0.00
070000	7.22	3.06	5.09	1.77	23.05	0.21	2.20	0.19	2.01	30.75	24.00	72.00	39.88	10.40	0.00
080000	7.30	3.03	5.04	1.75	21.68	0.22	2.19	0.20	1.99	31.82	24.00	72.00	70.04	10.44	0.00
090000	7.17	3.12	5.17	1.80	22.12	0.26	2.22	0.22	2.00	32.56	24.00	72.00	64.63	10.32	0.00
100000	7.18	3.09	5.16	1.81	23.60	0.25	2.22	0.23	1.99	33.25	24.00	72.00	79.70	7.86	0.00
110000	7.16	3.08	5.12	1.76	31.19	0.25	2.27	0.23	2.04	32.62	24.00	72.00	221.49	4.82	6.28
120000	7.08	3.13	5.19	1.79	27.41	0.27	2.29	0.24	2.05	33.32	24.00	72.00	99.73	5.80	4.82
130000	7.17	3.07	5.13	1.80	31.11	0.30	2.35	0.28	2.07	33.42	24.00	72.00	274.23	2.56	8.99
140000	7.21	3.06	5.08	1.75	37.29	0.21	2.20	0.21	1.99	33.89	24.00	72.00	283.94	4.79	19.37
150000	7.29	3.05	5.08	1.77	30.93	0.20	2.20	0.20	2.00	32.99	24.00	72.00	253.16	3.74	8.19
160000	7.15	3.07	5.05	1.73	27.67	0.24	2.24	0.21	2.03	32.40	24.00	72.00	180.67	4.89	7.88
170000	7.24	3.07	5.16	1.83	27.49	0.23	2.22	0.20	2.02	32.82	24.00	72.00	268.51	3.24	9.68
180000	7.20	3.09	5.10	1.75	29.03	0.20	2.15	0.19	1.96	33.06	24.00	72.00	304.47	4.66	16.43
190000	7.40	3.10	5.15	1.79	26.66	0.24	2.16	0.19	1.97	33.02	24.00	72.00	302.35	3.41	13.93
200000	7.37	3.05	5.09	1.79	20.93	0.26	2.27	0.22	2.05	32.99	24.00	72.00	206.65	2.55	19.64
210000	7.33	3.09	5.12	1.78	18.33	0.25	2.37	0.24	2.13	32.74	24.00	72.00	205.18	0.35	18.21
220000	7.31	3.07	5.10	1.77	23.52	0.25	2.37	0.22	2.15	32.71	24.00	72.00	290.19	2.49	11.30
230000	7.33	3.08	5.12	1.80	28.44	0.21	2.18	0.19	1.99	32.79	24.00	72.00	298.26	4.03	13.31
極大值	7.40	3.14	5.19	1.83	37.29	0.30	2.37	0.28	2.15	33.89	46.52	130.35	308.04	13.65	931.05
極小值	7.08	3.03	5.04	1.73	18.33	0.20	2.13	0.17	1.96	30.46	24.00	72.00	39.88	0.35	0.00
平均值	7.23	3.08	5.11	1.78	27.47	0.23	2.23	0.21	2.02	32.21	25.01	74.61	204.28	6.28	50.17
標準差	0.08	0.03	0.04	0.03	5.06	0.03	0.07	0.02	0.05	1.08	4.59	11.91	91.9	3.87	188.3

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	7.22	3.10	5.08	1.73	28.83	0.24	2.18	0.19	1.99	32.78	24.00	72.00	289.36	3.43	15.80
010000	7.26	3.10	5.12	1.77	30.93	0.21	2.16	0.18	1.98	32.83	46.48	130.28	305.11	3.25	929.71
020000	7.37	3.09	5.15	1.78	29.29	0.21	2.17	0.18	1.99	32.83	25.73	76.48	293.34	4.11	83.03
030000	7.24	3.09	5.14	1.82	30.72	0.20	2.17	0.18	1.99	32.86	24.00	72.00	295.55	4.66	14.79
040000	7.16	3.15	5.19	1.79	28.94	0.21	2.17	0.18	1.99	32.82	24.00	72.00	288.00	4.33	11.48
050000	7.30	3.12	5.11	1.75	24.39	0.23	2.18	0.19	1.99	32.86	24.00	72.00	286.91	4.20	16.07
060000	7.23	3.07	5.06	1.74	23.24	0.24	2.29	0.23	2.06	32.99	24.00	72.00	190.05	2.92	11.86
070000	7.32	3.13	5.12	1.75	19.49	0.29	2.44	0.35	2.09	33.45	24.00	72.00	131.77	1.17	14.75
080000	7.30	3.07	5.10	1.78	23.96	0.27	2.35	0.31	2.04	33.88	24.00	72.00	271.02	4.50	14.06
090000	7.19	3.15	5.20	1.78	28.97	0.24	2.26	0.24	2.02	34.30	24.00	72.00	282.95	6.36	22.56
100000	7.29	3.16	5.17	1.77	28.36	0.26	2.29	0.25	2.04	34.18	24.00	72.00	266.31	4.60	22.55
110000	7.17	3.08	5.14	1.80	29.16	0.33	2.36	0.31	2.05	34.97	24.00	72.00	249.03	5.26	15.26
120000	7.10	3.09	5.11	1.78	29.92	0.30	2.33	0.29	2.04	34.47	24.00	72.00	282.53	6.71	19.46
130000	7.32	3.04	5.09	1.79	29.27	0.32	2.28	0.24	2.04	34.28	24.00	72.00	276.59	6.29	12.10
140000	7.24	3.12	5.17	1.80	25.57	0.29	2.35	0.26	2.09	34.06	24.00	72.00	221.14	5.70	17.64
150000	7.22	3.09	5.13	1.78	24.87	0.28	2.38	0.28	2.10	34.03	24.00	72.00	256.53	4.91	22.66
160000	7.26	3.12	5.15	1.77	23.22	0.25	2.26	0.22	2.04	33.88	24.00	72.00	272.94	4.54	15.32
170000	7.22	3.12	5.13	1.74	23.01	0.27	2.22	0.20	2.02	33.64	24.00	72.00	290.63	3.72	19.10
180000	7.31	3.08	5.09	1.78	23.22	0.25	2.22	0.20	2.02	33.44	24.00	72.00	290.08	3.84	18.00
190000	7.27	3.08	5.11	1.79	22.06	0.26	2.20	0.19	2.01	33.33	24.00	72.00	290.98	3.91	18.37
200000	7.31	3.12	5.11	1.74	23.12	0.23	2.22	0.21	2.01	33.23	24.00	72.00	295.43	4.53	23.42
210000	7.31	3.06	5.17	1.85	23.37	0.23	2.18	0.19	1.99	33.26	24.00	72.00	299.91	3.29	17.61
220000	7.40	3.12	5.15	1.76	23.61	0.23	2.19	0.18	2.01	33.19	24.00	72.00	301.62	2.46	14.68
230000	7.23	3.08	5.10	1.76	23.35	0.24	2.24	0.19	2.05	33.15	24.00	72.00	251.96	2.64	23.75
極大值	7.40	3.16	5.20	1.85	30.93	0.33	2.44	0.35	2.10	34.97	46.48	130.28	305.11	6.71	929.71
極小值	7.10	3.04	5.06	1.73	19.49	0.20	2.16	0.18	1.98	32.78	24.00	72.00	131.77	1.17	11.48
平均值	7.26	3.10	5.13	1.78	25.87	0.25	2.25	0.23	2.03	33.53	25.01	74.62	269.99	4.22	58.08
標準差	0.07	0.03	0.04	0.03	3.3	0.03	0.08	0.05	0.03	0.63	4.59	11.89	39.81	1.3	186.17

屏東縣崁頂焚化爐空氣品質監測報表

日報(小時數據)
A001 廠內站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m /s)	(ug / m)
000000	7.22	3.18	5.24	1.80	16.34	0.28	2.75	0.24	2.51	32.67	24.00	72.00	93.37	2.51	23.56
010000	7.28	3.07	5.13	1.82	14.98	0.28	2.90	0.24	2.66	32.56	46.55	130.35	132.49	2.36	933.80
020000	7.25	3.10	5.19	1.85	14.92	0.27	2.78	0.24	2.54	32.59	25.61	76.19	155.49	1.04	82.91
030000	7.22	3.05	5.08	1.78	15.66	0.26	2.73	0.24	2.49	32.49	24.00	72.00	149.70	0.69	21.30
040000	7.30	3.14	5.13	1.74	15.52	0.26	2.58	0.23	2.35	32.45	24.00	72.00	128.64	0.92	16.31
050000	7.32	3.09	5.12	1.77	21.07	0.24	2.35	0.21	2.14	32.82	24.00	72.00	280.54	3.46	18.42
060000	7.25	3.14	5.12	1.70	21.53	0.24	2.19	0.19	2.00	33.24	24.00	72.00	298.09	6.68	18.14
070000	7.24	3.09	5.11	1.77	24.91	0.24	2.20	0.20	2.00	33.40	24.00	72.00	292.20	8.44	25.18
080000	7.16	3.15	5.21	1.79	25.89	0.24	2.20	0.19	2.01	33.54	24.00	72.00	304.09	9.63	24.53
090000	7.26	3.12	5.10	1.74	24.44	0.25	2.25	0.24	2.01	33.68	24.00	72.00	302.74	9.73	26.47
100000	7.19	3.12	5.10	1.76	23.30	0.26	2.37	0.37	2.00	33.79	24.00	72.00	302.30	7.67	28.00
110000	7.25	3.14	5.14	1.76	24.74	0.25	2.48	0.48	2.00	33.80	24.00	72.00	293.58	9.09	30.62
120000	7.28	3.11	5.10	1.75	27.35	0.24	2.31	0.33	1.98	33.94	24.00	72.00	297.28	9.99	30.38
130000	7.17	3.11	5.10	1.76	24.42	0.23	2.21	0.23	1.98	34.02	24.00	72.00	291.47	14.27	29.22
140000	7.28	3.11	5.12	1.76	22.50	0.24	2.24	0.25	1.99	34.10	24.00	72.00	285.41	12.68	58.95
150000	7.21	3.13	5.13	1.75	25.80	0.23	2.21	0.22	1.99	34.02	24.00	72.00	290.44	10.18	47.79
160000	7.30	3.11	5.15	1.82	22.58	0.24	2.22	0.23	1.99	33.90	24.00	72.00	283.71	9.80	18.05
170000	7.24	3.08	5.14	1.82	25.20	0.24	2.23	0.23	2.00	33.41	24.00	72.00	290.68	7.94	24.49
180000	7.16	3.08	5.11	1.77	24.50	0.24	2.23	0.22	2.01	33.22	24.00	72.00	284.68	6.07	20.44
190000	7.24	3.09	5.10	1.77	21.47	0.24	2.29	0.29	2.00	33.16	24.00	72.00	280.21	6.41	20.30
200000	7.13	3.11	5.11	1.74	23.21	0.23	2.23	0.23	2.00	32.88	24.00	72.00	280.22	7.59	23.50
210000	7.31	3.15	5.16	1.77	23.38	0.24	2.25	0.26	1.99	32.96	24.00	72.00	297.21	7.95	27.88
220000	7.25	3.12	5.20	1.83	21.80	0.24	2.22	0.23	1.99	32.94	24.00	72.00	294.61	5.07	20.44
230000	7.16	3.08	5.08	1.76	22.16	0.23	2.23	0.22	2.01	32.88	24.00	72.00	292.06	5.06	15.82
極大值	7.32	3.18	5.24	1.85	27.35	0.28	2.90	0.48	2.66	34.10	46.55	130.35	304.09	14.27	933.80
極小值	7.13	3.05	5.08	1.70	14.92	0.23	2.19	0.19	1.98	32.45	24.00	72.00	93.37	0.69	15.82
平均值	7.24	3.11	5.13	1.77	21.99	0.25	2.36	0.25	2.11	33.27	25.01	74.61	258.38	6.88	66.10
標準差	0.05	0.03	0.04	0.03	3.75	0.01	0.22	0.06	0.22	0.54	4.6	11.9	67.37	3.67	185.43

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m / s)	(ug / m)
000000	7.19	3.09	5.17	1.83	26.45	0.22	2.20	0.20	2.00	32.20	24.00	72.00	291.37	10.43	19.31
010000	7.15	3.10	5.16	1.85	28.48	0.22	2.17	0.19	1.98	32.47	46.51	130.33	279.65	9.23	931.20
020000	7.17	3.08	5.10	1.77	28.38	0.22	2.18	0.19	1.99	32.54	25.27	75.30	280.04	8.98	66.58
030000	7.15	3.11	5.14	1.77	28.48	0.21	2.20	0.21	1.99	32.60	24.00	72.00	286.53	7.67	12.63
040000	7.25	3.11	5.15	1.78	28.64	0.22	2.21	0.20	2.01	32.21	24.00	72.00	295.16	6.98	14.83
050000	7.19	3.09	5.08	1.76	31.24	0.23	2.20	0.20	2.00	31.59	24.00	72.00	289.27	9.75	14.76
060000	7.18	3.08	5.14	1.82	29.89	0.23	2.19	0.20	1.99	32.04	24.00	72.00	297.31	6.67	11.96
070000	7.21	3.15	5.19	1.77	25.80	0.26	2.25	0.21	2.04	31.53	24.00	72.00	293.51	7.05	11.80
080000	7.22	3.11	5.14	1.79	24.67	0.25	2.20	0.22	1.98	32.64	24.00	72.00	295.70	8.12	12.69
090000	7.16	3.11	5.15	1.80	29.08	0.25	2.17	0.19	1.98	32.82	24.00	72.00	292.12	13.19	20.70
100000	7.23	3.10	5.11	1.78	29.18	0.26	2.19	0.19	2.00	33.11	24.00	72.00	294.66	11.17	29.47
110000	7.23	3.11	5.11	1.77	25.16	0.24	2.18	0.20	1.98	33.27	24.00	72.00	283.68	11.47	31.22
120000	7.22	3.12	5.17	1.81	26.62	0.24	2.23	0.21	2.02	32.20	24.00	72.00	166.76	6.58	26.55
130000	7.10	3.11	5.15	1.78	25.10	0.29	2.29	0.24	2.05	31.31	24.00	72.00	93.76	8.74	14.40
140000	7.19	3.13	5.15	1.79	23.29	0.25	2.27	0.21	2.06	31.38	24.00	72.00	96.17	3.74	8.28
150000	7.18	3.09	5.17	1.85	22.13	0.26	2.26	0.21	2.05	31.36	24.00	72.00	211.03	1.16	2.88
160000	7.25	3.12	5.12	1.76	26.17	0.26	2.27	0.21	2.06	30.51	24.00	72.00	119.34	9.00	2.50
170000	7.29	3.11	5.11	1.75	30.45	0.28	2.22	0.21	2.01	30.32	24.00	72.00	52.99	14.24	5.01
180000	7.22	3.07	5.06	1.75	28.38	0.23	2.19	0.19	2.00	30.90	24.00	72.00	103.35	8.01	2.24
190000	7.19	3.13	5.09	1.70	24.95	0.26	2.35	0.22	2.13	30.62	24.00	72.00	100.05	5.30	0.00
200000	7.21	3.13	5.17	1.81	22.25	0.25	2.35	0.21	2.14	30.66	24.00	72.00	165.76	2.00	1.24
210000	7.24	3.11	5.13	1.78	22.75	0.24	2.32	0.20	2.12	30.79	24.00	72.00	307.36	2.81	0.00
220000	7.28	3.06	5.09	1.78	21.18	0.25	2.30	0.20	2.10	30.93	24.00	72.00	247.73	3.67	0.00
230000	7.16	3.08	5.04	1.73	19.72	0.24	2.30	0.20	2.10	30.90	24.00	72.00	130.41	2.26	0.00
極大值	7.29	3.15	5.19	1.85	31.24	0.29	2.35	0.24	2.14	33.27	46.51	130.33	307.36	14.24	931.20
極小值	7.10	3.06	5.04	1.70	19.72	0.21	2.17	0.19	1.98	30.32	24.00	72.00	52.99	1.16	0.00
平均值	7.20	3.10	5.13	1.78	26.18	0.24	2.24	0.20	2.03	31.70	24.99	74.57	219.74	7.43	51.68
標準差	0.04	0.02	0.04	0.03	3.14	0.02	0.06	0.01	0.05	0.89	4.59	11.9	88.13	3.52	187.92

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	7.16	3.08	5.21	1.89	19.57	0.23	2.37	0.19	2.18	31.00	24.00	72.00	126.12	1.82	0.48
010000	7.16	3.11	5.15	1.81	20.40	0.23	2.28	0.19	2.09	31.40	46.51	130.32	282.85	1.88	929.86
020000	7.17	3.14	5.17	1.80	19.60	0.23	2.26	0.20	2.06	31.41	25.70	76.40	325.23	1.16	79.97
030000	7.15	3.18	5.21	1.78	22.32	0.22	2.25	0.20	2.05	31.27	24.00	72.00	238.16	2.96	10.32
040000	7.21	3.12	5.15	1.80	21.75	0.22	2.18	0.20	1.98	31.00	24.00	72.00	202.07	1.51	16.11
050000	7.21	3.15	5.14	1.74	20.09	0.22	2.24	0.20	2.04	31.02	24.00	72.00	70.69	4.88	0.00
060000	7.34	3.12	5.15	1.78	18.29	0.24	2.27	0.21	2.06	31.12	24.00	72.00	45.32	8.12	0.29
070000	7.29	3.18	5.17	1.74	15.62	0.28	2.37	0.22	2.15	31.38	24.00	72.00	63.57	5.66	8.03
080000	7.24	3.10	5.19	1.84	17.02	0.28	2.37	0.22	2.15	32.46	24.00	72.00	189.46	3.39	11.35
090000	7.22	3.18	5.16	1.74	21.09	0.24	2.21	0.21	2.00	32.71	24.00	72.00	219.86	2.83	16.10
100000	7.20	3.15	5.19	1.80	23.39	0.27	2.19	0.20	1.99	33.19	24.00	72.00	234.47	6.81	13.25
110000	7.28	3.12	5.14	1.78	24.60	0.22	2.17	0.20	1.97	33.98	24.00	72.00	244.12	10.09	18.49
120000	7.36	3.14	5.14	1.76	25.67	0.22	2.17	0.19	1.98	33.21	24.00	72.00	262.04	10.70	23.62
130000	7.28	3.11	5.20	1.85	24.68	0.22	2.17	0.20	1.97	33.81	24.00	72.00	260.68	12.25	18.54
140000	7.13	3.14	5.12	1.77	23.13	0.23	2.16	0.20	1.96	33.87	24.00	72.00	259.00	9.42	20.18
150000	7.18	3.20	5.18	1.74	24.47	0.23	2.15	0.19	1.96	33.33	24.00	72.00	261.21	9.39	27.20
160000	7.26	3.13	5.18	1.82	20.36	0.25	2.18	0.21	1.97	33.29	24.00	72.00	212.55	2.47	24.20
170000	7.21	3.10	5.13	1.78	18.22	0.28	2.25	0.22	2.03	32.82	24.00	72.00	113.96	3.74	40.92
180000	7.32	3.12	5.13	1.78	16.74	0.28	2.31	0.22	2.09	32.71	24.00	72.00	228.00	0.21	16.85
190000	7.29	3.15	5.14	1.72	16.70	0.28	2.32	0.22	2.10	32.77	24.00	72.00	256.08	0.51	19.34
200000	7.25	3.13	5.09	1.73	18.61	0.27	2.31	0.21	2.10	32.64	24.00	72.00	235.83	2.54	22.30
210000	7.25	3.14	5.16	1.77	19.01	0.25	2.28	0.20	2.08	32.56	24.00	72.00	277.30	4.36	24.82
220000	7.16	3.14	5.11	1.74	17.00	0.26	2.31	0.21	2.10	32.45	24.00	72.00	262.80	4.64	26.33
230000	7.25	3.20	5.21	1.79	17.69	0.26	2.30	0.21	2.09	32.36	24.00	72.00	286.18	3.76	31.24
極大值	7.36	3.20	5.21	1.89	25.67	0.28	2.37	0.22	2.18	33.98	46.51	130.32	325.23	12.25	929.86
極小值	7.13	3.08	5.09	1.72	15.62	0.22	2.15	0.19	1.96	31.00	24.00	72.00	45.32	0.21	0.00
平均值	7.23	3.14	5.16	1.78	20.25	0.25	2.25	0.20	2.05	32.41	25.01	74.61	214.90	4.80	58.32
標準差	0.06	0.03	0.03	0.04	2.94	0.02	0.07	0.01	0.07	0.98	4.59	11.9	75.73	3.49	186.32

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	7.17	3.12	5.11	1.75	16.46	0.26	2.31	0.22	2.09	32.22	24.00	72.00	278.59	3.05	31.79
010000	7.28	3.13	5.11	1.76	17.54	0.26	2.30	0.22	2.08	32.16	48.21	134.74	287.62	3.66	1000.00
020000	7.14	3.09	5.14	1.81	18.06	0.26	2.30	0.21	2.09	32.19	25.67	76.33	276.15	4.45	98.34
030000	7.25	3.12	5.14	1.80	17.71	0.26	2.30	0.19	2.11	32.12	24.00	72.00	276.53	5.02	24.31
040000	7.23	3.13	5.13	1.77	16.86	0.25	2.30	0.21	2.09	32.01	24.00	72.00	308.44	3.15	26.04
050000	7.17	3.10	5.13	1.78	16.67	0.25	2.28	0.22	2.06	32.18	24.00	72.00	306.90	4.98	26.67
060000	7.15	3.11	5.13	1.78	17.25	0.25	2.30	0.22	2.08	32.92	24.00	72.00	243.40	3.67	30.78
070000	7.26	3.05	5.09	1.80	18.95	0.24	2.23	0.21	2.02	34.04	24.00	72.00	248.01	6.71	29.73
080000	7.19	3.10	5.15	1.81	18.62	0.20	2.14	0.20	1.94	34.70	24.00	72.00	249.92	6.07	30.73
090000	7.26	3.16	5.15	1.76	20.26	0.19	2.18	0.24	1.94	35.10	24.00	72.00	262.09	8.71	31.08
100000	7.18	3.11	5.11	1.76	22.60	0.18	2.14	0.20	1.94	35.20	24.00	72.00	271.87	11.27	20.87
110000	7.23	3.12	5.14	1.79	19.83	0.21	2.15	0.21	1.94	35.45	24.00	72.00	264.54	10.65	15.55
120000	7.33	3.10	5.13	1.81	23.58	0.20	2.18	0.23	1.95	35.42	24.00	72.00	276.02	10.52	22.48
130000	7.26	3.07	5.16	1.86	25.15	0.19	2.15	0.20	1.95	35.37	24.00	72.00	284.92	8.35	22.08
140000	7.32	3.20	5.15	1.72	25.28	0.20	2.15	0.19	1.96	35.15	24.00	72.00	286.16	8.95	15.04
150000	7.25	3.12	5.06	1.69	23.46	0.21	2.18	0.23	1.95	34.88	24.00	72.00	289.82	7.59	14.50
160000	7.30	3.11	5.13	1.77	23.66	0.22	2.16	0.20	1.96	34.64	24.00	72.00	280.92	7.44	33.73
170000	7.24	3.11	5.14	1.78	22.18	0.23	2.22	0.25	1.97	34.12	24.00	72.00	267.01	5.66	22.00
180000	7.20	3.09	5.14	1.81	20.12	0.23	2.21	0.22	1.99	33.73	24.00	72.00	275.27	2.13	17.88
190000	7.25	3.09	5.10	1.76	15.97	0.25	2.26	0.23	2.03	33.43	24.00	72.00	272.74	0.91	18.54
200000	7.23	3.09	5.07	1.73	16.17	0.25	2.38	0.31	2.07	33.32	24.00	72.00	276.19	0.07	24.28
210000	7.31	3.09	5.14	1.81	17.18	0.25	2.33	0.23	2.10	33.25	24.00	72.00	277.37	1.67	17.77
220000	7.30	3.12	5.19	1.85	14.30	0.27	2.52	0.24	2.28	32.79	24.00	72.00	136.02	0.46	21.06
230000	7.20	3.09	5.16	1.82	11.30	0.29	2.85	0.23	2.62	32.45	24.00	72.00	87.06	0.07	19.98
極大值	7.33	3.20	5.19	1.86	25.28	0.29	2.85	0.31	2.62	35.45	48.21	134.74	308.44	11.27	1000.00
極小值	7.14	3.05	5.06	1.69	11.30	0.18	2.14	0.19	1.94	32.01	24.00	72.00	87.06	0.07	14.50
平均值	7.24	3.11	5.13	1.78	19.13	0.23	2.27	0.22	2.05	33.70	25.08	74.79	261.82	5.22	67.30
標準差	0.05	0.03	0.03	0.04	3.56	0.03	0.15	0.02	0.15	1.26	4.94	12.8	49.33	3.46	199.33

屏東縣崁頂焚化爐空氣品質監測報表

日報(小時數據)
A001 廠內站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	7.12	3.09	5.10	1.78	11.67	0.29	2.73	0.23	2.50	32.21	24.00	72.00	71.56	0.08	20.28
010000	7.04	3.13	5.15	1.80	11.70	0.26	2.41	0.22	2.19	31.95	46.56	130.38	169.03	0.96	933.58
020000	7.16	3.11	5.15	1.78	11.34	0.24	2.41	0.21	2.20	31.81	25.67	76.31	131.66	0.19	93.12
030000	7.24	3.09	5.11	1.80	12.19	0.23	2.46	0.20	2.26	31.67	24.00	72.00	212.96	0.12	20.52
040000	7.19	3.09	5.11	1.76	11.83	0.24	2.41	0.20	2.21	31.62	24.00	72.00	82.32	1.68	19.63
050000	7.12	3.10	5.12	1.78	12.42	0.24	2.55	0.20	2.35	31.73	24.00	72.00	62.09	4.59	16.63
060000	7.19	3.08	5.13	1.81	11.37	0.27	2.52	0.22	2.30	32.45	24.00	72.00	102.42	0.13	19.18
070000	7.12	3.09	5.10	1.75	14.30	0.28	2.55	0.24	2.31	33.64	24.00	72.00	83.19	2.71	20.53
080000	7.19	3.09	5.14	1.82	21.32	0.27	2.36	0.27	2.09	34.79	24.00	72.00	143.38	0.59	24.75
090000	7.20	3.05	5.09	1.79	27.36	0.26	2.32	0.26	2.06	35.01	24.00	72.00	285.39	2.66	28.42
100000	7.27	3.11	5.11	1.78	25.57	0.22	2.19	0.22	1.97	35.30	24.00	72.00	289.99	8.21	26.57
110000	7.12	3.07	5.09	1.81	26.14	0.21	2.17	0.20	1.97	35.21	24.00	72.00	300.41	7.33	22.59
120000	7.19	3.09	5.12	1.81	28.20	0.25	2.25	0.26	1.99	35.51	24.00	72.00	289.55	7.62	25.48
130000	7.22	3.14	5.21	1.80	28.69	0.31	2.36	0.37	1.99	35.57	24.00	72.00	298.13	6.84	25.71
140000	7.15	3.04	5.09	1.81	27.86	0.29	2.32	0.35	1.97	35.50	24.00	72.00	300.24	7.09	27.79
150000	7.21	3.09	5.09	1.76	22.80	0.30	2.36	0.36	2.00	35.46	24.00	72.00	297.40	6.37	29.31
160000	7.18	3.07	5.07	1.75	25.84	0.26	2.28	0.29	1.99	34.89	24.00	72.00	297.31	7.40	35.70
170000	7.25	3.08	5.11	1.78	22.55	0.29	2.33	0.33	2.00	34.47	24.00	72.00	285.52	5.68	49.02
180000	7.24	3.08	5.17	1.85	18.15	0.31	2.43	0.38	2.05	33.97	24.00	72.00	279.43	6.60	38.63
190000	7.27	3.10	5.14	1.78	13.44	0.33	2.42	0.32	2.10	33.52	24.00	72.00	180.24	3.41	32.71
200000	7.24	3.15	5.16	1.78	13.97	0.27	2.51	0.26	2.25	33.17	24.00	72.00	103.04	2.63	35.75
210000	7.22	3.08	5.11	1.78	13.63	0.29	2.79	0.25	2.54	33.09	24.00	72.00	49.45	7.16	33.20
220000	7.20	3.15	5.16	1.79	14.96	0.28	2.57	0.23	2.34	32.97	24.00	72.00	33.03	8.33	33.27
230000	7.22	3.11	5.15	1.79	15.23	0.26	2.53	0.22	2.31	32.83	24.00	72.00	63.76	4.89	36.94
極大值	7.27	3.15	5.21	1.85	28.69	0.33	2.79	0.38	2.54	35.57	46.56	130.38	300.41	8.33	933.58
極小值	7.04	3.04	5.07	1.75	11.34	0.21	2.17	0.20	1.97	31.62	24.00	72.00	33.03	0.08	16.63
平均值	7.19	3.10	5.12	1.79	18.44	0.27	2.43	0.26	2.16	33.68	25.01	74.61	183.81	4.30	68.72
標準差	0.06	0.03	0.03	0.02	6.58	0.03	0.15	0.06	0.17	1.44	4.6	11.91	102.13	2.99	184.84

屏東縣崁頂焚化爐空氣品質監
測報表

日報(小時數
據)A001 廠內站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	7.14	3.08	5.12	1.81	13.98	0.26	2.73	0.22	2.51	32.50	24.00	72.00	106.75	3.85	35.90
010000	7.16	3.11	5.13	1.78	13.07	0.30	2.78	0.24	2.54	32.29	46.46	130.07	47.02	7.96	931.13
020000	7.18	3.09	5.17	1.84	13.11	0.29	2.72	0.23	2.49	32.19	25.64	76.24	83.98	5.16	102.95
030000	7.16	3.08	5.11	1.81	13.45	0.26	2.59	0.22	2.37	32.04	24.00	72.00	33.48	7.46	31.27
040000	7.19	3.07	5.10	1.80	12.55	0.26	2.51	0.22	2.29	31.91	24.00	72.00	67.46	4.82	29.47
050000	7.09	3.10	5.10	1.77	12.05	0.27	2.71	0.23	2.48	31.69	24.00	72.00	43.13	9.01	33.02
060000	7.18	3.08	5.09	1.79	13.03	0.26	2.72	0.22	2.50	32.32	24.00	72.00	32.60	9.97	29.70
070000	7.14	3.16	5.13	1.73	14.73	0.28	2.40	0.22	2.18	33.47	24.00	72.00	55.58	9.93	25.54
080000	7.21	3.08	5.10	1.79	17.51	0.25	2.30	0.23	2.07	34.64	24.00	72.00	45.24	8.73	30.94
090000	7.17	3.08	5.11	1.78	20.36	0.23	2.29	0.24	2.05	35.35	24.00	72.00	169.78	4.84	32.24
100000	7.22	3.12	5.14	1.75	19.85	0.33	2.38	0.33	2.05	33.94	24.00	72.00	245.23	8.40	36.19
110000	7.25	3.06	5.11	1.81	20.59	0.27	2.26	0.26	2.00	34.68	24.00	72.00	90.12	8.44	32.13
120000	7.26	3.09	5.09	1.75	26.50	0.32	2.31	0.27	2.04	35.30	24.00	72.00	272.00	7.48	26.51
130000	7.19	3.09	5.14	1.80	25.02	0.45	2.36	0.34	2.02	35.03	24.00	72.00	284.75	10.83	32.35
140000	7.26	3.11	5.12	1.75	16.08	0.70	2.42	0.32	2.10	35.13	24.00	72.00	266.08	7.95	43.13
150000	7.25	3.05	5.09	1.79	20.73	0.50	2.38	0.35	2.03	34.84	24.00	72.00	275.55	7.34	37.69
160000	7.24	3.09	5.08	1.75	22.75	0.40	2.44	0.44	2.00	34.58	24.00	72.00	301.60	7.58	33.57
170000	7.21	3.10	5.08	1.73	20.75	0.36	2.48	0.45	2.03	34.19	24.00	72.00	275.81	8.31	32.37
180000	7.29	3.12	5.11	1.73	16.35	0.30	2.37	0.29	2.08	33.82	24.00	72.00	249.10	4.39	29.60
190000	7.33	3.14	5.11	1.72	14.77	0.34	2.46	0.32	2.14	33.48	24.00	72.00	252.60	2.96	42.42
200000	7.27	3.07	5.12	1.79	14.23	0.36	2.51	0.37	2.14	33.28	24.00	72.00	264.47	2.65	45.91
210000	7.18	3.15	5.11	1.73	14.78	0.27	2.40	0.30	2.10	33.15	24.00	72.00	190.17	0.42	34.41
220000	7.26	3.06	5.07	1.76	13.26	0.28	2.62	0.26	2.36	32.73	24.00	72.00	128.29	0.32	29.50
230000	7.19	3.04	5.15	1.85	11.87	0.31	3.23	0.27	2.96	32.48	24.00	72.00	163.56	0.07	26.88
極大值	7.33	3.16	5.17	1.85	26.50	0.70	3.23	0.45	2.96	35.35	46.46	130.07	301.60	10.83	931.13
極小值	7.09	3.04	5.07	1.72	11.87	0.23	2.26	0.22	2.00	31.69	24.00	72.00	32.60	0.07	25.54
平均值	7.21	3.09	5.11	1.78	16.72	0.33	2.52	0.28	2.23	33.54	25.00	74.60	164.35	6.20	73.53
標準差	0.06	0.03	0.02	0.04	4.29	0.1	0.22	0.07	0.25	1.2	4.58	11.85	99.4	3.18	183.29

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	7.15	3.18	5.14	1.73	11.80	0.32	2.04	0.11	1.93	32.52	24.00	72.00	166.49	0.07	26.04
010000	7.13	3.10	5.10	1.76	12.54	0.29	2.03	0.10	1.93	32.50	46.50	130.24	152.31	0.07	931.65
020000	7.11	3.08	5.10	1.79	12.34	0.29	2.05	0.12	1.93	32.34	25.70	76.40	87.95	0.07	92.68
030000	7.11	3.12	5.10	1.74	11.66	0.31	2.24	0.13	2.11	32.44	24.00	72.00	71.06	3.89	27.64
040000	7.14	3.08	5.16	1.84	12.14	0.30	2.42	0.14	2.28	32.24	24.00	72.00	106.04	3.93	27.91
050000	7.01	3.12	5.10	1.71	12.62	0.26	2.45	0.15	2.30	31.99	24.00	72.00	115.52	3.01	24.47
060000	7.17	3.12	5.16	1.79	13.16	0.26	2.38	0.14	2.24	32.28	24.00	72.00	51.49	9.06	22.90
070000	7.10	3.05	5.06	1.77	13.76	0.29	2.15	0.14	2.01	33.17	24.00	72.00	39.42	9.31	26.66
080000	7.10	3.09	5.15	1.79	16.74	0.26	2.05	0.11	1.94	33.83	24.00	72.00	100.14	13.52	26.45
090000	7.07	3.05	5.10	1.79	15.00	0.26	2.05	0.13	1.92	32.31	24.00	72.00	90.65	9.40	25.76
100000	7.15	3.15	5.12	1.72	15.21	0.27	2.05	0.13	1.92	32.25	24.00	72.00	46.83	6.21	27.57
110000	7.10	3.09	5.12	1.78	16.19	0.26	2.05	0.13	1.92	32.31	24.00	72.00	43.01	7.99	24.92
120000	7.13	3.09	5.12	1.79	17.12	0.26	2.05	0.13	1.92	32.70	24.00	72.00	70.16	7.68	20.89
130000	7.09	3.08	5.13	1.80	19.82	0.27	2.05	0.13	1.92	32.50	24.00	72.00	52.99	6.46	10.37
140000	7.11	3.08	5.07	1.74	20.93	0.29	2.06	0.14	1.92	33.77	24.00	72.00	186.57	1.70	16.85
150000	7.07	3.12	5.16	1.77	24.74	0.32	2.06	0.13	1.93	34.68	24.00	72.00	265.44	2.15	25.82
160000	7.11	3.10	5.14	1.81	20.52	0.31	2.09	0.13	1.96	33.69	24.00	72.00	300.23	4.76	27.39
170000	7.11	3.10	5.07	1.73	19.00	0.29	2.12	0.14	1.98	33.04	24.00	72.00	310.06	2.62	20.48
180000	7.09	3.08	5.13	1.80	20.39	0.27	2.17	0.18	1.99	33.06	24.00	72.00	301.78	2.40	21.87
190000	7.08	3.09	5.09	1.75	18.76	0.26	2.24	0.21	2.03	33.05	24.00	72.00	301.09	0.77	27.78
200000	7.09	3.13	5.12	1.74	18.29	0.24	2.31	0.25	2.06	33.10	24.00	72.00	299.26	0.56	26.80
210000	7.19	3.06	5.06	1.77	17.84	0.23	2.46	0.18	2.28	33.09	24.00	72.00	235.53	1.33	27.16
220000	7.15	3.10	5.09	1.76	16.17	0.25	2.52	0.18	2.34	32.90	24.00	72.00	115.96	0.37	19.93
230000	7.20	3.07	5.14	1.82	13.81	0.27	2.50	0.19	2.31	32.80	24.00	72.00	210.75	0.07	23.88
極大值	7.20	3.18	5.16	1.84	24.74	0.32	2.52	0.25	2.34	34.68	46.50	130.24	310.06	13.52	931.65
極小值	7.01	3.05	5.06	1.71	11.66	0.23	2.03	0.10	1.92	31.99	24.00	72.00	39.42	0.07	10.37
平均值	7.12	3.10	5.11	1.77	16.27	0.28	2.19	0.15	2.04	32.86	25.01	74.61	155.03	4.06	64.74
標準差	0.04	0.03	0.03	0.03	3.54	0.02	0.17	0.03	0.15	0.64	4.59	11.88	98.21	3.81	185.23

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	7.13	3.11	5.14	1.77	14.56	0.26	0.12	0.12	0.00	32.64	24.00	72.00	266.89	0.11	23.78
010000	7.07	3.08	5.04	1.73	15.08	0.24	0.12	0.12	0.00	32.54	46.53	130.18	119.41	0.49	933.82
020000	7.08	3.12	5.16	1.80	13.80	0.25	0.12	0.12	0.00	32.29	25.25	75.22	43.26	0.76	70.12
030000	7.13	3.11	5.07	1.71	12.91	0.25	0.12	0.12	0.00	32.01	24.00	72.00	154.00	1.13	12.30
040000	7.07	3.07	5.10	1.79	13.22	0.26	0.12	0.12	0.00	31.87	24.00	72.00	108.12	1.79	18.64
050000	7.13	3.06	5.10	1.82	12.79	0.34	0.12	0.12	0.00	31.96	24.00	72.00	90.62	0.39	23.67
060000	7.19	3.06	5.09	1.77	11.81	0.30	0.12	0.12	0.00	32.35	24.00	72.00	54.30	0.27	24.47
070000	7.09	3.04	5.11	1.83	11.91	0.32	0.12	0.12	0.00	32.91	24.00	72.00	61.24	3.63	29.06
080000	7.28	3.10	5.20	1.85	12.75	0.32	0.12	0.12	0.00	33.56	24.00	72.00	162.29	1.09	23.28
090000	7.08	3.10	5.11	1.76	17.72	0.26	0.12	0.12	0.00	33.63	24.00	72.00	243.45	3.89	22.99
100000	7.09	3.13	5.12	1.73	18.17	0.27	0.94	0.94	0.00	33.88	24.00	72.00	180.31	3.19	19.18
110000	7.14	3.00	5.05	1.80	18.91	0.29	2.57	0.41	2.16	34.86	24.00	72.00	163.04	2.50	15.73
120000	7.08	3.13	5.14	1.78	21.56	0.36	2.50	0.37	2.13	35.27	24.00	72.00	208.00	2.66	22.96
130000	7.07	3.16	5.18	1.78	24.45	0.43	2.50	0.41	2.09	35.20	24.00	72.00	290.33	7.33	24.89
140000	7.08	3.14	5.17	1.77	25.24	0.31	2.44	0.37	2.07	34.80	24.00	72.00	295.93	5.09	26.82
150000	7.07	3.05	5.08	1.78	22.14	0.27	2.67	0.59	2.08	34.51	24.00	72.00	301.10	6.03	32.85
160000	7.18	3.08	5.11	1.80	22.20	0.28	2.63	0.48	2.15	34.73	24.00	72.00	295.93	5.79	23.11
170000	7.23	3.06	5.08	1.75	18.74	0.28	2.56	0.46	2.10	34.22	24.00	72.00	289.77	4.36	19.80
180000	7.19	3.07	5.10	1.79	15.67	0.33	2.39	0.29	2.10	33.78	24.00	72.00	283.00	1.74	24.37
190000	7.31	3.07	5.17	1.86	12.52	0.37	2.38	0.25	2.13	33.21	24.00	72.00	154.42	0.07	27.03
200000	7.25	3.03	5.06	1.80	13.96	0.31	2.45	0.24	2.21	33.14	24.00	72.00	263.49	1.30	25.39
210000	7.23	3.12	5.17	1.79	15.25	0.27	2.84	0.34	2.50	33.00	24.00	72.00	279.72	2.30	22.71
220000	7.24	3.11	5.15	1.81	13.08	0.31	2.71	0.23	2.48	32.66	24.00	72.00	258.41	0.92	25.75
230000	7.12	3.08	5.13	1.80	13.17	0.29	3.07	0.23	2.84	32.53	24.00	72.00	293.32	1.08	34.40
極大值	7.31	3.16	5.20	1.86	25.24	0.43	3.07	0.94	2.84	35.27	46.53	130.18	301.10	7.33	933.82
極小值	7.07	3.00	5.04	1.71	11.81	0.24	0.12	0.12	0.00	31.87	24.00	72.00	43.26	0.07	12.30
平均值	7.15	3.09	5.12	1.79	16.32	0.30	1.49	0.28	1.21	33.40	24.99	74.56	202.51	2.41	63.63
標準差	0.08	0.04	0.04	0.04	4.16	0.04	1.24	0.2	1.15	1.08	4.59	11.87	88.42	2.08	185.65

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	7.13	3.06	5.11	1.82	11.89	0.28	3.17	0.10	3.07	32.25	24.00	72.00	131.04	1.47	25.88
010000	7.07	3.08	5.13	1.80	11.97	0.28	3.01	0.11	2.90	32.10	46.92	131.20	101.30	0.66	949.58
020000	7.16	3.12	5.11	1.75	12.40	0.27	2.96	0.11	2.85	31.92	25.27	75.28	57.43	1.12	77.92
030000	7.01	3.07	5.16	1.84	11.25	0.27	3.26	0.12	3.14	31.87	24.00	72.00	89.17	2.37	27.14
040000	7.07	3.05	5.06	1.78	11.83	0.28	3.06	0.13	2.93	32.10	24.00	72.00	97.84	6.14	30.35
050000	7.13	3.12	5.11	1.73	12.34	0.29	3.78	0.15	3.63	32.07	24.00	72.00	57.76	11.19	23.99
060000	7.07	3.06	5.09	1.78	11.85	0.28	3.17	0.16	3.01	32.69	24.00	72.00	50.41	7.35	28.74
070000	7.09	3.06	5.06	1.76	13.17	0.31	2.81	0.17	2.64	34.08	24.00	72.00	102.55	2.26	23.45
080000	7.05	3.10	5.11	1.77	16.74	0.29	2.46	0.13	2.33	34.84	24.00	72.00	117.05	2.64	24.37
090000	7.16	3.12	5.07	1.71	25.25	0.29	2.36	0.13	2.23	35.56	24.00	72.00	267.56	2.12	28.82
100000	7.12	3.16	5.18	1.77	33.04	0.31	2.34	0.13	2.21	35.36	24.00	72.00	291.08	6.02	30.23
110000	7.22	3.07	5.15	1.82	33.07	0.27	2.41	0.22	2.19	35.60	24.00	72.00	292.38	7.29	37.17
120000	7.22	3.02	5.09	1.81	28.91	0.23	2.34	0.21	2.13	35.60	24.00	72.00	295.29	8.62	30.17
130000	7.16	3.09	5.09	1.75	18.63	0.23	2.30	0.17	2.13	35.17	24.00	72.00	287.83	5.45	22.18
140000	7.17	3.10	5.13	1.78	18.42	0.28	2.25	0.16	2.09	34.41	24.00	72.00	288.88	5.62	72.21
150000	7.15	3.10	5.14	1.77	20.37	0.25	2.25	0.16	2.09	34.70	24.00	72.00	292.41	5.18	46.91
160000	7.24	3.07	5.11	1.81	18.02	0.28	2.22	0.12	2.10	34.37	24.00	72.00	291.78	3.32	51.59
170000	7.17	3.09	5.09	1.76	16.98	0.35	2.21	0.10	2.11	33.98	24.00	72.00	283.23	2.59	26.19
180000	7.17	3.08	5.06	1.74	15.33	0.36	2.27	0.14	2.13	33.65	24.00	72.00	158.99	3.35	23.54
190000	7.20	3.08	5.05	1.73	20.63	0.35	2.33	0.14	2.19	32.23	24.00	72.00	46.59	12.97	29.18
200000	7.14	3.05	5.10	1.81	21.67	0.29	2.57	0.11	2.46	31.85	24.00	72.00	56.42	5.79	10.92
210000	7.15	3.09	5.12	1.78	20.41	0.30	2.67	0.12	2.55	32.07	24.00	72.00	47.36	9.38	12.76
220000	7.25	3.14	5.12	1.76	21.29	0.29	2.78	0.12	2.66	32.08	24.00	72.00	53.94	11.29	10.03
230000	7.21	3.07	5.16	1.84	19.41	0.29	2.63	0.11	2.52	31.91	24.00	72.00	115.72	4.00	11.68
極大值	7.25	3.16	5.18	1.84	33.07	0.36	3.78	0.22	3.63	35.60	46.92	131.20	295.29	12.97	949.58
極小值	7.01	3.02	5.05	1.71	11.25	0.23	2.21	0.10	2.09	31.85	24.00	72.00	46.59	0.66	10.03
平均值	7.15	3.09	5.11	1.78	18.54	0.29	2.65	0.14	2.51	33.44	25.01	74.60	161.42	5.34	68.96
標準差	0.06	0.03	0.03	0.04	6.44	0.03	0.42	0.03	0.43	1.46	4.67	12.07	103.91	3.44	188.33

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	7.11	3.10	5.09	1.73	17.33	0.28	2.83	0.19	2.64	31.68	24.00	72.00	141.59	0.07	8.16
010000	7.07	3.09	5.14	1.78	15.10	0.29	3.03	0.18	2.85	31.62	46.44	129.92	77.85	1.77	929.14
020000	7.17	3.09	5.11	1.79	15.87	0.30	2.79	0.18	2.61	31.66	25.70	76.38	43.30	9.05	82.26
030000	7.15	3.09	5.06	1.75	14.37	0.31	2.82	0.18	2.64	31.52	24.00	72.00	41.69	8.51	13.46
040000	7.01	3.12	5.13	1.75	13.81	0.32	2.92	0.18	2.74	31.42	24.00	72.00	48.88	7.10	20.29
050000	7.12	3.08	5.07	1.74	13.51	0.30	2.72	0.19	2.53	31.45	24.00	72.00	27.36	7.65	18.76
060000	7.07	3.08	5.12	1.79	13.47	0.30	2.64	0.19	2.45	32.04	24.00	72.00	24.78	9.34	23.56
070000	7.11	3.06	5.13	1.82	14.59	0.30	2.61	0.21	2.40	33.35	24.00	72.00	38.37	6.18	25.12
080000	7.07	3.09	5.09	1.76	20.34	0.29	2.37	0.20	2.17	34.38	24.00	72.00	40.53	7.77	20.17
090000	7.14	3.08	5.07	1.72	24.15	0.27	2.42	0.20	2.22	35.31	24.00	72.00	87.09	6.40	8.93
100000	7.09	3.14	5.16	1.77	27.66	0.26	2.37	0.22	2.15	35.81	24.00	72.00	86.63	6.15	17.90
110000	7.10	3.11	5.05	1.70	30.63	0.27	2.31	0.21	2.10	36.28	24.00	72.00	89.36	4.86	18.16
120000	7.12	3.11	5.09	1.75	33.02	0.27	2.29	0.20	2.09	35.75	24.00	72.00	164.57	6.30	16.58
130000	7.16	3.14	5.16	1.76	32.35	0.41	2.27	0.19	2.08	34.65	24.00	72.00	281.11	6.66	24.14
140000	7.10	3.05	5.10	1.81	36.42	0.42	2.25	0.18	2.07	34.42	24.00	72.00	292.18	7.39	32.44
150000	7.13	3.10	5.14	1.78	37.31	0.31	2.24	0.18	2.06	33.07	24.00	72.00	286.42	5.64	31.40
160000	7.11	3.15	5.11	1.71	32.26	0.31	2.23	0.17	2.06	32.11	24.00	72.00	293.95	3.82	24.49
170000	7.13	3.10	5.10	1.73	26.08	0.44	2.24	0.17	2.07	32.62	24.00	72.00	269.68	2.07	13.28
180000	7.06	3.11	5.06	1.71	26.60	0.39	2.30	0.18	2.12	32.45	24.00	72.00	262.29	2.43	20.64
190000	7.12	3.04	5.09	1.78	21.97	0.32	2.36	0.18	2.18	32.20	24.00	72.00	221.82	1.17	20.84
200000	7.11	3.06	5.12	1.81	20.06	0.32	2.35	0.17	2.18	32.26	24.00	72.00	192.63	0.65	12.10
210000	7.12	3.11	5.09	1.71	19.81	0.32	2.32	0.16	2.16	32.18	24.00	72.00	177.32	1.40	15.67
220000	7.19	3.09	5.06	1.70	17.70	0.34	2.39	0.17	2.22	31.79	24.00	72.00	150.98	1.17	20.01
230000	7.07	3.11	5.08	1.75	16.63	0.36	2.52	0.19	2.33	31.75	24.00	72.00	168.25	1.26	20.30
極大值	7.19	3.15	5.16	1.82	37.31	0.44	3.03	0.22	2.85	36.28	46.44	129.92	293.95	9.34	929.14
極小值	7.01	3.04	5.05	1.70	13.47	0.26	2.23	0.16	2.06	31.42	24.00	72.00	24.78	0.07	8.16
平均值	7.11	3.10	5.10	1.75	22.54	0.32	2.48	0.19	2.30	32.99	25.01	74.60	146.19	4.78	59.91
標準差	0.04	0.03	0.03	0.04	7.83	0.05	0.25	0.01	0.25	1.59	4.58	11.82	97.14	3	185.68

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	7.09	3.09	5.10	1.76	16.70	0.39	2.81	0.20	2.61	31.75	24.00	72.00	177.22	0.52	23.01
010000	7.11	3.12	5.12	1.75	16.73	0.36	2.70	0.20	2.50	31.74	46.47	130.01	94.80	3.63	931.46
020000	7.03	3.14	5.09	1.71	17.44	0.33	2.47	0.18	2.29	31.75	25.67	76.30	188.09	0.43	83.16
030000	7.05	3.15	5.15	1.73	17.51	0.32	2.48	0.18	2.30	31.77	24.00	72.00	134.41	0.26	14.55
040000	7.12	3.06	5.08	1.78	17.69	0.33	2.55	0.19	2.36	31.79	24.00	72.00	185.63	1.49	18.14
050000	7.06	3.07	5.08	1.77	18.73	0.36	2.56	0.19	2.37	31.78	24.00	72.00	180.63	3.97	19.52
060000	7.10	3.11	5.11	1.76	18.00	0.33	2.61	0.20	2.41	31.69	24.00	72.00	83.07	3.92	14.60
070000	7.13	3.07	5.15	1.81	15.52	0.33	2.50	0.21	2.29	31.75	24.00	72.00	78.56	2.59	12.64
080000	7.07	3.10	5.11	1.78	17.10	0.30	2.34	0.20	2.14	32.18	24.00	72.00	81.18	5.21	8.91
090000	7.09	3.05	5.09	1.80	17.10	0.30	2.21	0.17	2.04	31.91	24.00	72.00	217.42	2.63	7.70
100000	7.12	3.09	5.14	1.81	21.37	0.31	2.03	0.18	1.85	31.62	24.00	72.00	188.12	1.87	16.18
110000	7.15	3.10	5.06	1.71	20.43	0.34	2.30	0.24	2.06	31.72	24.00	72.00	61.92	8.96	14.61
120000	7.16	3.06	5.12	1.82	18.04	0.34	2.35	0.28	2.07	31.77	24.00	72.00	106.42	4.02	19.01
130000	7.04	3.05	5.04	1.75	17.72	0.29	2.13	0.29	1.84	31.57	24.00	72.00	65.73	9.34	9.35
140000	7.11	3.08	5.08	1.75	18.92	0.26	2.09	0.24	1.85	31.69	24.00	72.00	78.50	7.78	7.70
150000	7.13	3.11	5.14	1.75	18.31	0.26	2.03	0.20	1.83	32.31	24.00	72.00	90.03	9.39	5.13
160000	7.03	3.09	5.10	1.76	18.62	0.27	2.16	0.18	1.98	33.00	24.00	72.00	136.84	4.32	2.86
170000	7.19	3.05	5.09	1.82	22.78	0.23	2.18	0.18	2.00	33.82	24.00	72.00	220.78	6.93	5.04
180000	7.18	3.10	5.10	1.75	36.26	0.23	2.19	0.18	2.01	32.04	24.00	72.00	264.46	23.23	4.73
190000	7.20	3.07	5.13	1.78	37.74	0.26	2.20	0.19	2.01	31.40	24.00	72.00	243.60	19.23	17.84
200000	7.16	3.10	5.08	1.75	31.20	0.25	2.23	0.22	2.01	30.51	24.00	72.00	157.12	5.35	12.18
210000	7.11	3.10	5.15	1.83	29.92	0.25	2.34	0.24	2.10	31.42	24.00	72.00	224.70	4.54	6.53
220000	7.12	3.08	5.10	1.78	24.77	0.26	2.41	0.23	2.18	31.48	24.00	72.00	145.54	4.95	4.06
230000	7.17	3.12	5.12	1.78	30.94	0.25	2.33	0.23	2.10	31.56	24.00	72.00	230.01	10.22	6.46
極大值	7.20	3.15	5.15	1.83	37.74	0.39	2.81	0.29	2.61	33.82	46.47	130.01	264.46	23.23	931.46
極小值	7.03	3.05	5.04	1.71	15.52	0.23	2.03	0.17	1.83	30.51	24.00	72.00	61.92	0.26	2.86
平均值	7.11	3.09	5.11	1.77	21.65	0.30	2.34	0.21	2.13	31.83	25.01	74.60	151.45	6.03	52.72
標準差	0.05	0.03	0.03	0.03	6.55	0.05	0.21	0.03	0.22	0.6	4.58	11.84	63.42	5.53	187.83

屏東縣崁頂焚化爐空氣品質監測報表

日報(小時數據)

A001 廠內站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m /s)	(ug / m)
000000	7.12	3.07	5.05	1.72	31.75	0.24	2.53	0.20	2.33	31.84	24.00	72.00	200.60	9.65	4.13
010000	7.02	3.16	5.17	1.76	24.41	0.25	2.46	0.21	2.25	32.34	46.49	130.15	226.00	4.27	930.11
020000	7.07	3.11	5.11	1.75	31.87	0.23	2.40	0.19	2.21	32.99	25.67	76.32	266.75	21.65	80.80
030000	7.11	3.11	5.14	1.77	30.74	0.25	2.30	0.17	2.13	32.57	24.00	72.00	261.48	19.14	18.18
040000	7.13	3.03	5.05	1.77	27.45	0.24	2.44	0.17	2.27	32.10	24.00	72.00	184.85	5.37	16.94
050000	7.13	3.09	5.15	1.80	19.19	0.25	2.38	0.18	2.20	31.41	24.00	72.00	82.00	3.88	9.65
060000	7.13	3.08	5.11	1.79	24.27	0.26	2.43	0.18	2.25	32.05	24.00	72.00	142.98	4.20	10.41
070000	7.13	3.09	5.13	1.76	24.39	0.27	2.69	0.19	2.50	31.88	24.00	72.00	199.44	6.20	6.58
080000	7.10	3.07	5.08	1.78	26.56	0.27	2.51	0.19	2.32	32.00	24.00	72.00	214.65	3.44	9.57
090000	7.13	3.10	5.11	1.77	21.06	0.27	2.47	0.19	2.28	31.80	24.00	72.00	143.07	1.28	8.19
100000	7.13	3.06	5.15	1.82	21.56	0.27	2.47	0.21	2.26	33.16	24.00	72.00	196.10	4.03	7.43
110000	7.14	3.12	5.11	1.74	28.34	0.23	2.37	0.20	2.17	33.55	24.00	72.00	261.84	11.09	10.30
120000	7.10	3.12	5.17	1.82	32.89	0.24	2.40	0.23	2.17	32.03	24.00	72.00	254.50	10.52	7.16
130000	7.10	3.10	5.08	1.73	22.60	0.25	2.41	0.22	2.19	31.94	24.00	72.00	167.12	1.27	5.99
140000	7.12	3.10	5.09	1.74	26.45	0.26	2.40	0.24	2.16	32.05	24.00	72.00	240.00	7.05	4.13
150000	7.12	3.10	5.11	1.77	30.18	0.25	2.22	0.22	2.00	32.53	24.00	72.00	247.77	9.42	11.23
160000	7.13	3.13	5.15	1.78	25.64	0.26	2.26	0.23	2.03	32.77	24.00	72.00	231.82	4.71	13.37
170000	7.10	3.09	5.07	1.71	26.30	0.26	2.36	0.26	2.10	32.98	24.00	72.00	243.45	6.12	9.53
180000	7.12	3.10	5.15	1.80	27.22	0.26	2.40	0.28	2.12	32.73	24.00	72.00	264.23	7.31	10.43
190000	7.19	3.07	5.10	1.77	25.22	0.27	2.53	0.29	2.24	32.30	24.00	72.00	223.27	2.76	21.18
200000	7.16	3.11	5.14	1.80	21.20	0.27	2.77	0.34	2.43	31.98	24.00	72.00	228.33	0.07	12.52
210000	7.24	3.10	5.14	1.80	19.71	0.26	3.05	0.42	2.63	31.66	24.00	72.00	252.36	0.51	11.05
220000	7.11	3.06	5.08	1.78	20.81	0.27	2.82	0.27	2.55	31.89	24.00	72.00	253.04	5.36	11.95
230000	7.09	3.13	5.12	1.75	24.72	0.24	3.31	0.25	3.06	32.25	24.00	72.00	281.29	8.51	18.82
極大值	7.24	3.16	5.17	1.82	32.89	0.27	3.31	0.42	3.06	33.55	46.49	130.15	281.29	21.65	930.11
極小值	7.02	3.03	5.05	1.71	19.19	0.23	2.22	0.17	2.00	31.41	24.00	72.00	82.00	0.07	4.13
平均值	7.12	3.10	5.12	1.77	25.61	0.26	2.52	0.23	2.29	32.28	25.01	74.60	219.46	6.58	52.07
標準差	0.04	0.03	0.04	0.03	3.97	0.01	0.25	0.06	0.22	0.52	4.59	11.86	48	5.25	187.62

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	7.05	3.08	5.12	1.78	23.09	0.24	2.84	0.25	2.59	32.24	24.00	72.00	242.55	8.03	15.96
010000	7.08	3.06	5.09	1.79	23.97	0.24	3.28	0.25	3.03	32.35	46.49	130.20	257.70	11.01	930.93
020000	7.16	3.12	5.14	1.77	24.07	0.23	3.11	0.25	2.86	32.51	25.67	76.32	254.52	10.49	84.25
030000	7.09	3.14	5.13	1.74	22.98	0.23	3.09	0.23	2.86	32.23	24.00	72.00	236.84	7.68	11.41
040000	6.96	3.12	5.08	1.72	24.20	0.24	3.00	0.22	2.78	31.45	24.00	72.00	225.41	6.46	10.58
050000	7.07	3.07	5.16	1.85	22.10	0.25	3.10	0.24	2.86	31.77	24.00	72.00	252.87	6.04	7.81
060000	7.05	3.04	5.06	1.77	21.87	0.25	3.04	0.27	2.77	32.22	24.00	72.00	279.13	9.07	6.96
070000	7.09	3.03	5.03	1.76	23.06	0.26	2.87	0.25	2.62	32.64	24.00	72.00	269.81	10.42	16.84
080000	7.10	3.05	5.07	1.78	22.84	0.24	2.76	0.25	2.51	33.32	24.00	72.00	263.33	11.28	15.63
090000	7.06	3.00	5.06	1.80	20.68	0.24	2.57	0.24	2.33	33.81	24.00	72.00	263.88	11.74	17.97
100000	7.09	3.09	5.13	1.77	20.04	0.24	2.43	0.23	2.20	34.01	24.00	72.00	261.90	13.24	23.60
110000	7.14	3.09	5.13	1.80	22.89	0.23	2.40	0.25	2.15	32.97	24.00	72.00	265.68	15.48	18.52
120000	7.13	3.12	5.18	1.80	24.92	0.24	2.35	0.25	2.10	32.59	24.00	72.00	265.03	10.67	20.16
130000	7.16	3.11	5.08	1.72	25.44	0.24	2.22	0.22	2.00	32.45	24.00	72.00	269.63	15.76	17.40
140000	7.14	3.08	5.10	1.77	23.88	0.25	2.29	0.21	2.08	32.28	24.00	72.00	266.03	14.21	10.11
150000	7.13	3.12	5.13	1.75	24.78	0.24	2.31	0.20	2.11	32.72	24.00	72.00	262.72	13.96	16.63
160000	7.17	3.15	5.11	1.71	27.71	0.25	2.38	0.27	2.11	32.35	24.00	72.00	270.17	18.89	10.14
170000	7.02	3.07	5.05	1.73	24.50	0.26	2.32	0.23	2.09	32.43	24.00	72.00	238.97	8.53	9.13
180000	7.18	3.06	5.13	1.83	16.30	0.27	2.32	0.21	2.11	32.18	24.00	72.00	68.66	2.79	7.98
190000	7.19	3.03	5.08	1.84	14.48	0.28	2.39	0.23	2.16	32.10	24.00	72.00	142.06	2.51	13.75
200000	7.09	3.05	5.10	1.81	15.00	0.29	2.09	0.20	1.89	32.10	24.00	72.00	239.83	0.88	11.49
210000	7.06	3.13	5.14	1.76	15.28	0.28	2.18	0.19	1.99	32.02	24.00	72.00	117.98	2.38	11.97
220000	7.08	3.13	5.14	1.77	14.61	0.29	2.27	0.18	2.09	31.87	24.00	72.00	129.81	2.58	18.62
230000	7.09	3.13	5.13	1.77	12.16	0.34	2.38	0.18	2.20	31.79	24.00	72.00	93.29	8.11	15.28
極大值	7.19	3.15	5.18	1.85	27.71	0.34	3.28	0.27	3.03	34.01	46.49	130.20	279.13	18.89	930.93
極小值	6.96	3.00	5.03	1.71	12.16	0.23	2.09	0.18	1.89	31.45	24.00	72.00	68.66	0.88	6.96
平均值	7.10	3.09	5.11	1.77	21.29	0.26	2.58	0.23	2.35	32.43	25.01	74.60	226.58	9.26	55.13
標準差	0.05	0.04	0.04	0.04	4.25	0.03	0.36	0.03	0.35	0.6	4.59	11.87	63.38	4.79	187.14

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	7.08	3.13	5.14	1.78	12.45	0.34	2.34	0.19	2.15	31.81	24.00	72.00	25.30	7.23	13.60
010000	7.01	3.13	5.08	1.68	11.84	0.33	2.47	0.19	2.28	31.63	46.49	130.06	41.51	5.02	931.97
020000	7.04	3.09	5.14	1.80	13.08	0.30	2.46	0.18	2.28	31.45	25.70	76.37	109.40	1.96	81.61
030000	7.10	3.06	5.11	1.80	11.89	0.27	2.60	0.20	2.40	31.17	24.00	72.00	175.52	0.07	12.95
040000	7.01	3.07	5.08	1.74	12.33	0.28	3.14	0.20	2.94	31.17	24.00	72.00	270.81	0.19	18.90
050000	7.11	3.06	5.08	1.79	12.08	0.32	3.55	0.21	3.34	31.19	24.00	72.00	225.80	0.07	25.94
060000	7.02	3.09	5.09	1.75	11.60	0.33	3.37	0.22	3.15	31.55	24.00	72.00	142.07	0.14	33.03
070000	7.03	3.09	5.08	1.74	11.59	0.34	3.08	0.23	2.85	32.30	24.00	72.00	161.69	0.15	28.97
080000	7.13	3.14	5.13	1.75	13.00	0.38	2.77	0.23	2.54	33.10	24.00	72.00	88.19	0.82	26.13
090000	7.12	3.08	5.15	1.80	17.81	0.40	2.26	0.21	2.05	33.99	24.00	72.00	172.38	0.88	35.29
100000	7.15	3.11	5.11	1.75	23.58	0.38	2.05	0.20	1.85	34.43	24.00	72.00	227.09	0.76	25.66
110000	7.13	3.09	5.16	1.80	29.97	0.33	2.28	0.24	2.04	34.41	24.00	72.00	279.23	2.62	25.64
120000	7.05	3.07	5.10	1.78	36.09	0.34	2.26	0.23	2.03	34.81	24.00	72.00	262.09	2.23	27.97
130000	7.11	3.06	5.14	1.82	37.34	0.34	2.23	0.21	2.02	34.95	24.00	72.00	218.25	1.02	28.39
140000	7.14	3.12	5.17	1.80	39.32	0.34	1.89	0.20	1.69	34.43	24.00	72.00	269.02	5.26	27.72
150000	7.13	3.11	5.12	1.77	42.58	0.33	2.17	0.19	1.98	33.45	24.00	72.00	273.50	8.11	32.88
160000	7.12	3.10	5.15	1.78	39.92	0.35	2.22	0.24	1.98	33.48	24.00	72.00	264.79	6.47	24.56
170000	7.26	3.10	5.14	1.77	38.80	0.33	2.18	0.24	1.94	33.28	24.00	72.00	277.08	6.28	22.39
180000	7.10	3.08	5.11	1.79	37.18	0.33	2.32	0.26	2.06	33.04	24.00	72.00	272.91	4.00	22.28
190000	7.16	3.06	5.12	1.80	33.70	0.37	2.54	0.29	2.25	32.88	24.00	72.00	269.17	2.92	20.90
200000	7.17	3.09	5.11	1.77	30.58	0.39	2.66	0.29	2.37	32.68	24.00	72.00	276.38	2.05	28.81
210000	7.13	3.11	5.14	1.81	21.50	0.38	2.71	0.27	2.44	32.36	24.00	72.00	262.78	0.95	32.56
220000	7.17	3.10	5.13	1.80	26.08	0.36	2.55	0.25	2.30	32.34	24.00	72.00	276.35	1.26	27.81
230000	7.15	3.08	5.12	1.80	27.62	0.35	2.84	0.32	2.52	32.29	24.00	72.00	299.33	0.84	27.43
極大值	7.26	3.14	5.17	1.82	42.58	0.40	3.55	0.32	3.34	34.95	46.49	130.06	299.33	8.11	931.97
極小值	7.01	3.06	5.08	1.68	11.59	0.27	1.89	0.18	1.69	31.17	24.00	72.00	25.30	0.07	12.95
平均值	7.11	3.09	5.12	1.78	24.66	0.34	2.54	0.23	2.31	32.84	25.01	74.60	214.19	2.55	65.97
標準差	0.06	0.02	0.03	0.03	11.48	0.03	0.42	0.04	0.41	1.21	4.59	11.85	80.88	2.52	184.89

屏東縣崁頂焚化爐空氣品質監
測報表

日報(小時數
據)A001 廠內站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m /s)	(ug / m)
000000	7.11	3.08	5.07	1.76	25.82	0.34	2.35	0.10	2.25	32.13	24.00	72.00	236.03	0.52	36.52
010000	7.16	3.11	5.08	1.74	25.81	0.34	2.29	0.10	2.19	32.14	46.52	130.29	265.33	1.42	933.60
020000	7.01	3.09	5.10	1.77	24.27	0.32	2.39	0.10	2.29	32.13	25.70	76.40	279.10	0.24	98.40
030000	7.12	3.04	5.09	1.81	20.95	0.32	2.38	0.11	2.27	32.02	24.00	72.00	141.61	0.54	29.27
040000	7.01	3.08	5.12	1.78	16.93	0.32	2.35	0.11	2.24	31.84	24.00	72.00	46.08	1.50	31.39
050000	7.03	3.08	5.11	1.79	15.03	0.37	2.41	0.11	2.30	31.76	24.00	72.00	109.77	0.25	28.42
060000	7.06	3.06	5.06	1.76	13.43	0.35	2.57	0.17	2.40	32.07	24.00	72.00	78.88	3.12	23.10
070000	7.07	3.04	5.18	1.88	17.44	0.35	2.47	0.14	2.33	33.52	24.00	72.00	119.32	2.20	31.17
080000	7.07	3.08	5.06	1.73	22.35	0.37	2.18	0.08	2.10	34.79	24.00	72.00	176.56	1.04	30.87
090000	7.17	3.01	5.05	1.80	36.14	0.35	2.55	0.14	2.41	35.26	24.00	72.00	213.64	0.81	44.75
100000	7.16	3.14	5.19	1.79	52.33	0.36	2.52	0.16	2.36	35.21	24.00	72.00	280.97	4.94	44.22
110000	7.13	3.05	5.11	1.80	53.54	0.44	2.38	0.15	2.23	35.72	24.00	72.00	287.17	5.93	36.09
120000	7.10	3.09	5.10	1.75	60.80	0.43	2.23	0.14	2.09	35.96	24.00	72.00	288.61	7.55	37.12
130000	7.09	3.05	5.06	1.74	52.66	0.38	2.13	0.13	2.00	35.81	24.00	72.00	291.84	9.10	30.86
140000	7.26	3.10	5.11	1.75	44.68	0.30	2.10	0.11	1.99	35.70	24.00	72.00	287.72	9.35	25.31
150000	7.19	3.07	5.10	1.77	37.16	0.48	2.18	0.17	2.01	35.62	24.00	72.00	292.66	6.91	15.68
160000	7.23	3.11	5.17	1.81	34.30	0.68	2.16	0.10	2.06	35.13	24.00	72.00	288.69	6.93	30.85
170000	7.13	3.09	5.11	1.78	35.09	0.63	2.18	0.11	2.07	34.51	24.00	72.00	286.44	6.31	38.01
180000	7.24	3.11	5.13	1.76	43.20	0.33	2.25	0.12	2.13	33.67	24.00	72.00	290.97	5.10	57.31
190000	7.24	3.11	5.15	1.77	40.60	0.31	2.28	0.15	2.13	33.39	24.00	72.00	287.98	2.94	29.18
200000	7.31	3.08	5.14	1.84	37.77	0.31	2.15	0.10	2.05	33.21	24.00	72.00	277.50	2.19	25.58
210000	7.19	3.10	5.06	1.72	30.59	0.32	2.11	0.08	2.03	32.96	24.00	72.00	260.82	0.42	26.62
220000	7.15	3.15	5.13	1.73	25.06	0.33	2.05	0.07	1.98	32.71	24.00	72.00	118.66	0.21	22.13
230000	7.10	3.10	5.15	1.79	21.96	0.32	2.11	0.08	2.03	32.51	24.00	72.00	145.16	1.18	26.82
極大值	7.31	3.15	5.19	1.88	60.80	0.68	2.57	0.17	2.41	35.96	46.52	130.29	292.66	9.35	933.60
極小值	7.01	3.01	5.05	1.72	13.43	0.30	2.05	0.07	1.98	31.76	24.00	72.00	46.08	0.21	15.68
平均值	7.14	3.08	5.11	1.78	32.83	0.38	2.28	0.12	2.16	33.74	25.01	74.61	222.98	3.36	72.22
標準差	0.08	0.03	0.04	0.04	13.42	0.1	0.15	0.03	0.14	1.52	4.59	11.89	81.75	3.05	184.17

屏東縣崁頂焚化爐空氣品質監測報表

日報(小時數據)
A001 廠內站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	7.09	3.10	5.12	1.76	20.07	0.31	2.67	0.23	2.44	32.34	24.00	72.00	72.66	2.78	24.21
010000	7.12	3.07	5.12	1.81	20.00	0.32	2.58	0.23	2.35	32.32	46.47	130.10	67.18	3.24	930.29
020000	7.04	3.06	5.10	1.79	20.70	0.30	2.56	0.24	2.32	32.47	25.70	76.39	53.73	8.08	93.34
030000	7.19	3.09	5.10	1.76	22.01	0.31	2.45	0.27	2.18	32.70	24.00	72.00	42.57	9.05	30.83
040000	7.07	3.08	5.11	1.79	17.91	0.34	2.68	0.30	2.38	32.48	24.00	72.00	57.01	9.41	28.62
050000	7.04	3.11	5.09	1.74	14.90	0.36	3.12	0.32	2.80	32.33	24.00	72.00	50.08	10.00	29.54
060000	6.99	3.04	5.05	1.78	16.30	0.36	2.73	0.30	2.43	33.01	24.00	72.00	26.31	7.49	25.96
070000	7.06	3.14	5.12	1.72	21.17	0.33	2.35	0.26	2.09	34.09	24.00	72.00	51.98	6.99	27.53
080000	7.05	3.10	5.11	1.72	24.77	0.28	2.26	0.25	2.01	35.11	24.00	72.00	77.45	3.48	20.40
090000	7.00	3.11	5.13	1.77	27.35	0.26	2.25	0.25	2.00	35.73	24.00	72.00	100.35	1.51	12.36
100000	7.09	3.05	5.07	1.79	28.19	0.30	2.29	0.26	2.03	36.17	24.00	72.00	224.15	1.72	17.94
110000	7.13	3.04	5.08	1.81	31.76	0.36	2.38	0.31	2.07	35.96	24.00	72.00	278.97	8.77	24.23
120000	7.07	3.06	5.15	1.84	32.33	0.24	2.26	0.22	2.04	35.88	24.00	72.00	292.48	8.53	21.34
130000	7.19	3.07	5.12	1.78	28.94	0.25	2.24	0.24	2.00	35.67	24.00	72.00	291.42	8.04	17.66
140000	7.18	3.06	5.13	1.78	34.59	0.24	2.24	0.22	2.02	34.90	24.00	72.00	296.70	7.57	46.41
150000	7.25	3.09	5.08	1.75	36.13	0.24	2.23	0.22	2.01	34.49	24.00	72.00	292.16	5.97	29.79
160000	7.10	3.11	5.18	1.79	35.27	0.28	2.24	0.21	2.03	34.08	24.00	72.00	292.40	4.77	23.86
170000	7.12	3.16	5.13	1.70	26.25	0.28	2.27	0.26	2.01	33.93	24.00	72.00	288.52	5.92	25.10
180000	7.08	3.09	5.13	1.79	24.12	0.25	2.23	0.23	2.00	33.69	24.00	72.00	291.98	4.51	70.25
190000	7.10	3.04	5.05	1.78	21.46	0.27	2.32	0.24	2.08	33.36	24.00	72.00	264.05	4.31	82.19
200000	7.09	3.05	5.17	1.86	19.60	0.26	2.31	0.26	2.05	33.03	24.00	72.00	259.50	2.27	36.52
210000	7.12	3.10	5.15	1.80	17.39	0.26	2.32	0.21	2.11	32.70	24.00	72.00	154.38	0.50	24.26
220000	7.06	3.07	5.12	1.80	17.09	0.26	2.46	0.22	2.24	32.58	24.00	72.00	192.24	0.45	21.01
230000	7.05	3.09	5.07	1.72	17.94	0.25	2.32	0.22	2.10	32.50	24.00	72.00	158.69	0.58	18.30
極大值	7.25	3.16	5.18	1.86	36.13	0.36	3.12	0.32	2.80	36.17	46.47	130.10	296.70	10.00	930.29
極小值	6.99	3.04	5.05	1.70	14.90	0.24	2.23	0.21	2.00	32.32	24.00	72.00	26.31	0.45	12.36
平均值	7.10	3.08	5.11	1.78	24.01	0.29	2.41	0.25	2.16	33.81	25.01	74.60	174.04	5.25	70.08
標準差	0.06	0.03	0.03	0.04	6.47	0.04	0.22	0.03	0.2	1.36	4.58	11.85	106.67	3.13	184.37

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	7.04	3.06	5.11	1.80	18.24	0.24	2.29	0.21	2.08	32.44	24.00	72.00	151.67	0.90	13.38
010000	6.97	3.11	5.15	1.80	16.91	0.25	2.37	0.20	2.17	32.43	46.45	130.02	36.47	6.74	929.50
020000	6.98	3.11	5.10	1.75	14.57	0.26	2.48	0.22	2.26	32.43	25.73	76.47	35.27	6.68	82.38
030000	6.94	3.08	5.17	1.84	14.69	0.27	2.75	0.24	2.51	32.30	24.00	72.00	37.28	8.66	19.35
040000	7.04	3.06	5.10	1.77	15.08	0.30	2.77	0.25	2.52	32.31	24.00	72.00	47.74	7.69	20.31
050000	6.93	3.09	5.10	1.76	13.85	0.33	2.68	0.28	2.40	32.19	24.00	72.00	67.11	3.54	18.79
060000	6.94	3.04	5.06	1.77	13.59	0.31	2.58	0.28	2.30	32.91	24.00	72.00	62.04	4.04	24.48
070000	6.92	3.09	5.13	1.80	16.40	0.33	2.45	0.27	2.18	33.95	24.00	72.00	77.62	3.89	23.31
080000	6.98	3.10	5.10	1.75	21.05	0.31	2.41	0.26	2.15	34.73	24.00	72.00	61.71	6.55	26.00
090000	7.03	3.08	5.11	1.78	24.88	0.26	2.36	0.25	2.11	35.36	24.00	72.00	70.02	6.82	20.70
100000	6.99	3.07	5.07	1.78	27.24	0.25	2.31	0.25	2.06	35.66	24.00	72.00	189.13	5.14	35.37
110000	6.99	3.11	5.09	1.75	45.88	0.30	2.37	0.28	2.09	35.24	24.00	72.00	297.58	4.45	35.57
120000	7.06	3.11	5.13	1.77	39.89	0.31	2.33	0.29	2.04	35.30	24.00	72.00	296.64	6.18	33.45
130000	7.04	3.09	5.11	1.77	38.53	0.38	2.35	0.31	2.04	35.26	24.00	72.00	287.01	6.99	33.03
140000	7.01	3.10	5.11	1.75	28.20	0.34	2.44	0.35	2.09	34.77	24.00	72.00	294.64	8.44	286.75
150000	7.04	3.11	5.11	1.76	33.73	0.31	2.35	0.30	2.05	34.53	24.00	72.00	291.10	6.98	150.03
160000	7.02	3.09	5.02	1.70	24.51	0.55	2.52	0.39	2.13	34.30	24.00	72.00	225.88	5.15	37.19
170000	7.00	3.09	5.12	1.79	22.10	0.36	2.47	0.27	2.20	32.67	24.00	72.00	153.63	1.76	24.37
180000	7.11	3.09	5.07	1.74	24.84	0.28	2.32	0.23	2.09	32.20	24.00	72.00	204.87	1.63	23.96
190000	7.01	3.14	5.18	1.77	25.82	0.29	2.29	0.22	2.07	31.58	24.00	72.00	219.12	1.28	22.61
200000	7.02	3.10	5.13	1.78	28.57	0.29	2.30	0.20	2.10	31.65	24.00	72.00	246.02	4.25	19.09
210000	7.04	3.07	5.13	1.82	24.22	0.27	2.26	0.20	2.06	31.54	24.00	72.00	221.76	1.59	13.88
220000	7.03	3.12	5.12	1.75	21.40	0.27	2.27	0.20	2.07	31.55	24.00	72.00	91.73	3.63	14.87
230000	7.00	3.10	5.15	1.78	19.24	0.30	2.38	0.22	2.16	31.58	24.00	72.00	45.02	4.04	18.10
極大值	7.11	3.14	5.18	1.84	45.88	0.55	2.77	0.39	2.52	35.66	46.45	130.02	297.58	8.66	929.50
極小值	6.92	3.04	5.02	1.70	13.59	0.24	2.26	0.20	2.04	31.54	24.00	72.00	35.27	0.90	13.38
平均值	7.01	3.09	5.11	1.77	23.89	0.31	2.42	0.26	2.16	33.29	25.01	74.60	154.63	4.88	80.27
標準差	0.04	0.02	0.03	0.03	8.7	0.06	0.15	0.05	0.14	1.48	4.58	11.84	99.89	2.33	190.34

屏東縣崁頂焚化爐空氣品質監
測報表

日報(小時數
據)A001 廠內站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	6.94	3.04	5.05	1.76	18.66	0.30	2.43	0.22	2.21	31.58	24.00	72.00	162.01	2.60	9.52
010000	7.03	3.13	5.12	1.73	17.74	0.29	2.58	0.22	2.36	31.38	46.50	130.16	89.22	4.80	930.44
020000	7.01	3.11	5.16	1.78	17.53	0.26	2.35	0.20	2.15	31.17	25.67	76.31	118.23	0.61	77.39
030000	6.91	3.14	5.16	1.76	15.62	0.26	2.52	0.21	2.31	31.35	24.00	72.00	53.48	8.56	12.95
040000	6.93	3.07	5.12	1.83	15.79	0.27	2.57	0.21	2.36	31.38	24.00	72.00	59.79	13.55	9.38
050000	7.00	3.11	5.16	1.79	17.98	0.28	2.56	0.21	2.35	31.50	24.00	72.00	79.41	15.41	9.30
060000	6.81	3.05	5.04	1.76	22.40	0.28	2.46	0.20	2.26	31.72	24.00	72.00	71.03	14.56	5.95
070000	7.03	3.08	5.08	1.75	22.90	0.29	2.44	0.20	2.24	32.29	24.00	72.00	33.08	16.60	5.70
080000	7.00	3.07	5.09	1.78	22.58	0.30	2.37	0.21	2.16	32.32	24.00	72.00	81.01	15.61	6.60
090000	6.93	3.10	5.11	1.78	21.09	0.30	2.41	0.22	2.19	32.39	24.00	72.00	69.73	10.50	6.88
100000	6.96	3.14	5.11	1.72	22.82	0.29	2.36	0.22	2.14	33.14	24.00	72.00	54.78	13.17	4.86
110000	6.85	3.13	5.14	1.76	25.60	0.27	2.26	0.21	2.05	33.98	24.00	72.00	62.99	12.59	16.99
120000	6.99	3.09	5.11	1.77	26.85	0.27	2.25	0.23	2.02	34.64	24.00	72.00	44.31	9.82	9.08
130000	6.95	3.09	5.07	1.73	28.63	0.29	2.25	0.24	2.01	34.85	24.00	72.00	44.08	9.46	6.15
140000	7.06	3.09	5.16	1.84	29.99	0.31	2.27	0.26	2.01	35.65	24.00	72.00	96.28	3.78	11.18
150000	6.95	3.09	5.14	1.79	37.97	0.29	2.35	0.25	2.10	35.40	24.00	72.00	280.60	5.28	16.31
160000	7.03	3.09	5.16	1.82	37.39	0.30	2.28	0.23	2.05	34.57	24.00	72.00	295.96	2.42	17.83
170000	7.03	3.09	5.12	1.81	37.25	0.34	2.36	0.25	2.11	34.30	24.00	72.00	274.00	2.67	24.53
180000	6.98	3.10	5.16	1.81	38.46	0.34	2.45	0.26	2.19	33.96	24.00	72.00	288.39	4.49	23.80
190000	7.01	3.10	5.11	1.76	32.80	0.30	2.30	0.23	2.07	33.52	24.00	72.00	302.93	1.14	26.49
200000	6.92	3.09	5.13	1.81	27.55	0.28	2.28	0.23	2.05	33.30	24.00	72.00	276.07	1.02	27.82
210000	6.94	3.14	5.09	1.71	24.32	0.29	2.29	0.22	2.07	32.49	24.00	72.00	173.70	1.09	23.79
220000	7.09	3.08	5.14	1.83	25.19	0.30	2.40	0.23	2.17	32.23	24.00	72.00	137.26	1.89	20.34
230000	6.98	3.11	5.13	1.77	23.04	0.31	2.37	0.23	2.14	32.27	24.00	72.00	188.28	1.67	57.29
極大值	7.09	3.14	5.16	1.84	38.46	0.34	2.58	0.26	2.36	35.65	46.50	130.16	302.93	16.60	930.44
極小值	6.81	3.04	5.04	1.71	15.62	0.26	2.25	0.20	2.01	31.17	24.00	72.00	33.08	0.61	4.86
平均值	6.97	3.10	5.12	1.78	25.42	0.29	2.38	0.22	2.16	32.97	25.01	74.60	139.03	7.22	56.69
標準差	0.06	0.03	0.04	0.04	7.13	0.02	0.1	0.02	0.11	1.4	4.59	11.87	95.96	5.59	186.88

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m / s)	(ug / m)
000000	6.97	3.17	5.20	1.82	25.94	0.27	2.26	0.20	2.06	32.77	24.00	72.00	286.84	4.08	22.18
010000	6.96	3.07	5.16	1.85	26.88	0.25	2.20	0.20	2.00	33.08	46.55	130.43	294.48	4.76	932.37
020000	6.89	3.09	5.13	1.81	27.08	0.25	2.17	0.19	1.98	33.06	25.73	76.48	298.32	4.40	91.20
030000	6.84	3.03	5.07	1.78	26.86	0.24	2.19	0.20	1.99	33.04	24.00	72.00	284.58	3.79	18.78
040000	6.86	3.07	5.12	1.78	27.05	0.25	2.18	0.19	1.99	33.01	24.00	72.00	297.84	5.72	22.03
050000	6.81	3.13	5.11	1.73	26.77	0.25	2.17	0.19	1.98	33.02	24.00	72.00	298.08	5.22	18.68
060000	6.83	3.09	5.12	1.78	26.60	0.25	2.17	0.18	1.99	33.10	24.00	72.00	302.17	4.95	19.83
070000	6.90	3.11	5.10	1.75	25.94	0.26	2.17	0.18	1.99	33.23	24.00	72.00	304.08	4.35	19.16
080000	6.92	3.13	5.16	1.79	26.35	0.26	2.21	0.21	2.00	33.75	24.00	72.00	289.44	5.35	22.54
090000	6.84	3.07	5.16	1.84	26.22	0.26	2.27	0.22	2.05	34.41	24.00	72.00	274.21	6.99	17.32
100000	6.80	3.06	5.06	1.75	29.36	0.29	2.32	0.25	2.07	34.74	24.00	72.00	278.12	7.07	19.22
110000	6.92	3.14	5.13	1.74	28.93	0.33	2.41	0.29	2.12	35.48	24.00	72.00	244.11	5.45	21.01
120000	6.85	3.14	5.11	1.72	29.38	0.27	2.36	0.24	2.12	35.98	24.00	72.00	209.62	4.53	23.79
130000	6.96	3.06	5.04	1.71	29.07	0.28	2.39	0.24	2.15	35.98	24.00	72.00	211.42	4.81	20.19
140000	6.96	3.12	5.10	1.74	29.90	0.28	2.39	0.24	2.15	35.84	24.00	72.00	244.68	6.14	17.84
150000	6.98	3.06	5.04	1.73	29.68	0.42	2.36	0.31	2.05	35.21	24.00	72.00	285.01	7.69	17.70
160000	6.99	3.09	5.07	1.72	29.92	0.33	2.33	0.31	2.02	34.63	24.00	72.00	286.15	5.89	20.14
170000	6.96	3.06	5.09	1.79	28.37	0.33	2.35	0.28	2.07	34.20	24.00	72.00	277.09	6.06	18.54
180000	6.92	3.13	5.15	1.77	23.16	0.32	2.36	0.28	2.08	33.74	24.00	72.00	268.23	5.11	17.26
190000	7.02	3.07	5.11	1.79	21.38	0.31	2.34	0.23	2.11	33.54	24.00	72.00	274.43	2.58	19.74
200000	6.89	3.05	5.08	1.79	20.38	0.30	2.30	0.23	2.07	33.44	24.00	72.00	287.84	1.37	23.71
210000	6.91	3.08	5.08	1.76	20.26	0.28	2.33	0.21	2.12	33.29	24.00	72.00	214.81	1.56	19.22
220000	6.88	3.13	5.08	1.70	16.54	0.29	2.46	0.23	2.23	33.09	24.00	72.00	139.39	0.92	18.63
230000	6.90	3.11	5.13	1.77	18.33	0.29	2.34	0.24	2.10	33.08	24.00	72.00	129.71	1.42	18.60
極大值	7.02	3.17	5.20	1.85	29.92	0.42	2.46	0.31	2.23	35.98	46.55	130.43	304.08	7.69	932.37
極小值	6.80	3.03	5.04	1.70	16.54	0.24	2.17	0.18	1.98	32.77	24.00	72.00	129.71	0.92	17.26
平均值	6.91	3.09	5.11	1.77	25.85	0.29	2.29	0.23	2.06	33.95	25.01	74.62	261.69	4.59	60.82
標準差	0.06	0.04	0.04	0.04	3.83	0.04	0.09	0.04	0.07	1.07	4.6	11.92	48.24	1.86	186.22

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	6.94	3.16	5.14	1.73	17.13	0.29	2.52	0.24	2.28	32.93	24.00	72.00	101.83	0.19	15.73
010000	6.82	3.13	5.14	1.76	14.58	0.31	2.66	0.25	2.41	32.77	46.52	130.23	71.21	2.57	932.10
020000	6.85	3.07	5.08	1.76	18.43	0.30	2.56	0.23	2.33	32.41	25.61	76.17	97.68	4.63	83.58
030000	6.80	3.09	5.10	1.77	19.38	0.28	2.48	0.21	2.27	32.20	24.00	72.00	150.94	1.93	14.30
040000	6.80	3.16	5.16	1.75	22.38	0.28	2.39	0.21	2.18	32.50	24.00	72.00	237.05	2.52	14.95
050000	6.79	3.04	5.04	1.73	24.56	0.26	2.25	0.21	2.04	33.26	24.00	72.00	285.35	6.47	13.82
060000	6.87	3.08	5.09	1.78	25.81	0.28	2.27	0.21	2.06	33.32	24.00	72.00	287.95	7.12	13.52
070000	6.92	3.05	5.05	1.74	24.02	0.30	2.24	0.20	2.04	33.43	24.00	72.00	286.33	6.21	20.77
080000	6.84	3.10	5.11	1.78	23.88	0.28	2.23	0.21	2.02	33.21	24.00	72.00	255.06	8.94	19.72
090000	6.88	3.07	5.16	1.82	28.17	0.31	2.30	0.21	2.09	31.43	24.00	72.00	69.37	13.34	20.53
100000	6.83	3.11	5.14	1.79	26.94	0.32	2.32	0.22	2.10	31.33	24.00	72.00	154.47	6.87	9.89
110000	6.85	3.07	5.11	1.81	24.18	0.34	2.34	0.23	2.11	31.25	24.00	72.00	185.25	0.44	14.10
120000	6.81	3.09	5.17	1.81	24.90	0.34	2.34	0.23	2.11	31.56	24.00	72.00	207.76	2.01	9.75
130000	6.83	3.10	5.09	1.74	27.02	0.34	2.33	0.22	2.11	31.44	24.00	72.00	86.39	10.29	6.22
140000	6.96	3.11	5.13	1.78	26.60	0.34	2.33	0.23	2.10	31.32	24.00	72.00	71.80	13.02	4.74
150000	6.78	3.01	5.06	1.81	27.99	0.32	2.27	0.21	2.06	31.38	24.00	72.00	22.84	14.85	7.69
160000	6.83	3.16	5.14	1.72	28.77	0.34	2.29	0.22	2.07	31.62	24.00	72.00	27.71	14.26	7.42
170000	6.79	3.10	5.13	1.78	26.14	0.35	2.37	0.23	2.14	32.00	24.00	72.00	98.58	6.70	10.30
180000	6.84	3.09	5.11	1.77	23.98	0.37	2.52	0.25	2.27	31.97	24.00	72.00	77.10	6.28	9.67
190000	6.80	3.08	5.10	1.76	21.36	0.40	2.63	0.26	2.37	31.84	24.00	72.00	52.59	8.07	9.79
200000	6.82	3.10	5.13	1.78	19.16	0.40	2.55	0.26	2.29	31.62	24.00	72.00	65.96	7.95	12.78
210000	6.87	3.05	5.08	1.77	25.67	0.34	2.43	0.23	2.20	31.07	24.00	72.00	67.96	7.12	13.93
220000	6.83	3.13	5.20	1.81	27.34	0.32	2.35	0.20	2.15	30.93	24.00	72.00	128.27	6.55	9.21
230000	6.87	3.13	5.16	1.76	30.10	0.30	2.30	0.20	2.10	31.07	24.00	72.00	146.21	4.51	11.13
極大值	6.96	3.16	5.20	1.82	30.10	0.40	2.66	0.26	2.41	33.43	46.52	130.23	287.95	14.85	932.10
極小值	6.78	3.01	5.04	1.72	14.58	0.26	2.23	0.20	2.02	30.93	24.00	72.00	22.84	0.19	4.74
平均值	6.84	3.10	5.12	1.77	24.10	0.32	2.39	0.22	2.16	31.99	25.01	74.60	134.82	6.78	53.57
標準差	0.05	0.04	0.04	0.03	3.97	0.04	0.13	0.02	0.11	0.8	4.59	11.88	84.54	4.17	187.74

屏東縣崁頂焚化爐空氣品質監測報表

日報(小時數據)

A001 廠內站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	6.86	3.10	5.10	1.78	30.55	0.31	2.44	0.23	2.21	31.06	24.00	72.00	260.16	4.47	7.20
010000	6.84	3.07	5.12	1.78	29.73	0.33	2.39	0.25	2.14	30.81	46.56	130.37	193.31	0.93	932.67
020000	6.85	3.04	5.08	1.79	24.80	0.35	2.45	0.26	2.19	31.01	25.70	76.38	118.25	2.59	72.97
030000	6.85	3.12	5.08	1.72	25.72	0.36	2.49	0.25	2.24	30.91	24.00	72.00	143.57	0.91	5.50
040000	6.75	3.12	5.14	1.79	27.17	0.34	2.45	0.23	2.22	30.86	24.00	72.00	106.94	6.02	8.60
050000	6.87	3.08	5.13	1.80	25.90	0.34	2.46	0.24	2.22	30.77	24.00	72.00	163.96	0.43	8.79
060000	6.93	3.06	5.10	1.78	25.69	0.32	2.42	0.23	2.19	30.71	24.00	72.00	102.78	3.15	5.24
070000	6.82	3.07	5.12	1.80	23.83	0.34	2.45	0.22	2.23	30.74	24.00	72.00	236.95	0.59	1.75
080000	6.93	3.07	5.12	1.80	19.81	0.34	2.52	0.23	2.29	30.82	24.00	72.00	224.55	0.95	4.02
090000	6.92	2.99	5.09	1.85	24.70	0.33	2.65	0.22	2.43	30.89	24.00	72.00	245.59	3.87	7.37
100000	6.78	3.12	5.11	1.74	23.84	0.35	2.55	0.24	2.31	31.03	24.00	72.00	240.84	2.16	6.70
110000	6.75	3.10	5.19	1.83	24.13	0.35	2.43	0.24	2.19	31.05	24.00	72.00	236.17	2.41	7.32
120000	6.83	3.16	5.20	1.78	25.64	0.32	2.35	0.23	2.12	31.10	24.00	72.00	185.12	5.00	6.93
130000	6.88	3.07	5.05	1.74	25.32	0.33	2.37	0.22	2.15	31.15	24.00	72.00	108.83	4.10	4.65
140000	6.79	3.13	5.18	1.79	25.26	0.33	2.39	0.23	2.16	31.38	24.00	72.00	110.97	1.68	5.81
150000	6.81	3.12	5.09	1.71	24.89	0.35	2.41	0.24	2.17	31.56	24.00	72.00	123.75	3.30	5.05
160000	6.92	3.11	5.09	1.73	23.77	0.35	2.45	0.24	2.21	31.65	24.00	72.00	165.42	2.36	8.79
170000	6.87	3.12	5.13	1.79	23.20	0.37	2.44	0.24	2.20	31.82	24.00	72.00	151.04	0.30	5.47
180000	6.87	3.09	5.14	1.80	23.18	0.37	2.50	0.24	2.26	31.89	24.00	72.00	201.55	1.04	10.16
190000	6.90	3.04	5.05	1.75	26.60	0.37	2.56	0.23	2.33	32.02	24.00	72.00	271.09	3.08	12.36
200000	6.83	3.12	5.17	1.80	26.80	0.36	2.54	0.23	2.31	32.15	24.00	72.00	275.86	1.16	19.75
210000	6.96	3.05	5.12	1.83	24.17	0.35	2.53	0.22	2.31	32.05	24.00	72.00	156.89	0.60	19.45
220000	6.92	3.09	5.13	1.81	25.39	0.33	2.47	0.21	2.26	32.13	24.00	72.00	240.53	0.34	20.07
230000	6.87	3.09	5.09	1.75	24.71	0.36	2.47	0.22	2.25	32.22	24.00	72.00	155.01	0.89	16.17
極大值	6.96	3.16	5.20	1.85	30.55	0.37	2.65	0.26	2.43	32.22	46.56	130.37	275.86	6.02	932.67
極小值	6.75	2.99	5.05	1.71	19.81	0.31	2.35	0.21	2.12	30.71	24.00	72.00	102.78	0.30	1.75
平均值	6.86	3.09	5.12	1.78	25.20	0.34	2.47	0.23	2.23	31.32	25.01	74.61	184.13	2.18	50.12
標準差	0.06	0.04	0.04	0.04	2.13	0.02	0.07	0.01	0.07	0.53	4.6	11.91	57.53	1.64	188.5

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	6.83	3.11	5.11	1.74	27.80	0.31	2.40	0.19	2.21	32.03	24.00	72.00	275.14	3.35	14.61
010000	6.80	3.07	5.16	1.85	27.72	0.29	2.36	0.19	2.17	31.91	46.44	130.09	207.17	6.14	928.33
020000	6.89	3.11	5.15	1.79	33.43	0.29	2.24	0.18	2.06	31.62	25.61	76.18	288.90	6.19	81.13
030000	6.82	3.08	5.13	1.79	34.45	0.30	2.28	0.18	2.10	31.17	24.00	72.00	264.94	8.05	22.28
040000	6.87	3.15	5.18	1.76	26.74	0.28	2.24	0.18	2.06	31.96	24.00	72.00	271.94	3.30	10.99
050000	6.80	3.12	5.18	1.80	25.02	0.28	2.21	0.18	2.03	32.79	24.00	72.00	299.66	3.57	14.39
060000	6.85	3.06	5.13	1.79	24.85	0.30	2.25	0.20	2.05	32.66	24.00	72.00	296.88	4.46	20.19
070000	6.82	3.08	5.13	1.79	26.68	0.30	2.23	0.19	2.04	32.60	24.00	72.00	295.39	5.80	17.37
080000	6.83	3.11	5.14	1.76	22.70	0.30	2.24	0.20	2.04	33.00	24.00	72.00	293.98	5.39	21.08
090000	6.90	3.07	5.09	1.78	24.67	0.28	2.24	0.19	2.05	33.23	24.00	72.00	303.17	4.85	24.91
100000	7.00	3.11	5.18	1.81	26.73	0.28	2.22	0.19	2.03	33.95	24.00	72.00	303.43	7.74	28.45
110000	6.86	3.16	5.13	1.73	26.16	0.28	2.25	0.21	2.04	33.80	24.00	72.00	298.08	7.86	27.94
120000	6.89	3.12	5.16	1.79	30.39	0.29	2.23	0.19	2.04	34.03	24.00	72.00	303.43	7.91	17.85
130000	6.99	3.10	5.11	1.76	29.80	0.29	2.23	0.20	2.03	34.46	24.00	72.00	301.03	9.94	27.78
140000	6.82	3.08	5.09	1.75	27.95	0.28	2.31	0.26	2.05	34.16	24.00	72.00	298.78	10.23	27.03
150000	6.85	3.13	5.21	1.83	34.16	0.29	2.26	0.20	2.06	33.96	24.00	72.00	293.73	7.82	24.15
160000	7.00	3.15	5.10	1.77	31.38	0.30	2.26	0.19	2.07	33.93	24.00	72.00	289.75	6.03	28.16
170000	6.99	3.10	5.13	1.79	32.63	0.31	2.28	0.20	2.08	33.52	24.00	72.00	293.64	7.30	36.86
180000	6.92	3.09	5.11	1.77	38.52	0.30	2.30	0.20	2.10	32.98	24.00	72.00	296.55	7.49	30.59
190000	6.99	3.11	5.15	1.78	36.50	0.31	2.24	0.18	2.06	33.27	24.00	72.00	288.78	13.00	28.51
200000	7.01	3.09	5.07	1.75	33.06	0.30	2.19	0.17	2.02	33.37	24.00	72.00	296.70	10.82	29.76
210000	6.91	3.05	5.09	1.80	29.85	0.29	2.19	0.18	2.01	33.34	24.00	72.00	289.67	9.20	31.88
220000	7.00	3.03	5.07	1.78	29.27	0.28	2.19	0.17	2.02	33.32	24.00	72.00	287.69	8.00	37.96
230000	6.91	3.14	5.19	1.78	28.36	0.28	2.19	0.18	2.01	33.31	24.00	72.00	291.81	9.04	34.57
極大值	7.01	3.16	5.21	1.85	38.52	0.31	2.40	0.26	2.21	34.46	46.44	130.09	303.43	13.00	928.33
極小值	6.80	3.03	5.07	1.73	22.70	0.28	2.19	0.17	2.01	31.17	24.00	72.00	207.17	3.30	10.99
平均值	6.90	3.10	5.13	1.78	29.53	0.29	2.25	0.19	2.06	33.10	25.00	74.59	288.76	7.23	65.28
標準差	0.07	0.03	0.04	0.03	4.04	0.01	0.05	0.02	0.05	0.87	4.58	11.85	19.9	2.46	184.31

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	6.94	3.13	5.11	1.71	28.84	0.28	2.20	0.18	2.02	33.32	24.00	72.00	297.34	8.99	32.20
010000	6.97	3.05	5.07	1.77	28.96	0.28	2.18	0.17	2.01	33.28	46.52	130.36	290.44	8.92	932.08
020000	6.98	3.14	5.12	1.74	29.11	0.27	2.18	0.18	2.00	33.25	25.32	75.42	289.98	9.77	87.64
030000	6.91	3.08	5.12	1.76	29.66	0.27	2.19	0.17	2.02	32.94	24.00	72.00	292.13	7.36	26.06
040000	6.85	3.08	5.17	1.84	28.46	0.27	2.19	0.18	2.01	33.08	24.00	72.00	298.45	6.91	31.57
050000	6.97	3.12	5.09	1.72	25.60	0.27	2.21	0.19	2.02	33.06	24.00	72.00	297.19	3.94	28.45
060000	6.90	3.10	5.09	1.75	27.95	0.27	2.22	0.18	2.04	32.44	24.00	72.00	299.21	4.01	32.48
070000	7.02	3.09	5.11	1.77	20.72	0.33	2.31	0.22	2.09	32.62	24.00	72.00	257.28	3.30	23.47
080000	6.83	3.04	5.08	1.80	20.22	0.30	2.38	0.24	2.14	33.46	24.00	72.00	255.35	4.51	26.15
090000	6.92	3.08	5.11	1.80	24.44	0.29	2.27	0.20	2.07	32.54	24.00	72.00	296.92	5.77	21.01
100000	6.88	3.09	5.13	1.79	24.66	0.31	2.23	0.19	2.04	33.14	24.00	72.00	296.79	3.57	13.30
110000	6.87	3.07	5.12	1.79	29.20	0.28	2.20	0.19	2.01	34.06	24.00	72.00	299.55	6.95	29.37
120000	6.79	3.10	5.09	1.74	28.51	0.26	2.20	0.19	2.01	34.18	24.00	72.00	294.61	8.03	29.44
130000	6.80	3.08	5.12	1.77	28.32	0.26	2.20	0.20	2.00	34.16	24.00	72.00	295.87	8.89	31.44
140000	6.93	3.12	5.13	1.76	28.01	0.27	2.26	0.25	2.01	33.72	24.00	72.00	294.01	8.56	33.81
150000	6.85	3.09	5.11	1.77	28.44	0.28	2.22	0.20	2.02	33.28	24.00	72.00	288.07	9.81	24.24
160000	6.84	3.08	5.13	1.79	28.43	0.30	2.22	0.19	2.03	33.23	24.00	72.00	287.92	8.41	26.44
170000	6.85	3.06	5.13	1.82	27.26	0.31	2.23	0.20	2.03	33.23	24.00	72.00	288.12	7.60	26.85
180000	6.85	3.07	5.10	1.78	26.20	0.29	2.24	0.22	2.02	32.91	24.00	72.00	283.24	6.37	19.64
190000	6.84	3.12	5.13	1.75	22.93	0.28	2.20	0.19	2.01	33.16	24.00	72.00	284.80	8.31	25.46
200000	6.81	3.11	5.10	1.72	24.01	0.28	2.21	0.19	2.02	32.31	24.00	72.00	292.63	4.51	34.07
210000	6.88	3.13	5.12	1.74	21.99	0.28	1.45	-0.56	2.01	32.61	24.00	72.00	281.36	3.32	22.45
220000	6.88	3.12	5.08	1.74	22.77	0.28	0.12	0.12	0.00	32.75	24.00	72.00	282.44	5.36	16.30
230000	6.81	3.08	5.09	1.77	20.77	0.28	0.12	0.12	0.00	32.69	24.00	72.00	286.95	1.31	31.93
極大值	7.02	3.14	5.17	1.84	29.66	0.33	2.38	0.25	2.14	34.18	46.52	130.36	299.55	9.81	932.08
極小值	6.79	3.04	5.07	1.71	20.22	0.26	0.12	-0.56	0.00	32.31	24.00	72.00	255.35	1.31	13.30
平均值	6.88	3.09	5.11	1.77	26.06	0.28	2.02	0.16	1.86	33.14	24.99	74.57	288.78	6.44	66.91
標準差	0.06	0.03	0.02	0.03	3.11	0.02	0.61	0.16	0.57	0.51	4.59	11.9	11.4	2.41	184.78

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.76	2.46	5.49	3.04	13.23	0.31	2.37	0.19	2.18	0.00	26.04	74.00	0.00	0.00	44.26
010000	3.83	2.42	5.86	3.45	10.59	0.31	2.56	0.21	2.35	0.00	26.04	74.00	0.00	0.00	49.68
020000	3.80	2.53	6.12	3.59	7.31	0.31	2.80	0.21	2.59	0.00	26.04	74.00	0.00	0.00	54.27
030000	3.75	2.55	5.79	3.24	5.03	0.31	2.71	0.21	2.50	0.00	26.04	74.00	0.00	0.00	51.29
040000	3.65	2.53	5.50	2.97	4.73	0.31	2.67	0.20	2.47	0.00	26.04	74.00	0.00	0.00	48.56
050000	3.69	2.92	6.84	3.92	4.01	0.31	3.12	0.21	2.91	0.00	26.04	74.00	0.00	0.00	60.01
060000	3.77	5.84	9.79	3.89	4.75	0.31	3.30	0.22	3.08	0.00	26.04	74.00	0.00	0.00	61.63
070000	3.74	3.86	6.84	2.96	13.56	0.31	2.55	0.20	2.35	0.00	26.04	74.00	0.00	0.00	47.15
080000	4.27	3.40	7.28	3.86	24.89	0.31	2.32	0.24	2.08	0.00	26.04	74.00	0.00	0.00	43.96
090000	4.81	2.92	7.21	4.30	35.07	0.31	2.26	0.21	2.05	0.00	26.04	74.00	0.00	0.00	41.59
100000	4.19	2.57	4.11	1.55	39.07	0.31	2.20	0.15	2.05	0.00	26.04	74.00	0.00	0.00	41.61
110000	4.17	2.46	6.99	4.56	72.40	0.31	2.44	0.34	2.10	0.00	26.04	74.00	0.00	0.00	47.45
120000	3.86	2.57	8.36	5.82	72.01	0.31	2.31	0.28	2.03	0.00	26.04	74.00	0.00	0.00	42.38
130000	3.87	2.64	8.29	5.66	56.62	0.31	2.34	0.34	2.00	0.00	26.04	74.00	0.00	0.00	43.81
140000	3.86	3.36	11.50	8.13	40.48	0.31	2.32	0.36	1.96	0.00	26.04	74.00	0.00	0.00	42.41
150000	4.31	3.67	11.51	7.83	28.58	0.31	2.23	0.27	1.96	0.00	26.04	74.00	0.00	0.00	41.06
160000	4.12	2.66	5.66	3.03	26.83	0.31	2.16	0.20	1.96	0.00	26.04	74.00	0.00	0.00	40.55
170000	4.67	2.81	9.99	7.20	24.76	0.31	2.33	0.35	1.98	0.00	26.04	74.00	0.00	0.00	44.43
180000	4.67	2.57	11.39	8.85	22.43	0.31	2.52	0.49	2.03	0.00	26.04	74.00	0.00	0.00	46.34
190000	4.04	2.48	10.99	8.58	18.02	0.31	2.57	0.45	2.12	0.00	26.04	74.00	0.00	0.00	47.78
200000	3.84	2.65	10.72	8.07	12.45	0.31	2.36	0.29	2.07	0.00	26.04	74.00	0.00	0.00	43.19
210000	3.71	2.48	7.96	5.50	10.05	0.31	2.28	0.17	2.11	0.00	26.04	74.00	0.00	0.00	42.38
220000	3.72	2.87	8.38	5.49	6.34	0.31	2.34	0.17	2.17	0.00	26.04	74.00	0.00	0.00	44.43
230000	3.72	2.62	6.31	3.72	7.52	0.31	2.66	0.16	2.50	0.00	26.04	74.00	0.00	0.00	50.24
極大值	4.81	5.84	11.51	8.85	72.40	0.31	3.30	0.49	3.08	0.00	26.04	74.00	0.00	0.00	61.63
極小值	3.65	2.42	4.11	1.55	4.01	0.31	2.16	0.15	1.96	0.00	26.04	74.00	0.00	0.00	40.55
平均值	3.99	2.91	7.87	4.97	23.36	0.31	2.49	0.26	2.23	0.00	26.04	74.00	0.00	0.00	46.69
標準差	0.34	0.74	2.22	2.11	20.31	0	0.28	0.09	0.3	0	0	0	0	0	5.62

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.66	2.50	5.71	3.21	8.24	0.31	2.60	0.15	2.45	0.00	26.04	74.00	0.00	0.00	49.86
010000	3.63	2.56	5.48	2.94	6.64	0.31	2.61	0.15	2.46	0.00	26.04	74.00	0.00	0.00	48.78
020000	3.65	3.06	6.42	3.36	4.23	0.31	2.51	0.17	2.34	0.00	26.04	74.00	0.00	0.00	46.55
030000	3.68	3.17	6.85	3.67	3.08	0.31	2.52	0.18	2.34	0.00	26.04	74.00	0.00	0.00	47.95
040000	3.72	2.69	6.16	3.48	2.20	0.31	2.95	0.18	2.77	0.00	26.04	74.00	0.00	0.00	56.22
050000	3.75	3.40	6.83	3.41	2.11	0.31	2.98	0.20	2.78	0.00	26.04	74.00	0.00	0.00	57.64
060000	3.71	4.40	7.72	3.28	3.23	0.31	2.73	0.21	2.52	0.00	26.04	74.00	0.00	0.00	51.60
070000	3.95	3.24	5.40	2.15	10.56	0.31	2.41	0.19	2.22	0.00	26.04	74.00	0.00	0.00	44.88
080000	3.81	2.53	3.17	0.66	18.71	0.31	2.09	0.14	1.95	0.00	26.04	74.00	0.00	0.00	40.16
090000	3.66	2.53	3.34	0.88	23.65	0.31	2.07	0.13	1.94	0.00	26.04	74.00	0.00	0.00	39.34
100000	3.71	2.75	4.99	2.24	29.41	0.31	2.14	0.19	1.95	0.00	26.04	74.00	0.00	0.00	40.49
110000	3.66	2.67	5.02	2.35	27.52	0.31	2.11	0.16	1.95	0.00	26.04	74.00	0.00	0.00	39.41
120000	3.67	2.63	4.11	1.49	27.23	0.31	2.11	0.17	1.94	0.00	26.04	74.00	0.00	0.00	40.02
130000	3.69	2.65	3.75	1.12	19.63	0.31	2.10	0.16	1.94	0.00	26.04	74.00	0.00	0.00	39.57
140000	3.66	2.67	3.62	0.99	15.55	0.31	2.07	0.13	1.94	0.00	26.04	74.00	0.00	0.00	40.04
150000	3.72	2.79	4.78	1.99	14.68	0.31	2.10	0.15	1.95	0.00	26.04	74.00	0.00	0.00	38.97
160000	3.76	2.89	5.27	2.38	17.85	0.31	2.16	0.17	1.99	0.00	26.04	74.00	0.00	0.00	38.94
170000	3.81	2.49	4.24	1.79	19.12	0.31	2.13	0.18	1.95	0.00	26.04	74.00	0.00	0.00	41.03
180000	3.62	2.24	3.22	1.05	18.44	0.31	2.12	0.16	1.96	0.00	26.04	74.00	0.00	0.00	37.60
190000	3.64	2.30	3.61	1.31	19.15	0.31	2.17	0.20	1.97	0.00	26.04	74.00	0.00	0.00	40.35
200000	3.61	2.31	3.63	1.34	19.19	0.31	2.17	0.15	2.02	0.00	26.04	74.00	0.00	0.00	39.71
210000	3.65	2.31	3.10	0.82	20.38	0.31	2.16	0.12	2.04	0.00	26.04	74.00	0.00	0.00	40.26
220000	3.62	2.21	2.68	0.48	21.99	0.31	2.11	0.12	1.99	0.00	26.04	74.00	0.00	0.00	39.04
230000	3.61	2.27	2.65	0.39	23.28	0.31	2.09	0.12	1.97	0.00	26.04	74.00	0.00	0.00	39.13
極大值	3.95	4.40	7.72	3.67	29.41	0.31	2.98	0.21	2.78	0.00	26.04	74.00	0.00	0.00	57.64
極小值	3.61	2.21	2.65	0.39	2.11	0.31	2.07	0.12	1.94	0.00	26.04	74.00	0.00	0.00	37.60
平均值	3.69	2.72	4.66	1.95	15.67	0.31	2.30	0.16	2.14	0.00	26.04	74.00	0.00	0.00	43.23
標準差	0.08	0.48	1.45	1.07	8.58	0	0.29	0.03	0.27	0	0	0	0	0	5.8

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.61	2.38	3.81	1.42	15.06	0.31	2.27	0.11	2.16	0.00	26.04	74.00	0.00	0.00	42.12
010000	3.59	2.45	4.06	1.60	12.39	0.31	2.25	0.13	2.12	0.00	26.04	74.00	0.00	0.00	41.14
020000	3.58	2.28	3.61	1.33	10.87	0.31	2.24	0.14	2.10	0.00	26.04	74.00	0.00	0.00	41.53
030000	3.55	2.33	3.97	1.64	9.15	0.31	2.39	0.14	2.25	0.00	26.04	74.00	0.00	0.00	44.72
040000	3.59	2.34	4.59	2.25	8.10	0.31	2.56	0.19	2.37	0.00	26.04	74.00	0.00	0.00	48.23
050000	3.62	2.67	5.86	3.19	6.23	0.31	2.51	0.21	2.30	0.00	26.04	74.00	0.00	0.00	48.92
060000	3.58	4.04	7.74	3.65	8.40	0.31	2.85	0.24	2.61	0.00	26.04	74.00	0.00	0.00	54.18
070000	3.71	3.68	7.45	3.74	13.55	0.31	2.48	0.22	2.26	0.00	26.04	74.00	0.00	0.00	46.05
080000	3.72	2.82	4.84	2.02	19.95	0.31	2.19	0.14	2.05	0.00	26.04	74.00	0.00	0.00	40.71
090000	3.71	2.57	3.63	1.07	20.33	0.31	2.14	0.11	2.03	0.00	26.04	74.00	0.00	0.00	39.79
100000	3.81	2.45	3.51	1.04	29.38	0.31	2.14	0.13	2.01	0.00	26.04	74.00	0.00	0.00	40.78
110000	4.10	2.74	7.65	4.93	41.98	0.31	2.31	0.31	2.00	0.00	26.04	74.00	0.00	0.00	44.08
120000	4.01	3.01	6.09	3.05	27.58	0.31	2.14	0.22	1.92	0.00	26.04	74.00	0.00	0.00	38.58
130000	3.79	3.62	7.68	4.05	25.05	0.32	2.14	0.22	1.92	0.00	26.04	74.00	0.00	0.00	41.63
140000	3.70	2.81	4.14	1.33	18.66	0.31	2.09	0.16	1.93	0.00	26.04	74.00	0.00	0.00	40.05
150000	3.73	3.79	10.05	6.27	15.95	0.32	2.24	0.28	1.96	0.00	26.04	74.00	0.00	0.00	43.33
160000	3.78	5.27	14.79	9.51	12.74	0.32	2.44	0.46	1.98	0.00	26.04	74.00	0.00	0.00	47.16
170000	3.67	4.13	12.43	8.29	17.80	0.32	2.19	0.21	1.98	0.00	26.04	74.00	0.00	0.00	40.69
180000	3.65	3.08	8.99	5.89	17.28	0.32	2.18	0.18	2.00	0.00	26.04	74.00	0.00	0.00	39.50
190000	3.64	3.40	11.83	8.42	10.06	0.32	2.21	0.22	1.99	0.00	26.04	74.00	0.00	0.00	41.44
200000	3.66	3.29	12.28	9.00	8.57	0.32	2.29	0.23	2.06	0.00	26.04	74.00	0.00	0.00	43.76
210000	3.60	3.84	10.69	6.81	8.32	0.32	2.31	0.23	2.08	0.00	26.04	74.00	0.00	0.00	42.45
220000	3.64	4.08	13.41	9.33	6.13	0.32	2.35	0.24	2.11	0.00	26.04	74.00	0.00	0.00	45.10
230000	3.59	3.89	12.88	8.96	4.54	0.32	2.38	0.22	2.16	0.00	26.04	74.00	0.00	0.00	43.79
極大值	4.10	5.27	14.79	9.51	41.98	0.32	2.85	0.46	2.61	0.00	26.04	74.00	0.00	0.00	54.18
極小值	3.55	2.28	3.51	1.04	4.54	0.31	2.09	0.11	1.92	0.00	26.04	74.00	0.00	0.00	38.58
平均值	3.69	3.21	7.75	4.53	15.34	0.31	2.30	0.21	2.10	0.00	26.04	74.00	0.00	0.00	43.32
標準差	0.13	0.77	3.71	3.06	8.85	0.01	0.17	0.08	0.16	0	0	0	0	0	3.6

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.66	3.68	11.44	7.70	4.83	0.32	2.40	0.18	2.22	0.00	26.04	74.00	0.00	0.00	46.25
010000	3.65	3.87	11.11	7.21	3.27	0.32	2.48	0.18	2.30	0.00	26.04	74.00	0.00	0.00	47.16
020000	3.58	4.19	10.94	6.72	2.69	0.31	2.45	0.21	2.24	0.00	26.04	74.00	0.00	0.00	45.22
030000	3.58	4.04	9.34	5.28	2.30	0.32	2.50	0.20	2.30	0.00	26.04	74.00	0.00	0.00	46.32
040000	3.74	7.51	12.38	4.77	2.04	0.32	2.49	0.20	2.29	0.00	26.04	74.00	0.00	0.00	49.16
050000	3.79	9.05	14.00	4.80	2.00	0.32	2.50	0.21	2.29	0.00	26.04	74.00	0.00	0.00	53.00
060000	3.79	9.05	14.00	4.80	2.00	0.32	2.50	0.21	2.29	0.00	26.04	74.00	0.00	0.00	53.00
070000	3.79	9.05	14.00	4.80	2.00	0.32	2.50	0.21	2.29	0.00	26.04	74.00	0.00	0.00	53.00
080000	3.79	9.05	14.00	4.80	2.00	0.32	2.50	0.21	2.29	0.00	26.04	74.00	0.00	0.00	53.00
090000	3.78	3.48	7.12	3.58	26.97	0.32	2.14	0.19	1.95	0.00	26.04	74.00	0.00	0.00	40.80
100000	3.68	2.86	5.43	2.56	32.67	0.32	2.12	0.17	1.95	0.00	26.04	74.00	0.00	0.00	39.26
110000	3.73	2.89	6.09	3.20	37.04	0.32	2.22	0.28	1.94	0.00	26.04	74.00	0.00	0.00	41.02
120000	3.64	3.38	5.11	1.70	18.03	0.32	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	38.52
130000	3.66	3.10	3.74	0.62	13.39	0.32	2.00	0.13	1.87	0.00	26.04	74.00	0.00	0.00	38.75
140000	3.58	3.17	3.68	0.47	13.16	0.32	2.00	0.12	1.88	0.00	26.04	74.00	0.00	0.00	36.62
150000	3.62	3.09	3.66	0.57	12.90	0.32	2.01	0.13	1.88	0.00	26.04	74.00	0.00	0.00	36.57
160000	3.60	3.19	3.70	0.52	13.03	0.32	2.01	0.13	1.88	0.00	26.04	74.00	0.00	0.00	37.94
170000	3.61	2.98	3.58	0.58	14.18	0.32	2.00	0.12	1.88	0.00	26.04	74.00	0.00	0.00	38.16
180000	3.62	3.12	3.76	0.64	14.95	0.32	2.00	0.12	1.88	0.00	26.04	74.00	0.00	0.00	37.46
190000	3.61	2.92	4.10	1.14	14.84	0.32	2.03	0.13	1.90	0.00	26.04	74.00	0.00	0.00	37.55
200000	3.63	2.95	6.65	3.68	11.81	0.32	2.17	0.15	2.02	0.00	26.04	74.00	0.00	0.00	39.58
210000	3.60	3.08	7.60	4.51	9.49	0.32	2.21	0.15	2.06	0.00	26.04	74.00	0.00	0.00	42.77
220000	3.62	3.11	8.14	5.01	6.77	0.32	2.33	0.14	2.19	0.00	26.04	74.00	0.00	0.00	42.22
230000	3.66	3.96	9.70	5.70	3.91	0.32	2.44	0.15	2.29	0.00	26.04	74.00	0.00	0.00	45.37
極大值	3.79	9.05	14.00	7.70	37.04	0.32	2.50	0.28	2.30	0.00	26.04	74.00	0.00	0.00	53.00
極小值	3.58	2.86	3.58	0.47	2.00	0.31	2.00	0.12	1.87	0.00	26.04	74.00	0.00	0.00	36.57
平均值	3.67	4.45	8.05	3.56	11.09	0.32	2.25	0.17	2.08	0.00	26.04	74.00	0.00	0.00	43.28
標準差	0.08	2.3	3.88	2.31	9.84	0	0.21	0.04	0.19	0	0	0	0	0	5.71

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.65	4.56	11.83	7.23	2.34	0.32	2.57	0.17	2.40	0.00	26.04	74.00	0.00	0.00	47.73
010000	3.67	3.73	10.32	6.57	1.83	0.32	2.80	0.19	2.61	0.00	26.04	74.00	0.00	0.00	53.06
020000	3.64	4.00	9.58	5.60	2.01	0.32	2.85	0.19	2.66	0.00	26.04	74.00	0.00	0.00	53.70
030000	3.63	3.75	8.91	5.16	1.77	0.32	2.72	0.18	2.54	0.00	26.04	74.00	0.00	0.00	50.77
040000	3.63	4.36	9.17	4.79	1.77	0.32	2.81	0.18	2.63	0.00	26.04	74.00	0.00	0.00	52.60
050000	3.64	3.38	5.32	1.93	7.64	0.32	2.18	0.14	2.04	0.00	26.04	74.00	0.00	0.00	41.58
060000	3.55	3.16	4.49	1.28	9.34	0.32	2.05	0.12	1.93	0.00	26.04	74.00	0.00	0.00	39.05
070000	3.67	4.39	7.21	2.82	5.99	0.32	2.39	0.15	2.24	0.00	26.04	74.00	0.00	0.00	43.31
080000	3.62	3.89	6.15	2.24	9.32	0.32	2.19	0.13	2.06	0.00	26.04	74.00	0.00	0.00	40.57
090000	3.68	3.24	5.03	1.76	14.70	0.32	2.12	0.12	2.00	0.00	26.04	74.00	0.00	0.00	40.53
100000	3.61	3.02	4.26	1.21	15.99	0.32	2.09	0.13	1.96	0.00	26.04	74.00	0.00	0.00	38.82
110000	3.64	3.12	4.04	0.89	15.13	0.32	2.04	0.13	1.91	0.00	26.04	74.00	0.00	0.00	37.27
120000	3.61	3.04	3.46	0.46	14.68	0.32	2.00	0.12	1.88	0.00	26.04	74.00	0.00	0.00	37.25
130000	3.59	2.88	3.48	0.60	14.16	0.32	2.01	0.12	1.89	0.00	26.04	74.00	0.00	0.00	37.95
140000	3.62	3.10	3.79	0.73	13.44	0.32	2.03	0.13	1.90	0.00	26.04	74.00	0.00	0.00	37.50
150000	3.63	2.74	3.02	0.44	15.30	0.32	2.01	0.12	1.89	0.00	26.04	74.00	0.00	0.00	37.91
160000	3.60	2.71	3.40	0.69	14.96	0.32	2.03	0.13	1.90	0.00	26.04	74.00	0.00	0.00	38.04
170000	3.62	3.09	4.90	1.80	12.51	0.32	2.06	0.14	1.92	0.00	26.04	74.00	0.00	0.00	39.39
180000	3.59	2.96	5.64	2.70	9.69	0.32	2.13	0.15	1.98	0.00	26.04	74.00	0.00	0.00	42.78
190000	3.61	2.65	3.48	0.84	13.06	0.32	2.03	0.14	1.89	0.00	26.04	74.00	0.00	0.00	39.13
200000	3.59	2.78	3.68	0.91	13.49	0.32	2.02	0.13	1.89	0.00	26.04	74.00	0.00	0.00	38.15
210000	3.56	3.08	5.58	2.47	11.00	0.32	2.13	0.14	1.99	0.00	26.04	74.00	0.00	0.00	41.29
220000	3.57	3.30	5.38	2.06	12.45	0.32	2.05	0.11	1.94	0.00	26.04	74.00	0.00	0.00	41.40
230000	3.56	3.02	4.48	1.43	12.58	0.32	2.02	0.11	1.91	0.00	26.04	74.00	0.00	0.00	38.48
極大值	3.68	4.56	11.83	7.23	15.99	0.32	2.85	0.19	2.66	0.00	26.04	74.00	0.00	0.00	53.70
極小值	3.55	2.65	3.02	0.44	1.77	0.32	2.00	0.11	1.88	0.00	26.04	74.00	0.00	0.00	37.25
平均值	3.62	3.33	5.69	2.36	10.21	0.32	2.22	0.14	2.08	0.00	26.04	74.00	0.00	0.00	42.01
標準差	0.04	0.56	2.49	2.01	5	0	0.29	0.02	0.27	0	0	0	0	0	5.37

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.57	2.87	5.03	2.14	10.07	0.32	2.08	0.12	1.96	0.00	26.04	74.00	0.00	0.00	40.44
010000	3.60	3.06	4.90	1.81	10.83	0.32	2.05	0.12	1.93	0.00	26.04	74.00	0.00	0.00	37.17
020000	3.58	2.81	4.02	1.21	10.66	0.32	2.08	0.13	1.95	0.00	26.04	74.00	0.00	0.00	38.99
030000	3.55	2.57	3.10	0.63	11.53	0.32	2.06	0.12	1.94	0.00	26.04	74.00	0.00	0.00	40.42
040000	3.60	2.51	3.31	0.79	7.85	0.32	2.19	0.14	2.05	0.00	26.04	74.00	0.00	0.00	42.57
050000	3.57	2.48	3.32	0.87	8.17	0.32	2.15	0.14	2.01	0.00	26.04	74.00	0.00	0.00	41.76
060000	3.54	2.48	3.73	1.27	6.77	0.32	2.25	0.16	2.09	0.00	26.04	74.00	0.00	0.00	45.08
070000	3.58	2.57	4.17	1.60	6.03	0.32	2.24	0.16	2.08	0.00	26.04	74.00	0.00	0.00	43.63
080000	3.60	2.68	3.84	1.16	6.72	0.32	2.26	0.15	2.11	0.00	26.04	74.00	0.00	0.00	45.32
090000	3.59	2.66	3.73	1.06	7.44	0.32	2.19	0.14	2.05	0.00	26.04	74.00	0.00	0.00	43.19
100000	3.57	2.68	4.07	1.37	8.10	0.32	2.18	0.14	2.04	0.00	26.04	74.00	0.00	0.00	43.17
110000	3.59	2.78	3.73	0.94	8.72	0.32	2.17	0.15	2.02	0.00	26.04	74.00	0.00	0.00	43.45
120000	3.59	2.57	3.05	0.56	11.92	0.32	2.10	0.14	1.96	0.00	26.04	74.00	0.00	0.00	40.13
130000	3.52	2.42	2.40	0.00	17.13	0.32	2.03	0.13	1.90	0.00	26.04	74.00	0.00	0.00	39.24
140000	3.52	2.27	1.98	0.00	17.81	0.32	2.02	0.13	1.89	0.00	26.04	74.00	0.00	0.00	38.32
150000	3.56	2.29	2.21	0.00	17.60	0.32	2.03	0.13	1.90	0.00	26.04	74.00	0.00	0.00	39.85
160000	3.61	2.35	2.16	0.00	18.71	0.32	2.02	0.13	1.89	0.00	26.04	74.00	0.00	0.00	40.03
170000	3.60	2.29	2.09	0.00	19.47	0.32	2.02	0.13	1.89	0.00	26.04	74.00	0.00	0.00	38.96
180000	3.56	2.21	2.05	0.00	21.47	0.32	2.02	0.13	1.89	0.00	26.04	74.00	0.00	0.00	39.82
190000	3.61	2.19	1.96	0.00	24.59	0.32	2.03	0.13	1.90	0.00	26.04	74.00	0.00	0.00	39.83
200000	3.53	2.21	1.91	0.00	26.12	0.32	2.03	0.13	1.90	0.00	26.04	74.00	0.00	0.00	38.33
210000	3.57	2.24	1.81	0.00	26.90	0.32	2.03	0.13	1.90	0.00	26.04	74.00	0.00	0.00	39.09
220000	3.61	2.18	1.81	0.00	27.41	0.32	2.02	0.13	1.89	0.00	26.04	74.00	0.00	0.00	39.81
230000	3.58	2.23	1.79	0.00	26.60	0.32	2.03	0.13	1.90	0.00	26.04	74.00	0.00	0.00	38.48
極大值	3.61	3.06	5.03	2.14	27.41	0.32	2.26	0.16	2.11	0.00	26.04	74.00	0.00	0.00	45.32
極小值	3.52	2.18	1.79	0.00	6.03	0.32	2.02	0.12	1.89	0.00	26.04	74.00	0.00	0.00	37.17
平均值	3.58	2.48	3.01	0.64	14.94	0.32	2.10	0.14	1.96	0.00	26.04	74.00	0.00	0.00	40.71
標準差	0.03	0.25	1.04	0.69	7.46	0	0.08	0.01	0.08	0	0	0	0	0	2.25

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.57	2.15	1.79	0.00	27.61	0.32	2.03	0.13	1.90	0.00	26.04	74.00	0.00	0.00	39.21
010000	3.57	2.28	2.52	0.73	25.74	0.32	2.04	0.14	1.90	0.00	26.04	74.00	0.00	0.00	38.77
020000	3.57	2.25	2.01	0.00	26.57	0.32	2.03	0.13	1.90	0.00	26.04	74.00	0.00	0.00	38.92
030000	3.56	2.19	3.03	1.17	24.55	0.32	2.07	0.15	1.92	0.00	26.04	74.00	0.00	0.00	41.67
040000	3.57	2.21	2.46	0.62	25.08	0.32	2.10	0.15	1.95	0.00	26.04	74.00	0.00	0.00	38.54
050000	3.54	2.31	2.44	0.36	23.83	0.32	2.12	0.15	1.97	0.00	26.04	74.00	0.00	0.00	42.22
060000	3.57	2.31	2.43	0.27	23.56	0.32	2.10	0.13	1.97	0.00	26.04	74.00	0.00	0.00	42.65
070000	3.57	2.39	2.91	0.55	21.75	0.32	2.06	0.13	1.93	0.00	26.04	74.00	0.00	0.00	41.95
080000	3.59	2.69	3.98	1.29	20.44	0.32	2.06	0.13	1.93	0.00	26.04	74.00	0.00	0.00	39.95
090000	3.57	2.78	4.60	1.80	21.06	0.32	2.08	0.15	1.93	0.00	26.04	74.00	0.00	0.00	38.45
100000	3.59	2.58	3.63	1.08	24.10	0.31	2.06	0.14	1.92	0.00	26.04	74.00	0.00	0.00	37.81
110000	3.63	2.73	4.93	2.22	31.89	0.32	2.14	0.18	1.96	0.00	26.04	74.00	0.00	0.00	40.71
120000	3.60	2.51	4.11	1.59	31.54	0.32	2.14	0.15	1.99	0.00	26.04	74.00	0.00	0.00	40.96
130000	3.64	2.62	5.56	2.94	36.14	0.32	2.17	0.22	1.95	0.00	26.04	74.00	0.00	0.00	42.10
140000	3.58	2.39	3.07	0.74	38.80	0.32	2.06	0.14	1.92	0.00	26.04	74.00	0.00	0.00	39.96
150000	3.61	2.49	4.15	1.70	30.17	0.32	2.05	0.14	1.91	0.00	26.04	74.00	0.00	0.00	39.20
160000	3.64	2.29	4.12	1.84	28.29	0.32	2.11	0.15	1.96	0.00	26.04	74.00	0.00	0.00	39.56
170000	3.59	2.39	3.06	0.92	23.76	0.32	2.06	0.14	1.92	0.00	26.04	74.00	0.00	0.00	40.91
180000	3.62	2.48	3.09	0.70	23.86	0.32	2.04	0.13	1.91	0.00	26.04	74.00	0.00	0.00	38.87
190000	3.61	2.29	2.58	0.46	22.75	0.32	2.05	0.13	1.92	0.00	26.04	74.00	0.00	0.00	40.75
200000	3.59	2.44	4.36	1.95	19.86	0.32	2.11	0.15	1.96	0.00	26.04	74.00	0.00	0.00	40.12
210000	3.63	2.46	5.07	2.64	16.74	0.32	2.24	0.19	2.05	0.00	26.04	74.00	0.00	0.00	42.69
220000	3.55	2.41	4.41	2.00	17.85	0.32	2.20	0.16	2.04	0.00	26.04	74.00	0.00	0.00	41.24
230000	3.62	2.33	3.08	0.85	22.46	0.32	2.06	0.13	1.93	0.00	26.04	74.00	0.00	0.00	41.81
極大值	3.64	2.78	5.56	2.94	38.80	0.32	2.24	0.22	2.05	0.00	26.04	74.00	0.00	0.00	42.69
極小值	3.54	2.15	1.79	0.00	16.74	0.31	2.03	0.13	1.90	0.00	26.04	74.00	0.00	0.00	37.81
平均值	3.59	2.42	3.47	1.18	25.35	0.32	2.09	0.15	1.94	0.00	26.04	74.00	0.00	0.00	40.38
標準差	0.03	0.17	1.03	0.81	5.36	0	0.05	0.02	0.04	0	0	0	0	0	1.46

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.54	2.34	2.95	0.69	23.45	0.32	2.06	0.13	1.93	0.00	26.04	74.00	0.00	0.00	38.82
010000	3.64	2.28	2.48	0.43	24.50	0.32	2.06	0.14	1.92	0.00	26.04	74.00	0.00	0.00	39.65
020000	3.63	2.19	2.10	0.00	24.42	0.32	2.06	0.13	1.93	0.00	26.04	74.00	0.00	0.00	39.03
030000	3.58	2.24	2.03	0.00	25.29	0.32	2.06	0.13	1.93	0.00	26.04	74.00	0.00	0.00	40.24
040000	3.63	2.28	2.37	0.36	23.66	0.32	2.06	0.13	1.93	0.00	26.04	74.00	0.00	0.00	38.95
050000	3.58	2.29	2.93	0.70	21.12	0.32	2.07	0.15	1.92	0.00	26.04	74.00	0.00	0.00	39.22
060000	3.58	2.58	4.66	2.11	19.90	0.32	2.14	0.17	1.97	0.00	26.04	74.00	0.00	0.00	42.20
070000	3.60	3.29	6.03	2.75	20.07	0.32	2.30	0.28	2.02	0.00	26.04	74.00	0.00	0.00	45.39
080000	3.64	2.64	3.96	1.34	24.43	0.32	2.15	0.19	1.96	0.00	26.04	74.00	0.00	0.00	41.88
090000	3.60	2.79	4.63	1.84	28.45	0.32	2.13	0.16	1.97	0.00	26.04	74.00	0.00	0.00	39.06
100000	3.66	2.58	3.82	1.26	28.28	0.32	2.11	0.17	1.94	0.00	26.04	74.00	0.00	0.00	39.56
110000	3.67	2.95	5.59	2.66	31.01	0.32	2.17	0.23	1.94	0.00	26.04	74.00	0.00	0.00	42.19
120000	3.66	2.90	5.41	2.51	28.18	0.32	2.15	0.22	1.93	0.00	26.04	74.00	0.00	0.00	41.88
130000	3.66	2.92	5.59	2.69	25.73	0.32	2.12	0.19	1.93	0.00	26.04	74.00	0.00	0.00	42.07
140000	3.65	3.00	5.96	2.97	24.20	0.32	2.16	0.20	1.96	0.00	26.04	74.00	0.00	0.00	42.62
150000	3.58	2.80	5.40	2.59	20.83	0.32	2.16	0.20	1.96	0.00	26.04	74.00	0.00	0.00	42.62
160000	3.58	2.69	4.05	1.36	20.34	0.32	2.11	0.16	1.95	0.00	26.04	74.00	0.00	0.00	40.70
170000	3.61	2.76	4.22	1.47	19.19	0.32	2.11	0.15	1.96	0.00	26.04	74.00	0.00	0.00	41.23
180000	3.58	2.55	4.03	1.51	19.09	0.32	2.11	0.14	1.97	0.00	26.04	74.00	0.00	0.00	39.63
190000	3.62	2.35	3.28	0.97	18.70	0.32	2.11	0.15	1.96	0.00	26.04	74.00	0.00	0.00	40.59
200000	3.62	2.25	3.33	1.09	17.56	0.32	2.18	0.21	1.97	0.00	26.04	74.00	0.00	0.00	42.43
210000	3.58	2.32	2.73	0.52	16.79	0.32	2.11	0.16	1.95	0.00	26.04	74.00	0.00	0.00	40.16
220000	3.57	2.33	2.53	0.34	17.22	0.32	2.10	0.15	1.95	0.00	26.04	74.00	0.00	0.00	42.45
230000	3.62	2.26	2.41	0.26	17.74	0.32	2.09	0.15	1.94	0.00	26.04	74.00	0.00	0.00	41.06
極大值	3.67	3.29	6.03	2.97	31.01	0.32	2.30	0.28	2.02	0.00	26.04	74.00	0.00	0.00	45.39
極小值	3.54	2.19	2.03	0.00	16.79	0.32	2.06	0.13	1.92	0.00	26.04	74.00	0.00	0.00	38.82
平均值	3.61	2.57	3.85	1.35	22.51	0.32	2.12	0.17	1.95	0.00	26.04	74.00	0.00	0.00	40.98
標準差	0.04	0.31	1.31	0.96	4.04	0	0.05	0.04	0.02	0	0	0	0	0	1.63

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.58	2.45	5.03	2.62	10.28	0.32	2.55	0.20	2.35	0.00	26.04	74.00	0.00	0.00	47.94
010000	3.60	2.50	5.71	3.23	6.65	0.32	2.74	0.20	2.54	0.00	26.04	74.00	0.00	0.00	53.25
020000	3.65	2.49	5.28	2.85	7.15	0.32	2.69	0.21	2.48	0.00	26.04	74.00	0.00	0.00	51.17
030000	3.61	2.48	4.82	2.33	6.99	0.32	2.67	0.20	2.47	0.00	26.04	74.00	0.00	0.00	51.81
040000	3.60	2.44	4.44	2.04	8.27	0.32	2.53	0.20	2.33	0.00	26.04	74.00	0.00	0.00	48.28
050000	3.62	2.31	2.77	0.55	15.55	0.32	2.16	0.14	2.02	0.00	26.04	74.00	0.00	0.00	41.92
060000	3.67	2.39	3.49	1.14	16.09	0.32	2.11	0.14	1.97	0.00	26.04	74.00	0.00	0.00	40.43
070000	3.65	2.96	5.07	2.13	15.47	0.32	2.13	0.16	1.97	0.00	26.04	74.00	0.00	0.00	41.32
080000	3.63	2.80	4.53	1.70	16.82	0.32	2.12	0.14	1.98	0.00	26.04	74.00	0.00	0.00	40.93
090000	3.65	2.88	4.80	1.92	16.76	0.32	2.13	0.13	2.00	0.00	26.04	74.00	0.00	0.00	42.08
100000	3.66	2.77	3.95	1.18	16.28	0.32	2.11	0.15	1.96	0.00	26.04	74.00	0.00	0.00	41.48
110000	3.65	2.71	4.00	1.29	16.68	0.32	2.24	0.30	1.94	0.00	26.04	74.00	0.00	0.00	43.82
120000	3.64	2.61	3.51	0.93	17.26	0.32	2.07	0.15	1.92	0.00	26.04	74.00	0.00	0.00	38.51
130000	3.63	2.44	2.44	0.20	18.03	0.32	2.07	0.14	1.93	0.00	26.04	74.00	0.00	0.00	40.45
140000	3.63	2.41	2.51	0.28	17.20	0.32	2.07	0.13	1.94	0.00	26.04	74.00	0.00	0.00	39.59
150000	3.64	2.39	2.32	0.00	15.77	0.32	2.08	0.13	1.95	0.00	26.04	74.00	0.00	0.00	41.31
160000	3.63	2.40	2.47	0.32	15.33	0.32	2.07	0.13	1.94	0.00	26.04	74.00	0.00	0.00	40.34
170000	3.63	2.32	2.50	0.30	16.56	0.32	2.09	0.14	1.95	0.00	26.04	74.00	0.00	0.00	40.49
180000	3.61	2.28	2.47	0.43	16.06	0.32	2.09	0.14	1.95	0.00	26.04	74.00	0.00	0.00	39.87
190000	3.63	2.23	3.02	0.84	14.77	0.32	2.10	0.15	1.95	0.00	26.04	74.00	0.00	0.00	39.36
200000	3.66	2.31	3.03	0.88	15.10	0.32	2.10	0.15	1.95	0.00	26.04	74.00	0.00	0.00	39.71
210000	3.63	2.31	2.43	0.00	16.56	0.32	2.09	0.14	1.95	0.00	26.04	74.00	0.00	0.00	41.08
220000	3.65	2.26	2.33	0.00	16.39	0.32	2.09	0.13	1.96	0.00	26.04	74.00	0.00	0.00	40.11
230000	3.59	2.29	2.50	0.39	14.75	0.32	2.10	0.12	1.98	0.00	26.04	74.00	0.00	0.00	39.94
極大值	3.67	2.96	5.71	3.23	18.03	0.32	2.74	0.30	2.54	0.00	26.04	74.00	0.00	0.00	53.25
極小值	3.58	2.23	2.32	0.00	6.65	0.32	2.07	0.12	1.92	0.00	26.04	74.00	0.00	0.00	38.51
平均值	3.63	2.48	3.56	1.15	14.45	0.32	2.22	0.16	2.06	0.00	26.04	74.00	0.00	0.00	42.72
標準差	0.02	0.21	1.14	0.98	3.59	0	0.23	0.04	0.2	0	0	0	0	0	4.32

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.63	2.26	2.17	0.00	15.53	0.32	2.08	0.12	1.96	0.00	26.04	74.00	0.00	0.00	40.58
010000	3.56	2.32	2.42	0.29	17.92	0.32	2.06	0.14	1.92	0.00	26.04	74.00	0.00	0.00	40.96
020000	3.59	2.32	2.16	0.00	19.15	0.32	2.08	0.25	1.83	0.00	26.04	74.00	0.00	0.00	40.63
030000	3.60	2.26	2.10	0.00	19.76	0.32	2.08	0.32	1.76	0.00	26.04	74.00	0.00	0.00	39.64
040000	3.60	2.31	2.23	0.00	20.24	0.32	2.09	0.18	1.91	0.00	26.04	74.00	0.00	0.00	39.51
050000	3.58	2.19	2.09	0.00	19.58	0.32	2.09	0.19	1.90	0.00	26.04	74.00	0.00	0.00	39.59
060000	3.61	2.23	2.07	0.00	18.92	0.32	2.08	0.18	1.90	0.00	26.04	74.00	0.00	0.00	41.20
070000	3.58	2.47	3.45	1.29	18.40	0.32	2.11	0.21	1.90	0.00	26.04	74.00	0.00	0.00	41.91
080000	3.62	2.37	3.27	0.92	16.74	0.32	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	42.71
090000	3.63	2.42	2.71	0.41	18.59	0.32	2.07	0.17	1.90	0.00	26.04	74.00	0.00	0.00	40.26
100000	3.62	2.37	2.70	0.48	18.39	0.32	2.07	0.17	1.90	0.00	26.04	74.00	0.00	0.00	38.57
110000	3.60	2.44	2.66	0.62	16.60	0.32	2.08	0.18	1.90	0.00	26.04	74.00	0.00	0.00	41.43
120000	3.59	2.63	4.40	3.12	20.58	0.32	2.13	0.20	1.93	0.00	26.04	74.00	0.00	0.00	41.64
130000	3.61	2.80	7.03	4.23	22.00	0.32	2.16	0.20	1.96	0.00	26.04	74.00	0.00	0.00	40.93
140000	3.59	2.50	4.22	1.74	21.81	0.32	2.14	0.28	1.86	0.00	26.04	74.00	0.00	0.00	40.82
150000	3.56	2.44	3.90	1.47	18.59	0.32	2.14	0.21	1.93	0.00	26.04	74.00	0.00	0.00	40.68
160000	3.61	2.41	4.32	1.98	25.36	0.32	2.13	0.18	1.95	0.00	26.04	74.00	0.00	0.00	41.76
170000	3.60	2.31	3.66	1.48	29.94	0.32	2.10	0.18	1.92	0.00	26.04	74.00	0.00	0.00	39.84
180000	3.61	2.31	3.24	0.95	25.31	0.32	2.11	0.20	1.91	0.00	26.04	74.00	0.00	0.00	41.00
190000	3.61	2.32	5.24	2.91	21.28	0.32	2.24	0.23	2.01	0.00	26.04	74.00	0.00	0.00	43.67
200000	3.56	2.34	4.54	2.18	19.55	0.32	2.22	0.19	2.03	0.00	26.04	74.00	0.00	0.00	43.57
210000	3.63	2.32	4.08	1.76	15.20	0.32	2.23	0.20	2.03	0.00	26.04	74.00	0.00	0.00	44.77
220000	3.60	2.41	4.96	2.56	14.23	0.32	2.18	0.18	2.00	0.00	26.04	74.00	0.00	0.00	40.37
230000	3.60	2.29	3.12	0.90	15.78	0.32	2.18	0.26	1.92	0.00	26.04	74.00	0.00	0.00	43.46
極大值	3.63	2.80	7.03	4.23	29.94	0.32	2.24	0.32	2.03	0.00	26.04	74.00	0.00	0.00	44.77
極小值	3.56	2.19	2.07	0.00	14.23	0.32	2.06	0.12	1.76	0.00	26.04	74.00	0.00	0.00	38.57
平均值	3.60	2.38	3.45	1.22	19.56	0.32	2.12	0.20	1.92	0.00	26.04	74.00	0.00	0.00	41.23
標準差	0.02	0.13	1.25	1.16	3.57	0	0.05	0.04	0.06	0	0	0	0	0	1.51

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.54	2.27	2.75	0.53	13.41	0.32	2.23	0.19	2.04	0.00	26.04	74.00	0.00	0.00	42.09
010000	3.56	2.28	2.34	0.31	12.92	0.32	2.19	0.19	2.00	0.00	26.04	74.00	0.00	0.00	42.51
020000	3.57	2.26	2.90	0.69	11.48	0.32	2.27	0.20	2.07	0.00	26.04	74.00	0.00	0.00	43.95
030000	3.61	2.24	2.38	0.39	16.35	0.32	2.12	0.26	1.86	0.00	26.04	74.00	0.00	0.00	39.99
040000	3.61	2.29	1.87	0.00	17.37	0.32	2.08	0.18	1.90	0.00	26.04	74.00	0.00	0.00	40.07
050000	3.58	2.28	2.55	0.61	16.22	0.32	2.13	0.18	1.95	0.00	26.04	74.00	0.00	0.00	42.72
060000	3.64	2.40	3.57	1.21	13.36	0.32	2.17	0.19	1.98	0.00	26.04	74.00	0.00	0.00	40.89
070000	3.62	3.47	6.81	3.34	9.18	0.32	2.26	0.20	2.06	0.00	26.04	74.00	0.00	0.00	45.24
080000	3.61	3.48	5.83	2.35	10.70	0.32	2.22	0.20	2.02	0.00	26.04	74.00	0.00	0.00	43.62
090000	3.61	2.67	3.03	0.55	14.42	0.32	2.10	0.24	1.86	0.00	26.04	74.00	0.00	0.00	41.62
100000	3.61	2.36	2.45	0.38	15.89	0.32	2.09	0.24	1.85	0.00	26.04	74.00	0.00	0.00	39.77
110000	3.61	2.36	2.03	0.00	16.09	0.32	2.07	0.17	1.90	0.00	26.04	74.00	0.00	0.00	40.41
120000	3.64	2.31	2.01	0.00	17.24	0.32	2.08	0.18	1.90	0.00	26.04	74.00	0.00	0.00	39.18
130000	3.58	2.35	2.00	0.00	15.72	0.32	2.08	0.18	1.90	0.00	26.04	74.00	0.00	0.00	39.98
140000	3.57	2.26	2.06	0.00	16.79	0.32	2.08	0.18	1.90	0.00	26.04	74.00	0.00	0.00	38.14
150000	3.63	2.30	2.07	0.00	16.92	0.32	2.09	0.18	1.91	0.00	26.04	74.00	0.00	0.00	40.54
160000	3.66	2.32	2.42	0.24	16.62	0.32	2.11	0.19	1.92	0.00	26.04	74.00	0.00	0.00	39.86
170000	3.62	2.43	3.47	1.04	13.94	0.32	2.19	0.21	1.98	0.00	26.04	74.00	0.00	0.00	42.27
180000	3.64	2.39	4.80	2.37	10.43	0.32	2.27	0.23	2.04	0.00	26.04	74.00	0.00	0.00	44.22
190000	3.59	2.47	4.41	1.96	10.70	0.32	2.26	0.22	2.04	0.00	26.04	74.00	0.00	0.00	45.09
200000	3.62	2.39	3.28	0.92	10.88	0.32	2.30	0.28	2.02	0.00	26.04	74.00	0.00	0.00	45.53
210000	3.66	2.36	2.99	0.66	10.21	0.32	2.24	0.19	2.05	0.00	26.04	74.00	0.00	0.00	41.95
220000	3.58	2.38	4.57	2.20	8.79	0.32	2.26	0.19	2.07	0.00	26.04	74.00	0.00	0.00	45.33
230000	3.62	2.46	5.10	2.66	8.05	0.32	2.26	0.19	2.07	0.00	26.04	74.00	0.00	0.00	43.38
極大值	3.66	3.48	6.81	3.34	17.37	0.32	2.30	0.28	2.07	0.00	26.04	74.00	0.00	0.00	45.53
極小值	3.54	2.24	1.87	0.00	8.05	0.32	2.07	0.17	1.85	0.00	26.04	74.00	0.00	0.00	38.14
平均值	3.61	2.45	3.24	0.93	13.49	0.32	2.17	0.20	1.97	0.00	26.04	74.00	0.00	0.00	42.01
標準差	0.03	0.33	1.34	1	3.04	0	0.08	0.03	0.08	0	0	0	0	0	2.17

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.63	2.51	6.15	3.67	7.58	0.32	2.28	0.21	2.07	0.00	26.04	74.00	0.00	0.00	44.75
010000	3.61	2.46	5.36	2.94	6.73	0.32	2.32	0.21	2.11	0.00	26.04	74.00	0.00	0.00	43.75
020000	3.59	2.40	4.38	1.98	7.93	0.32	2.29	0.20	2.09	0.00	26.04	74.00	0.00	0.00	45.03
030000	3.59	2.44	4.28	1.85	6.94	0.32	2.32	0.27	2.05	0.00	26.04	74.00	0.00	0.00	44.56
040000	3.55	2.43	4.01	1.55	5.75	0.32	2.31	0.21	2.10	0.00	26.04	74.00	0.00	0.00	42.21
050000	3.59	2.64	4.83	2.22	4.79	0.32	2.32	0.22	2.10	0.00	26.04	74.00	0.00	0.00	45.12
060000	3.63	2.56	3.19	0.64	7.90	0.31	2.19	0.19	2.00	0.00	26.04	74.00	0.00	0.00	42.55
070000	3.60	2.69	3.20	0.65	10.19	0.32	2.09	0.19	1.90	0.00	26.04	74.00	0.00	0.00	41.92
080000	3.58	2.41	2.18	0.00	11.61	0.32	2.03	0.17	1.86	0.00	26.04	74.00	0.00	0.00	40.51
090000	3.63	2.34	2.06	0.00	11.98	0.32	2.04	0.18	1.86	0.00	26.04	74.00	0.00	0.00	39.23
100000	3.63	2.29	2.11	0.00	12.39	0.32	2.04	0.18	1.86	0.00	26.04	74.00	0.00	0.00	38.03
110000	3.67	2.35	2.14	0.00	13.12	0.32	2.06	0.28	1.78	0.00	26.04	74.00	0.00	0.00	40.91
120000	3.66	2.30	2.06	0.00	14.63	0.32	2.08	0.25	1.83	0.00	26.04	74.00	0.00	0.00	41.66
130000	3.61	2.32	1.93	0.00	15.14	0.32	2.07	0.19	1.88	0.00	26.04	74.00	0.00	0.00	40.57
140000	3.65	2.41	2.14	0.00	15.63	0.31	2.08	0.20	1.88	0.00	26.04	74.00	0.00	0.00	39.63
150000	3.66	2.41	2.43	0.18	16.63	0.32	2.07	0.20	1.87	0.00	26.04	74.00	0.00	0.00	38.65
160000	3.67	2.45	2.63	0.33	16.56	0.32	2.07	0.20	1.87	0.00	26.04	74.00	0.00	0.00	40.21
170000	3.63	2.32	2.42	0.27	16.76	0.32	2.06	0.19	1.87	0.00	26.04	74.00	0.00	0.00	40.68
180000	3.64	2.27	2.69	0.57	15.71	0.32	2.07	0.19	1.88	0.00	26.04	74.00	0.00	0.00	40.83
190000	3.65	2.37	4.10	1.74	12.38	0.32	2.12	0.20	1.92	0.00	26.04	74.00	0.00	0.00	39.53
200000	3.63	2.27	3.52	1.27	12.32	0.32	2.17	0.30	1.87	0.00	26.04	74.00	0.00	0.00	41.81
210000	3.65	2.32	4.63	2.31	10.88	0.32	2.20	0.28	1.92	0.00	26.04	74.00	0.00	0.00	42.61
220000	3.67	2.53	5.85	3.33	6.23	0.32	2.43	0.30	2.13	0.00	26.04	74.00	0.00	0.00	45.92
230000	3.61	2.59	5.50	2.97	2.88	0.32	2.72	0.27	2.45	0.00	26.04	74.00	0.00	0.00	52.75
極大值	3.67	2.69	6.15	3.67	16.76	0.32	2.72	0.30	2.45	0.00	26.04	74.00	0.00	0.00	52.75
極小值	3.55	2.27	1.93	0.00	2.88	0.31	2.03	0.17	1.78	0.00	26.04	74.00	0.00	0.00	38.03
平均值	3.63	2.42	3.49	1.19	10.94	0.32	2.18	0.22	1.96	0.00	26.04	74.00	0.00	0.00	42.23
標準差	0.03	0.12	1.37	1.22	4.18	0	0.16	0.04	0.15	0	0	0	0	0	3.13

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.61	2.61	4.92	2.32	2.36	0.32	2.42	0.20	2.22	0.00	26.04	74.00	0.00	0.00	46.33
010000	3.59	2.57	3.89	1.31	2.11	0.32	2.27	0.19	2.08	0.00	26.04	74.00	0.00	0.00	45.39
020000	3.62	2.46	3.65	1.21	2.00	0.32	2.35	0.20	2.15	0.00	26.04	74.00	0.00	0.00	46.33
030000	3.62	2.44	3.36	0.95	2.04	0.32	2.28	0.19	2.09	0.00	26.04	74.00	0.00	0.00	42.81
040000	3.57	2.48	3.50	1.03	1.91	0.32	2.26	0.26	2.00	0.00	26.04	74.00	0.00	0.00	44.51
050000	3.60	2.69	3.67	0.96	1.57	0.32	2.46	0.23	2.23	0.00	26.04	74.00	0.00	0.00	47.71
060000	3.60	3.50	4.44	0.92	2.39	0.32	2.43	0.19	2.24	0.00	26.04	74.00	0.00	0.00	48.02
070000	3.60	3.33	4.29	0.90	6.00	0.31	2.39	0.21	2.18	0.00	26.04	74.00	0.00	0.00	45.95
080000	3.65	2.79	4.14	1.39	17.81	0.32	2.22	0.22	2.00	0.00	26.04	74.00	0.00	0.00	44.17
090000	3.63	2.53	3.48	0.97	21.13	0.32	2.21	0.20	2.01	0.00	26.04	74.00	0.00	0.00	43.58
100000	3.66	2.59	2.85	0.38	15.98	0.32	2.10	0.18	1.92	0.00	26.04	74.00	0.00	0.00	40.16
110000	3.61	2.56	2.54	0.00	15.91	0.32	2.11	0.29	1.82	0.00	26.04	74.00	0.00	0.00	40.45
120000	3.65	2.86	4.20	1.37	19.28	0.32	2.16	0.25	1.91	0.00	26.04	74.00	0.00	0.00	40.21
130000	3.66	3.41	5.98	2.56	19.42	0.32	2.24	0.31	1.93	0.00	26.04	74.00	0.00	0.00	45.04
140000	3.65	3.75	6.76	2.99	18.41	0.32	2.24	0.33	1.91	0.00	26.04	74.00	0.00	0.00	44.56
150000	3.66	3.95	7.67	3.70	17.73	0.32	2.25	0.32	1.93	0.00	26.04	74.00	0.00	0.00	44.31
160000	3.67	3.31	6.13	2.78	20.13	0.32	2.20	0.28	1.92	0.00	26.04	74.00	0.00	0.00	43.81
170000	3.60	3.14	6.33	3.17	14.02	0.32	2.23	0.29	1.94	0.00	26.04	74.00	0.00	0.00	42.38
180000	3.63	2.86	8.52	5.66	9.58	0.32	2.28	0.43	1.85	0.00	26.04	74.00	0.00	0.00	42.55
190000	3.63	2.82	13.08	10.27	5.16	0.32	2.28	0.30	1.98	0.00	26.04	74.00	0.00	0.00	44.37
200000	3.65	2.59	7.45	4.88	6.41	0.32	2.29	0.23	2.06	0.00	26.04	74.00	0.00	0.00	44.21
210000	3.68	2.67	7.10	4.43	5.05	0.31	2.56	0.23	2.33	0.00	26.04	74.00	0.00	0.00	49.70
220000	3.63	2.52	5.14	2.62	7.13	0.32	2.48	0.20	2.28	0.00	26.04	74.00	0.00	0.00	47.02
230000	3.60	2.52	4.91	2.40	6.98	0.32	2.50	0.18	2.32	0.00	26.04	74.00	0.00	0.00	47.53
極大值	3.68	3.95	13.08	10.27	21.13	0.32	2.56	0.43	2.33	0.00	26.04	74.00	0.00	0.00	49.70
極小值	3.57	2.44	2.54	0.00	1.57	0.31	2.10	0.18	1.82	0.00	26.04	74.00	0.00	0.00	40.16
平均值	3.63	2.87	5.33	2.47	10.02	0.32	2.30	0.25	2.05	0.00	26.04	74.00	0.00	0.00	44.63
標準差	0.03	0.44	2.33	2.21	7.27	0	0.12	0.06	0.15	0	0	0	0	0	2.48

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.65	2.50	5.42	2.95	5.03	0.32	2.54	0.19	2.35	0.00	26.04	74.00	0.00	0.00	50.05
010000	3.63	2.61	6.46	3.86	3.33	0.32	2.71	0.22	2.49	0.00	26.04	74.00	0.00	0.00	52.63
020000	3.66	2.58	4.94	2.38	3.34	0.32	2.64	0.23	2.41	0.00	26.04	74.00	0.00	0.00	49.63
030000	3.63	2.50	4.14	1.63	3.97	0.32	2.55	0.30	2.25	0.00	26.04	74.00	0.00	0.00	48.87
040000	3.63	2.51	4.65	2.15	3.19	0.32	2.57	0.24	2.33	0.00	26.04	74.00	0.00	0.00	49.28
050000	3.61	3.01	5.16	2.15	2.41	0.32	2.64	0.20	2.44	0.00	26.04	74.00	0.00	0.00	52.41
060000	3.61	3.80	5.53	1.69	2.89	0.32	2.56	0.31	2.25	0.00	26.04	74.00	0.00	0.00	49.43
070000	3.64	3.98	5.82	1.80	6.51	0.32	2.26	0.20	2.06	0.00	26.04	74.00	0.00	0.00	44.25
080000	3.65	3.38	5.01	1.57	12.13	0.32	2.17	0.17	2.00	0.00	26.04	74.00	0.00	0.00	41.33
090000	3.66	3.73	6.17	2.42	15.45	0.32	2.16	0.17	1.99	0.00	26.04	74.00	0.00	0.00	42.36
100000	3.68	5.47	13.08	7.58	12.53	0.32	2.28	0.39	1.89	0.00	26.04	74.00	0.00	0.00	43.76
110000	3.62	2.97	4.61	1.60	17.10	0.32	2.15	0.22	1.93	0.00	26.04	74.00	0.00	0.00	42.67
120000	3.66	4.45	9.48	5.01	20.03	0.31	2.18	0.24	1.94	0.00	26.04	74.00	0.00	0.00	41.63
130000	3.66	4.80	9.83	5.01	17.85	0.32	2.25	0.31	1.94	0.00	26.04	74.00	0.00	0.00	41.38
140000	3.68	9.15	18.31	9.13	10.37	0.32	2.28	0.33	1.95	0.00	26.04	74.00	0.00	0.00	44.73
150000	3.68	6.07	13.30	7.22	14.56	0.32	2.30	0.39	1.91	0.00	26.04	74.00	0.00	0.00	43.85
160000	3.69	4.50	10.20	5.70	16.01	0.32	2.37	0.44	1.93	0.00	26.04	74.00	0.00	0.00	45.73
170000	3.64	3.92	9.50	5.57	13.23	0.32	2.28	0.35	1.93	0.00	26.04	74.00	0.00	0.00	44.90
180000	3.67	3.06	11.38	8.32	9.23	0.32	2.26	0.28	1.98	0.00	26.04	74.00	0.00	0.00	44.11
190000	3.69	3.05	16.83	13.79	4.92	0.32	2.29	0.34	1.95	0.00	26.04	74.00	0.00	0.00	44.74
200000	3.66	2.68	7.99	5.34	8.14	0.32	2.30	0.29	2.01	0.00	26.04	74.00	0.00	0.00	44.41
210000	3.61	2.71	6.59	3.88	8.05	0.32	2.53	0.28	2.25	0.00	26.04	74.00	0.00	0.00	48.81
220000	3.62	2.53	6.16	3.63	7.19	0.32	2.63	0.23	2.40	0.00	26.04	74.00	0.00	0.00	52.39
230000	3.64	2.81	8.07	5.30	3.94	0.32	3.02	0.24	2.78	0.00	26.04	74.00	0.00	0.00	58.77
極大值	3.69	9.15	18.31	13.79	20.03	0.32	3.02	0.44	2.78	0.00	26.04	74.00	0.00	0.00	58.77
極小值	3.61	2.50	4.14	1.57	2.41	0.31	2.15	0.17	1.89	0.00	26.04	74.00	0.00	0.00	41.33
平均值	3.65	3.70	8.28	4.57	9.22	0.32	2.41	0.27	2.14	0.00	26.04	74.00	0.00	0.00	46.76
標準差	0.03	1.53	3.92	3.01	5.52	0	0.22	0.07	0.24	0	0	0	0	0	4.44

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.60	2.74	7.91	5.21	3.26	0.32	2.79	0.24	2.55	0.00	26.04	74.00	0.00	0.00	53.64
010000	3.58	2.66	6.32	3.67	5.22	0.32	2.58	0.31	2.27	0.00	26.04	74.00	0.00	0.00	50.25
020000	3.59	2.67	6.68	4.01	3.62	0.32	3.04	0.26	2.78	0.00	26.04	74.00	0.00	0.00	57.82
030000	3.64	2.74	7.04	4.31	2.82	0.32	2.83	0.25	2.58	0.00	26.04	74.00	0.00	0.00	53.80
040000	3.66	2.65	5.85	3.21	4.08	0.32	2.58	0.23	2.35	0.00	26.04	74.00	0.00	0.00	49.73
050000	3.63	3.23	5.95	2.70	3.46	0.32	2.50	0.20	2.30	0.00	26.04	74.00	0.00	0.00	47.30
060000	3.64	3.17	5.46	2.27	4.14	0.32	2.60	0.21	2.39	0.00	26.04	74.00	0.00	0.00	50.86
070000	3.63	4.33	6.89	2.56	5.08	0.32	2.43	0.28	2.15	0.00	26.04	74.00	0.00	0.00	47.08
080000	3.59	3.35	5.46	2.10	9.89	0.32	2.23	0.18	2.05	0.00	26.04	74.00	0.00	0.00	44.89
090000	3.59	3.29	6.42	3.09	7.51	0.32	2.21	0.18	2.03	0.00	26.04	74.00	0.00	0.00	42.78
100000	3.60	3.37	5.77	2.40	9.49	0.32	2.23	0.17	2.06	0.00	26.04	74.00	0.00	0.00	43.08
110000	3.63	3.21	5.57	2.35	10.50	0.32	2.21	0.21	2.00	0.00	26.04	74.00	0.00	0.00	43.00
120000	3.64	3.22	5.63	2.38	12.32	0.32	2.24	0.24	2.00	0.00	26.04	74.00	0.00	0.00	43.10
130000	3.62	3.48	6.79	3.30	15.74	0.32	2.23	0.19	2.04	0.00	26.04	74.00	0.00	0.00	44.17
140000	3.64	3.39	7.43	4.03	19.54	0.32	2.27	0.21	2.06	0.00	26.04	74.00	0.00	0.00	43.92
150000	3.64	3.57	8.66	5.08	21.78	0.32	2.32	0.31	2.01	0.00	26.04	74.00	0.00	0.00	44.40
160000	3.65	3.28	8.77	5.49	15.83	0.32	2.19	0.26	1.93	0.00	26.04	74.00	0.00	0.00	43.32
170000	3.62	3.07	7.68	4.58	12.09	0.32	2.17	0.23	1.94	0.00	26.04	74.00	0.00	0.00	43.01
180000	3.63	2.68	4.31	1.61	13.96	0.32	2.13	0.30	1.83	0.00	26.04	74.00	0.00	0.00	42.39
190000	3.58	2.72	5.09	2.36	12.77	0.32	2.11	0.20	1.91	0.00	26.04	74.00	0.00	0.00	40.68
200000	3.64	2.54	4.43	1.91	12.31	0.32	2.14	0.20	1.94	0.00	26.04	74.00	0.00	0.00	41.88
210000	3.58	2.38	3.73	1.36	11.67	0.32	2.21	0.20	2.01	0.00	26.04	74.00	0.00	0.00	42.01
220000	3.62	2.39	3.73	1.36	9.43	0.32	2.27	0.21	2.06	0.00	26.04	74.00	0.00	0.00	45.72
230000	3.57	2.57	5.99	3.43	6.24	0.32	2.40	0.23	2.17	0.00	26.04	74.00	0.00	0.00	47.63
極大值	3.66	4.33	8.77	5.49	21.78	0.32	3.04	0.31	2.78	0.00	26.04	74.00	0.00	0.00	57.82
極小值	3.57	2.38	3.73	1.36	2.82	0.32	2.11	0.17	1.83	0.00	26.04	74.00	0.00	0.00	40.68
平均值	3.62	3.03	6.15	3.12	9.70	0.32	2.37	0.23	2.14	0.00	26.04	74.00	0.00	0.00	46.10
標準差	0.03	0.46	1.37	1.21	5.33	0	0.25	0.04	0.24	0	0	0	0	0	4.46

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.62	2.58	4.67	2.12	5.80	0.32	2.74	0.21	2.53	0.00	26.04	74.00	0.00	0.00	52.56
010000	3.59	2.48	4.14	1.65	6.46	0.32	2.79	0.22	2.57	0.00	26.04	74.00	0.00	0.00	52.61
020000	3.57	2.49	4.27	1.76	5.01	0.32	2.88	0.22	2.66	0.00	26.04	74.00	0.00	0.00	56.21
030000	3.57	2.57	4.87	2.32	3.45	0.32	2.44	0.22	2.22	0.00	26.04	74.00	0.00	0.00	49.38
040000	3.58	2.62	4.61	1.98	3.05	0.32	2.36	0.22	2.14	0.00	26.04	74.00	0.00	0.00	45.14
050000	3.52	3.09	6.17	3.06	2.31	0.32	2.51	0.32	2.19	0.00	26.04	74.00	0.00	0.00	47.34
060000	3.59	4.22	6.81	2.57	2.50	0.32	2.54	0.29	2.25	0.00	26.04	74.00	0.00	0.00	51.87
070000	3.58	4.43	7.47	3.02	4.39	0.32	2.29	0.22	2.07	0.00	26.04	74.00	0.00	0.00	43.98
080000	3.60	4.51	7.41	3.08	6.92	0.32	2.37	0.23	2.14	0.00	26.04	74.00	0.00	0.00	44.82
090000	3.67	3.31	5.35	2.01	11.93	0.32	2.22	0.29	1.93	0.00	26.04	74.00	0.00	0.00	43.23
100000	3.63	4.05	7.52	3.45	13.10	0.32	2.18	0.23	1.95	0.00	26.04	74.00	0.00	0.00	41.31
110000	3.62	4.95	10.64	5.68	17.64	0.32	2.21	0.26	1.95	0.00	26.04	74.00	0.00	0.00	41.50
120000	3.68	5.21	11.85	6.60	17.97	0.32	2.23	0.31	1.92	0.00	26.04	74.00	0.00	0.00	43.33
130000	3.64	3.96	7.91	3.94	18.09	0.32	2.22	0.28	1.94	0.00	26.04	74.00	0.00	0.00	42.22
140000	3.64	3.26	6.75	3.49	18.68	0.32	2.19	0.24	1.95	0.00	26.04	74.00	0.00	0.00	42.20
150000	3.63	3.05	5.14	2.10	14.95	0.32	2.15	0.22	1.93	0.00	26.04	74.00	0.00	0.00	41.33
160000	3.66	3.32	5.58	2.24	14.95	0.32	2.15	0.23	1.92	0.00	26.04	74.00	0.00	0.00	39.59
170000	3.68	3.00	4.56	1.57	11.00	0.32	2.13	0.25	1.88	0.00	26.04	74.00	0.00	0.00	41.05
180000	3.68	2.75	6.11	3.36	8.51	0.32	2.23	0.29	1.94	0.00	26.04	74.00	0.00	0.00	43.02
190000	3.66	2.58	6.23	3.65	6.62	0.32	2.28	0.25	2.03	0.00	26.04	74.00	0.00	0.00	44.38
200000	3.66	2.53	5.04	2.54	4.78	0.32	2.44	0.28	2.16	0.00	26.04	74.00	0.00	0.00	47.83
210000	3.59	2.53	4.88	2.36	3.60	0.32	2.48	0.29	2.19	0.00	26.04	74.00	0.00	0.00	47.95
220000	3.55	2.72	6.97	4.25	2.54	0.32	2.42	0.26	2.16	0.00	26.04	74.00	0.00	0.00	47.97
230000	3.57	2.75	5.64	2.91	2.65	0.32	2.41	0.26	2.15	0.00	26.04	74.00	0.00	0.00	46.52
極大值	3.68	5.21	11.85	6.60	18.68	0.32	2.88	0.32	2.66	0.00	26.04	74.00	0.00	0.00	56.21
極小值	3.52	2.48	4.14	1.57	2.31	0.32	2.13	0.21	1.88	0.00	26.04	74.00	0.00	0.00	39.59
平均值	3.62	3.29	6.27	2.99	8.62	0.32	2.37	0.25	2.12	0.00	26.04	74.00	0.00	0.00	45.72
標準差	0.05	0.85	1.9	1.22	5.8	0	0.21	0.03	0.22	0	0	0	0	0	4.37

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.59	2.64	5.12	2.50	2.43	0.32	2.98	0.23	2.75	0.00	26.04	74.00	0.00	0.00	58.00
010000	3.63	2.65	5.30	2.70	1.85	0.32	2.79	0.23	2.56	0.00	26.04	74.00	0.00	0.00	53.94
020000	3.59	2.60	4.94	2.35	2.38	0.32	2.43	0.29	2.14	0.00	26.04	74.00	0.00	0.00	45.19
030000	3.57	2.61	4.90	2.28	1.88	0.32	2.62	0.24	2.38	0.00	26.04	74.00	0.00	0.00	50.31
040000	3.60	2.66	4.88	2.23	1.86	0.32	2.71	0.25	2.46	0.00	26.04	74.00	0.00	0.00	49.95
050000	3.60	3.11	5.77	2.67	1.89	0.32	2.75	0.35	2.40	0.00	26.04	74.00	0.00	0.00	53.40
060000	3.60	3.83	5.41	1.56	2.09	0.32	2.47	0.22	2.25	0.00	26.04	74.00	0.00	0.00	47.41
070000	3.64	4.58	6.81	2.20	3.95	0.32	2.37	0.21	2.16	0.00	26.04	74.00	0.00	0.00	44.09
080000	3.63	3.41	5.26	1.81	8.83	0.32	2.27	0.20	2.07	0.00	26.04	74.00	0.00	0.00	43.33
090000	3.68	2.85	4.82	1.95	16.20	0.32	2.27	0.29	1.98	0.00	26.04	74.00	0.00	0.00	44.40
100000	3.67	3.13	6.44	3.33	20.79	0.32	2.26	0.26	2.00	0.00	26.04	74.00	0.00	0.00	43.56
110000	3.68	2.79	4.84	2.07	19.42	0.32	2.26	0.29	1.97	0.00	26.04	74.00	0.00	0.00	43.27
120000	3.65	2.58	3.16	0.68	14.70	0.32	2.16	0.22	1.94	0.00	26.04	74.00	0.00	0.00	41.87
130000	3.61	2.58	2.78	0.40	9.71	0.32	2.13	0.27	1.86	0.00	26.04	74.00	0.00	0.00	38.40
140000	3.65	2.87	4.46	1.58	13.92	0.32	2.15	0.21	1.94	0.00	26.04	74.00	0.00	0.00	41.16
150000	3.60	3.11	5.59	2.47	13.43	0.32	2.17	0.21	1.96	0.00	26.04	74.00	0.00	0.00	41.97
160000	3.63	2.93	5.76	2.85	11.03	0.32	2.20	0.24	1.96	0.00	26.04	74.00	0.00	0.00	43.59
170000	3.70	2.99	7.58	4.61	10.62	0.32	2.24	0.27	1.97	0.00	26.04	74.00	0.00	0.00	42.68
180000	3.66	2.74	9.53	6.82	8.27	0.32	2.33	0.29	2.04	0.00	26.04	74.00	0.00	0.00	45.36
190000	3.64	2.58	6.91	4.34	12.50	0.32	2.24	0.35	1.89	0.00	26.04	74.00	0.00	0.00	43.46
200000	3.60	2.37	4.30	1.93	16.34	0.32	2.19	0.26	1.93	0.00	26.04	74.00	0.00	0.00	42.29
210000	3.62	2.41	5.04	2.67	12.94	0.32	2.29	0.23	2.06	0.00	26.04	74.00	0.00	0.00	45.42
220000	3.60	2.41	4.56	2.15	13.23	0.32	2.36	0.24	2.12	0.00	26.04	74.00	0.00	0.00	45.76
230000	3.63	2.37	4.06	1.69	12.10	0.32	2.36	0.22	2.14	0.00	26.04	74.00	0.00	0.00	48.25
極大值	3.70	4.58	9.53	6.82	20.79	0.32	2.98	0.35	2.75	0.00	26.04	74.00	0.00	0.00	58.00
極小值	3.57	2.37	2.78	0.40	1.85	0.32	2.13	0.20	1.86	0.00	26.04	74.00	0.00	0.00	38.40
平均值	3.63	2.87	5.34	2.49	9.68	0.32	2.38	0.25	2.12	0.00	26.04	74.00	0.00	0.00	45.71
標準差	0.03	0.5	1.41	1.3	6.06	0	0.23	0.04	0.23	0	0	0	0	0	4.57

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.59	2.44	4.33	1.87	9.41	0.32	2.52	0.21	2.31	0.00	26.04	74.00	0.00	0.00	48.69
010000	3.57	2.42	3.91	1.50	8.24	0.32	2.57	0.28	2.29	0.00	26.04	74.00	0.00	0.00	47.76
020000	3.54	2.37	4.55	2.15	6.89	0.32	2.76	0.32	2.44	0.00	26.04	74.00	0.00	0.00	53.36
030000	3.57	2.45	4.94	2.48	4.31	0.32	3.00	0.26	2.74	0.00	26.04	74.00	0.00	0.00	57.72
040000	3.61	2.47	4.50	2.03	3.12	0.32	3.03	0.26	2.77	0.00	26.04	74.00	0.00	0.00	59.23
050000	3.62	2.61	4.56	1.93	3.18	0.32	2.87	0.24	2.63	0.00	26.04	74.00	0.00	0.00	54.75
060000	3.62	3.46	5.15	1.66	3.44	0.32	2.65	0.23	2.42	0.00	26.04	74.00	0.00	0.00	51.94
070000	3.63	3.95	5.61	1.64	5.50	0.32	2.47	0.24	2.23	0.00	26.04	74.00	0.00	0.00	47.89
080000	3.66	3.04	4.93	1.88	12.80	0.32	2.30	0.23	2.07	0.00	26.04	74.00	0.00	0.00	44.53
090000	3.67	2.84	4.37	1.51	17.46	0.32	2.22	0.22	2.00	0.00	26.04	74.00	0.00	0.00	43.72
100000	3.70	2.59	3.82	1.23	23.38	0.32	2.20	0.19	2.01	0.00	26.04	74.00	0.00	0.00	42.57
110000	3.63	2.45	3.45	1.04	27.85	0.32	2.19	0.18	2.01	0.00	26.04	74.00	0.00	0.00	43.99
120000	3.66	2.48	4.23	1.79	29.50	0.32	2.22	0.21	2.01	0.00	26.04	74.00	0.00	0.00	42.22
130000	3.70	3.38	12.36	8.98	23.92	0.32	2.45	0.38	2.07	0.00	26.04	74.00	0.00	0.00	46.70
140000	3.72	3.65	11.27	7.61	26.58	0.32	2.41	0.50	1.91	0.00	26.04	74.00	0.00	0.00	48.18
150000	3.62	2.62	5.96	3.35	27.46	0.32	2.24	0.27	1.97	0.00	26.04	74.00	0.00	0.00	44.39
160000	3.64	2.75	7.66	4.91	25.71	0.32	2.26	0.24	2.02	0.00	26.04	74.00	0.00	0.00	43.54
170000	3.67	2.80	11.32	8.52	22.61	0.32	2.38	0.37	2.01	0.00	26.04	74.00	0.00	0.00	44.83
180000	3.66	2.47	8.03	5.59	20.71	0.32	2.33	0.36	1.97	0.00	26.04	74.00	0.00	0.00	45.04
190000	3.62	2.45	5.71	3.30	19.34	0.32	2.25	0.23	2.02	0.00	26.04	74.00	0.00	0.00	42.60
200000	3.63	2.42	6.36	3.94	15.97	0.32	2.36	0.26	2.10	0.00	26.04	74.00	0.00	0.00	44.29
210000	3.63	2.48	5.94	3.49	14.21	0.32	2.38	0.24	2.14	0.00	26.04	74.00	0.00	0.00	46.14
220000	3.61	2.45	6.79	4.33	10.95	0.32	2.36	0.34	2.02	0.00	26.04	74.00	0.00	0.00	45.57
230000	3.59	2.51	6.91	4.41	8.88	0.32	2.47	0.42	2.05	0.00	26.04	74.00	0.00	0.00	50.15
極大值	3.72	3.95	12.36	8.98	29.50	0.32	3.03	0.50	2.77	0.00	26.04	74.00	0.00	0.00	59.23
極小值	3.54	2.37	3.45	1.04	3.12	0.32	2.19	0.18	1.91	0.00	26.04	74.00	0.00	0.00	42.22
平均值	3.63	2.73	6.11	3.38	15.48	0.32	2.45	0.28	2.18	0.00	26.04	74.00	0.00	0.00	47.49
標準差	0.04	0.44	2.45	2.3	9	0	0.25	0.08	0.25	0	0	0	0	0	4.78

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.62	2.58	7.57	4.98	7.77	0.32	2.57	0.40	2.17	0.00	26.04	74.00	0.00	0.00	50.12
010000	3.58	2.47	6.17	3.71	9.32	0.32	2.48	0.34	2.14	0.00	26.04	74.00	0.00	0.00	47.83
020000	3.60	2.48	5.51	3.07	9.94	0.32	2.44	0.31	2.13	0.00	26.04	74.00	0.00	0.00	48.94
030000	3.58	2.48	5.90	3.44	10.01	0.32	2.44	0.32	2.12	0.00	26.04	74.00	0.00	0.00	45.76
040000	3.63	2.48	5.63	3.19	9.88	0.32	2.44	0.40	2.04	0.00	26.04	74.00	0.00	0.00	46.01
050000	3.63	2.47	4.90	2.44	9.77	0.32	2.42	0.32	2.10	0.00	26.04	74.00	0.00	0.00	46.88
060000	3.66	2.54	4.31	1.75	10.41	0.32	2.36	0.25	2.11	0.00	26.04	74.00	0.00	0.00	45.96
070000	3.62	2.80	4.81	2.00	9.01	0.32	2.33	0.29	2.04	0.00	26.04	74.00	0.00	0.00	43.08
080000	3.61	2.89	4.26	1.34	10.63	0.32	2.20	0.21	1.99	0.00	26.04	74.00	0.00	0.00	42.44
090000	3.64	2.63	4.88	2.30	11.62	0.32	2.25	0.22	2.03	0.00	26.04	74.00	0.00	0.00	44.02
100000	3.64	2.61	5.41	2.82	15.82	0.32	2.32	0.24	2.08	0.00	26.04	74.00	0.00	0.00	44.88
110000	3.68	3.18	7.89	4.70	15.44	0.32	0.87	0.87	0.00	0.00	26.04	74.00	0.00	0.00	24.04
120000	3.67	2.90	6.45	3.54	11.99	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	7.14
130000	3.60	2.73	4.99	2.26	10.69	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	8.00
140000	3.64	2.70	3.73	1.06	11.88	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	7.57
150000	3.63	2.77	3.83	1.15	11.58	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	7.70
160000	3.62	2.52	3.34	1.09	12.24	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	8.31
170000	3.57	2.27	2.16	0.00	13.18	0.31	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	0.00
180000	3.60	2.28	1.97	0.00	20.60	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	0.00
190000	3.61	2.27	1.94	0.00	23.70	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	8.48
200000	3.62	2.33	2.08	0.00	28.06	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	6.04
210000	3.63	2.26	2.41	0.42	23.64	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	8.57
220000	3.62	2.24	2.78	0.59	19.17	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	8.21
230000	3.57	2.26	1.96	0.00	22.26	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	0.00
極大值	3.68	3.18	7.89	4.98	28.06	0.32	2.57	0.87	2.17	0.00	26.04	74.00	0.00	0.00	50.12
極小值	3.57	2.24	1.94	0.00	7.77	0.31	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	0.00
平均值	3.62	2.55	4.37	1.91	14.11	0.32	1.16	0.21	0.96	0.00	26.04	74.00	0.00	0.00	25.00
標準差	0.03	0.25	1.79	1.54	5.67	0	1.16	0.19	1.06	0	0	0	0	0	20.27

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.59	2.24	2.07	0.00	21.85	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	8.67
010000	3.65	2.29	2.38	0.24	17.02	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	7.98
020000	3.57	2.23	1.87	0.00	17.79	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	7.66
030000	3.59	2.29	1.89	0.00	17.45	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	8.34
040000	3.57	2.26	1.86	0.00	18.69	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	7.91
050000	3.61	2.14	2.23	0.22	12.35	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	0.00
060000	3.58	2.20	2.36	0.38	17.20	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	0.00
070000	3.61	2.31	2.68	0.50	17.34	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	7.28
080000	3.60	2.32	2.63	0.58	19.11	0.32	0.12	0.12	0.00	0.00	26.04	74.00	0.00	0.00	8.32
090000	3.63	2.43	3.26	0.85	15.88	0.32	0.08	0.08	0.00	0.00	26.04	74.00	0.00	0.00	7.64
100000	3.61	2.44	2.84	0.59	15.90	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	7.74
110000	3.63	2.35	2.17	0.00	16.98	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	6.96
120000	3.61	2.36	2.04	0.00	21.16	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	0.00
130000	3.58	2.36	2.41	0.00	18.76	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	7.89
140000	3.59	2.25	2.20	0.00	19.31	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	7.40
150000	3.59	2.27	2.14	0.00	20.83	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	0.00
160000	3.61	2.23	2.02	0.00	18.67	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	0.00
170000	3.60	2.27	2.26	0.15	18.89	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	7.13
180000	3.59	2.36	2.40	0.21	18.88	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	7.73
190000	3.59	2.29	2.90	0.83	18.83	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	0.00
200000	3.61	2.24	3.10	0.91	14.41	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	0.00
210000	3.64	2.27	2.71	0.54	13.75	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	8.23
220000	3.60	2.35	2.92	0.61	12.27	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	7.79
230000	3.63	2.23	2.13	0.00	15.58	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	6.63
極大值	3.65	2.44	3.26	0.91	21.85	0.32	0.12	0.12	0.00	0.00	26.04	74.00	0.00	0.00	8.67
極小值	3.57	2.14	1.86	0.00	12.27	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	0.00
平均值	3.60	2.29	2.39	0.28	17.45	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	5.47
標準差	0.02	0.07	0.4	0.32	2.52	0	0.01	0.01	0	0	0	0	0	0	3.61

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.63	2.31	1.92	0.00	14.59	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	8.32
010000	3.65	2.31	1.80	0.00	13.88	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	6.65
020000	3.61	2.30	2.00	0.00	14.14	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	8.61
030000	3.58	2.23	2.02	0.00	14.55	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	7.86
040000	3.59	2.25	2.24	0.00	15.60	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	8.02
050000	3.61	2.26	2.56	0.57	13.77	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	7.01
060000	3.60	2.36	2.86	0.74	11.59	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	7.86
070000	3.59	2.37	2.50	0.34	12.91	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	0.00
080000	3.57	2.47	2.51	0.22	13.01	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	8.91
090000	3.60	2.51	2.51	0.16	12.58	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	7.41
100000	3.60	2.53	2.50	0.00	13.03	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	0.00
110000	3.59	2.47	2.31	0.00	14.08	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	0.00
120000	3.64	2.45	2.03	0.00	14.05	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	0.00
130000	3.61	2.39	2.20	0.00	15.33	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	0.00
140000	3.62	2.46	2.14	0.00	16.04	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	8.54
150000	3.59	2.48	2.35	0.00	14.51	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	0.00
160000	3.61	2.32	2.14	0.00	15.26	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	8.75
170000	3.60	2.36	2.43	0.28	15.06	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	0.00
180000	3.62	2.42	4.05	1.62	11.24	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	7.14
190000	3.57	2.36	4.99	2.63	7.71	0.31	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	7.67
200000	3.59	2.73	5.52	2.80	5.25	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	7.69
210000	3.62	2.37	4.03	1.63	7.52	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	0.00
220000	3.60	2.43	4.62	2.22	6.98	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	8.31
230000	3.63	2.66	6.61	3.97	2.58	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	8.14
極大值	3.65	2.73	6.61	3.97	16.04	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	8.91
極小值	3.57	2.23	1.80	0.00	2.58	0.31	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	0.00
平均值	3.60	2.41	2.95	0.72	12.30	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	5.29
標準差	0.02	0.12	1.3	1.13	3.61	0	0	0	0	0	0	0	0	0	3.85

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.64	2.63	6.04	3.41	2.69	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	0.00
010000	3.63	2.66	4.96	2.29	2.16	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	8.48
020000	3.60	2.70	4.09	1.36	2.07	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	8.79
030000	3.58	2.74	4.01	1.26	1.54	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	6.24
040000	3.59	2.68	3.80	1.13	1.56	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	7.98
050000	3.61	3.74	5.00	1.24	1.61	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	0.00
060000	3.63	4.95	7.20	2.21	1.66	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	7.40
070000	3.66	3.90	6.10	2.17	3.10	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	7.96
080000	3.62	4.54	7.60	3.06	5.99	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	0.00
090000	3.64	4.24	9.32	5.05	14.67	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	5.97
100000	3.64	2.94	6.64	3.71	23.07	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	7.17
110000	3.72	2.62	4.61	1.99	26.98	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	6.87
120000	3.71	2.53	4.12	1.60	35.44	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	0.00
130000	3.71	2.45	4.02	1.58	38.77	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	9.18
140000	3.73	2.36	3.80	1.45	38.49	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	6.89
150000	3.65	2.53	3.46	0.95	36.22	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	7.74
160000	3.68	2.43	3.80	1.36	38.25	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	8.27
170000	3.68	2.41	3.84	1.45	34.05	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	0.00
180000	3.73	2.40	4.15	1.75	34.75	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	9.33
190000	3.73	2.30	4.71	2.44	28.76	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	9.03
200000	3.71	2.42	5.44	3.06	22.92	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	7.93
210000	3.71	2.52	6.00	3.50	14.15	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	7.56
220000	3.66	2.50	4.65	2.16	17.01	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	0.00
230000	3.68	2.48	4.73	2.25	17.27	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	7.92
極大值	3.73	4.95	9.32	5.05	38.77	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	9.33
極小值	3.58	2.30	3.46	0.95	1.54	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	0.00
平均值	3.66	2.90	5.09	2.18	18.47	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	5.86
標準差	0.05	0.76	1.46	1	14.58	0	0	0	0	0	0	0	0	0	3.55

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.73	2.36	4.41	2.04	18.52	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	7.85
010000	3.67	2.46	4.16	1.67	19.10	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	7.32
020000	3.68	2.38	4.58	2.18	14.34	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	0.00
030000	3.67	2.42	4.55	2.15	11.64	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	7.90
040000	3.64	2.34	3.97	1.62	10.33	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	8.27
050000	3.67	2.60	5.10	2.48	7.10	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	6.45
060000	3.67	4.07	7.27	3.16	3.98	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	8.54
070000	3.69	3.68	6.20	2.51	11.33	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	6.66
080000	3.67	3.03	5.16	2.13	21.27	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	0.00
090000	3.75	2.80	6.18	3.35	40.33	0.32	0.90	0.90	0.00	0.00	26.04	74.00	0.00	0.00	27.55
100000	3.77	2.84	6.63	3.75	42.54	0.32	2.39	0.30	2.09	0.00	26.04	74.00	0.00	0.00	46.52
110000	3.76	3.12	10.31	7.16	43.14	0.32	4.51	0.43	4.08	0.00	26.04	74.00	0.00	0.00	87.48
120000	3.79	2.74	7.81	5.07	50.68	0.32	4.57	0.40	4.17	0.00	26.04	74.00	0.00	0.00	88.01
130000	3.76	2.80	8.36	5.58	47.12	0.32	4.60	0.49	4.11	0.00	26.04	74.00	0.00	0.00	87.96
140000	3.73	3.18	8.65	5.45	36.27	0.32	4.52	0.44	4.08	0.00	26.04	74.00	0.00	0.00	85.95
150000	3.74	3.99	12.74	8.73	33.15	0.32	4.59	0.48	4.11	0.00	26.04	74.00	0.00	0.00	87.75
160000	3.81	4.34	18.36	14.01	30.82	0.32	4.76	0.62	4.14	0.00	26.04	74.00	0.00	0.00	91.96
170000	3.83	3.15	14.16	11.03	33.41	0.32	4.67	0.53	4.14	0.00	26.04	74.00	0.00	0.00	88.39
180000	3.74	2.50	5.83	3.33	42.68	0.32	4.45	0.30	4.15	0.00	26.04	74.00	0.00	0.00	86.24
190000	3.77	2.38	4.32	1.94	41.69	0.32	4.43	0.28	4.15	0.00	26.04	74.00	0.00	0.00	85.13
200000	3.68	2.35	4.08	1.72	36.83	0.32	4.48	0.27	4.21	0.00	26.04	74.00	0.00	0.00	86.86
210000	3.68	2.42	3.84	1.43	31.77	0.32	4.69	0.27	4.42	0.00	26.04	74.00	0.00	0.00	91.26
220000	3.68	2.40	4.81	2.39	21.37	0.32	4.82	0.28	4.54	0.00	26.04	74.00	0.00	0.00	92.98
230000	3.66	2.49	4.70	2.21	14.09	0.32	5.17	0.27	4.90	0.00	26.04	74.00	0.00	0.00	98.19
極大值	3.83	4.34	18.36	14.01	50.68	0.32	5.17	0.90	4.90	0.00	26.04	74.00	0.00	0.00	98.19
極小值	3.64	2.34	3.84	1.43	3.98	0.32	0.07	0.07	0.00	0.00	26.04	74.00	0.00	0.00	0.00
平均值	3.72	2.87	6.92	4.05	27.65	0.32	2.67	0.29	2.39	0.00	26.04	74.00	0.00	0.00	53.55
標準差	0.05	0.6	3.68	3.24	14.15	0	2.23	0.22	2.11	0	0	0	0	0	40.56

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.61	2.32	4.34	2.00	15.07	0.32	4.84	0.24	4.60	0.00	26.04	74.00	0.00	0.00	92.45
010000	3.62	2.36	4.38	1.99	12.98	0.32	4.83	0.22	4.61	0.00	26.04	74.00	0.00	0.00	93.80
020000	3.70	2.38	4.04	1.63	12.89	0.32	4.74	0.20	4.54	0.00	26.04	74.00	0.00	0.00	90.16
030000	3.66	2.42	4.21	1.77	15.70	0.32	4.68	0.21	4.47	0.00	26.04	74.00	0.00	0.00	90.89
040000	3.65	2.46	5.74	3.27	10.48	0.32	4.75	0.23	4.52	0.00	26.04	74.00	0.00	0.00	90.71
050000	3.69	2.74	6.76	4.00	5.58	0.32	5.24	0.25	4.99	0.00	26.04	74.00	0.00	0.00	99.66
060000	3.69	3.50	7.37	3.84	8.86	0.32	4.82	0.21	4.61	0.00	26.04	74.00	0.00	0.00	92.61
070000	3.66	3.00	5.08	2.10	17.48	0.32	4.38	0.18	4.20	0.00	26.04	74.00	0.00	0.00	82.86
080000	3.61	2.79	3.79	1.02	21.42	0.32	4.27	0.14	4.13	0.00	26.04	74.00	0.00	0.00	82.82
090000	3.65	2.74	3.85	1.11	24.50	0.32	3.70	0.14	3.56	0.00	26.04	74.00	0.00	0.00	70.87
100000	3.66	2.35	2.97	0.62	24.11	0.32	2.21	0.10	2.11	0.00	26.04	74.00	0.00	0.00	42.12
110000	3.66	2.37	2.91	0.54	22.08	0.32	2.22	0.11	2.11	0.00	26.04	74.00	0.00	0.00	42.52
120000	3.67	2.42	2.97	0.55	22.00	0.32	2.21	0.10	2.11	0.00	26.04	74.00	0.00	0.00	41.71
130000	3.66	2.49	3.13	0.73	22.32	0.32	2.18	0.09	2.09	0.00	26.04	74.00	0.00	0.00	41.90
140000	3.70	2.46	3.02	0.59	26.02	0.32	2.17	0.08	2.09	0.00	26.04	74.00	0.00	0.00	41.46
150000	3.71	2.39	3.00	0.64	29.07	0.32	2.17	0.04	2.13	0.00	26.04	74.00	0.00	0.00	40.91
160000	3.68	2.46	3.52	1.08	29.43	0.32	2.17	0.04	2.13	0.00	26.04	74.00	0.00	0.00	42.71
170000	3.71	2.42	3.74	1.33	23.03	0.32	2.15	0.03	2.12	0.00	26.04	74.00	0.00	0.00	41.95
180000	3.65	2.42	3.16	0.76	19.28	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	41.23
190000	3.69	2.42	3.16	0.76	16.43	0.32	2.18	0.01	2.17	0.00	26.04	74.00	0.00	0.00	41.90
200000	3.66	2.53	3.39	0.87	13.60	0.32	2.22	0.01	2.21	0.00	26.04	74.00	0.00	0.00	42.01
210000	3.65	2.32	3.83	1.53	10.38	0.32	2.30	0.00	2.30	0.00	26.04	74.00	0.00	0.00	45.14
220000	3.68	2.27	3.76	1.50	9.76	0.32	2.41	0.00	2.41	0.00	26.04	74.00	0.00	0.00	46.38
230000	3.56	2.36	2.46	0.21	13.43	0.32	2.27	-0.01	2.28	0.00	26.04	74.00	0.00	0.00	42.95
極大值	3.71	3.50	7.37	4.00	29.43	0.32	5.24	0.25	4.99	0.00	26.04	74.00	0.00	0.00	99.66
極小值	3.56	2.27	2.46	0.21	5.58	0.32	2.12	-0.01	2.09	0.00	26.04	74.00	0.00	0.00	40.91
平均值	3.66	2.52	3.94	1.44	17.75	0.32	3.22	0.11	3.11	0.00	26.04	74.00	0.00	0.00	61.74
標準差	0.04	0.27	1.22	1.03	6.64	0	1.24	0.09	1.16	0	0	0	0	0	23.82

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.59	2.28	2.44	0.33	12.69	0.31	2.24	0.00	2.24	0.00	26.04	74.00	0.00	0.00	42.17
010000	3.63	2.26	3.17	0.92	8.57	0.32	2.40	-0.02	2.42	0.00	26.04	74.00	0.00	0.00	45.56
020000	3.61	2.33	3.13	0.81	5.73	0.32	2.45	0.00	2.45	0.00	26.04	74.00	0.00	0.00	47.98
030000	3.61	2.37	3.92	1.56	6.62	0.32	2.49	0.02	2.47	0.00	26.04	74.00	0.00	0.00	48.09
040000	3.66	2.34	4.19	1.83	5.55	0.32	2.59	0.03	2.56	0.00	26.04	74.00	0.00	0.00	49.39
050000	3.64	2.78	5.10	2.31	3.32	0.32	2.65	0.05	2.60	0.00	26.04	74.00	0.00	0.00	49.50
060000	3.65	3.25	4.91	1.60	5.24	0.32	2.55	0.05	2.50	0.00	26.04	74.00	0.00	0.00	50.25
070000	3.70	3.40	5.15	1.71	9.85	0.32	2.37	0.06	2.31	0.00	26.04	74.00	0.00	0.00	44.75
080000	3.66	2.89	4.04	1.13	16.27	0.32	2.32	0.05	2.27	0.00	26.04	74.00	0.00	0.00	44.83
090000	3.63	2.50	3.01	0.50	21.20	0.32	2.26	0.03	2.23	0.00	26.04	74.00	0.00	0.00	43.16
100000	3.68	2.55	3.22	0.67	24.24	0.32	2.25	0.03	2.22	0.00	26.04	74.00	0.00	0.00	42.99
110000	3.77	2.50	4.65	2.15	41.55	0.32	2.32	0.08	2.24	0.00	26.04	74.00	0.00	0.00	44.51
120000	3.72	2.78	5.81	3.00	32.16	0.32	2.25	0.07	2.18	0.00	26.04	74.00	0.00	0.00	44.15
130000	3.78	2.82	6.83	3.97	36.28	0.32	2.28	0.12	2.16	0.00	26.04	74.00	0.00	0.00	44.20
140000	3.71	2.73	6.17	3.41	31.97	0.32	2.30	0.09	2.21	0.00	26.04	74.00	0.00	0.00	43.31
150000	3.66	2.73	5.47	2.74	25.55	0.32	2.25	0.10	2.15	0.00	26.04	74.00	0.00	0.00	41.41
160000	3.67	2.84	11.28	8.44	19.14	0.32	2.39	0.20	2.19	0.00	26.04	74.00	0.00	0.00	46.11
170000	3.71	2.44	5.98	3.56	19.06	0.32	2.33	0.07	2.26	0.00	26.04	74.00	0.00	0.00	47.09
180000	3.64	2.31	3.66	1.34	21.37	0.32	2.19	0.01	2.18	0.00	26.04	74.00	0.00	0.00	43.18
190000	3.65	2.35	3.00	0.70	25.08	0.32	2.23	0.02	2.21	0.00	26.04	74.00	0.00	0.00	41.81
200000	3.67	2.31	2.76	0.48	23.73	0.32	2.23	0.02	2.21	0.00	26.04	74.00	0.00	0.00	42.31
210000	3.64	2.27	2.98	0.71	19.56	0.32	2.19	0.02	2.17	0.00	26.04	74.00	0.00	0.00	41.54
220000	3.62	2.29	2.96	0.72	17.14	0.32	2.17	0.01	2.16	0.00	26.04	74.00	0.00	0.00	42.37
230000	3.65	2.29	3.38	1.11	14.70	0.32	2.27	0.01	2.26	0.00	26.04	74.00	0.00	0.00	42.65
極大值	3.78	3.40	11.28	8.44	41.55	0.32	2.65	0.20	2.60	0.00	26.04	74.00	0.00	0.00	50.25
極小值	3.59	2.26	2.44	0.33	3.32	0.31	2.17	-0.02	2.15	0.00	26.04	74.00	0.00	0.00	41.41
平均值	3.66	2.57	4.47	1.90	18.61	0.32	2.33	0.05	2.29	0.00	26.04	74.00	0.00	0.00	44.72
標準差	0.05	0.32	1.91	1.75	10.41	0	0.13	0.05	0.14	0	0	0	0	0	2.7

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.66	2.32	3.40	1.12	11.67	0.32	2.28	0.03	2.25	0.00	26.04	74.00	0.00	0.00	43.83
010000	3.66	2.28	3.20	0.94	9.15	0.32	2.45	0.01	2.44	0.00	26.04	74.00	0.00	0.00	50.13
020000	3.65	2.31	2.59	0.33	11.77	0.32	2.27	0.01	2.26	0.00	26.04	74.00	0.00	0.00	43.78
030000	3.60	2.35	2.90	0.57	6.66	0.32	2.43	0.01	2.42	0.00	26.04	74.00	0.00	0.00	45.12
040000	3.59	2.37	2.99	0.68	6.83	0.32	2.46	0.00	2.46	0.00	26.04	74.00	0.00	0.00	46.41
050000	3.60	2.37	3.14	0.79	8.79	0.32	2.47	-0.01	2.48	0.00	26.04	74.00	0.00	0.00	47.90
060000	3.63	2.48	3.88	1.42	16.32	0.32	2.29	0.01	2.28	0.00	26.04	74.00	0.00	0.00	45.41
070000	3.66	2.58	3.53	0.96	16.24	0.32	2.23	0.01	2.22	0.00	26.04	74.00	0.00	0.00	42.63
080000	3.59	2.59	4.56	1.95	15.12	0.32	2.25	0.02	2.23	0.00	26.04	74.00	0.00	0.00	42.50
090000	3.65	2.87	5.20	2.29	15.17	0.32	2.26	0.02	2.24	0.00	26.04	74.00	0.00	0.00	42.74
100000	3.68	2.91	4.19	1.26	18.03	0.32	2.24	0.03	2.21	0.00	26.04	74.00	0.00	0.00	44.20
110000	3.63	2.61	3.23	0.70	22.64	0.32	2.17	0.03	2.14	0.00	26.04	74.00	0.00	0.00	41.07
120000	3.64	2.52	2.94	0.51	25.68	0.32	2.15	0.04	2.11	0.00	26.04	74.00	0.00	0.00	42.35
130000	3.68	2.61	3.49	0.86	27.96	0.32	2.16	0.04	2.12	0.00	26.04	74.00	0.00	0.00	41.33
140000	3.66	2.59	3.86	1.26	30.42	0.32	2.19	0.06	2.13	0.00	26.04	74.00	0.00	0.00	41.19
150000	3.71	2.61	4.04	1.42	32.71	0.32	2.23	0.05	2.18	0.00	26.04	74.00	0.00	0.00	42.54
160000	3.70	2.52	3.90	1.38	35.14	0.32	2.23	0.00	2.23	0.00	26.04	74.00	0.00	0.00	44.33
170000	3.73	2.51	4.93	2.40	36.37	0.32	2.28	0.05	2.23	0.00	26.04	74.00	0.00	0.00	43.10
180000	3.75	2.28	4.53	2.21	36.09	0.32	2.33	0.07	2.26	0.00	26.04	74.00	0.00	0.00	45.69
190000	3.68	2.38	3.48	1.11	30.25	0.32	2.25	0.06	2.19	0.00	26.04	74.00	0.00	0.00	44.14
200000	3.67	2.31	3.04	0.76	24.78	0.32	2.21	0.05	2.16	0.00	26.04	74.00	0.00	0.00	43.10
210000	3.69	2.28	2.77	0.72	24.22	0.32	2.23	0.02	2.21	0.00	26.04	74.00	0.00	0.00	43.67
220000	3.68	2.39	3.50	1.11	22.92	0.32	2.27	0.04	2.23	0.00	26.04	74.00	0.00	0.00	44.17
230000	3.72	2.32	3.50	1.17	19.39	0.32	2.29	0.04	2.25	0.00	26.04	74.00	0.00	0.00	45.01
極大值	3.75	2.91	5.20	2.40	36.37	0.32	2.47	0.07	2.48	0.00	26.04	74.00	0.00	0.00	50.13
極小值	3.59	2.28	2.59	0.33	6.66	0.32	2.15	-0.01	2.11	0.00	26.04	74.00	0.00	0.00	41.07
平均值	3.66	2.47	3.62	1.16	21.01	0.32	2.28	0.03	2.25	0.00	26.04	74.00	0.00	0.00	44.01
標準差	0.04	0.18	0.69	0.56	9.49	0	0.09	0.02	0.1	0	0	0	0	0	2.1

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.65	2.34	2.47	0.39	19.79	0.32	2.22	0.03	2.19	0.00	26.04	74.00	0.00	0.00	43.16
010000	3.61	2.39	2.61	0.33	19.82	0.32	2.13	0.02	2.11	0.00	26.04	74.00	0.00	0.00	41.29
020000	3.64	2.35	2.64	0.35	19.34	0.32	2.12	0.02	2.10	0.00	26.04	74.00	0.00	0.00	41.72
030000	3.63	2.32	2.76	0.44	19.68	0.32	2.12	0.02	2.10	0.00	26.04	74.00	0.00	0.00	40.77
040000	3.63	2.42	2.88	0.71	18.75	0.32	2.12	0.02	2.10	0.00	26.04	74.00	0.00	0.00	41.25
050000	3.64	2.35	2.61	0.57	18.94	0.32	2.12	0.02	2.10	0.00	26.04	74.00	0.00	0.00	39.67
060000	3.62	2.49	2.68	0.37	18.35	0.32	2.12	0.03	2.09	0.00	26.04	74.00	0.00	0.00	40.57
070000	3.61	2.44	2.33	0.00	17.71	0.32	2.11	0.02	2.09	0.00	26.04	74.00	0.00	0.00	40.90
080000	3.58	2.45	2.34	0.00	17.95	0.32	2.11	0.03	2.08	0.00	26.04	74.00	0.00	0.00	43.33
090000	3.61	2.58	2.77	0.56	19.52	0.32	2.13	0.04	2.09	0.00	26.04	74.00	0.00	0.00	41.71
100000	3.63	2.64	3.40	0.77	21.63	0.32	2.19	0.07	2.12	0.00	26.04	74.00	0.00	0.00	42.53
110000	3.69	3.22	5.25	2.02	22.73	0.32	2.24	0.11	2.13	0.00	26.04	74.00	0.00	0.00	43.38
120000	3.67	2.90	4.38	1.48	26.05	0.32	2.20	0.05	2.15	0.00	26.04	74.00	0.00	0.00	42.44
130000	3.67	3.32	5.78	2.45	23.05	0.32	2.20	0.03	2.17	0.00	26.04	74.00	0.00	0.00	41.89
140000	3.68	3.12	5.37	2.23	23.91	0.32	2.21	0.04	2.17	0.00	26.04	74.00	0.00	0.00	43.01
150000	3.70	3.72	7.52	3.77	22.09	0.32	2.29	0.14	2.15	0.00	26.04	74.00	0.00	0.00	44.22
160000	3.72	2.98	5.57	2.57	21.94	0.32	2.26	0.11	2.15	0.00	26.04	74.00	0.00	0.00	43.32
170000	3.71	2.82	5.01	2.18	20.19	0.32	2.25	0.08	2.17	0.00	26.04	74.00	0.00	0.00	43.45
180000	3.62	2.45	5.89	3.42	15.71	0.32	2.28	0.10	2.18	0.00	26.04	74.00	0.00	0.00	43.97
190000	3.64	2.34	4.71	2.37	14.15	0.32	2.27	0.05	2.22	0.00	26.04	74.00	0.00	0.00	44.17
200000	3.60	2.38	3.54	1.18	14.58	0.32	2.26	0.04	2.22	0.00	26.04	74.00	0.00	0.00	43.07
210000	3.64	2.37	3.84	1.44	13.64	0.32	2.32	0.02	2.30	0.00	26.04	74.00	0.00	0.00	44.66
220000	3.64	2.41	3.94	1.50	11.87	0.32	2.49	0.02	2.47	0.00	26.04	74.00	0.00	0.00	47.09
230000	3.62	2.33	2.90	0.58	13.01	0.32	2.39	0.02	2.37	0.00	26.04	74.00	0.00	0.00	46.38
極大值	3.72	3.72	7.52	3.77	26.05	0.32	2.49	0.14	2.47	0.00	26.04	74.00	0.00	0.00	47.09
極小值	3.58	2.32	2.33	0.00	11.87	0.32	2.11	0.02	2.08	0.00	26.04	74.00	0.00	0.00	39.67
平均值	3.64	2.63	3.88	1.32	18.93	0.32	2.21	0.05	2.17	0.00	26.04	74.00	0.00	0.00	42.83
標準差	0.04	0.38	1.44	1.08	3.64	0	0.1	0.04	0.1	0	0	0	0	0	1.77

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.64	2.47	3.11	0.65	12.42	0.32	2.34	0.04	2.30	0.00	26.04	74.00	0.00	0.00	43.06
010000	3.67	2.48	5.14	2.66	7.03	0.32	2.50	0.04	2.46	0.00	26.04	74.00	0.00	0.00	48.53
020000	3.63	2.39	3.54	1.17	12.27	0.32	2.50	0.03	2.47	0.00	26.04	74.00	0.00	0.00	48.06
030000	3.67	2.31	3.39	1.10	14.63	0.32	2.39	0.02	2.37	0.00	26.04	74.00	0.00	0.00	46.04
040000	3.66	2.31	3.25	0.95	16.60	0.32	2.33	0.03	2.30	0.00	26.04	74.00	0.00	0.00	45.64
050000	3.62	2.41	3.88	1.56	15.65	0.32	2.15	0.04	2.11	0.00	26.04	74.00	0.00	0.00	41.38
060000	3.63	2.45	3.46	1.01	16.45	0.32	2.16	0.05	2.11	0.00	26.04	74.00	0.00	0.00	42.73
070000	3.62	3.10	5.22	2.09	14.92	0.32	2.16	0.05	2.11	0.00	26.04	74.00	0.00	0.00	41.24
080000	3.63	2.58	4.42	1.83	15.49	0.32	2.16	0.05	2.11	0.00	26.04	74.00	0.00	0.00	41.06
090000	1.82	2.51	4.95	2.43	24.11	0.32	2.28	0.06	2.22	0.00	26.04	74.00	0.00	0.00	42.77
100000	0.00	2.55	4.91	2.34	25.75	0.32	2.28	0.07	2.21	0.00	26.04	74.00	0.00	0.00	47.63
110000	0.00	2.56	6.09	3.52	23.48	0.32	2.27	0.04	2.23	0.00	26.04	74.00	0.00	0.00	44.26
120000	0.04	2.60	4.73	2.08	24.83	0.32	2.25	0.04	2.21	0.00	26.04	74.00	0.00	0.00	42.54
130000	0.04	2.47	5.02	2.51	23.84	0.32	2.23	0.05	2.18	0.00	26.04	74.00	0.00	0.00	41.28
140000	0.04	2.52	5.67	3.15	24.09	0.32	2.21	0.04	2.17	0.00	26.04	74.00	0.00	0.00	41.14
150000	0.04	2.74	5.31	2.59	25.81	0.32	2.16	0.04	2.12	0.00	26.04	74.00	0.00	0.00	41.86
160000	0.04	2.53	6.13	3.57	27.84	0.32	2.17	0.04	2.13	0.00	26.04	74.00	0.00	0.00	40.12
170000	0.05	2.67	5.78	3.08	24.27	0.32	2.25	0.05	2.20	0.00	26.04	74.00	0.00	0.00	41.50
180000	0.05	2.56	7.35	4.75	21.17	0.32	2.43	0.05	2.38	0.00	26.04	74.00	0.00	0.00	44.88
190000	0.05	2.37	7.61	5.22	16.29	0.32	2.48	0.07	2.41	0.00	26.04	74.00	0.00	0.00	47.32
200000	0.04	2.37	6.68	4.28	14.20	0.32	2.44	0.07	2.37	0.00	26.04	74.00	0.00	0.00	45.11
210000	0.05	2.39	3.85	1.51	26.21	0.32	2.35	0.04	2.31	0.00	26.04	74.00	0.00	0.00	44.98
220000	0.05	2.38	3.24	0.93	25.90	0.32	2.26	0.03	2.23	0.00	26.04	74.00	0.00	0.00	41.93
230000	0.04	2.32	2.35	0.18	29.27	0.32	2.19	0.02	2.17	0.00	26.04	74.00	0.00	0.00	41.13
極大值	3.67	3.10	7.61	5.22	29.27	0.32	2.50	0.07	2.47	0.00	26.04	74.00	0.00	0.00	48.53
極小值	0.00	2.31	2.35	0.18	7.03	0.32	2.15	0.02	2.11	0.00	26.04	74.00	0.00	0.00	40.12
平均值	1.46	2.50	4.80	2.30	20.10	0.32	2.29	0.04	2.24	0.00	26.04	74.00	0.00	0.00	43.59
標準差	1.76	0.17	1.39	1.32	6.05	0	0.12	0.01	0.12	0	0	0	0	0	2.56

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	0.05	2.36	3.67	1.34	27.54	0.32	2.29	0.04	2.25	0.00	26.04	74.00	0.00	0.00	41.70
010000	0.04	2.37	4.78	2.39	29.65	0.32	2.29	0.06	2.23	0.00	26.04	74.00	0.00	0.00	42.18
020000	0.05	2.41	6.19	3.80	23.43	0.32	2.34	0.06	2.28	0.00	26.04	74.00	0.00	0.00	44.30
030000	0.07	2.39	5.28	2.91	22.74	0.32	2.45	0.08	2.37	0.00	26.04	74.00	0.00	0.00	44.62
040000	0.06	2.36	3.83	1.46	26.43	0.32	2.45	0.05	2.40	0.00	26.04	74.00	0.00	0.00	45.74
050000	0.05	2.36	3.80	1.46	26.40	0.32	2.36	0.05	2.31	0.00	26.04	74.00	0.00	0.00	43.82
060000	0.04	2.39	3.88	1.49	26.31	0.32	2.32	0.05	2.27	0.00	26.04	74.00	0.00	0.00	44.49
070000	0.05	2.39	3.98	1.57	21.14	0.32	2.39	0.04	2.35	0.00	26.04	74.00	0.00	0.00	44.91
080000	0.05	2.38	3.58	1.19	18.68	0.32	2.45	0.04	2.41	0.00	26.04	74.00	0.00	0.00	46.99
090000	0.06	2.43	5.25	2.79	19.49	0.32	2.59	0.03	2.56	0.00	26.04	74.00	0.00	0.00	47.09
100000	0.05	2.56	6.38	3.83	19.93	0.32	2.54	0.05	2.49	0.00	26.04	74.00	0.00	0.00	48.25
110000	0.05	2.50	5.52	3.01	21.92	0.32	2.39	0.06	2.33	0.00	26.04	74.00	0.00	0.00	43.26
120000	0.04	2.48	5.25	2.75	26.82	0.32	2.30	0.06	2.24	0.00	26.04	74.00	0.00	0.00	42.91
130000	0.05	2.59	5.24	2.68	27.58	0.32	2.28	0.06	2.22	0.00	26.04	74.00	0.00	0.00	41.51
140000	0.04	2.70	5.80	3.08	26.22	0.32	2.31	0.05	2.26	0.00	26.04	74.00	0.00	0.00	43.64
150000	0.05	2.53	6.11	3.55	25.75	0.32	2.33	0.05	2.28	0.00	26.04	74.00	0.00	0.00	44.53
160000	0.05	2.65	6.21	3.54	22.68	0.32	2.43	0.05	2.38	0.00	26.04	74.00	0.00	0.00	46.99
170000	0.04	2.52	6.00	3.48	21.51	0.32	2.43	0.07	2.36	0.00	26.04	74.00	0.00	0.00	44.38
180000	0.05	2.34	6.07	3.72	20.16	0.32	2.41	0.07	2.34	0.00	26.04	74.00	0.00	0.00	45.85
190000	0.05	2.47	4.59	2.09	22.60	0.32	2.51	0.05	2.46	0.00	26.04	74.00	0.00	0.00	47.93
200000	0.06	2.40	4.06	1.63	23.59	0.32	2.54	0.04	2.50	0.00	26.04	74.00	0.00	0.00	46.29
210000	0.06	2.38	4.52	2.13	21.16	0.32	2.53	0.05	2.48	0.00	26.04	74.00	0.00	0.00	46.80
220000	0.06	2.44	3.74	1.29	21.62	0.32	2.50	0.05	2.45	0.00	26.04	74.00	0.00	0.00	45.88
230000	0.06	2.36	3.66	1.29	22.94	0.32	2.43	0.04	2.39	0.00	26.04	74.00	0.00	0.00	45.72
極大值	0.07	2.70	6.38	3.83	29.65	0.32	2.59	0.08	2.56	0.00	26.04	74.00	0.00	0.00	48.25
極小值	0.04	2.34	3.58	1.19	18.68	0.32	2.28	0.03	2.22	0.00	26.04	74.00	0.00	0.00	41.51
平均值	0.05	2.45	4.89	2.44	23.60	0.32	2.41	0.05	2.36	0.00	26.04	74.00	0.00	0.00	44.99
標準差	0.01	0.1	0.99	0.93	2.99	0	0.09	0.01	0.1	0	0	0	0	0	1.89

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	0.06	2.31	3.13	0.83	23.50	0.32	2.40	0.02	2.38	0.00	26.04	74.00	0.00	0.00	45.38
010000	0.05	2.30	2.62	0.40	23.73	0.32	2.31	0.02	2.29	0.00	26.04	74.00	0.00	0.00	44.01
020000	0.05	2.34	2.40	0.00	26.11	0.32	2.19	0.03	2.16	0.00	26.04	74.00	0.00	0.00	40.88
030000	0.05	2.37	3.38	1.98	25.99	0.32	2.18	0.03	2.15	0.00	26.04	74.00	0.00	0.00	40.53
040000	0.05	2.42	2.16	0.00	20.25	0.32	2.18	0.02	2.16	0.00	26.04	74.00	0.00	0.00	38.64
050000	0.05	2.31	2.28	0.00	17.73	0.32	2.16	0.03	2.13	0.00	26.04	74.00	0.00	0.00	38.74
060000	0.04	2.35	2.74	0.43	18.20	0.32	2.18	0.04	2.14	0.00	26.04	74.00	0.00	0.00	39.59
070000	0.05	2.53	3.56	1.20	19.14	0.32	2.19	0.04	2.15	0.00	26.04	74.00	0.00	0.00	40.49
080000	0.05	2.61	4.17	1.56	16.93	0.32	2.20	0.05	2.15	0.00	26.04	74.00	0.00	0.00	41.00
090000	0.04	2.68	3.25	0.64	18.58	0.32	2.21	0.06	2.15	0.00	26.04	74.00	0.00	0.00	41.30
100000	0.04	2.69	3.68	1.01	17.31	0.32	2.16	0.04	2.12	0.00	26.04	74.00	0.00	0.00	38.30
110000	0.05	2.58	3.90	1.31	17.49	0.32	2.24	0.14	2.10	0.00	26.04	74.00	0.00	0.00	40.92
120000	0.05	2.58	3.88	1.29	21.29	0.32	2.24	0.12	2.12	0.00	26.04	74.00	0.00	0.00	41.49
130000	0.05	2.53	3.67	1.13	19.78	0.32	2.23	0.10	2.13	0.00	26.04	74.00	0.00	0.00	42.38
140000	0.05	2.73	4.43	1.67	18.50	0.32	2.20	0.07	2.13	0.00	26.04	74.00	0.00	0.00	40.57
150000	0.05	2.65	4.23	1.56	25.00	0.32	2.23	0.08	2.15	0.00	26.04	74.00	0.00	0.00	41.78
160000	0.05	2.54	4.30	1.78	22.78	0.32	2.22	0.05	2.17	0.00	26.04	74.00	0.00	0.00	43.06
170000	0.05	2.51	4.64	2.09	24.54	0.32	2.25	0.06	2.19	0.00	26.04	74.00	0.00	0.00	41.72
180000	0.05	2.33	4.20	1.85	28.14	0.32	2.25	0.04	2.21	0.00	26.04	74.00	0.00	0.00	40.74
190000	0.05	2.32	3.82	1.49	25.36	0.32	2.21	0.03	2.18	0.00	26.04	74.00	0.00	0.00	42.97
200000	0.06	2.30	3.44	1.16	21.55	0.32	2.16	0.03	2.13	0.00	26.04	74.00	0.00	0.00	40.11
210000	0.06	2.38	3.47	1.10	21.09	0.32	2.14	0.03	2.11	0.00	26.04	74.00	0.00	0.00	38.30
220000	0.06	2.30	3.24	0.95	18.98	0.32	2.13	0.02	2.11	0.00	26.04	74.00	0.00	0.00	40.70
230000	0.06	2.29	3.13	0.86	18.03	0.32	2.13	0.02	2.11	0.00	26.04	74.00	0.00	0.00	39.81
極大值	0.06	2.73	4.64	2.09	28.14	0.32	2.40	0.14	2.38	0.00	26.04	74.00	0.00	0.00	45.38
極小值	0.04	2.29	2.16	0.00	16.93	0.32	2.13	0.02	2.10	0.00	26.04	74.00	0.00	0.00	38.30
平均值	0.05	2.46	3.49	1.10	21.25	0.32	2.21	0.05	2.16	0.00	26.04	74.00	0.00	0.00	40.98
標準差	0.01	0.15	0.69	0.62	3.34	0	0.06	0.03	0.06	0	0	0	0	0	1.74

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	0.05	2.31	3.31	1.02	18.33	0.32	2.14	0.04	2.10	0.00	26.04	74.00	0.00	0.00	40.88
010000	0.06	2.26	3.27	1.02	18.77	0.32	2.13	0.02	2.11	0.00	26.04	74.00	0.00	0.00	40.30
020000	0.05	2.36	3.40	1.05	18.73	0.32	2.13	0.02	2.11	0.00	26.04	74.00	0.00	0.00	41.04
030000	0.06	2.30	3.23	0.96	19.36	0.32	2.13	0.03	2.10	0.00	26.04	74.00	0.00	0.00	41.54
040000	0.06	2.25	3.39	1.15	18.76	0.32	2.12	0.03	2.09	0.00	26.04	74.00	0.00	0.00	39.16
050000	0.05	2.32	3.48	1.16	18.51	0.32	2.14	0.03	2.11	0.00	26.04	74.00	0.00	0.00	39.10
060000	0.05	2.47	3.73	1.26	18.61	0.32	2.16	0.04	2.12	0.00	26.04	74.00	0.00	0.00	40.41
070000	0.04	2.95	7.16	4.19	14.93	0.32	2.22	0.05	2.17	0.00	26.04	74.00	0.00	0.00	40.63
080000	0.04	2.80	5.59	2.79	16.19	0.32	2.22	0.05	2.17	0.00	26.04	74.00	0.00	0.00	40.96
090000	0.05	2.52	4.44	1.90	18.25	0.32	2.22	0.06	2.16	0.00	26.04	74.00	0.00	0.00	40.83
100000	0.05	2.65	4.49	1.81	20.14	0.32	2.21	0.05	2.16	0.00	26.04	74.00	0.00	0.00	40.92
110000	0.05	2.55	3.97	1.42	20.63	0.32	2.19	0.06	2.13	0.00	26.04	74.00	0.00	0.00	41.77
120000	0.06	2.49	3.67	1.17	20.37	0.32	2.19	0.06	2.13	0.00	26.04	74.00	0.00	0.00	40.97
130000	0.05	2.63	3.91	1.27	18.19	0.32	2.20	0.09	2.11	0.00	26.04	74.00	0.00	0.00	40.71
140000	0.06	2.52	3.89	1.33	17.01	0.32	2.34	0.21	2.13	0.00	26.04	74.00	0.00	0.00	42.88
150000	0.05	2.40	3.51	1.13	18.03	0.32	2.21	0.08	2.13	0.00	26.04	74.00	0.00	0.00	41.02
160000	0.05	2.34	3.66	1.29	18.60	0.32	2.17	0.04	2.13	0.00	26.04	74.00	0.00	0.00	40.74
170000	0.04	2.33	3.62	1.28	18.81	0.32	2.18	0.05	2.13	0.00	26.04	74.00	0.00	0.00	40.02
180000	0.05	2.33	3.90	1.55	18.18	0.32	2.18	0.05	2.13	0.00	26.04	74.00	0.00	0.00	42.91
190000	0.06	2.24	3.58	1.33	15.06	0.32	2.16	0.03	2.13	0.00	26.04	74.00	0.00	0.00	40.47
200000	0.05	2.33	3.28	0.97	15.48	0.32	2.15	0.03	2.12	0.00	26.04	74.00	0.00	0.00	39.84
210000	0.05	2.30	4.39	2.07	12.95	0.32	2.20	0.04	2.16	0.00	26.04	74.00	0.00	0.00	40.92
220000	0.05	2.32	3.61	1.31	13.74	0.32	2.17	0.04	2.13	0.00	26.04	74.00	0.00	0.00	39.94
230000	0.05	2.35	3.56	1.18	13.62	0.32	2.21	0.04	2.17	0.00	26.04	74.00	0.00	0.00	42.12
極大值	0.06	2.95	7.16	4.19	20.63	0.32	2.34	0.21	2.17	0.00	26.04	74.00	0.00	0.00	42.91
極小值	0.04	2.24	3.23	0.96	12.95	0.32	2.12	0.02	2.09	0.00	26.04	74.00	0.00	0.00	39.10
平均值	0.05	2.43	3.92	1.48	17.55	0.32	2.18	0.05	2.13	0.00	26.04	74.00	0.00	0.00	40.84
標準差	0.01	0.18	0.87	0.71	2.18	0	0.05	0.04	0.02	0	0	0	0	0	0.95

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.21	2.41	7.35	5.03	12.35	0.83	1.92	0.42	1.50	0.00	19.01	69.33	0.00	0.00	1000.00
010000	5.15	2.51	7.93	5.52	10.78	0.81	2.09	0.44	1.65	0.00	19.01	69.33	0.00	0.00	1000.00
020000	5.27	2.64	8.46	5.92	11.57	0.81	2.22	0.43	1.79	0.00	19.01	69.33	0.00	0.00	1000.00
030000	5.12	2.72	8.00	5.40	11.03	0.80	2.16	0.47	1.69	0.00	19.02	69.33	0.00	0.00	1000.00
040000	5.19	2.71	7.62	4.97	11.44	0.80	2.11	0.41	1.70	0.00	19.03	69.33	0.00	0.00	1000.00
050000	5.23	3.85	11.49	7.85	10.85	0.83	2.43	0.46	1.97	0.00	19.03	69.33	0.00	0.00	1000.00
060000	5.36	5.32	11.54	6.40	10.10	0.84	2.42	0.45	1.97	0.00	19.03	69.33	0.00	0.00	1000.00
070000	5.06	3.49	8.22	4.84	9.76	0.84	1.94	0.44	1.50	0.00	19.00	69.33	0.00	0.00	1000.00
080000	5.05	3.11	8.70	5.69	17.59	0.93	1.82	0.46	1.36	0.00	19.00	69.33	0.00	0.00	1000.00
090000	5.09	2.78	8.39	5.74	28.14	0.55	1.89	0.32	1.57	0.00	19.02	69.43	0.00	0.00	1000.00
100000	5.08	2.55	5.85	3.40	21.40	0.42	1.91	0.23	1.68	0.00	19.02	69.39	0.00	0.00	813.95
110000	5.06	2.66	9.06	6.55	43.81	0.57	1.98	0.35	1.63	0.00	19.05	69.41	0.00	0.00	25.62
120000	5.05	2.63	10.32	7.85	49.08	0.54	1.86	0.39	1.47	0.00	19.05	69.61	0.00	0.00	49.83
130000	5.12	2.77	10.39	7.77	37.87	0.48	1.87	0.39	1.48	0.00	19.03	69.61	0.00	0.00	34.87
140000	5.11	3.34	13.69	10.58	28.15	0.56	1.84	0.40	1.44	0.00	19.03	69.57	0.00	0.00	37.64
150000	5.07	3.11	11.70	8.81	22.41	0.49	1.83	0.28	1.55	0.00	19.00	69.47	0.00	0.00	21.76
160000	5.17	2.79	8.43	5.78	20.07	0.42	1.80	0.27	1.53	0.00	19.02	69.47	0.00	0.00	23.35
170000	5.17	2.90	13.25	10.60	16.57	0.51	1.78	0.48	1.30	0.00	19.00	69.47	0.00	0.00	11.30
180000	5.30	2.61	14.13	11.80	14.23	0.52	1.85	0.53	1.32	0.00	19.00	69.47	0.00	0.00	17.34
190000	5.31	2.61	13.85	11.50	12.49	0.50	1.87	0.57	1.30	0.00	19.02	69.48	0.00	0.00	23.82
200000	5.34	2.49	10.57	8.29	11.39	0.42	1.93	0.29	1.64	0.00	19.01	69.47	0.00	0.00	29.70
210000	5.31	2.56	9.73	7.33	10.02	0.39	1.92	0.25	1.67	0.00	18.99	69.47	0.00	0.00	32.90
220000	5.30	2.55	8.61	6.20	10.02	0.38	1.98	0.31	1.67	0.00	18.98	69.47	0.00	0.00	29.25
230000	5.34	2.51	8.12	5.73	10.08	0.36	2.38	0.26	2.12	0.00	18.97	69.45	0.00	0.00	34.17
極大值	5.36	5.32	14.13	11.80	49.08	0.93	2.43	0.57	2.12	0.00	19.05	69.61	0.00	0.00	1000.00
極小值	5.05	2.41	5.85	3.40	9.76	0.36	1.78	0.23	1.30	0.00	18.97	69.33	0.00	0.00	11.30
平均值	5.19	2.90	9.81	7.06	18.38	0.61	1.99	0.39	1.60	0.00	19.01	69.43	0.00	0.00	466.06
標準差	0.11	0.62	2.29	2.24	11.31	0.19	0.2	0.09	0.21	0	0.02	0.09	0	0	487.28

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.37	2.48	7.19	4.82	11.66	0.32	2.24	0.24	2.00	0.00	18.92	69.33	0.00	0.00	23.00
010000	5.21	2.52	7.82	5.40	11.54	0.30	2.18	0.30	1.88	0.00	18.92	69.33	0.00	0.00	25.14
020000	5.26	2.61	8.84	6.37	10.80	0.34	2.21	0.27	1.94	0.00	18.94	69.33	0.00	0.00	16.36
030000	5.40	2.69	8.53	5.97	9.95	0.34	2.33	0.30	2.03	0.00	18.96	69.33	0.00	0.00	17.01
040000	5.36	2.81	8.85	6.15	9.74	0.35	2.46	0.32	2.14	0.00	18.93	69.33	0.00	0.00	18.89
050000	5.29	3.72	10.21	6.67	9.07	0.36	2.15	0.33	1.82	0.00	18.87	69.33	0.00	0.00	19.59
060000	5.26	4.46	9.98	5.66	7.97	0.37	2.22	0.30	1.92	0.00	18.88	69.33	0.00	0.00	18.30
070000	5.24	3.68	7.89	4.32	9.17	0.35	2.04	0.27	1.77	0.00	18.88	69.33	0.00	0.00	19.42
080000	4.95	2.86	5.63	2.84	12.17	0.35	1.84	0.22	1.62	0.00	18.88	69.33	0.00	0.00	12.87
090000	5.00	2.72	5.52	2.85	14.83	0.36	1.80	0.23	1.57	0.00	18.87	69.33	0.00	0.00	13.27
100000	5.03	2.67	6.75	4.16	19.19	0.41	1.81	0.30	1.51	0.00	18.86	69.33	0.00	0.00	10.36
110000	5.02	2.78	7.19	4.51	17.87	0.38	1.73	0.35	1.38	0.00	18.88	69.39	0.00	0.00	12.13
120000	4.97	2.69	6.00	3.38	19.59	0.40	1.80	0.26	1.54	0.00	18.90	69.47	0.00	0.00	19.23
130000	4.99	2.64	5.22	2.63	16.98	0.39	1.81	0.22	1.59	0.00	18.90	69.47	0.00	0.00	18.62
140000	5.09	2.68	5.43	2.80	13.29	0.37	1.81	0.23	1.58	0.00	18.94	69.47	0.00	0.00	9.60
150000	5.04	2.97	7.22	4.34	10.66	0.36	1.83	0.26	1.57	0.00	18.95	69.47	0.00	0.00	6.34
160000	5.19	3.07	7.43	4.44	11.05	0.37	1.89	0.25	1.64	0.00	18.95	69.47	0.00	0.00	5.28
170000	5.16	2.52	6.06	3.62	13.64	0.39	1.78	0.31	1.47	0.00	18.93	69.47	0.00	0.00	9.53
180000	5.13	2.34	5.02	2.76	13.71	0.36	1.82	0.21	1.61	0.00	18.91	69.47	0.00	0.00	29.89
190000	5.20	2.32	5.51	3.26	13.01	0.36	1.83	0.22	1.61	0.00	18.91	69.48	0.00	0.00	40.02
200000	5.22	2.42	5.14	2.79	13.37	0.37	1.83	0.22	1.61	0.00	18.93	69.47	0.00	0.00	26.65
210000	5.07	2.39	4.54	2.20	13.60	0.33	1.74	0.29	1.45	0.00	18.94	69.47	0.00	0.00	28.78
220000	5.29	2.37	4.15	1.84	14.72	0.32	1.80	0.23	1.57	0.00	18.94	69.47	0.00	0.00	33.80
230000	5.11	2.39	4.69	2.34	13.62	0.31	1.82	0.24	1.58	0.00	18.91	69.46	0.00	0.00	37.68
極大值	5.40	4.46	10.21	6.67	19.59	0.41	2.46	0.35	2.14	0.00	18.96	69.48	0.00	0.00	40.02
極小值	4.95	2.32	4.15	1.84	7.97	0.30	1.73	0.21	1.38	0.00	18.86	69.33	0.00	0.00	5.28
平均值	5.16	2.78	6.70	4.00	12.97	0.36	1.95	0.27	1.68	0.00	18.91	69.40	0.00	0.00	19.66
標準差	0.13	0.51	1.73	1.45	3.12	0.03	0.22	0.04	0.2	0	0.03	0.07	0	0	9.46

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.27	2.41	5.73	3.39	12.87	0.30	2.02	0.22	1.80	0.00	18.88	69.34	0.00	0.00	34.74
010000	5.23	2.38	4.97	2.65	11.46	0.28	1.95	0.22	1.73	0.00	18.87	69.33	0.00	0.00	25.76
020000	5.14	2.42	5.30	2.95	11.80	0.29	1.96	0.22	1.74	0.00	18.88	69.33	0.00	0.00	23.05
030000	5.15	2.46	5.66	3.26	11.06	0.29	2.00	0.30	1.70	0.00	19.02	69.33	0.00	0.00	24.08
040000	5.06	2.59	6.46	3.96	10.14	0.29	2.07	0.27	1.80	0.00	19.27	69.33	0.00	0.00	21.84
050000	5.16	3.01	7.73	4.82	11.15	0.34	2.03	0.31	1.72	0.00	19.26	69.33	0.00	0.00	22.67
060000	5.02	4.16	9.66	5.65	8.56	0.43	2.04	0.33	1.71	0.00	19.25	69.33	0.00	0.00	19.44
070000	5.10	3.57	8.80	5.38	9.39	0.46	1.83	0.34	1.49	0.00	19.24	69.36	0.00	0.00	26.02
080000	5.03	2.80	6.11	3.37	13.37	0.42	1.80	0.29	1.51	0.00	19.25	69.47	0.00	0.00	21.94
090000	5.08	2.61	5.45	2.90	20.01	0.39	1.85	0.22	1.63	0.00	19.24	69.47	0.00	0.00	19.93
100000	4.95	2.59	5.70	3.18	20.78	0.42	1.86	0.22	1.64	0.00	19.09	69.33	0.00	0.00	24.11
110000	5.04	2.76	8.93	6.27	25.09	0.49	1.86	0.36	1.50	0.00	19.10	69.37	0.00	0.00	21.42
120000	5.18	2.97	8.19	5.33	21.70	0.42	1.79	0.34	1.45	0.00	19.18	69.60	0.00	0.00	30.79
130000	5.35	3.19	8.86	5.80	19.76	0.42	1.80	0.30	1.50	0.00	19.17	69.61	0.00	0.00	15.83
140000	5.15	2.49	5.25	2.82	15.04	0.36	1.80	0.21	1.59	0.00	19.14	69.55	0.00	0.00	20.82
150000	5.12	3.34	11.93	8.82	12.34	0.53	1.85	0.33	1.52	0.00	19.17	69.48	0.00	0.00	13.04
160000	5.17	4.25	16.68	12.77	10.11	0.96	1.83	0.47	1.36	0.00	19.17	69.47	0.00	0.00	10.36
170000	5.22	2.81	10.73	8.10	12.55	0.59	1.80	0.36	1.44	0.00	19.16	69.47	0.00	0.00	8.77
180000	5.11	2.52	10.73	8.40	12.66	0.51	1.82	0.28	1.54	0.00	19.17	69.47	0.00	0.00	10.15
190000	4.98	2.67	14.37	11.96	8.88	0.56	1.88	0.29	1.59	0.00	19.15	69.47	0.00	0.00	8.98
200000	5.09	2.71	12.59	10.09	8.67	0.54	1.91	0.30	1.61	0.00	19.14	69.47	0.00	0.00	9.86
210000	5.09	2.64	10.15	7.67	9.05	0.49	1.93	0.30	1.63	0.00	19.15	69.47	0.00	0.00	8.98
220000	5.13	2.62	9.14	6.67	8.56	0.47	1.92	0.39	1.53	0.00	19.15	69.47	0.00	0.00	16.01
230000	5.14	2.64	8.03	5.49	7.18	0.44	2.03	0.28	1.75	0.00	19.13	69.47	0.00	0.00	14.28
極大值	5.35	4.25	16.68	12.77	25.09	0.96	2.07	0.47	1.80	0.00	19.27	69.61	0.00	0.00	34.74
極小值	4.95	2.38	4.97	2.65	7.18	0.28	1.79	0.21	1.36	0.00	18.87	69.33	0.00	0.00	8.77
平均值	5.12	2.86	8.63	5.90	13.01	0.45	1.90	0.30	1.60	0.00	19.13	69.43	0.00	0.00	18.87
標準差	0.09	0.51	3.1	2.92	4.88	0.14	0.09	0.06	0.12	0	0.12	0.09	0	0	7.25

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.17	2.68	7.12	4.52	7.20	0.40	2.01	0.33	1.68	0.00	19.13	69.47	0.00	0.00	24.45
010000	5.12	2.71	7.36	4.72	7.01	0.39	2.17	0.29	1.88	0.00	19.11	69.47	0.00	0.00	19.12
020000	5.13	2.79	7.50	4.81	6.88	0.39	2.09	0.28	1.81	0.00	19.11	69.47	0.00	0.00	15.62
030000	5.11	2.78	6.90	4.22	6.97	0.39	2.11	0.28	1.83	0.00	19.11	69.47	0.00	0.00	12.18
040000	5.22	2.85	7.85	5.10	7.52	0.41	2.18	0.35	1.83	0.00	19.10	69.47	0.00	0.00	14.04
050000	5.16	4.16	10.18	6.19	7.56	0.42	2.44	0.33	2.11	0.00	19.08	69.47	0.00	0.00	15.69
060000	5.15	5.04	9.57	4.70	7.15	0.42	2.26	0.28	1.98	0.00	19.07	69.47	0.00	0.00	23.53
070000	5.19	3.90	7.54	3.74	7.78	0.45	1.96	0.26	1.70	0.00	19.08	69.47	0.00	0.00	17.12
080000	5.10	3.46	8.55	5.22	10.59	0.52	1.85	0.34	1.51	0.00	19.07	69.47	0.00	0.00	18.74
090000	4.97	2.62	6.60	4.08	16.46	0.53	1.83	0.29	1.54	0.00	19.06	69.47	0.00	0.00	16.35
100000	5.05	2.48	5.86	3.43	21.17	0.52	1.86	0.25	1.61	0.00	19.07	69.54	0.00	0.00	11.97
110000	4.99	2.53	6.09	3.63	23.98	0.49	1.86	0.27	1.59	0.00	19.09	69.61	0.00	0.00	16.36
120000	5.09	2.52	4.78	2.31	14.65	0.40	1.82	0.21	1.61	0.00	19.06	69.61	0.00	0.00	20.84
130000	5.05	2.64	4.39	1.79	13.09	0.35	1.73	0.27	1.46	0.00	19.07	69.61	0.00	0.00	10.29
140000	5.29	2.42	3.98	1.57	13.02	0.35	1.79	0.20	1.59	0.00	19.10	69.61	0.00	0.00	24.24
150000	5.17	2.48	4.15	1.72	12.36	0.35	1.79	0.18	1.61	0.00	19.09	69.61	0.00	0.00	18.35
160000	5.10	2.44	4.14	1.74	11.49	0.34	1.77	0.22	1.55	0.00	19.09	69.57	0.00	0.00	12.60
170000	5.09	2.56	4.44	1.93	13.44	0.33	1.78	0.21	1.57	0.00	19.10	69.61	0.00	0.00	12.32
180000	5.30	2.73	4.99	2.27	12.95	0.32	1.80	0.18	1.62	0.00	19.08	69.59	0.00	0.00	10.79
190000	5.22	2.97	6.49	3.60	12.44	0.34	1.83	0.21	1.62	0.00	19.07	69.56	0.00	0.00	9.46
200000	5.25	2.97	8.11	5.25	10.66	0.38	1.87	0.28	1.59	0.00	19.08	69.48	0.00	0.00	13.27
210000	5.18	2.93	8.67	5.85	8.72	0.40	1.91	0.29	1.62	0.00	19.07	69.47	0.00	0.00	20.88
220000	5.22	2.76	8.42	5.78	9.02	0.40	2.01	0.25	1.76	0.00	19.06	69.47	0.00	0.00	20.99
230000	5.34	2.99	9.04	6.19	9.24	0.41	2.14	0.26	1.88	0.00	19.07	69.47	0.00	0.00	16.68
極大值	5.34	5.04	10.18	6.19	23.98	0.53	2.44	0.35	2.11	0.00	19.13	69.61	0.00	0.00	24.45
極小值	4.97	2.42	3.98	1.57	6.88	0.32	1.73	0.18	1.46	0.00	19.06	69.47	0.00	0.00	9.46
平均值	5.15	2.93	6.78	3.93	11.31	0.40	1.95	0.26	1.69	0.00	19.08	69.52	0.00	0.00	16.50
標準差	0.09	0.62	1.86	1.54	4.47	0.06	0.19	0.05	0.16	0	0.02	0.06	0	0	4.46

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.43	4.26	12.32	8.27	9.70	0.44	2.31	0.29	2.02	0.00	19.06	69.47	0.00	0.00	21.56
010000	5.40	4.97	13.37	8.67	9.92	0.46	2.39	0.30	2.09	0.00	19.03	69.47	0.00	0.00	16.04
020000	5.45	3.56	10.30	6.90	9.68	0.44	2.32	0.28	2.04	0.00	19.02	69.47	0.00	0.00	20.31
030000	5.45	3.41	9.44	6.19	9.46	0.43	2.53	0.30	2.23	0.00	19.00	69.47	0.00	0.00	19.78
040000	5.32	3.84	9.77	6.11	9.67	0.43	2.48	0.30	2.18	0.00	19.00	69.47	0.00	0.00	20.95
050000	5.16	2.83	5.11	2.33	8.89	0.34	1.89	0.25	1.64	0.00	19.00	69.47	0.00	0.00	7.99
060000	5.16	2.69	5.35	2.72	9.19	0.35	1.84	0.24	1.60	0.00	19.01	69.47	0.00	0.00	5.86
070000	5.29	3.90	8.16	4.39	7.35	0.39	2.18	0.27	1.91	0.00	19.02	69.47	0.00	0.00	7.92
080000	5.30	3.30	6.73	3.52	8.69	0.37	1.98	0.22	1.76	0.00	19.02	69.47	0.00	0.00	12.71
090000	5.24	2.86	5.82	3.01	10.33	0.38	1.93	0.22	1.71	0.00	18.97	69.47	0.00	0.00	15.31
100000	5.04	2.71	5.03	2.36	12.23	0.38	1.89	0.21	1.68	0.00	18.95	69.47	0.00	0.00	14.19
110000	5.16	2.63	4.56	1.93	13.22	0.37	1.82	0.20	1.62	0.00	18.96	69.47	0.00	0.00	14.42
120000	5.01	2.56	4.24	1.72	15.00	0.34	1.77	0.23	1.54	0.00	18.97	69.57	0.00	0.00	15.15
130000	5.02	2.73	4.80	2.12	13.83	0.34	1.74	0.27	1.47	0.00	18.98	69.55	0.00	0.00	24.72
140000	5.13	2.61	4.44	1.87	13.12	0.33	1.79	0.21	1.58	0.00	18.96	69.48	0.00	0.00	2.79
150000	5.06	2.47	4.09	1.63	15.21	0.31	1.80	0.19	1.61	0.00	18.97	69.47	0.00	0.00	4.95
160000	5.19	2.61	4.71	2.14	12.32	0.33	1.78	0.25	1.53	0.00	18.99	69.47	0.00	0.00	4.64
170000	5.15	2.67	5.65	3.07	10.42	0.35	1.84	0.23	1.61	0.00	18.99	69.47	0.00	0.00	2.24
180000	5.20	2.92	7.02	4.17	9.01	0.37	1.85	0.26	1.59	0.00	19.01	69.47	0.00	0.00	1.14
190000	5.21	2.47	4.54	2.12	12.05	0.31	1.81	0.19	1.62	0.00	18.98	69.47	0.00	0.00	1.76
200000	5.12	2.38	4.19	1.84	12.71	0.31	1.81	0.20	1.61	0.00	18.96	69.47	0.00	0.00	5.03
210000	5.20	2.43	5.39	3.01	11.40	0.34	1.92	0.22	1.70	0.00	18.98	69.47	0.00	0.00	5.08
220000	5.14	2.32	4.22	1.96	11.74	0.32	1.83	0.20	1.63	0.00	18.92	69.47	0.00	0.00	2.90
230000	5.03	2.35	3.98	1.65	11.91	0.31	1.78	0.23	1.55	0.00	18.88	69.44	0.00	0.00	2.96
極大值	5.45	4.97	13.37	8.67	15.21	0.46	2.53	0.30	2.23	0.00	19.06	69.57	0.00	0.00	24.72
極小值	5.01	2.32	3.98	1.63	7.35	0.31	1.74	0.19	1.47	0.00	18.88	69.44	0.00	0.00	1.14
平均值	5.20	2.98	6.38	3.49	11.13	0.36	1.97	0.24	1.73	0.00	18.98	69.48	0.00	0.00	10.43
標準差	0.13	0.68	2.73	2.15	2.08	0.05	0.25	0.04	0.22	0	0.04	0.03	0	0	7.49

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.07	2.34	5.17	2.89	9.72	0.30	1.89	0.21	1.68	0.00	18.79	69.33	0.00	0.00	3.74
010000	4.99	2.36	4.10	1.77	10.60	0.27	1.83	0.20	1.63	0.00	18.78	69.33	0.00	0.00	7.58
020000	5.05	2.39	4.86	2.55	9.84	0.28	1.96	0.22	1.74	0.00	18.78	69.33	0.00	0.00	12.86
030000	4.98	2.30	4.13	1.88	10.40	0.27	1.88	0.21	1.67	0.00	18.85	69.33	0.00	0.00	9.26
040000	4.99	2.37	4.08	1.74	8.67	0.28	1.90	0.21	1.69	0.00	21.31	69.35	0.00	0.00	5.85
050000	4.90	2.41	4.52	2.14	9.16	0.28	1.87	0.23	1.64	0.00	21.12	69.35	0.00	0.00	2.66
060000	4.93	2.52	5.19	2.72	9.93	0.29	1.91	0.23	1.68	0.00	20.90	69.33	0.00	0.00	1.37
070000	5.00	2.56	5.27	2.80	9.41	0.29	1.94	0.22	1.72	0.00	20.80	69.34	0.00	0.00	2.75
080000	4.98	2.77	5.45	2.73	9.37	0.30	1.94	0.23	1.71	0.00	20.76	69.33	0.00	0.00	0.20
090000	4.98	2.67	5.41	2.79	10.07	0.31	1.91	0.22	1.69	0.00	20.67	69.33	0.00	0.00	0.20
100000	5.00	2.78	5.40	2.68	10.26	0.29	1.89	0.28	1.61	0.00	20.59	69.33	0.00	0.00	0.20
110000	5.08	2.75	4.88	2.16	8.91	0.30	1.91	0.23	1.68	0.00	20.51	69.38	0.00	0.00	0.20
120000	4.95	2.61	4.57	1.98	10.59	0.33	1.85	0.20	1.65	0.00	20.52	69.47	0.00	0.00	0.39
130000	4.86	2.48	3.59	1.14	15.26	0.31	1.81	0.19	1.62	0.00	20.55	69.47	0.00	0.00	2.00
140000	4.82	2.41	3.60	1.23	16.95	0.30	1.72	0.28	1.44	0.00	20.53	69.47	0.00	0.00	6.11
150000	4.85	2.41	3.83	1.44	16.18	0.32	1.80	0.20	1.60	0.00	20.47	69.47	0.00	0.00	8.34
160000	4.88	2.34	3.60	1.27	17.49	0.31	1.81	0.18	1.63	0.00	20.44	69.47	0.00	0.00	2.87
170000	4.93	2.47	3.72	1.27	17.39	0.32	1.81	0.18	1.63	0.00	20.47	69.48	0.00	0.00	0.63
180000	4.78	2.35	3.67	1.35	19.44	0.32	1.79	0.21	1.58	0.00	20.38	69.48	0.00	0.00	5.07
190000	4.82	2.28	3.27	1.00	22.11	0.31	1.79	0.21	1.58	0.00	20.29	69.48	0.00	0.00	18.10
200000	4.84	2.22	3.18	0.97	22.00	0.32	1.80	0.18	1.62	0.00	20.23	69.58	0.00	0.00	30.96
210000	4.81	2.33	3.18	0.86	21.86	0.32	1.80	0.18	1.62	0.00	20.12	69.50	0.00	0.00	39.85
220000	4.76	2.25	3.16	0.93	21.73	0.31	1.81	0.20	1.61	0.00	20.03	69.47	0.00	0.00	35.68
230000	4.71	2.21	3.00	0.80	24.63	0.30	1.80	0.20	1.60	0.00	19.97	69.47	0.00	0.00	42.28
極大值	5.08	2.78	5.45	2.89	24.63	0.33	1.96	0.28	1.74	0.00	21.31	69.58	0.00	0.00	42.28
極小值	4.71	2.21	3.00	0.80	8.67	0.27	1.72	0.18	1.44	0.00	18.78	69.33	0.00	0.00	0.20
平均值	4.92	2.44	4.20	1.80	14.25	0.30	1.85	0.21	1.64	0.00	20.24	69.41	0.00	0.00	9.96
標準差	0.1	0.17	0.83	0.73	5.39	0.02	0.06	0.03	0.06	0	0.73	0.08	0	0	13.3

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.67	2.28	3.13	0.86	21.66	0.30	1.75	0.25	1.50	0.00	19.94	69.43	0.00	0.00	47.89
010000	4.68	2.31	3.61	1.33	18.11	0.30	1.78	0.24	1.54	0.00	19.92	69.33	0.00	0.00	21.36
020000	4.77	2.24	3.24	1.02	18.71	0.29	1.81	0.20	1.61	0.00	19.96	69.37	0.00	0.00	36.76
030000	4.78	2.38	4.33	2.00	14.00	0.31	1.86	0.23	1.63	0.00	19.93	69.34	0.00	0.00	14.76
040000	4.77	2.37	3.91	1.62	13.64	0.30	1.85	0.21	1.64	0.00	19.92	69.34	0.00	0.00	6.84
050000	4.83	2.44	3.97	1.56	13.40	0.29	1.79	0.30	1.49	0.00	19.94	69.33	0.00	0.00	5.76
060000	4.73	2.45	4.68	2.26	13.16	0.32	1.85	0.23	1.62	0.00	19.96	69.33	0.00	0.00	2.09
070000	4.72	2.58	4.50	1.95	12.52	0.30	1.86	0.21	1.65	0.00	19.92	69.33	0.00	0.00	0.20
080000	4.68	2.80	5.64	2.91	11.90	0.34	1.85	0.22	1.63	0.00	19.89	69.35	0.00	0.00	0.20
090000	4.79	2.77	5.81	3.12	12.50	0.37	1.80	0.27	1.53	0.00	19.88	69.36	0.00	0.00	0.55
100000	4.77	2.70	5.44	2.82	14.14	0.38	1.84	0.24	1.60	0.00	25.25	69.45	0.00	0.00	4.12
110000	4.69	2.64	6.30	3.74	19.55	0.42	1.87	0.25	1.62	0.00	25.16	69.50	0.00	0.00	13.04
120000	4.80	2.57	5.83	3.33	19.21	0.47	1.85	0.29	1.56	0.00	24.81	69.60	0.00	0.00	9.14
130000	4.79	2.58	7.45	4.98	20.63	0.48	1.87	0.30	1.57	0.00	24.81	69.61	0.00	0.00	10.08
140000	4.70	2.47	4.84	2.41	23.38	0.40	1.84	0.21	1.63	0.00	24.90	69.61	0.00	0.00	21.45
150000	4.80	2.49	5.50	3.08	18.20	0.40	1.84	0.21	1.63	0.00	24.88	69.61	0.00	0.00	36.46
160000	4.80	2.41	5.55	3.23	16.95	0.43	1.80	0.31	1.49	0.00	24.86	69.61	0.00	0.00	26.90
170000	4.73	2.39	5.23	2.90	14.84	0.42	1.85	0.23	1.62	0.00	24.80	69.61	0.00	0.00	14.60
180000	4.71	2.34	4.25	1.96	15.43	0.39	1.83	0.20	1.63	0.00	24.81	69.61	0.00	0.00	10.66
190000	4.73	2.42	4.61	2.21	13.34	0.39	1.83	0.20	1.63	0.00	24.84	69.61	0.00	0.00	23.26
200000	4.80	2.52	5.97	3.53	11.47	0.52	1.80	0.29	1.51	0.00	24.52	69.61	0.00	0.00	28.13
210000	4.81	2.50	7.67	5.29	10.55	0.47	1.93	0.29	1.64	0.00	24.35	69.61	0.00	0.00	24.23
220000	4.86	2.51	5.60	3.14	11.38	0.41	1.93	0.25	1.68	0.00	24.42	69.61	0.00	0.00	62.99
230000	4.69	2.35	4.42	2.13	14.58	0.37	1.85	0.21	1.64	0.00	24.50	69.56	0.00	0.00	37.83
極大值	4.86	2.80	7.67	5.29	23.38	0.52	1.93	0.31	1.68	0.00	25.25	69.61	0.00	0.00	62.99
極小值	4.67	2.24	3.13	0.86	10.55	0.29	1.75	0.20	1.49	0.00	19.88	69.33	0.00	0.00	0.20
平均值	4.75	2.48	5.06	2.64	15.55	0.38	1.84	0.24	1.60	0.00	22.76	69.49	0.00	0.00	19.14
標準差	0.05	0.15	1.17	1.1	3.58	0.07	0.04	0.04	0.06	0	2.45	0.13	0	0	16.34

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.75	2.35	3.76	1.45	14.28	0.35	1.84	0.20	1.64	0.00	24.40	69.47	0.00	0.00	38.11
010000	4.72	2.28	3.97	1.73	14.33	0.34	1.84	0.20	1.64	0.00	24.46	69.47	0.00	0.00	19.56
020000	4.79	2.29	3.64	1.38	14.17	0.34	1.83	0.20	1.63	0.00	24.30	69.47	0.00	0.00	15.23
030000	4.73	2.34	3.45	1.15	15.08	0.34	1.83	0.20	1.63	0.00	24.31	69.47	0.00	0.00	19.01
040000	4.69	2.25	3.83	1.63	13.90	0.33	1.77	0.26	1.51	0.00	24.39	69.47	0.00	0.00	29.74
050000	4.77	2.39	4.49	2.14	11.67	0.36	1.78	0.27	1.51	0.00	24.38	69.47	0.00	0.00	26.80
060000	4.78	2.60	5.66	3.12	11.22	0.36	1.85	0.26	1.59	0.00	24.56	69.47	0.00	0.00	11.64
070000	4.85	2.98	7.24	4.33	10.78	0.41	1.91	0.37	1.54	0.00	24.64	69.47	0.00	0.00	23.28
080000	4.83	2.88	6.74	3.94	13.57	0.43	1.86	0.29	1.57	0.00	24.62	69.47	0.00	0.00	33.00
090000	4.82	2.66	6.02	3.42	17.89	0.40	1.81	0.29	1.52	0.00	24.79	69.53	0.00	0.00	20.14
100000	4.87	2.66	5.87	3.29	16.18	0.39	1.81	0.29	1.52	0.00	24.86	69.57	0.00	0.00	19.05
110000	4.99	2.96	7.62	4.77	18.60	0.48	1.84	0.31	1.53	0.00	24.87	69.56	0.00	0.00	12.74
120000	4.86	2.75	6.97	4.29	17.84	0.49	1.85	0.28	1.57	0.00	24.87	69.61	0.00	0.00	14.38
130000	4.90	2.91	7.35	4.51	17.53	0.50	1.81	0.30	1.51	0.00	24.82	69.61	0.00	0.00	18.06
140000	4.89	3.33	9.13	5.97	16.09	0.50	1.85	0.26	1.59	0.00	24.81	69.61	0.00	0.00	14.89
150000	4.87	2.87	6.95	4.17	13.63	0.46	1.82	0.29	1.53	0.00	24.77	69.61	0.00	0.00	13.65
160000	4.95	2.62	5.78	3.21	13.43	0.44	1.80	0.28	1.52	0.00	24.73	69.61	0.00	0.00	14.18
170000	4.93	2.49	5.42	3.00	12.85	0.44	1.85	0.21	1.64	0.00	24.68	69.61	0.00	0.00	17.00
180000	4.97	2.49	5.70	3.27	12.44	0.42	1.86	0.23	1.63	0.00	24.57	69.61	0.00	0.00	37.68
190000	4.90	2.46	5.00	2.61	12.11	0.42	1.86	0.22	1.64	0.00	24.48	69.61	0.00	0.00	27.78
200000	4.91	2.42	4.81	2.44	12.23	0.41	1.82	0.25	1.57	0.00	24.56	69.61	0.00	0.00	58.90
210000	4.93	2.32	4.05	1.77	11.62	0.40	1.78	0.27	1.51	0.00	24.53	69.61	0.00	0.00	28.77
220000	4.90	2.43	4.13	1.75	11.24	0.40	1.83	0.23	1.60	0.00	24.55	69.61	0.00	0.00	26.69
230000	4.96	2.41	4.29	1.93	12.87	0.38	1.89	0.21	1.68	0.00	24.53	69.61	0.00	0.00	37.93
極大值	4.99	3.33	9.13	5.97	18.60	0.50	1.91	0.37	1.68	0.00	24.87	69.61	0.00	0.00	58.90
極小值	4.69	2.25	3.45	1.15	10.78	0.33	1.77	0.20	1.51	0.00	24.30	69.47	0.00	0.00	11.64
平均值	4.86	2.59	5.49	2.97	13.98	0.41	1.83	0.26	1.58	0.00	24.60	69.55	0.00	0.00	24.09
標準差	0.08	0.28	1.52	1.28	2.31	0.05	0.03	0.04	0.05	0	0.18	0.07	0	0	11.17

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.03	2.58	6.21	3.71	12.49	0.39	2.12	0.26	1.86	0.00	24.49	69.61	0.00	0.00	27.05
010000	5.18	2.68	6.64	4.03	12.46	0.38	2.07	0.31	1.76	0.00	24.46	69.58	0.00	0.00	29.56
020000	5.09	2.67	6.21	3.64	12.18	0.37	2.09	0.31	1.78	0.00	24.51	69.59	0.00	0.00	33.91
030000	5.10	2.78	6.08	3.38	11.45	0.36	2.24	0.27	1.97	0.00	24.49	69.56	0.00	0.00	31.51
040000	5.04	2.77	6.01	3.30	11.03	0.35	2.07	0.26	1.81	0.00	24.53	69.61	0.00	0.00	24.94
050000	4.87	2.70	5.02	2.38	10.89	0.34	1.94	0.23	1.71	0.00	24.52	69.61	0.00	0.00	21.40
060000	4.89	2.57	5.25	2.74	11.26	0.34	1.77	0.30	1.47	0.00	24.50	69.61	0.00	0.00	25.93
070000	4.94	2.63	4.97	2.38	12.41	0.37	1.84	0.23	1.61	0.00	24.52	69.61	0.00	0.00	43.36
080000	4.90	2.71	5.00	2.33	15.10	0.35	1.86	0.20	1.66	0.00	24.37	69.61	0.00	0.00	44.38
090000	4.99	2.72	5.45	2.81	13.79	0.35	1.85	0.20	1.65	0.00	24.36	69.61	0.00	0.00	48.92
100000	4.89	2.80	4.93	2.17	48.36	0.35	1.81	0.24	1.57	0.00	24.39	69.61	0.00	0.00	50.98
110000	4.84	2.69	4.82	2.15	19.16	0.36	1.84	0.20	1.64	0.00	24.38	69.66	0.00	0.00	43.00
120000	4.89	2.61	4.63	2.06	14.73	0.40	1.84	0.18	1.66	0.00	24.31	69.62	0.00	0.00	61.79
130000	4.86	2.58	4.25	1.69	15.04	0.41	1.83	0.18	1.65	0.00	24.28	69.61	0.00	0.00	61.01
140000	4.93	2.64	4.32	1.71	14.88	0.42	1.79	0.23	1.56	0.00	24.28	69.61	0.00	0.00	57.38
150000	4.88	2.55	3.97	1.45	12.61	0.43	1.80	0.23	1.57	0.00	24.29	69.61	0.00	0.00	59.08
160000	4.92	2.59	4.16	1.60	12.50	0.44	1.83	0.19	1.64	0.00	24.21	69.60	0.00	0.00	55.36
170000	4.95	2.49	4.31	1.84	12.58	0.45	1.84	0.19	1.65	0.00	24.13	69.61	0.00	0.00	38.07
180000	4.81	2.31	4.24	2.00	11.62	0.45	1.79	0.26	1.53	0.00	24.08	69.61	0.00	0.00	35.53
190000	4.91	2.45	4.15	1.78	10.37	0.43	1.82	0.23	1.59	0.00	24.06	69.61	0.00	0.00	57.63
200000	4.92	2.45	4.14	1.72	10.84	0.42	1.85	0.20	1.65	0.00	24.04	69.60	0.00	0.00	45.54
210000	4.85	2.38	3.82	1.47	12.24	0.40	1.84	0.19	1.65	0.00	24.04	69.61	0.00	0.00	37.18
220000	4.90	2.36	3.84	1.51	11.66	0.40	1.84	0.19	1.65	0.00	24.02	69.61	0.00	0.00	49.60
230000	4.84	2.34	4.02	1.71	11.72	0.38	1.86	0.19	1.67	0.00	24.07	69.59	0.00	0.00	37.86
極大值	5.18	2.80	6.64	4.03	48.36	0.45	2.24	0.31	1.97	0.00	24.53	69.66	0.00	0.00	61.79
極小值	4.81	2.31	3.82	1.45	10.37	0.34	1.77	0.18	1.47	0.00	24.02	69.56	0.00	0.00	21.40
平均值	4.93	2.59	4.85	2.32	14.22	0.39	1.89	0.23	1.66	0.00	24.31	69.61	0.00	0.00	42.54
標準差	0.09	0.14	0.85	0.78	7.52	0.04	0.13	0.04	0.11	0	0.18	0.02	0	0	12.39

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.82	2.43	3.66	1.25	16.91	0.33	1.84	0.19	1.65	0.00	24.09	69.61	0.00	0.00	16.53
010000	4.84	2.34	3.57	1.24	15.72	0.31	1.82	0.20	1.62	0.00	24.03	69.60	0.00	0.00	19.75
020000	4.82	2.39	3.62	1.27	15.62	0.31	1.83	0.19	1.64	0.00	23.72	69.61	0.00	0.00	24.11
030000	4.79	2.43	3.56	1.17	15.95	0.31	1.83	0.20	1.63	0.00	23.61	69.61	0.00	0.00	27.82
040000	4.81	2.44	3.78	1.38	16.21	0.31	1.80	0.25	1.55	0.00	23.59	69.59	0.00	0.00	35.10
050000	4.85	2.37	3.48	1.17	17.70	0.31	1.80	0.23	1.57	0.00	23.61	69.60	0.00	0.00	27.29
060000	4.86	2.46	4.21	1.80	16.69	0.32	1.80	0.24	1.56	0.00	23.69	69.61	0.00	0.00	19.06
070000	4.83	2.54	4.96	2.49	15.34	0.33	1.84	0.21	1.63	0.00	23.69	69.61	0.00	0.00	30.51
080000	4.83	2.53	4.66	2.18	14.38	0.34	1.81	0.20	1.61	0.00	23.67	69.59	0.00	0.00	25.06
090000	4.77	2.47	4.11	1.67	13.39	0.33	1.81	0.19	1.62	0.00	23.64	69.59	0.00	0.00	63.74
100000	4.72	2.63	4.61	2.02	11.55	0.34	1.82	0.20	1.62	0.00	23.64	69.59	0.00	0.00	56.04
110000	4.72	2.59	4.47	1.94	10.62	0.35	1.78	0.26	1.52	0.00	23.72	69.60	0.00	0.00	47.94
120000	4.79	2.57	6.01	3.50	12.70	0.43	1.86	0.23	1.63	0.00	23.64	69.61	0.00	0.00	63.88
130000	4.86	2.59	7.44	4.95	14.07	0.42	1.89	0.22	1.67	0.00	23.63	69.57	0.00	0.00	10.39
140000	4.79	2.53	5.23	2.75	13.53	0.41	1.90	0.21	1.69	0.00	23.59	69.55	0.00	0.00	5.79
150000	4.85	2.50	5.59	3.15	12.37	0.42	1.86	0.28	1.58	0.00	23.58	69.51	0.00	0.00	3.86
160000	4.79	2.38	5.04	2.72	16.35	0.40	1.87	0.21	1.66	0.00	23.59	69.49	0.00	0.00	2.00
170000	4.81	2.37	5.58	3.30	19.10	0.41	1.82	0.25	1.57	0.00	23.57	69.47	0.00	0.00	0.20
180000	4.72	2.43	5.67	3.31	15.19	0.42	1.88	0.22	1.66	0.00	23.55	69.47	0.00	0.00	0.41
190000	4.78	2.42	6.38	4.05	13.30	0.43	1.94	0.23	1.71	0.00	23.54	69.48	0.00	0.00	1.02
200000	4.87	2.40	5.90	3.58	12.08	0.42	1.97	0.22	1.75	0.00	23.42	69.47	0.00	0.00	0.20
210000	4.91	2.42	4.73	2.36	11.77	0.42	1.95	0.24	1.71	0.00	23.44	69.47	0.00	0.00	0.20
220000	4.83	2.42	5.36	3.01	10.81	0.42	1.87	0.31	1.56	0.00	23.56	69.48	0.00	0.00	0.20
230000	4.71	2.29	4.19	1.94	11.23	0.40	1.94	0.23	1.71	0.00	23.54	69.48	0.00	0.00	0.20
極大值	4.91	2.63	7.44	4.95	19.10	0.43	1.97	0.31	1.75	0.00	24.09	69.61	0.00	0.00	63.88
極小值	4.71	2.29	3.48	1.17	10.62	0.31	1.78	0.19	1.52	0.00	23.42	69.47	0.00	0.00	0.20
平均值	4.81	2.46	4.83	2.42	14.27	0.37	1.86	0.23	1.63	0.00	23.64	69.55	0.00	0.00	20.05
標準差	0.05	0.09	1.03	1.02	2.34	0.05	0.05	0.03	0.06	0	0.15	0.06	0	0	20.86

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.86	2.42	4.35	1.98	11.84	0.41	2.00	0.21	1.79	0.00	23.54	69.47	0.00	0.00	0.20
010000	4.83	2.43	4.03	1.64	10.74	0.40	1.94	0.20	1.74	0.00	23.55	69.49	0.00	0.00	2.18
020000	4.80	2.47	4.52	2.12	11.16	0.41	1.90	0.24	1.66	0.00	23.62	69.49	0.00	0.00	10.49
030000	4.86	2.45	4.16	1.77	11.87	0.41	1.86	0.24	1.62	0.00	23.55	69.50	0.00	0.00	11.42
040000	4.83	2.38	3.70	1.35	10.33	0.40	1.86	0.20	1.66	0.00	23.54	69.50	0.00	0.00	10.99
050000	4.78	2.40	4.25	1.90	11.10	0.40	1.90	0.21	1.69	0.00	23.50	69.49	0.00	0.00	6.11
060000	4.79	2.74	6.09	3.41	11.41	0.43	1.92	0.22	1.70	0.00	23.42	69.47	0.00	0.00	1.26
070000	4.81	3.95	8.83	5.05	11.20	0.49	1.94	0.23	1.71	0.00	23.35	69.51	0.00	0.00	3.71
080000	4.89	3.99	8.07	4.20	9.34	0.50	1.98	0.24	1.74	0.00	23.30	69.54	0.00	0.00	7.65
090000	4.80	2.85	5.47	2.67	11.66	0.44	1.77	0.30	1.47	0.00	23.30	69.59	0.00	0.00	12.04
100000	4.77	2.54	4.32	1.82	11.52	0.43	1.81	0.23	1.58	0.00	23.26	69.61	0.00	0.00	12.04
110000	4.74	2.49	3.99	1.53	12.28	0.43	1.83	0.20	1.63	0.00	23.27	69.61	0.00	0.00	12.76
120000	4.71	2.51	3.99	1.52	13.57	0.43	1.81	0.22	1.59	0.00	23.30	69.60	0.00	0.00	23.72
130000	4.77	2.51	3.79	1.30	12.35	0.43	1.82	0.20	1.62	0.00	23.27	69.61	0.00	0.00	19.49
140000	4.72	2.36	3.82	1.51	13.22	0.44	1.83	0.19	1.64	0.00	23.19	69.61	0.00	0.00	18.83
150000	4.75	2.45	4.03	1.62	12.62	0.45	1.78	0.26	1.52	0.00	23.18	69.61	0.00	0.00	19.59
160000	4.83	2.48	4.55	2.11	11.55	0.46	1.81	0.24	1.57	0.00	23.11	69.61	0.00	0.00	20.46
170000	4.91	2.53	5.03	2.54	9.28	0.46	1.90	0.21	1.69	0.00	22.77	69.58	0.00	0.00	22.14
180000	5.07	2.74	6.49	3.82	9.34	0.48	1.95	0.23	1.72	0.00	22.73	69.60	0.00	0.00	24.67
190000	5.08	2.58	5.96	3.44	8.84	0.46	1.95	0.22	1.73	0.00	22.67	69.59	0.00	0.00	14.32
200000	5.02	2.45	4.85	2.45	9.20	0.45	1.89	0.25	1.64	0.00	22.43	69.57	0.00	0.00	26.75
210000	4.88	2.47	4.64	2.23	9.90	0.45	1.90	0.23	1.67	0.00	22.34	69.57	0.00	0.00	27.51
220000	5.07	2.50	5.27	2.83	9.52	0.44	1.97	0.22	1.75	0.00	22.40	69.54	0.00	0.00	33.80
230000	4.88	2.44	5.68	3.28	9.47	0.44	1.93	0.22	1.71	0.00	22.37	69.53	0.00	0.00	25.43
極大值	5.08	3.99	8.83	5.05	13.57	0.50	2.00	0.30	1.79	0.00	23.62	69.61	0.00	0.00	33.80
極小值	4.71	2.36	3.70	1.30	8.84	0.40	1.77	0.19	1.47	0.00	22.34	69.47	0.00	0.00	0.20
平均值	4.85	2.63	5.00	2.42	10.97	0.44	1.89	0.23	1.66	0.00	23.12	69.55	0.00	0.00	15.32
標準差	0.11	0.43	1.33	0.99	1.37	0.03	0.07	0.02	0.08	0	0.42	0.05	0	0	9.24

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.93	2.51	4.81	2.37	10.92	0.43	1.92	0.24	1.68	0.00	22.36	69.51	0.00	0.00	25.56
010000	4.92	2.45	4.80	2.40	10.41	0.43	1.92	0.23	1.69	0.00	22.39	69.52	0.00	0.00	30.42
020000	4.86	2.50	4.53	2.07	10.51	0.42	1.92	0.25	1.67	0.00	22.36	69.51	0.00	0.00	28.85
030000	5.00	2.40	4.19	1.82	10.81	0.42	1.92	0.21	1.71	0.00	22.26	69.51	0.00	0.00	18.11
040000	4.92	2.56	5.01	2.49	10.47	0.42	1.93	0.22	1.71	0.00	22.25	69.50	0.00	0.00	21.81
050000	4.92	2.64	5.78	3.21	10.23	0.44	1.87	0.34	1.53	0.00	22.25	69.48	0.00	0.00	23.27
060000	4.94	3.49	6.98	3.58	9.15	0.46	1.95	0.27	1.68	0.00	22.25	69.52	0.00	0.00	22.78
070000	4.94	2.99	5.36	2.41	9.03	0.45	1.86	0.22	1.64	0.00	22.21	69.59	0.00	0.00	22.53
080000	4.81	2.61	4.07	1.47	9.96	0.45	1.79	0.22	1.57	0.00	22.25	69.57	0.00	0.00	20.53
090000	4.83	2.56	4.02	1.49	9.19	0.47	1.80	0.21	1.59	0.00	22.24	69.52	0.00	0.00	21.28
100000	5.00	2.59	4.05	1.50	10.21	0.50	1.74	0.28	1.46	0.00	22.24	69.47	0.00	0.00	21.65
110000	4.87	2.81	4.75	2.01	10.76	0.53	1.78	0.24	1.54	0.00	22.23	69.47	0.00	0.00	22.37
120000	4.82	2.50	3.96	1.51	12.08	0.52	1.81	0.21	1.60	0.00	22.20	69.47	0.00	0.00	34.36
130000	4.87	2.47	3.84	1.40	11.78	0.53	1.76	0.26	1.50	0.00	22.16	69.47	0.00	0.00	29.07
140000	4.80	2.48	3.80	1.36	12.90	0.53	1.77	0.25	1.52	0.00	22.19	69.47	0.00	0.00	27.76
150000	4.82	2.54	4.06	1.54	12.34	0.51	1.79	0.22	1.57	0.00	22.21	69.47	0.00	0.00	34.25
160000	4.84	2.45	4.16	1.71	12.99	0.52	1.81	0.21	1.60	0.00	22.26	69.47	0.00	0.00	34.94
170000	4.95	2.45	4.47	2.05	11.52	0.53	1.82	0.22	1.60	0.00	22.23	69.47	0.00	0.00	34.81
180000	4.98	2.46	4.26	1.84	10.91	0.49	1.76	0.26	1.50	0.00	22.22	69.48	0.00	0.00	34.66
190000	4.94	2.39	4.63	2.27	10.34	0.48	1.82	0.21	1.61	0.00	22.25	69.50	0.00	0.00	41.46
200000	4.93	2.43	4.55	2.17	9.58	0.48	1.81	0.22	1.59	0.00	22.29	69.52	0.00	0.00	37.54
210000	4.98	2.33	4.56	2.27	10.06	0.47	1.84	0.24	1.60	0.00	22.38	69.53	0.00	0.00	39.20
220000	5.17	2.70	7.50	4.89	9.74	0.53	2.33	0.27	2.06	0.00	22.19	69.51	0.00	0.00	39.53
230000	5.31	2.82	7.15	4.40	9.13	0.50	2.30	0.27	2.03	0.00	22.18	69.55	0.00	0.00	38.88
極大值	5.31	3.49	7.50	4.89	12.99	0.53	2.33	0.34	2.06	0.00	22.39	69.59	0.00	0.00	41.46
極小值	4.80	2.33	3.80	1.36	9.03	0.42	1.74	0.21	1.46	0.00	22.16	69.47	0.00	0.00	18.11
平均值	4.93	2.59	4.80	2.26	10.63	0.48	1.88	0.24	1.64	0.00	22.25	69.50	0.00	0.00	29.40
標準差	0.11	0.25	1.05	0.92	1.15	0.04	0.15	0.03	0.14	0	0.06	0.03	0	0	7.29

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.05	3.01	6.05	3.11	11.36	0.43	1.94	0.33	1.61	0.00	24.42	69.51	0.00	0.00	27.15
010000	5.05	3.07	5.37	2.35	12.65	0.39	1.91	0.23	1.68	0.00	24.71	69.55	0.00	0.00	20.31
020000	5.07	3.01	5.13	2.15	12.63	0.37	1.99	0.23	1.76	0.00	24.49	69.59	0.00	0.00	19.80
030000	5.06	3.07	4.94	1.89	11.91	0.36	1.83	0.29	1.54	0.00	24.04	69.59	0.00	0.00	23.54
040000	5.00	3.18	5.35	2.23	12.34	0.35	1.92	0.23	1.69	0.00	24.02	69.55	0.00	0.00	19.73
050000	5.20	3.88	6.05	2.25	11.91	0.38	2.29	0.30	1.99	0.00	24.22	69.50	0.00	0.00	18.76
060000	4.98	4.21	6.00	1.86	13.13	0.38	2.04	0.30	1.74	0.00	24.16	69.56	0.00	0.00	19.69
070000	4.96	3.83	5.66	1.88	11.32	0.41	1.97	0.25	1.72	0.00	24.29	69.59	0.00	0.00	21.76
080000	4.89	2.86	5.69	2.88	8.17	0.51	1.88	0.27	1.61	0.00	24.28	69.48	0.00	0.00	19.67
090000	4.92	2.54	5.50	3.02	11.55	0.55	1.87	0.32	1.55	0.00	24.37	69.47	0.00	0.00	21.49
100000	4.90	2.59	4.39	1.81	10.45	0.49	1.81	0.25	1.56	0.00	24.26	69.47	0.00	0.00	29.39
110000	4.91	2.56	4.18	1.66	11.47	0.49	1.83	0.22	1.61	0.00	24.43	69.53	0.00	0.00	13.66
120000	5.00	2.95	5.95	3.05	12.21	0.53	1.80	0.31	1.49	0.00	24.44	69.61	0.00	0.00	15.83
130000	4.98	3.45	7.88	4.56	12.84	0.60	1.84	0.34	1.50	0.00	24.48	69.61	0.00	0.00	19.70
140000	4.91	4.35	10.01	5.82	12.58	0.65	1.84	0.38	1.46	0.00	24.52	69.60	0.00	0.00	23.30
150000	4.91	4.03	9.48	5.61	12.60	0.61	1.82	0.38	1.44	0.00	24.70	69.49	0.00	0.00	26.65
160000	4.92	3.46	8.66	5.32	13.35	0.60	1.78	0.42	1.36	0.00	24.68	69.48	0.00	0.00	27.39
170000	4.94	3.20	8.59	5.51	11.03	0.58	1.84	0.36	1.48	0.00	24.67	69.49	0.00	0.00	31.16
180000	5.06	2.87	9.80	7.07	9.28	0.58	1.83	0.42	1.41	0.00	24.64	69.57	0.00	0.00	31.62
190000	5.19	2.99	11.33	8.52	7.45	0.56	1.84	0.38	1.46	0.00	24.74	69.61	0.00	0.00	33.53
200000	5.13	2.73	8.40	5.79	8.90	0.52	1.94	0.27	1.67	0.00	24.72	69.61	0.00	0.00	41.82
210000	5.34	2.70	7.30	4.68	9.62	0.53	2.03	0.31	1.72	0.00	24.71	69.61	0.00	0.00	53.54
220000	5.20	2.53	6.14	3.68	8.35	0.50	1.95	0.26	1.69	0.00	24.76	69.61	0.00	0.00	33.29
230000	5.14	2.66	6.27	3.68	10.45	0.47	1.88	0.32	1.56	0.00	24.86	69.61	0.00	0.00	32.92
極大值	5.34	4.35	11.33	8.52	13.35	0.65	2.29	0.42	1.99	0.00	24.86	69.61	0.00	0.00	53.54
極小值	4.89	2.53	4.18	1.66	7.45	0.35	1.78	0.22	1.36	0.00	24.02	69.47	0.00	0.00	13.66
平均值	5.03	3.16	6.84	3.77	11.15	0.49	1.90	0.31	1.60	0.00	24.48	69.55	0.00	0.00	26.07
標準差	0.12	0.55	1.96	1.9	1.7	0.09	0.11	0.06	0.14	0	0.24	0.05	0	0	8.92

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.18	2.79	7.22	4.53	11.89	0.44	2.20	0.27	1.93	0.00	24.89	69.61	0.00	0.00	47.84
010000	5.25	2.99	7.07	4.18	11.92	0.44	2.38	0.29	2.09	0.00	24.93	69.61	0.00	0.00	40.81
020000	5.10	2.94	5.52	2.64	11.90	0.40	2.12	0.26	1.86	0.00	24.78	69.61	0.00	0.00	30.72
030000	5.12	3.06	5.85	2.87	11.55	0.39	2.30	0.33	1.97	0.00	24.37	69.61	0.00	0.00	31.97
040000	5.11	3.19	6.10	2.97	10.23	0.39	2.20	0.27	1.93	0.00	24.38	69.60	0.00	0.00	27.69
050000	5.16	4.03	7.53	3.61	10.60	0.40	2.17	0.27	1.90	0.00	24.50	69.61	0.00	0.00	26.23
060000	5.21	4.62	7.60	3.09	10.73	0.41	2.04	0.28	1.76	0.00	24.52	69.61	0.00	0.00	27.68
070000	5.13	4.59	8.07	3.62	8.08	0.45	1.86	0.35	1.51	0.00	24.50	69.60	0.00	0.00	31.19
080000	5.07	3.62	6.99	3.49	8.56	0.46	1.89	0.24	1.65	0.00	24.47	69.50	0.00	0.00	29.03
090000	4.95	2.99	6.25	3.33	11.73	0.50	1.88	0.24	1.64	0.00	24.51	69.47	0.00	0.00	30.16
100000	5.15	4.78	12.76	8.23	11.17	0.56	1.86	0.35	1.51	0.00	24.48	69.50	0.00	0.00	30.35
110000	5.15	3.06	6.53	3.52	10.89	0.46	1.79	0.31	1.48	0.00	24.54	69.61	0.00	0.00	27.11
120000	5.13	3.37	8.33	5.08	14.81	0.59	1.84	0.27	1.57	0.00	24.50	69.61	0.00	0.00	18.32
130000	5.15	4.58	11.41	7.03	14.15	0.77	1.78	0.42	1.36	0.00	24.31	69.56	0.00	0.00	29.39
140000	5.16	7.60	16.64	9.39	9.78	1.00	1.84	0.32	1.52	0.00	24.24	69.49	0.00	0.00	28.39
150000	5.05	5.54	14.00	8.74	11.00	0.81	1.84	0.37	1.47	0.00	24.17	69.51	0.00	0.00	30.87
160000	5.11	4.23	11.69	7.68	11.66	0.68	1.84	0.47	1.37	0.00	24.16	69.55	0.00	0.00	30.36
170000	5.10	3.75	11.01	7.48	10.66	0.65	1.78	0.49	1.29	0.00	24.28	69.53	0.00	0.00	22.10
180000	5.21	2.99	10.88	8.08	8.95	0.57	1.87	0.29	1.58	0.00	24.24	69.60	0.00	0.00	26.20
190000	5.25	3.00	12.31	9.53	8.53	0.62	1.95	0.34	1.61	0.00	24.25	69.61	0.00	0.00	39.81
200000	5.29	2.78	9.76	7.11	8.88	0.61	1.87	0.47	1.40	0.00	24.23	69.61	0.00	0.00	66.02
210000	5.23	3.10	9.54	6.56	9.63	0.54	2.03	0.36	1.67	0.00	24.21	69.61	0.00	0.00	42.74
220000	5.25	2.84	9.04	6.32	9.56	0.55	2.18	0.32	1.86	0.00	24.24	69.61	0.00	0.00	34.24
230000	5.34	3.03	9.63	6.75	9.96	0.53	2.18	0.35	1.83	0.00	24.23	69.61	0.00	0.00	45.78
極大值	5.34	7.60	16.64	9.53	14.81	1.00	2.38	0.49	2.09	0.00	24.93	69.61	0.00	0.00	66.02
極小值	4.95	2.78	5.52	2.64	8.08	0.39	1.78	0.24	1.29	0.00	24.16	69.47	0.00	0.00	18.32
平均值	5.16	3.73	9.24	5.66	10.70	0.55	1.99	0.33	1.66	0.00	24.41	69.58	0.00	0.00	33.12
標準差	0.08	1.13	2.87	2.31	1.65	0.15	0.18	0.07	0.22	0	0.22	0.05	0	0	9.96

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.32	3.32	9.59	6.42	12.27	0.50	2.40	0.35	2.05	0.00	24.23	69.61	0.00	0.00	34.77
010000	5.37	3.35	8.36	5.13	11.65	0.48	2.45	0.33	2.12	0.00	24.22	69.60	0.00	0.00	36.21
020000	5.49	3.45	8.55	5.23	11.17	0.48	2.55	0.37	2.18	0.00	24.21	69.59	0.00	0.00	34.98
030000	5.50	3.73	8.99	5.39	10.41	0.48	2.86	0.39	2.47	0.00	24.24	69.61	0.00	0.00	29.48
040000	5.39	3.58	7.34	3.89	10.39	0.43	2.30	0.31	1.99	0.00	24.09	69.61	0.00	0.00	25.26
050000	5.33	3.58	7.33	3.83	9.49	0.41	2.13	0.28	1.85	0.00	24.19	69.61	0.00	0.00	15.70
060000	5.41	4.41	8.50	4.22	9.35	0.43	2.18	0.34	1.84	0.00	24.25	69.61	0.00	0.00	19.63
070000	5.37	5.43	9.80	4.54	7.78	0.45	2.06	0.35	1.71	0.00	24.20	69.61	0.00	0.00	20.64
080000	5.31	4.20	8.95	4.90	8.10	0.47	1.97	0.26	1.71	0.00	24.29	69.61	0.00	0.00	26.23
090000	5.15	4.14	8.86	4.86	10.12	0.44	1.90	0.24	1.66	0.00	24.31	69.61	0.00	0.00	25.54
100000	5.24	3.97	7.92	4.07	9.79	0.42	1.86	0.27	1.59	0.00	24.06	69.61	0.00	0.00	19.24
110000	5.35	3.71	7.90	4.33	7.96	0.43	1.89	0.28	1.61	0.00	24.05	69.61	0.00	0.00	10.30
120000	5.31	3.36	7.98	4.76	9.00	0.50	1.95	0.25	1.70	0.00	24.13	69.61	0.00	0.00	10.16
130000	5.32	3.81	8.67	4.99	10.28	0.50	1.86	0.36	1.50	0.00	24.23	69.61	0.00	0.00	10.24
140000	5.34	3.36	8.80	5.58	12.21	0.54	1.94	0.28	1.66	0.00	24.26	69.60	0.00	0.00	14.74
150000	5.29	3.51	9.99	6.64	14.02	0.62	1.92	0.34	1.58	0.00	24.43	69.58	0.00	0.00	21.92
160000	5.22	3.24	10.02	6.95	12.44	0.57	1.85	0.29	1.56	0.00	24.26	69.58	0.00	0.00	18.91
170000	5.25	2.88	8.22	5.44	10.02	0.56	1.76	0.38	1.38	0.00	24.25	69.61	0.00	0.00	25.06
180000	5.21	2.52	5.36	2.90	9.71	0.52	1.83	0.23	1.60	0.00	23.98	69.61	0.00	0.00	26.08
190000	5.24	2.53	6.16	3.72	8.72	0.50	1.84	0.23	1.61	0.00	24.01	69.61	0.00	0.00	50.92
200000	5.23	2.47	5.89	3.49	9.05	0.49	1.85	0.23	1.62	0.00	24.00	69.61	0.00	0.00	52.36
210000	5.21	2.49	5.40	2.96	9.90	0.50	1.81	0.30	1.51	0.00	24.10	69.61	0.00	0.00	43.68
220000	5.28	2.58	6.80	4.30	9.11	0.49	1.96	0.25	1.71	0.00	24.32	69.60	0.00	0.00	50.69
230000	5.36	2.62	6.42	3.89	10.64	0.49	2.11	0.26	1.85	0.00	24.35	69.59	0.00	0.00	50.44
極大值	5.50	5.43	10.02	6.95	14.02	0.62	2.86	0.39	2.47	0.00	24.43	69.61	0.00	0.00	52.36
極小值	5.15	2.47	5.36	2.90	7.78	0.41	1.76	0.23	1.38	0.00	23.98	69.58	0.00	0.00	10.16
平均值	5.31	3.43	7.99	4.68	10.15	0.49	2.05	0.30	1.75	0.00	24.19	69.60	0.00	0.00	28.05
標準差	0.09	0.72	1.39	1.06	1.54	0.05	0.28	0.05	0.25	0	0.12	0.01	0	0	13.47

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.26	2.83	5.93	3.19	13.37	0.44	2.23	0.28	1.95	0.00	24.06	69.61	0.00	0.00	31.56
010000	5.33	3.07	5.98	2.99	14.36	0.42	2.44	0.38	2.06	0.00	24.03	69.61	0.00	0.00	33.71
020000	5.36	3.28	6.16	2.98	13.02	0.43	2.19	0.29	1.90	0.00	23.88	69.61	0.00	0.00	30.61
030000	5.33	3.20	6.08	2.95	11.89	0.42	2.08	0.27	1.81	0.00	23.91	69.61	0.00	0.00	15.00
040000	5.32	3.32	6.16	2.92	11.06	0.41	2.01	0.26	1.75	0.00	24.29	69.61	0.00	0.00	17.26
050000	5.17	3.91	7.49	3.69	9.95	0.42	2.01	0.26	1.75	0.00	23.81	69.61	0.00	0.00	17.86
060000	5.31	5.50	8.98	3.63	10.05	0.44	2.09	0.36	1.73	0.00	23.85	69.61	0.00	0.00	23.15
070000	5.18	5.48	9.43	4.11	8.29	0.49	1.99	0.29	1.70	0.00	23.86	69.61	0.00	0.00	28.58
080000	5.24	4.61	8.27	3.80	8.22	0.48	1.95	0.27	1.68	0.00	23.83	69.61	0.00	0.00	31.19
090000	5.18	3.81	7.29	3.57	9.02	0.47	1.87	0.28	1.59	0.00	23.70	69.61	0.00	0.00	14.97
100000	5.19	4.16	8.95	4.94	9.14	0.47	1.85	0.29	1.56	0.00	23.78	69.61	0.00	0.00	13.55
110000	5.18	4.75	11.48	6.93	10.25	0.53	1.85	0.29	1.56	0.00	23.83	69.66	0.00	0.00	15.90
120000	5.12	4.08	11.53	7.66	12.11	0.65	1.85	0.30	1.55	0.00	23.70	69.63	0.00	0.00	25.40
130000	5.11	3.40	8.63	5.35	13.48	0.64	1.78	0.44	1.34	0.00	23.71	69.55	0.00	0.00	34.51
140000	5.08	2.97	7.62	4.71	14.29	0.61	1.84	0.39	1.45	0.00	23.70	69.48	0.00	0.00	19.07
150000	5.18	3.08	6.74	3.73	12.38	0.58	1.84	0.32	1.52	0.00	23.71	69.49	0.00	0.00	26.24
160000	5.28	3.25	7.10	3.95	11.89	0.57	1.81	0.32	1.49	0.00	23.79	69.50	0.00	0.00	13.48
170000	5.36	2.77	5.83	3.12	11.37	0.57	1.84	0.25	1.59	0.00	23.74	69.49	0.00	0.00	13.91
180000	5.37	2.62	6.84	4.31	8.72	0.59	1.87	0.28	1.59	0.00	23.69	69.59	0.00	0.00	22.72
190000	5.29	2.67	7.20	4.62	7.88	0.58	1.88	0.33	1.55	0.00	23.72	69.61	0.00	0.00	41.06
200000	5.45	2.86	7.31	4.55	10.13	0.58	2.25	0.29	1.96	0.00	23.73	69.61	0.00	0.00	37.56
210000	5.44	2.79	6.91	4.21	10.44	0.56	2.15	0.27	1.88	0.00	23.69	69.61	0.00	0.00	43.25
220000	5.44	2.90	7.39	4.58	10.00	0.56	2.11	0.28	1.83	0.00	23.72	69.61	0.00	0.00	24.21
230000	5.28	2.85	5.87	3.08	10.09	0.54	2.14	0.29	1.85	0.00	23.66	69.60	0.00	0.00	50.18
極大值	5.45	5.50	11.53	7.66	14.36	0.65	2.44	0.44	2.06	0.00	24.29	69.66	0.00	0.00	50.18
極小值	5.08	2.62	5.83	2.92	7.88	0.41	1.78	0.25	1.34	0.00	23.66	69.48	0.00	0.00	13.48
平均值	5.27	3.51	7.55	4.15	10.89	0.52	2.00	0.30	1.69	0.00	23.81	69.59	0.00	0.00	26.04
標準差	0.11	0.85	1.61	1.2	1.93	0.08	0.17	0.05	0.18	0	0.15	0.05	0	0	10.38

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.46	3.14	6.36	3.32	11.93	0.47	2.62	0.41	2.21	0.00	23.58	69.61	0.00	0.00	35.46
010000	5.34	3.19	6.40	3.28	11.44	0.45	2.09	0.26	1.83	0.00	23.60	69.58	0.00	0.00	23.55
020000	5.23	3.23	6.40	3.23	10.67	0.44	2.00	0.25	1.75	0.00	23.68	69.59	0.00	0.00	24.10
030000	5.41	3.46	6.67	3.31	10.23	0.44	2.15	0.34	1.81	0.00	23.60	69.60	0.00	0.00	25.16
040000	5.34	3.63	6.87	3.34	9.98	0.45	2.26	0.30	1.96	0.00	23.66	69.61	0.00	0.00	28.20
050000	5.43	4.70	9.22	4.69	10.93	0.45	2.40	0.30	2.10	0.00	23.61	69.61	0.00	0.00	22.22
060000	5.35	5.03	8.20	3.30	9.97	0.47	2.15	0.28	1.87	0.00	23.66	69.61	0.00	0.00	20.54
070000	5.46	4.81	8.14	3.46	6.73	0.49	2.07	0.31	1.76	0.00	23.73	69.59	0.00	0.00	21.45
080000	5.31	3.76	7.59	3.96	7.94	0.57	1.94	0.28	1.66	0.00	23.68	69.47	0.00	0.00	22.21
090000	5.14	2.91	6.57	3.73	13.07	0.60	1.94	0.28	1.66	0.00	23.67	69.47	0.00	0.00	25.09
100000	5.23	2.88	7.48	4.67	18.43	0.63	1.87	0.34	1.53	0.00	23.55	69.51	0.00	0.00	30.49
110000	5.17	2.88	7.15	4.38	19.27	0.60	1.88	0.30	1.58	0.00	23.57	69.61	0.00	0.00	34.22
120000	5.09	2.71	5.53	2.87	15.95	0.56	1.85	0.23	1.62	0.00	23.76	69.61	0.00	0.00	22.75
130000	5.13	2.71	4.82	2.14	11.66	0.57	1.77	0.35	1.42	0.00	23.62	69.58	0.00	0.00	22.28
140000	5.13	2.61	5.71	3.15	12.77	0.58	1.82	0.37	1.45	0.00	23.75	69.49	0.00	0.00	12.42
150000	5.40	2.97	7.05	4.18	13.31	0.58	1.85	0.29	1.56	0.00	23.90	69.48	0.00	0.00	20.79
160000	5.53	2.95	7.62	4.79	11.61	0.58	1.84	0.30	1.54	0.00	23.86	69.51	0.00	0.00	23.59
170000	5.38	2.75	8.88	6.27	9.52	0.58	1.86	0.30	1.56	0.00	23.77	69.55	0.00	0.00	26.24
180000	5.47	2.92	10.38	7.64	8.98	0.62	1.95	0.32	1.63	0.00	23.77	69.58	0.00	0.00	17.74
190000	5.51	2.45	7.88	5.56	10.66	0.61	1.93	0.28	1.65	0.00	23.84	69.60	0.00	0.00	8.90
200000	5.35	2.37	5.83	3.53	11.57	0.56	1.84	0.30	1.54	0.00	23.95	69.61	0.00	0.00	9.06
210000	5.26	2.50	6.76	4.36	10.86	0.56	1.95	0.25	1.70	0.00	23.93	69.60	0.00	0.00	7.80
220000	5.26	2.46	6.54	4.17	9.75	0.55	2.03	0.27	1.76	0.00	23.97	69.59	0.00	0.00	1.38
230000	5.23	2.44	5.34	2.97	10.33	0.53	1.94	0.32	1.62	0.00	23.88	69.59	0.00	0.00	3.56
極大值	5.53	5.03	10.38	7.64	19.27	0.63	2.62	0.41	2.21	0.00	23.97	69.61	0.00	0.00	35.46
極小值	5.09	2.37	4.82	2.14	6.73	0.44	1.77	0.23	1.42	0.00	23.55	69.47	0.00	0.00	1.38
平均值	5.32	3.14	7.06	4.01	11.56	0.54	2.00	0.30	1.70	0.00	23.73	69.57	0.00	0.00	20.38
標準差	0.13	0.75	1.3	1.19	2.91	0.06	0.2	0.04	0.19	0	0.13	0.05	0	0	8.96

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.23	2.51	5.50	3.08	11.20	0.53	2.05	0.25	1.80	0.00	23.69	69.57	0.00	0.00	5.64
010000	5.22	2.60	5.73	3.23	10.98	0.54	2.18	0.26	1.92	0.00	23.72	69.58	0.00	0.00	5.67
020000	5.26	2.56	6.29	3.80	10.75	0.55	2.17	0.38	1.79	0.00	23.71	69.54	0.00	0.00	9.30
030000	5.45	2.67	6.80	4.20	10.43	0.56	2.54	0.32	2.22	0.00	23.73	69.53	0.00	0.00	10.87
040000	5.46	2.82	7.08	4.36	10.53	0.57	2.59	0.30	2.29	0.00	23.69	69.52	0.00	0.00	17.30
050000	5.47	3.38	7.68	4.43	9.96	0.56	2.57	0.30	2.27	0.00	23.71	69.51	0.00	0.00	20.24
060000	5.39	5.01	8.88	4.03	10.15	0.56	2.30	0.27	2.03	0.00	23.62	69.59	0.00	0.00	19.09
070000	5.37	5.17	9.32	4.29	6.62	0.60	2.20	0.27	1.93	0.00	23.21	69.59	0.00	0.00	21.45
080000	5.26	3.53	7.73	4.33	9.48	0.61	1.95	0.35	1.60	0.00	23.12	69.54	0.00	0.00	23.81
090000	5.28	2.75	5.87	3.19	14.35	0.61	1.89	0.28	1.61	0.00	23.22	69.55	0.00	0.00	17.08
100000	5.09	2.50	5.42	2.98	18.28	0.61	1.91	0.24	1.67	0.00	23.31	69.57	0.00	0.00	13.92
110000	5.21	2.42	5.12	2.74	21.85	0.62	1.87	0.28	1.59	0.00	23.75	69.58	0.00	0.00	15.96
120000	5.20	2.42	5.96	3.61	23.18	0.64	1.93	0.26	1.67	0.00	23.86	69.60	0.00	0.00	19.90
130000	5.09	3.02	10.20	7.37	22.00	0.67	1.97	0.32	1.65	0.00	23.80	69.49	0.00	0.00	23.52
140000	5.24	3.21	11.49	8.50	23.00	0.71	1.89	0.41	1.48	0.00	23.67	69.48	0.00	0.00	24.48
150000	5.10	2.55	7.91	5.48	23.43	0.61	1.88	0.29	1.59	0.00	23.58	69.55	0.00	0.00	11.74
160000	5.20	2.59	8.58	6.11	18.21	0.59	1.91	0.27	1.64	0.00	23.56	69.50	0.00	0.00	24.33
170000	5.21	2.60	11.28	8.88	16.01	0.68	1.92	0.36	1.56	0.00	23.61	69.56	0.00	0.00	12.67
180000	5.19	2.43	7.42	5.10	16.53	0.60	1.93	0.30	1.63	0.00	23.65	69.60	0.00	0.00	22.40
190000	5.27	2.39	7.75	5.49	13.01	0.60	1.92	0.28	1.64	0.00	23.72	69.61	0.00	0.00	12.82
200000	5.45	2.44	6.49	4.14	11.01	0.59	1.98	0.30	1.68	0.00	23.67	69.61	0.00	0.00	29.72
210000	5.25	2.39	7.13	4.84	10.39	0.61	1.99	0.28	1.71	0.00	23.65	69.60	0.00	0.00	28.34
220000	5.39	2.49	7.26	4.89	10.05	0.62	1.96	0.35	1.61	0.00	23.66	69.60	0.00	0.00	20.00
230000	5.40	2.57	7.79	5.34	11.03	0.64	1.94	0.48	1.46	0.00	23.67	69.59	0.00	0.00	20.63
極大值	5.47	5.17	11.49	8.88	23.43	0.71	2.59	0.48	2.29	0.00	23.86	69.61	0.00	0.00	29.72
極小值	5.09	2.39	5.12	2.74	6.62	0.53	1.87	0.24	1.46	0.00	23.12	69.48	0.00	0.00	5.64
平均值	5.28	2.88	7.53	4.77	14.27	0.60	2.06	0.31	1.75	0.00	23.61	69.56	0.00	0.00	17.95
標準差	0.12	0.75	1.74	1.62	5.24	0.04	0.23	0.06	0.24	0	0.19	0.04	0	0	6.56

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.48	2.55	7.92	5.49	11.23	0.66	2.06	0.45	1.61	0.00	23.57	69.59	0.00	0.00	21.11
010000	5.41	2.47	6.53	4.17	10.55	0.59	2.05	0.35	1.70	0.00	23.60	69.60	0.00	0.00	16.10
020000	5.33	2.47	6.23	3.86	9.41	0.59	2.00	0.34	1.66	0.00	23.64	69.57	0.00	0.00	19.33
030000	5.24	2.53	6.84	4.44	8.91	0.58	1.93	0.38	1.55	0.00	23.46	69.58	0.00	0.00	14.29
040000	5.47	2.53	7.02	4.58	8.33	0.61	2.02	0.36	1.66	0.00	23.32	69.57	0.00	0.00	6.13
050000	5.38	2.56	6.53	4.09	8.65	0.62	2.03	0.33	1.70	0.00	23.36	69.55	0.00	0.00	12.08
060000	5.35	2.51	5.40	2.98	9.81	0.58	1.91	0.36	1.55	0.00	23.29	69.55	0.00	0.00	5.90
070000	5.21	2.78	5.72	3.01	9.97	0.57	1.97	0.26	1.71	0.00	23.36	69.59	0.00	0.00	5.60
080000	5.24	2.98	5.86	2.97	9.21	0.56	1.92	0.24	1.68	0.00	23.53	69.59	0.00	0.00	1.66
090000	5.23	2.71	6.10	3.49	9.66	0.57	1.88	0.27	1.61	0.00	23.56	69.59	0.00	0.00	3.52
100000	5.18	2.53	5.92	3.47	11.16	0.58	1.93	0.25	1.68	0.00	23.57	69.58	0.00	0.00	5.55
110000	5.37	2.97	7.99	5.12	10.69	0.59	1.99	0.28	1.71	0.00	23.47	69.58	0.00	0.00	8.32
120000	5.32	2.79	6.98	4.28	10.71	0.58	1.98	0.27	1.71	0.00	23.41	69.53	0.00	0.00	5.75
130000	5.43	2.67	5.90	3.30	8.79	0.54	1.87	0.29	1.58	0.00	23.42	69.54	0.00	0.00	3.66
140000	5.09	2.83	5.37	2.61	9.88	0.56	1.80	0.28	1.52	0.00	23.40	69.57	0.00	0.00	1.54
150000	5.13	2.84	5.39	2.63	9.19	0.56	1.81	0.27	1.54	0.00	23.28	69.58	0.00	0.00	0.20
160000	5.05	2.78	4.85	2.14	10.01	0.53	1.85	0.23	1.62	0.00	23.31	69.57	0.00	0.00	0.20
170000	4.93	2.40	3.69	1.34	12.95	0.51	1.80	0.22	1.58	0.00	23.19	69.61	0.00	0.00	0.91
180000	5.07	2.30	3.60	1.36	17.55	0.52	1.80	0.23	1.57	0.00	23.24	69.61	0.00	0.00	4.79
190000	4.93	2.32	3.48	1.20	20.33	0.50	1.83	0.19	1.64	0.00	23.18	69.56	0.00	0.00	12.45
200000	4.90	2.27	3.53	1.29	19.63	0.49	1.85	0.20	1.65	0.00	23.32	69.47	0.00	0.00	16.22
210000	4.93	2.39	4.08	1.75	15.96	0.51	1.87	0.23	1.64	0.00	23.56	69.47	0.00	0.00	4.54
220000	4.99	2.30	4.22	1.96	13.60	0.52	1.85	0.27	1.58	0.00	23.48	69.49	0.00	0.00	2.59
230000	4.93	2.26	3.37	1.16	18.66	0.48	1.85	0.20	1.65	0.00	23.50	69.55	0.00	0.00	0.45
極大值	5.48	2.98	7.99	5.49	20.33	0.66	2.06	0.45	1.71	0.00	23.64	69.61	0.00	0.00	21.11
極小值	4.90	2.26	3.37	1.16	8.33	0.48	1.80	0.19	1.52	0.00	23.18	69.47	0.00	0.00	0.20
平均值	5.19	2.57	5.52	3.03	11.87	0.56	1.91	0.28	1.63	0.00	23.42	69.56	0.00	0.00	7.20
標準差	0.19	0.22	1.4	1.31	3.72	0.04	0.08	0.07	0.06	0	0.13	0.04	0	0	6.33

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.01	2.34	3.48	1.18	17.80	0.44	1.87	0.20	1.67	0.00	23.59	69.61	0.00	0.00	1.06
010000	5.00	2.36	3.98	1.67	15.76	0.44	1.83	0.29	1.54	0.00	23.29	69.59	0.00	0.00	4.64
020000	4.95	2.34	3.33	1.02	18.43	0.42	1.81	0.21	1.60	0.00	23.12	69.61	0.00	0.00	10.96
030000	4.95	2.24	3.22	1.01	18.88	0.42	1.82	0.19	1.63	0.00	23.16	69.61	0.00	0.00	27.02
040000	4.96	2.36	3.53	1.22	17.36	0.43	1.85	0.20	1.65	0.00	23.21	69.61	0.00	0.00	21.01
050000	4.90	2.43	3.67	1.27	14.04	0.43	1.86	0.25	1.61	0.00	23.08	69.61	0.00	0.00	9.79
060000	4.98	2.46	4.01	1.60	16.52	0.44	1.87	0.22	1.65	0.00	23.00	69.61	0.00	0.00	7.44
070000	4.91	2.49	4.31	1.85	16.01	0.46	1.93	0.23	1.70	0.00	23.12	69.61	0.00	0.00	7.20
080000	4.92	2.48	4.31	1.86	16.95	0.44	1.86	0.22	1.64	0.00	23.12	69.61	0.00	0.00	11.43
090000	4.98	2.72	4.75	2.10	14.90	0.45	1.95	0.30	1.65	0.00	23.23	69.61	0.00	0.00	8.69
100000	4.85	2.85	4.81	1.99	15.95	0.45	1.93	0.23	1.70	0.00	23.18	69.60	0.00	0.00	4.37
110000	4.84	2.64	4.37	1.78	12.65	0.46	1.81	0.24	1.57	0.00	23.26	69.61	0.00	0.00	1.72
120000	4.86	2.63	4.28	1.68	13.72	0.51	1.86	0.21	1.65	0.00	23.28	69.61	0.00	0.00	2.87
130000	4.86	2.97	5.18	2.26	12.53	0.52	1.92	0.21	1.71	0.00	23.54	69.60	0.00	0.00	3.70
140000	4.87	2.89	5.09	2.26	14.61	0.52	1.86	0.23	1.63	0.00	23.35	69.57	0.00	0.00	1.53
150000	4.84	2.53	3.99	1.48	16.45	0.52	1.85	0.21	1.64	0.00	22.75	69.59	0.00	0.00	1.81
160000	4.74	2.48	4.25	1.84	14.89	0.53	1.86	0.21	1.65	0.00	22.57	69.60	0.00	0.00	7.76
170000	4.77	2.48	4.76	2.32	14.69	0.55	1.81	0.27	1.54	0.00	22.42	69.55	0.00	0.00	7.54
180000	4.88	2.71	5.48	2.82	13.72	0.55	1.86	0.21	1.65	0.00	22.61	69.54	0.00	0.00	10.94
190000	4.85	2.46	4.75	2.35	14.11	0.55	1.90	0.21	1.69	0.00	22.47	69.53	0.00	0.00	31.33
200000	4.93	2.40	4.59	2.24	11.01	0.55	1.99	0.28	1.71	0.00	22.69	69.52	0.00	0.00	26.08
210000	4.96	2.39	4.39	2.03	11.32	0.54	2.09	0.25	1.84	0.00	22.72	69.50	0.00	0.00	7.65
220000	4.95	2.40	4.54	2.17	9.65	0.53	1.95	0.22	1.73	0.00	22.49	69.50	0.00	0.00	6.30
230000	4.79	2.39	3.79	1.42	13.64	0.49	1.79	0.26	1.53	0.00	22.62	69.51	0.00	0.00	13.88
極大值	5.01	2.97	5.48	2.82	18.88	0.55	2.09	0.30	1.84	0.00	23.59	69.61	0.00	0.00	31.33
極小值	4.74	2.24	3.22	1.01	9.65	0.42	1.79	0.19	1.53	0.00	22.42	69.50	0.00	0.00	1.06
平均值	4.90	2.52	4.29	1.81	14.82	0.48	1.88	0.23	1.65	0.00	22.99	69.58	0.00	0.00	9.86
標準差	0.07	0.19	0.59	0.47	2.35	0.05	0.07	0.03	0.07	0	0.35	0.04	0	0	8.41

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.88	2.37	3.54	1.19	16.76	0.44	1.83	0.19	1.64	0.00	22.48	69.61	0.00	0.00	27.52
010000	4.77	2.43	3.46	1.05	17.25	0.41	1.81	0.19	1.62	0.00	22.53	69.61	0.00	0.00	29.15
020000	4.71	2.59	3.86	1.28	14.90	0.41	1.79	0.20	1.59	0.00	23.53	69.61	0.00	0.00	21.85
030000	4.77	2.62	4.16	1.58	14.36	0.41	1.81	0.20	1.61	0.00	24.42	69.61	0.00	0.00	24.94
040000	4.77	2.38	3.63	1.27	13.09	0.40	1.81	0.20	1.61	0.00	23.04	69.61	0.00	0.00	25.95
050000	4.87	2.55	4.93	2.45	11.60	0.41	1.84	0.21	1.63	0.00	22.57	69.61	0.00	0.00	5.92
060000	4.75	2.71	4.88	2.21	11.87	0.43	1.82	0.24	1.58	0.00	24.52	69.61	0.00	0.00	5.54
070000	4.76	3.06	6.29	3.31	11.09	0.45	1.78	0.29	1.49	0.00	24.85	69.61	0.00	0.00	11.93
080000	4.78	2.79	5.08	2.38	11.61	0.44	1.81	0.22	1.59	0.00	24.91	69.61	0.00	0.00	17.54
090000	4.71	3.10	5.52	2.48	12.83	0.45	1.82	0.22	1.60	0.00	24.87	69.61	0.00	0.00	18.02
100000	4.72	2.83	5.08	2.28	12.53	0.46	1.77	0.28	1.49	0.00	24.89	69.61	0.00	0.00	22.65
110000	4.78	2.65	4.32	1.70	13.33	0.47	1.81	0.21	1.60	0.00	24.85	69.61	0.00	0.00	22.71
120000	4.55	2.60	4.09	1.52	13.07	0.53	1.77	0.26	1.51	0.00	24.89	69.61	0.00	0.00	14.92
130000	4.62	2.48	3.85	1.39	14.26	0.52	1.77	0.26	1.51	0.00	24.94	69.61	0.00	0.00	9.10
140000	4.62	2.53	3.97	1.48	13.87	0.53	1.81	0.22	1.59	0.00	24.94	69.61	0.00	0.00	12.47
150000	4.54	2.49	4.01	1.56	13.33	0.53	1.82	0.20	1.62	0.00	24.92	69.61	0.00	0.00	9.23
160000	4.57	2.46	3.83	1.40	13.30	0.53	1.82	0.20	1.62	0.00	24.90	69.61	0.00	0.00	10.85
170000	4.68	2.46	4.54	2.13	12.63	0.54	1.79	0.26	1.53	0.00	24.92	69.61	0.00	0.00	13.86
180000	4.68	2.43	5.46	3.10	10.23	0.55	1.88	0.23	1.65	0.00	24.90	69.60	0.00	0.00	18.77
190000	4.74	2.66	6.52	3.95	10.68	0.57	1.96	0.25	1.71	0.00	24.81	69.61	0.00	0.00	7.23
200000	4.72	2.79	7.19	4.48	11.11	0.59	2.08	0.26	1.82	0.00	24.73	69.61	0.00	0.00	10.86
210000	4.77	2.67	5.98	3.35	11.18	0.57	2.08	0.37	1.71	0.00	24.73	69.59	0.00	0.00	11.58
220000	4.86	2.70	6.91	4.28	10.31	0.59	2.28	0.34	1.94	0.00	24.73	69.60	0.00	0.00	23.15
230000	5.01	3.09	7.25	4.25	9.85	0.58	2.38	0.29	2.09	0.00	24.73	69.58	0.00	0.00	11.68
極大值	5.01	3.10	7.25	4.48	17.25	0.59	2.38	0.37	2.09	0.00	24.94	69.61	0.00	0.00	29.15
極小值	4.54	2.37	3.46	1.05	9.85	0.40	1.77	0.19	1.49	0.00	22.48	69.58	0.00	0.00	5.54
平均值	4.73	2.64	4.93	2.34	12.71	0.49	1.88	0.24	1.64	0.00	24.40	69.61	0.00	0.00	16.14
標準差	0.11	0.21	1.21	1.09	1.92	0.07	0.16	0.05	0.14	0	0.85	0.01	0	0	7.16

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.07	3.12	7.15	4.11	11.05	0.55	2.22	0.35	1.87	0.00	24.73	69.61	0.00	0.00	12.22
010000	5.00	3.32	6.13	2.87	10.01	0.49	2.25	0.27	1.98	0.00	24.72	69.61	0.00	0.00	16.24
020000	4.95	4.17	7.76	3.71	8.96	0.46	2.25	0.31	1.94	0.00	24.70	69.61	0.00	0.00	15.93
030000	5.79	3.55	6.05	2.59	8.78	0.44	2.29	0.30	1.99	0.00	24.72	69.61	0.00	0.00	18.75
040000	8.67	3.72	6.75	3.11	9.08	0.46	2.42	0.32	2.10	0.00	24.76	69.61	0.00	0.00	28.56
050000	10.51	4.54	7.76	3.36	9.10	0.46	2.48	0.33	2.15	0.00	24.68	69.61	0.00	0.00	37.60
060000	9.66	6.15	9.65	3.69	8.97	0.49	2.53	0.36	2.17	0.00	24.41	69.61	0.00	0.00	35.64
070000	8.42	6.28	10.19	4.09	9.32	0.51	2.30	0.31	1.99	0.00	24.65	69.61	0.00	0.00	29.10
080000	6.26	5.27	9.95	4.85	8.35	0.54	2.14	0.31	1.83	0.00	24.67	69.61	0.00	0.00	31.65
090000	5.79	4.17	10.36	6.39	9.65	0.61	2.00	0.39	1.61	0.00	24.63	69.61	0.00	0.00	35.72
100000	5.48	3.09	8.50	5.56	14.65	0.62	2.01	0.33	1.68	0.00	24.63	69.61	0.00	0.00	33.64
110000	5.06	2.77	6.68	3.98	17.10	0.60	1.96	0.28	1.68	0.00	24.60	69.67	0.00	0.00	33.61
120000	5.02	2.55	5.93	3.44	22.82	0.69	1.87	0.33	1.54	0.00	24.59	69.63	0.00	0.00	27.55
130000	4.92	2.46	5.82	3.43	25.89	0.72	1.97	0.26	1.71	0.00	24.57	69.52	0.00	0.00	26.86
140000	4.81	2.39	5.75	3.40	27.14	0.72	1.97	0.26	1.71	0.00	24.59	69.48	0.00	0.00	29.59
150000	4.89	2.40	5.75	3.42	26.52	0.70	1.84	0.32	1.52	0.00	24.52	69.57	0.00	0.00	35.33
160000	4.93	2.41	6.36	4.02	26.59	0.70	1.92	0.26	1.66	0.00	24.22	69.61	0.00	0.00	24.10
170000	4.83	2.40	6.27	3.97	24.63	0.66	1.82	0.33	1.49	0.00	24.32	69.60	0.00	0.00	24.56
180000	4.84	2.38	7.00	4.74	23.77	0.69	1.92	0.28	1.64	0.00	24.15	69.60	0.00	0.00	27.53
190000	4.90	2.38	7.19	4.91	21.29	0.70	2.02	0.27	1.75	0.00	24.17	69.60	0.00	0.00	37.21
200000	4.97	2.41	7.89	5.57	14.93	0.70	2.05	0.28	1.77	0.00	24.13	69.61	0.00	0.00	46.80
210000	4.92	2.47	6.86	4.50	11.97	0.66	2.12	0.34	1.78	0.00	24.11	69.61	0.00	0.00	32.75
220000	4.99	2.38	5.75	3.42	13.52	0.64	2.71	0.32	2.39	0.00	24.08	69.61	0.00	0.00	23.35
230000	4.94	2.41	5.91	3.60	15.55	0.62	2.34	0.28	2.06	0.00	24.08	69.61	0.00	0.00	29.69
極大值	10.51	6.28	10.36	6.39	27.14	0.72	2.71	0.39	2.39	0.00	24.76	69.67	0.00	0.00	46.80
極小值	4.81	2.38	5.75	2.59	8.35	0.44	1.82	0.26	1.49	0.00	24.08	69.48	0.00	0.00	12.22
平均值	5.82	3.30	7.23	4.03	15.82	0.60	2.14	0.31	1.83	0.00	24.48	69.60	0.00	0.00	28.92
標準差	1.67	1.21	1.5	0.92	7.01	0.1	0.24	0.03	0.23	0	0.25	0.04	0	0	7.96

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.97	2.40	5.82	3.50	15.76	0.58	2.30	0.27	2.03	0.00	23.89	69.59	0.00	0.00	29.36
010000	5.34	2.54	5.91	3.45	15.43	0.55	2.43	0.28	2.15	0.00	23.89	69.61	0.00	0.00	30.47
020000	5.14	2.55	5.75	3.26	12.71	0.52	2.34	0.31	2.03	0.00	24.05	69.61	0.00	0.00	20.30
030000	5.78	2.63	5.97	3.41	11.72	0.51	2.47	0.37	2.10	0.00	23.89	69.61	0.00	0.00	26.54
040000	5.31	3.01	6.81	3.86	11.20	0.51	3.02	0.32	2.70	0.00	23.75	69.61	0.00	0.00	30.54
050000	5.19	3.26	7.79	4.63	10.21	0.52	2.76	0.31	2.45	0.00	23.70	69.61	0.00	0.00	23.04
060000	5.13	5.61	11.10	5.70	9.89	0.57	2.67	0.42	2.25	0.00	23.76	69.61	0.00	0.00	25.53
070000	4.99	4.43	9.01	4.75	9.03	0.58	2.05	0.36	1.69	0.00	23.79	69.61	0.00	0.00	25.86
080000	4.92	2.87	5.81	3.02	12.69	0.60	1.98	0.26	1.72	0.00	23.66	69.52	0.00	0.00	25.05
090000	5.01	2.52	6.71	4.27	22.52	0.68	2.06	0.33	1.73	0.00	23.53	69.47	0.00	0.00	22.19
100000	4.96	2.51	7.74	5.34	40.03	0.70	1.99	0.51	1.48	0.00	23.38	69.36	0.00	0.00	29.50
110000	5.14	3.01	11.80	8.99	33.41	0.72	1.97	0.61	1.36	0.00	23.39	69.38	0.00	0.00	35.84
120000	5.01	2.77	9.98	7.38	39.57	0.76	1.97	0.58	1.39	0.00	23.44	69.66	0.00	0.00	47.13
130000	4.87	2.77	9.52	6.91	39.46	0.75	1.94	0.54	1.40	0.00	23.40	69.61	0.00	0.00	27.90
140000	4.75	2.97	9.31	6.49	30.12	0.67	1.90	0.50	1.40	0.00	23.40	69.61	0.00	0.00	30.71
150000	4.77	3.53	13.06	9.79	26.13	0.74	1.89	0.61	1.28	0.00	23.43	69.61	0.00	0.00	22.79
160000	5.11	3.71	19.01	15.69	21.76	1.02	1.90	0.67	1.23	0.00	23.34	69.61	0.00	0.00	25.33
170000	5.13	2.94	14.29	11.64	25.75	0.91	1.92	0.62	1.30	0.00	23.22	69.54	0.00	0.00	38.68
180000	4.93	2.29	6.39	4.19	31.58	0.68	1.94	0.44	1.50	0.00	23.18	69.52	0.00	0.00	53.22
190000	5.12	2.36	5.74	3.45	28.31	0.66	1.96	0.40	1.56	0.00	23.15	69.54	0.00	0.00	41.16
200000	4.96	2.33	5.46	3.19	24.51	0.65	2.02	0.39	1.63	0.00	23.15	69.56	0.00	0.00	46.72
210000	5.06	2.28	6.38	4.20	20.05	0.66	2.08	0.34	1.74	0.00	23.11	69.54	0.00	0.00	42.95
220000	5.18	2.38	6.32	4.03	14.34	0.64	2.29	0.32	1.97	0.00	23.10	69.59	0.00	0.00	55.66
230000	5.14	2.47	5.76	3.38	14.05	0.61	2.53	0.30	2.23	0.00	23.10	69.51	0.00	0.00	46.51
極大值	5.78	5.61	19.01	15.69	40.03	1.02	3.02	0.67	2.70	0.00	24.05	69.66	0.00	0.00	55.66
極小值	4.75	2.28	5.46	3.02	9.03	0.51	1.89	0.26	1.23	0.00	23.10	69.36	0.00	0.00	20.30
平均值	5.08	2.92	8.39	5.60	21.68	0.66	2.18	0.42	1.76	0.00	23.49	69.56	0.00	0.00	33.46
標準差	0.21	0.77	3.4	3.14	10.13	0.12	0.32	0.13	0.4	0	0.3	0.07	0	0	10.46

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.19	2.50	6.09	3.68	14.49	0.55	2.47	0.31	2.16	0.00	23.01	69.33	0.00	0.00	26.05
010000	5.18	2.58	5.35	2.84	15.07	0.51	2.41	0.32	2.09	0.00	22.94	69.33	0.00	0.00	23.45
020000	5.19	2.62	5.70	3.18	13.11	0.50	2.39	0.32	2.07	0.00	22.89	69.33	0.00	0.00	29.20
030000	4.85	2.64	5.88	3.32	12.76	0.50	2.41	0.33	2.08	0.00	22.83	69.33	0.00	0.00	32.99
040000	4.96	2.75	7.23	4.55	11.11	0.52	2.35	0.35	2.00	0.00	22.77	69.33	0.00	0.00	24.65
050000	5.15	3.42	8.81	5.55	9.94	0.53	2.38	0.38	2.00	0.00	21.24	69.33	0.00	0.00	30.60
060000	5.10	4.15	9.48	5.51	10.38	0.52	2.37	0.36	2.01	0.00	20.08	69.33	0.00	0.00	24.57
070000	5.08	3.46	7.48	4.14	10.85	0.48	2.20	0.33	1.87	0.00	20.02	69.31	0.00	0.00	20.13
080000	4.90	2.99	6.05	3.12	14.94	0.47	2.08	0.31	1.77	0.00	20.00	69.25	0.00	0.00	17.43
090000	4.91	3.00	6.11	3.19	19.43	0.47	2.02	0.24	1.78	0.00	20.00	69.22	0.00	0.00	18.47
100000	4.87	3.26	6.84	3.70	18.86	0.47	2.01	0.30	1.71	0.00	20.00	69.20	0.00	0.00	16.54
110000	4.95	2.83	5.49	2.71	19.12	0.48	2.01	0.28	1.73	0.00	20.04	69.37	0.00	0.00	17.34
120000	4.91	2.71	4.79	2.10	19.37	0.56	2.01	0.24	1.77	0.00	20.13	69.63	0.00	0.00	19.38
130000	4.86	2.70	5.06	2.39	20.58	0.60	2.03	0.20	1.83	0.00	20.10	69.61	0.00	0.00	13.51
140000	5.00	2.61	5.23	2.69	22.75	0.60	2.05	0.16	1.89	0.00	20.10	69.61	0.00	0.00	13.80
150000	4.96	2.56	5.29	2.79	24.32	0.63	2.06	0.16	1.90	0.00	20.07	69.50	0.00	0.00	22.94
160000	4.98	2.49	5.81	3.39	23.54	0.63	2.06	0.16	1.90	0.00	20.07	69.47	0.00	0.00	20.23
170000	4.98	2.54	5.79	3.34	19.28	0.61	2.05	0.15	1.90	0.00	20.12	69.47	0.00	0.00	30.03
180000	4.94	2.40	4.36	2.01	16.18	0.60	2.04	0.14	1.90	0.00	20.13	69.47	0.00	0.00	33.93
190000	4.83	2.33	4.41	2.11	13.89	0.59	2.05	0.14	1.91	0.00	20.13	69.47	0.00	0.00	45.81
200000	4.88	2.45	5.04	2.64	11.81	0.59	2.05	0.15	1.90	0.00	20.14	69.47	0.00	0.00	25.90
210000	4.86	2.54	5.97	3.52	10.16	0.59	2.07	0.15	1.92	0.00	20.13	69.47	0.00	0.00	30.79
220000	4.91	2.54	5.28	2.79	9.52	0.57	2.17	0.16	2.01	0.00	20.11	69.47	0.00	0.00	22.33
230000	4.78	2.37	4.09	1.75	10.83	0.56	2.15	0.15	2.00	0.00	20.10	69.47	0.00	0.00	16.78
極大值	5.19	4.15	9.48	5.55	24.32	0.63	2.47	0.38	2.16	0.00	23.01	69.63	0.00	0.00	45.81
極小值	4.78	2.33	4.09	1.75	9.52	0.47	2.01	0.14	1.71	0.00	20.00	69.20	0.00	0.00	13.51
平均值	4.97	2.77	5.90	3.21	15.51	0.55	2.16	0.24	1.92	0.00	20.71	69.41	0.00	0.00	24.04
標準差	0.12	0.43	1.3	0.98	4.69	0.05	0.16	0.09	0.12	0	1.16	0.12	0	0	7.55

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.84	2.36	4.38	2.08	10.85	0.56	2.10	0.15	1.95	0.15	20.09	69.47	0.00	0.00	14.03
010000	4.95	2.41	5.03	2.70	10.61	0.56	2.16	0.15	2.01	0.15	20.10	69.47	0.00	0.00	9.50
020000	4.97	2.51	5.02	2.59	10.27	0.57	2.23	0.16	2.07	0.16	20.09	69.47	0.00	0.00	9.82
030000	4.94	2.53	5.41	2.97	10.51	0.58	2.24	0.17	2.07	0.17	20.09	69.47	0.00	0.00	23.96
040000	5.10	2.59	6.23	3.73	10.75	0.63	2.32	0.19	2.13	0.19	20.09	69.47	0.00	0.00	23.81
050000	5.07	2.89	6.69	3.89	9.48	0.63	2.38	0.21	2.17	0.21	20.10	69.47	0.00	0.00	25.32
060000	4.96	3.97	7.38	3.54	9.35	0.63	2.35	0.23	2.12	0.23	20.09	69.53	0.00	0.00	23.73
070000	4.88	3.87	7.17	3.40	7.69	0.67	2.24	0.25	1.99	0.25	20.10	69.61	0.00	0.00	15.97
080000	4.91	3.09	6.24	3.22	12.28	0.68	2.16	0.23	1.93	0.23	20.13	69.58	0.00	0.00	17.88
090000	4.84	2.70	5.81	3.17	15.60	0.69	2.14	0.21	1.93	0.21	20.14	69.47	0.00	0.00	21.46
100000	4.89	2.38	4.90	2.58	18.65	0.69	2.14	0.22	1.92	0.22	20.13	69.47	0.00	0.00	22.16
110000	4.98	2.44	5.77	3.39	27.96	0.73	2.14	0.23	1.91	0.23	20.13	69.47	0.00	0.00	20.94
120000	4.96	2.67	7.73	5.18	26.66	0.76	2.10	0.24	1.86	0.24	20.13	69.47	0.00	0.00	29.50
130000	4.96	2.53	7.92	5.54	29.44	0.78	2.08	0.25	1.83	0.25	20.13	69.47	0.00	0.00	32.66
140000	4.96	2.53	7.27	4.84	27.42	0.70	2.10	0.20	1.90	0.20	20.15	69.47	0.00	0.00	29.27
150000	4.93	2.57	7.74	5.29	21.01	0.69	2.08	0.20	1.88	0.20	20.15	69.47	0.00	0.00	21.76
160000	5.22	2.85	13.07	10.44	15.46	0.88	2.09	0.31	1.78	0.31	20.17	69.47	0.00	0.00	21.79
170000	5.16	2.43	6.19	3.84	15.48	0.64	2.19	0.21	1.98	0.21	20.18	69.47	0.00	0.00	28.20
180000	5.15	2.43	5.40	3.06	17.03	0.62	2.14	0.13	2.01	0.13	20.17	69.47	0.00	0.00	16.99
190000	5.05	2.39	4.50	2.17	19.22	0.60	2.11	0.12	1.99	0.12	20.17	69.47	0.00	0.00	9.06
200000	4.98	2.30	4.12	1.88	18.29	0.60	2.16	0.11	2.05	0.11	20.16	69.47	0.00	0.00	9.74
210000	4.84	2.40	5.10	2.78	15.18	0.60	2.09	0.11	1.98	0.11	20.14	69.47	0.00	0.00	6.43
220000	4.90	2.35	4.48	2.19	12.65	0.59	2.09	0.13	1.96	0.13	20.15	69.47	0.00	0.00	7.14
230000	4.92	2.43	4.65	2.27	11.20	0.60	2.16	0.14	2.02	0.14	20.14	69.47	0.00	0.00	8.14
極大值	5.22	3.97	13.07	10.44	29.44	0.88	2.38	0.31	2.17	0.31	20.18	69.61	0.00	0.00	32.66
極小值	4.84	2.30	4.12	1.88	7.69	0.56	2.08	0.11	1.78	0.11	20.09	69.47	0.00	0.00	6.43
平均值	4.97	2.65	6.18	3.61	15.96	0.65	2.17	0.19	1.98	0.19	20.13	69.48	0.00	0.00	18.72
標準差	0.1	0.43	1.89	1.79	6.49	0.08	0.09	0.05	0.1	0.05	0.03	0.04	0	0	7.93

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.09	2.41	4.61	2.26	11.07	0.60	2.17	0.16	2.01	0.00	20.14	69.47	0.00	0.00	12.55
010000	5.15	2.43	4.58	2.20	10.87	0.59	2.19	0.16	2.03	0.00	20.14	69.47	0.00	0.00	9.62
020000	5.10	2.43	4.34	1.96	11.15	0.57	2.16	0.17	1.99	0.00	20.15	69.47	0.00	0.00	9.87
030000	5.08	2.49	4.59	2.15	12.25	0.58	2.18	0.17	2.01	0.00	20.13	69.47	0.00	0.00	12.87
040000	5.07	2.50	4.76	2.32	11.96	0.58	2.22	0.16	2.06	0.00	20.11	69.47	0.00	0.00	6.58
050000	5.22	2.52	4.79	2.32	10.97	0.58	2.30	0.14	2.16	0.00	20.08	69.47	0.00	0.00	1.69
060000	5.07	2.51	4.86	2.43	12.72	0.59	2.20	0.14	2.06	0.00	20.09	69.47	0.00	0.00	0.96
070000	5.06	2.64	5.57	3.01	12.64	0.61	2.15	0.14	2.01	0.00	20.09	69.47	0.00	0.00	1.26
080000	4.99	2.64	6.24	3.68	13.06	0.62	2.13	0.14	1.99	0.00	20.10	69.47	0.00	0.00	1.21
090000	5.08	2.69	6.25	3.62	12.25	0.62	2.14	0.15	1.99	0.00	20.11	69.47	0.00	0.00	0.47
100000	5.01	2.72	5.18	2.52	13.61	0.60	2.13	0.15	1.98	0.00	20.14	69.47	0.00	0.00	1.64
110000	4.96	2.47	4.28	1.83	15.88	0.62	2.08	0.16	1.92	0.00	20.12	69.47	0.00	0.00	3.04
120000	4.91	2.44	4.47	2.03	18.28	0.65	2.05	0.18	1.87	0.00	20.12	69.47	0.00	0.00	6.35
130000	4.87	2.49	5.03	2.57	20.16	0.71	2.05	0.20	1.85	0.00	20.15	69.47	0.00	0.00	8.21
140000	4.96	2.52	5.51	3.07	22.23	0.76	2.06	0.23	1.83	0.00	20.13	69.47	0.00	0.00	10.14
150000	4.94	2.44	5.19	2.81	24.97	0.75	2.07	0.25	1.82	0.00	20.13	69.47	0.00	0.00	12.56
160000	4.86	2.46	5.72	3.33	24.98	0.72	2.08	0.21	1.87	0.00	20.15	69.47	0.00	0.00	13.48
170000	4.95	2.34	6.50	4.25	25.27	0.74	2.09	0.21	1.88	0.00	20.16	69.47	0.00	0.00	23.67
180000	4.96	2.38	6.66	4.38	24.95	0.72	2.12	0.22	1.90	0.00	20.18	69.47	0.00	0.00	28.00
190000	4.96	2.37	4.89	2.62	20.93	0.66	2.11	0.19	1.92	0.00	20.18	69.47	0.00	0.00	38.88
200000	5.00	2.31	4.65	2.39	15.70	0.65	2.10	0.18	1.92	0.00	20.20	69.47	0.00	0.00	41.84
210000	4.99	2.35	4.40	2.09	16.31	0.63	2.10	0.17	1.93	0.00	20.20	69.47	0.00	0.00	41.95
220000	5.03	2.30	4.91	2.67	16.28	0.65	2.10	0.17	1.93	0.00	20.19	69.47	0.00	0.00	19.69
230000	5.08	2.29	4.76	2.53	13.68	0.62	2.14	0.17	1.97	0.00	20.21	69.44	0.00	0.00	11.12
極大值	5.22	2.72	6.66	4.38	25.27	0.76	2.30	0.25	2.16	0.00	20.21	69.47	0.00	0.00	41.95
極小值	4.86	2.29	4.28	1.83	10.87	0.57	2.05	0.14	1.82	0.00	20.08	69.44	0.00	0.00	0.47
平均值	5.02	2.46	5.11	2.71	16.34	0.64	2.13	0.18	1.95	0.00	20.14	69.47	0.00	0.00	13.24
標準差	0.09	0.12	0.7	0.69	5.09	0.06	0.06	0.03	0.08	0	0.04	0.01	0	0	12.85

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.94	2.37	4.14	1.83	14.68	0.54	2.15	0.17	1.98	0.00	20.22	69.33	0.00	0.00	16.70
010000	5.05	2.31	3.57	1.28	16.14	0.49	2.07	0.14	1.93	0.00	20.28	69.33	0.00	0.00	51.52
020000	4.95	2.39	3.53	1.18	15.74	0.46	2.03	0.13	1.90	0.00	20.28	69.44	0.00	0.00	33.76
030000	4.94	2.34	3.67	1.38	16.32	0.46	2.02	0.12	1.90	0.00	20.29	69.47	0.00	0.00	56.12
040000	4.89	2.35	3.76	1.44	15.62	0.46	2.02	0.12	1.90	0.00	20.27	69.46	0.00	0.00	40.61
050000	4.89	2.38	4.01	1.68	15.26	0.46	2.02	0.12	1.90	0.00	20.24	69.46	0.00	0.00	33.59
060000	4.91	2.57	4.36	1.81	16.12	0.46	2.02	0.12	1.90	0.00	20.24	69.46	0.00	0.00	33.13
070000	4.80	2.53	3.89	1.41	14.59	0.47	2.02	0.15	1.87	0.00	20.26	69.44	0.00	0.00	30.19
080000	4.86	2.53	3.90	1.42	14.29	0.46	2.01	0.16	1.85	0.00	20.26	69.45	0.00	0.00	28.33
090000	4.87	2.65	4.38	1.75	11.00	0.48	2.01	0.19	1.82	0.00	20.25	69.37	0.00	0.00	24.51
100000	4.83	2.81	5.47	2.72	12.17	0.53	2.02	0.23	1.79	0.00	20.22	69.33	0.00	0.00	23.09
110000	4.91	3.06	6.51	3.54	13.80	0.59	2.03	0.27	1.76	0.00	20.26	69.48	0.00	0.00	27.84
120000	4.92	2.56	5.06	2.54	18.12	0.60	2.04	0.23	1.81	0.00	20.33	69.74	0.00	0.00	21.80
130000	4.92	2.68	5.26	2.64	18.46	0.63	2.05	0.21	1.84	0.00	20.32	69.66	0.00	0.00	12.05
140000	5.03	2.85	5.95	3.18	18.82	0.65	2.05	0.21	1.84	0.00	20.31	69.61	0.00	0.00	13.54
150000	5.10	3.82	9.38	5.74	16.74	0.79	2.05	0.26	1.79	0.00	20.30	69.61	0.00	0.00	14.30
160000	4.98	3.48	8.58	5.26	16.68	0.74	2.04	0.27	1.77	0.00	20.27	69.52	0.00	0.00	17.45
170000	5.09	2.84	7.01	4.26	16.57	0.73	2.05	0.26	1.79	0.00	20.26	69.47	0.00	0.00	16.71
180000	5.10	2.53	7.55	5.11	12.92	0.71	2.05	0.24	1.81	0.00	20.28	69.47	0.00	0.00	19.52
190000	5.04	2.57	6.77	4.28	11.20	0.68	2.07	0.21	1.86	0.00	20.29	69.47	0.00	0.00	29.32
200000	5.18	2.47	5.33	2.88	11.66	0.64	2.07	0.19	1.88	0.00	20.29	69.47	0.00	0.00	32.46
210000	4.91	2.50	5.42	3.01	10.61	0.64	2.07	0.18	1.89	0.00	20.29	69.52	0.00	0.00	30.21
220000	5.08	2.46	5.64	3.26	10.36	0.63	2.10	0.18	1.92	0.00	20.30	69.61	0.00	0.00	25.77
230000	5.04	2.46	4.87	2.47	11.65	0.60	2.10	0.19	1.91	0.00	20.29	69.51	0.00	0.00	21.16
極大值	5.18	3.82	9.38	5.74	18.82	0.79	2.15	0.27	1.98	0.00	20.33	69.74	0.00	0.00	56.12
極小值	4.80	2.31	3.53	1.18	10.36	0.46	2.01	0.12	1.76	0.00	20.22	69.33	0.00	0.00	12.05
平均值	4.97	2.65	5.33	2.75	14.56	0.58	2.05	0.19	1.86	0.00	20.28	69.49	0.00	0.00	27.24
標準差	0.1	0.36	1.61	1.36	2.58	0.11	0.03	0.05	0.06	0	0.03	0.1	0	0	11.09

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.09	2.56	5.82	3.34	13.07	0.55	2.13	0.21	1.92	0.00	20.25	69.33	0.00	0.00	17.10
010000	5.09	2.67	6.14	3.58	11.53	0.55	2.20	0.23	1.97	0.00	20.25	69.33	0.00	0.00	28.27
020000	5.09	2.66	5.16	2.58	11.40	0.52	2.26	0.23	2.03	0.00	20.24	69.33	0.00	0.00	17.81
030000	5.01	2.67	5.05	2.44	12.28	0.50	2.24	0.24	2.00	0.00	20.21	69.33	0.00	0.00	10.21
040000	5.00	2.78	5.30	2.57	11.94	0.50	2.23	0.24	1.99	0.00	20.23	69.34	0.00	0.00	7.76
050000	4.88	2.67	5.62	3.01	10.30	0.47	2.13	0.22	1.91	0.00	20.24	69.47	0.00	0.00	10.56
060000	4.78	2.83	5.70	2.95	11.18	0.48	2.07	0.20	1.87	0.00	20.22	69.47	0.00	0.00	18.18
070000	4.89	3.19	7.25	4.17	11.09	0.49	2.04	0.20	1.84	0.00	20.21	69.47	0.00	0.00	18.18
080000	4.79	3.29	7.60	4.43	11.89	0.49	2.04	0.20	1.84	0.00	20.20	69.45	0.00	0.00	21.62
090000	4.99	2.81	7.44	4.73	16.21	0.51	2.08	0.18	1.90	0.00	20.19	69.42	0.00	0.00	19.47
100000	5.00	2.74	7.28	4.64	17.25	0.52	2.11	0.19	1.92	0.00	20.19	69.39	0.00	0.00	4.21
110000	4.96	2.82	7.98	5.28	14.90	0.55	2.12	0.21	1.91	0.00	20.21	69.43	0.00	0.00	4.08
120000	5.08	2.88	6.98	4.18	16.88	0.62	2.13	0.19	1.94	0.00	20.26	69.51	0.00	0.00	3.83
130000	5.07	2.65	6.75	4.22	16.98	0.64	2.13	0.17	1.96	0.00	20.26	69.47	0.00	0.00	0.74
140000	4.93	2.64	7.44	4.92	16.99	0.66	2.12	0.16	1.96	0.00	20.26	69.47	0.00	0.00	0.86
150000	5.10	2.67	6.30	3.72	17.06	0.64	2.12	0.15	1.97	0.00	20.21	69.47	0.00	0.00	3.62
160000	4.96	2.61	6.81	4.28	17.48	0.66	2.12	0.15	1.97	0.00	20.21	69.47	0.00	0.00	5.31
170000	5.04	2.62	7.30	4.77	15.78	0.69	2.13	0.17	1.96	0.00	20.21	69.47	0.00	0.00	4.14
180000	5.08	2.58	8.74	6.30	13.71	0.73	2.24	0.18	2.06	0.00	20.20	69.47	0.00	0.00	6.01
190000	5.15	2.57	9.21	6.80	11.58	0.77	2.30	0.21	2.09	0.00	20.18	69.47	0.00	0.00	11.65
200000	5.06	2.56	7.23	4.79	11.35	0.72	2.34	0.20	2.14	0.00	20.20	69.47	0.00	0.00	6.83
210000	5.06	2.49	5.33	2.94	16.42	0.66	2.28	0.18	2.10	0.00	20.20	69.47	0.00	0.00	4.70
220000	5.06	2.37	4.47	2.16	17.62	0.63	2.21	0.14	2.07	0.00	20.19	69.47	0.00	0.00	1.20
230000	5.01	2.34	3.87	1.55	20.72	0.60	2.15	0.12	2.03	0.00	20.18	69.46	0.00	0.00	0.75
極大值	5.15	3.29	9.21	6.80	20.72	0.77	2.34	0.24	2.14	0.00	20.26	69.51	0.00	0.00	28.27
極小值	4.78	2.34	3.87	1.55	10.30	0.47	2.04	0.12	1.84	0.00	20.18	69.33	0.00	0.00	0.74
平均值	5.01	2.69	6.53	3.93	14.40	0.59	2.16	0.19	1.97	0.00	20.22	69.43	0.00	0.00	9.46
標準差	0.1	0.21	1.32	1.28	2.92	0.09	0.08	0.03	0.08	0	0.03	0.06	0	0	7.79

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.03	2.35	4.93	2.65	17.30	0.56	2.14	0.17	1.97	0.00	20.13	69.34	0.00	0.00	2.78
010000	5.04	2.51	6.78	4.38	16.02	0.56	2.16	0.22	1.94	0.00	20.14	69.33	0.00	0.00	2.87
020000	5.09	2.63	8.26	5.78	13.80	0.60	2.21	0.24	1.97	0.00	20.15	69.33	0.00	0.00	0.93
030000	5.01	2.65	6.72	4.18	14.06	0.56	2.25	0.26	1.99	0.00	20.15	69.33	0.00	0.00	3.72
040000	5.11	2.68	6.16	3.57	15.17	0.55	2.26	0.26	2.00	0.00	20.14	69.33	0.00	0.00	3.40
050000	5.01	2.70	6.03	3.41	14.43	0.54	2.25	0.26	1.99	0.00	20.15	69.33	0.00	0.00	0.20
060000	5.00	2.67	5.82	3.21	7.57	0.55	2.25	0.27	1.98	0.00	20.15	69.33	0.00	0.00	0.42
070000	5.21	2.75	6.63	3.97	5.62	0.54	2.26	0.26	2.00	0.00	20.14	69.33	0.00	0.00	1.84
080000	4.95	2.71	6.48	3.84	5.54	0.55	2.27	0.26	2.01	0.00	20.14	69.41	0.00	0.00	3.65
090000	4.95	2.67	7.76	5.20	5.25	0.53	2.36	0.23	2.13	0.00	20.15	69.39	0.00	0.00	2.23
100000	5.05	2.95	8.87	6.06	5.48	0.56	2.34	0.21	2.13	0.00	20.13	69.33	0.00	0.00	1.33
110000	4.95	3.58	9.85	6.42	5.63	0.56	2.24	0.19	2.05	0.00	20.17	69.39	0.00	0.00	3.13
120000	4.92	2.59	7.03	4.56	13.30	0.63	2.16	0.17	1.99	0.00	20.21	69.47	0.00	0.00	2.25
130000	4.97	2.65	7.30	4.76	17.42	0.65	2.15	0.18	1.97	0.00	20.21	69.47	0.00	0.00	0.20
140000	5.04	2.67	6.91	4.34	16.52	0.68	2.15	0.19	1.96	0.00	20.24	69.47	0.00	0.00	0.20
150000	5.09	2.54	7.01	4.57	15.69	0.72	2.17	0.20	1.97	0.00	20.24	69.47	0.00	0.00	0.20
160000	5.17	2.60	7.38	4.90	14.11	0.71	2.25	0.20	2.05	0.00	20.22	69.47	0.00	0.00	0.64
170000	5.21	2.62	7.70	5.21	13.02	0.74	2.26	0.21	2.05	0.00	20.21	69.47	0.00	0.00	3.54
180000	5.20	2.46	6.53	4.19	13.41	0.73	2.27	0.20	2.07	0.00	20.21	69.47	0.00	0.00	8.79
190000	5.08	2.50	6.61	4.22	14.16	0.73	2.32	0.19	2.13	0.00	20.20	69.47	0.00	0.00	13.51
200000	5.21	2.44	6.09	3.74	15.05	0.71	2.33	0.17	2.16	0.00	20.20	69.47	0.00	0.00	24.64
210000	5.22	2.42	5.29	2.94	13.91	0.68	2.34	0.17	2.17	0.00	20.21	69.47	0.00	0.00	27.24
220000	5.14	2.49	5.50	3.08	13.90	0.68	2.31	0.17	2.14	0.00	20.20	69.47	0.00	0.00	24.31
230000	5.14	2.37	5.07	2.77	15.75	0.65	2.29	0.15	2.14	0.00	20.18	69.45	0.00	0.00	19.32
極大值	5.22	3.58	9.85	6.42	17.42	0.74	2.36	0.27	2.17	0.00	20.24	69.47	0.00	0.00	27.24
極小值	4.92	2.35	4.93	2.65	5.25	0.53	2.14	0.15	1.94	0.00	20.13	69.33	0.00	0.00	0.20
平均值	5.07	2.63	6.78	4.25	12.59	0.62	2.25	0.21	2.04	0.00	20.18	69.41	0.00	0.00	6.31
標準差	0.1	0.24	1.17	1.01	4.16	0.08	0.07	0.04	0.07	0	0.04	0.07	0	0	8.63

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.08	2.46	4.41	1.99	18.03	0.57	2.27	0.16	2.11	0.00	20.13	69.33	0.00	0.00	17.49
010000	4.95	2.50	4.04	1.60	16.03	0.53	2.22	0.17	2.05	0.00	20.14	69.33	0.00	0.00	19.55
020000	5.01	2.44	3.72	1.31	5.32	0.51	2.11	0.14	1.97	0.00	20.14	69.33	0.00	0.00	8.05
030000	5.17	2.43	4.59	2.22	5.06	0.50	2.07	0.12	1.95	0.00	20.15	69.33	0.00	0.00	26.74
040000	5.08	2.46	3.92	1.48	4.84	0.49	2.06	0.14	1.92	0.00	20.15	69.33	0.00	0.00	10.68
050000	5.04	2.54	4.11	1.61	4.98	0.49	2.06	0.13	1.93	0.00	20.15	69.33	0.00	0.00	28.39
060000	5.10	2.55	4.63	2.13	5.04	0.51	2.06	0.15	1.91	0.00	20.16	69.33	0.00	0.00	58.48
070000	5.03	2.71	5.07	2.41	5.13	0.52	2.06	0.13	1.93	0.00	20.17	69.33	0.00	0.00	48.38
080000	4.91	2.86	5.71	2.90	5.00	0.51	2.06	0.13	1.93	0.00	20.16	69.33	0.00	0.00	56.76
090000	4.96	2.90	5.24	2.39	5.08	0.51	2.06	0.15	1.91	0.00	20.15	69.33	0.00	0.00	46.91
100000	5.03	2.73	4.38	1.68	4.94	0.50	2.05	0.10	1.95	0.00	20.15	69.33	0.00	0.00	70.65
110000	5.08	2.66	4.24	1.63	5.12	0.50	2.05	0.11	1.94	0.00	20.18	69.43	0.00	0.00	68.60
120000	5.07	2.66	4.37	1.75	5.94	0.59	2.06	0.11	1.95	0.00	20.22	69.55	0.00	0.00	40.06
130000	4.96	2.64	4.04	1.43	6.32	0.63	2.07	0.11	1.96	0.00	20.21	69.47	0.00	0.00	26.29
140000	5.00	2.58	4.04	1.51	6.55	0.65	2.08	0.11	1.97	0.00	20.20	69.47	0.00	0.00	51.55
150000	5.09	2.55	4.14	1.63	6.77	0.67	2.08	0.12	1.96	0.00	20.21	69.47	0.00	0.00	64.71
160000	5.04	2.46	4.43	2.00	6.88	0.69	2.09	0.14	1.95	0.00	20.20	69.47	0.00	0.00	31.92
170000	5.11	2.54	4.78	2.29	6.83	0.69	2.10	0.13	1.97	0.00	20.21	69.47	0.00	0.00	51.68
180000	4.95	2.39	3.90	1.53	6.99	0.67	2.12	0.09	2.03	0.00	20.22	69.47	0.00	0.00	68.73
190000	5.01	2.36	3.69	1.38	7.02	0.64	2.10	0.06	2.04	0.00	20.22	69.48	0.00	0.00	97.66
200000	4.95	2.34	3.58	1.26	6.85	0.63	2.05	0.07	1.98	0.00	20.24	69.47	0.00	0.00	126.26
210000	5.08	2.34	3.55	1.23	6.72	0.63	2.04	0.07	1.97	0.00	20.23	69.47	0.00	0.00	125.68
220000	4.96	2.34	3.66	1.36	6.54	0.63	2.04	0.08	1.96	0.00	20.20	69.47	0.00	0.00	79.73
230000	4.95	2.29	3.39	1.12	6.05	0.60	2.03	0.08	1.95	0.00	20.20	69.46	0.00	0.00	84.41
極大值	5.17	2.90	5.71	2.90	18.03	0.69	2.27	0.17	2.11	0.00	20.24	69.55	0.00	0.00	126.26
極小值	4.91	2.29	3.39	1.12	4.84	0.49	2.03	0.06	1.91	0.00	20.13	69.33	0.00	0.00	8.05
平均值	5.03	2.53	4.23	1.74	6.83	0.58	2.08	0.12	1.97	0.00	20.18	69.41	0.00	0.00	54.56
標準差	0.07	0.16	0.57	0.45	3.26	0.07	0.06	0.03	0.05	0	0.03	0.08	0	0	32.4

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.02	2.31	3.20	0.93	8.77	0.54	2.03	0.07	1.96	0.00	20.17	69.34	0.00	0.00	118.92
010000	4.96	2.31	3.23	0.94	9.31	0.51	2.03	0.07	1.96	0.00	20.17	69.33	0.00	0.00	146.66
020000	5.06	2.32	3.20	0.94	16.36	0.50	2.03	0.07	1.96	0.00	20.15	69.33	0.00	0.00	125.94
030000	5.08	2.36	3.23	0.91	10.36	0.49	2.03	0.08	1.95	0.00	20.16	69.33	0.00	0.00	137.36
040000	4.94	2.35	3.34	1.04	4.71	0.48	2.03	0.08	1.95	0.00	20.16	69.33	0.00	0.00	199.38
050000	4.98	2.41	3.51	1.13	4.67	0.49	2.03	0.09	1.94	0.00	20.17	69.33	0.00	0.00	80.30
060000	5.10	2.51	4.19	1.73	10.92	0.49	2.04	0.11	1.93	0.00	20.16	69.33	0.00	0.00	42.92
070000	5.01	2.94	6.87	4.03	12.69	0.55	2.05	0.15	1.90	0.00	20.17	69.36	0.00	0.00	45.54
080000	5.07	3.38	6.24	2.96	12.60	0.52	2.05	0.20	1.85	0.00	20.17	69.44	0.00	0.00	46.08
090000	5.03	2.67	4.85	2.25	13.12	0.53	2.05	0.18	1.87	0.00	20.18	69.41	0.00	0.00	39.47
100000	5.04	2.81	4.82	2.05	12.21	0.52	2.06	0.16	1.90	0.00	20.20	69.45	0.00	0.00	27.77
110000	5.02	2.61	4.29	1.73	13.36	0.52	2.05	0.15	1.90	0.00	20.25	69.55	0.00	0.00	51.61
120000	4.94	2.53	4.08	1.58	16.53	0.62	2.06	0.13	1.93	0.00	20.28	69.58	0.00	0.00	66.13
130000	5.06	2.66	4.20	1.57	14.88	0.66	2.05	0.11	1.94	0.00	20.23	69.47	0.00	0.00	62.60
140000	5.04	2.63	4.14	1.54	15.24	0.67	2.05	0.10	1.95	0.00	20.24	69.47	0.00	0.00	41.02
150000	5.04	2.63	4.35	1.76	14.84	0.67	2.06	0.10	1.96	0.00	20.25	69.47	0.00	0.00	54.34
160000	5.00	2.60	4.36	1.79	13.08	0.67	2.06	0.10	1.96	0.00	20.26	69.47	0.00	0.00	107.42
170000	5.07	2.51	4.31	1.85	14.29	0.69	2.06	0.12	1.94	0.00	20.24	69.47	0.00	0.00	45.48
180000	5.04	2.40	4.17	1.80	13.38	0.68	2.06	0.11	1.95	0.00	20.21	69.47	0.00	0.00	46.58
190000	4.90	2.44	4.12	1.72	6.19	0.68	2.06	0.13	1.93	0.00	20.20	69.47	0.00	0.00	47.17
200000	4.97	2.49	4.15	1.70	6.52	0.66	2.05	0.12	1.93	0.00	20.19	69.47	0.00	0.00	70.06
210000	4.98	2.32	4.61	2.35	8.91	0.67	2.08	0.13	1.95	0.00	20.17	69.47	0.00	0.00	35.37
220000	4.97	2.40	3.94	1.57	6.66	0.66	2.10	0.15	1.95	0.00	20.16	69.47	0.00	0.00	58.88
230000	4.90	2.37	3.97	1.62	6.57	0.65	2.09	0.15	1.94	0.00	20.15	69.47	0.00	0.00	63.15
極大值	5.10	3.38	6.87	4.03	16.53	0.69	2.10	0.20	1.96	0.00	20.28	69.58	0.00	0.00	199.38
極小值	4.90	2.31	3.20	0.91	4.67	0.48	2.03	0.07	1.85	0.00	20.15	69.33	0.00	0.00	27.77
平均值	5.01	2.54	4.22	1.73	11.09	0.59	2.05	0.12	1.93	0.00	20.20	69.43	0.00	0.00	73.34
標準差	0.06	0.24	0.87	0.69	3.72	0.08	0.02	0.04	0.03	0	0.04	0.07	0	0	43.27